

# **Guide to the OLE Select and Acquire Module**

---

---

---

# Table of Contents

|  |     |
|--|-----|
| Introduction .....   | xii |
| 1. Accessing Purchasing and Accounts Payable Functions ..... | 1   |
| 2. Batch Processes .....                                     | 2   |
| 3. Ordering Materials: Standard Transactional E-Docs .....   | 3   |
| Requisition Search .....                                     | 3   |
| Lookup Help .....  | 3   |
| Requisition .....  | 4   |
| Getting Started .....  | 4   |
| Document Layout .....  | 5   |
| Process Overview .....                                       | 24  |
| Purchase Order Search .....                                  | 31  |
| Lookup Help .....  | 31  |
| Purchase Order .....   | 32  |
| Document Layout .....  | 32  |
| Process Overview .....                                       | 48  |
| Purchase Order Amend .....                                   | 55  |
| Document Layout .....  | 56  |
| Process Overview .....                                       | 56  |
| Purchase Order Payment Hold .....                            | 59  |
| Document Layout .....  | 59  |
| Process Overview .....                                       | 60  |
| Purchase Order Remove Payment Hold .....                     | 61  |
| Document Layout .....  | 62  |
| Process Overview .....                                       | 62  |
| Purchase Order Void .....                                    | 64  |
| Document Layout .....  | 64  |
| Process Overview .....                                       | 65  |
| Purchase Order Close .....                                   | 66  |
| Document Layout .....  | 67  |
| Process Overview .....                                       | 67  |
| Purchase Order Reopen .....                                  | 68  |
| Document Layout .....  | 68  |
| Process Overview .....                                       | 70  |
| Order Holding Queue .....                                    | 71  |
| 4. Paying for Materials: Standard Transactional E-Docs ..... | 74  |
| Invoice Search .....   | 74  |
| Lookup Help .....  | 74  |
| Invoice .....  | 75  |
| Document Layout .....  | 76  |
| Process Overview .....                                       | 85  |
| Vendor Credit Memo Search .....                              | 90  |
| Lookup Help .....  | 91  |
| Vendor Credit Memo .....                                     | 92  |
| Document Layout .....  | 92  |
| Process Overview .....                                       | 100 |
| Example .....  | 105 |
| Payment Request Search .....                                 | 106 |
| Lookup Help .....  | 106 |
| Payment Request .....  | 107 |
| Search for Purchase Order Numbers .....                      | 107 |
| Document Layout .....  | 108 |

Guide to the OLE Select  
and Acquire Module

---

|   |     |
|---|-----|
| Process Overview .....  | 119 |
| 5. Receiving Materials: Standard Transactional E-docs .....     | 129 |
| Monograph Receiving Search .....                                | 129 |
| Lookup Help .....   | 129 |
| Monograph Receiving (Line Item Receiving) .....                 | 130 |
| Document Layout .....   | 131 |
| Process Overview .....  | 137 |
| Claim Notices .....   | 139 |
| Claim Response Information (Update) .....                       | 140 |
| Process Overview .....  | 141 |
| Receiving and Claiming Queue .....                              | 142 |
| Receive .....   | 143 |
| Create Receiving .....  | 144 |
| Pay .....   | 144 |
| Receive and Pay .....   | 145 |
| Claim .....   | 146 |
| Serials Receiving Transaction .....                             | 147 |
| Getting Started .....   | 148 |
| Document Overview .....   | 152 |
| Process Overview .....  | 155 |
| 6. Fund .....   | 160 |
| General Ledger .....  | 160 |
| Fund Lookup .....   | 161 |
| Search Results .....  | 162 |
| Flexible Offset Options .....                                   | 163 |
| Flexible Banking Offsets .....                                  | 163 |
| Flexible Offsets by Account .....                               | 164 |
| Budget Adjustment Search .....                                  | 165 |
| Budget Adjustment .....   | 165 |
| Document Layout .....   | 165 |
| Process Overview .....  | 168 |
| Transfer of Funds Search .....                                  | 171 |
| Transfer of Funds .....   | 171 |
| Document Layout .....   | 172 |
| Process Overview .....  | 172 |
| 7. Licensing Overview .....                                     | 176 |
| Licensing e-documents .....                                     | 176 |
| 8. Standard Licensing E-Docs .....                              | 178 |
| Agreement .....   | 178 |
| Initiate License Workflow .....                                 | 178 |
| License Request .....   | 179 |
| Getting Started .....   | 179 |
| Document Layout .....   | 179 |
| Business Rules .....  | 184 |
| Routing .....   | 184 |
| Manage Checklist .....  | 191 |
| Document Layout .....   | 191 |
| Process Overview .....  | 192 |
| 9. Vendor .....   | 194 |
| Vendors .....   | 194 |
| Special Navigation Features .....                               | 194 |
| Document Layout (for Create New Vendor & Create Division) ..... | 196 |
| Process Overview .....  | 211 |
| Vendors Search .....  | 212 |



Guide to the OLE Select  
and Acquire Module

---

|  |     |
|--|-----|
| Lookup Help .....  | 212 |
| 10. Electronic Resources: Standard Transactional Documents .....                                   | 214 |
| E-Resource .....   | 214 |
| Getting Started .....  | 215 |
| Document Layout .....  | 215 |
| Process Overview .....   | 230 |
| E-Resource Search .....  | 232 |
| Process Overview .....   | 232 |
| 11. Import .....   | 234 |
| Load Reports .....   | 234 |
| Getting Started .....  | 234 |
| Document Layout .....  | 234 |
| Process Overview .....   | 237 |
| Invoice Load Details .....   | 238 |
| Document Layout .....  | 238 |
| 12. All Acquisitions Records (Searches) .....  | 239 |
| Acquisitions Search .....  | 239 |
| Lookup Help .....  | 239 |
| 13. Reports .....  | 241 |
| Available Balances .....   | 241 |
| Lookup Criteria .....  | 241 |
| Search Results .....   | 242 |
| Query Available Account Balances: Requisition (Purchase Order, Payment Request)<br>Line Item ..... | 242 |
| Cash Balances .....  | 243 |
| Lookup Criteria .....  | 244 |
| Search Results .....   | 244 |
| Organization Review .....  | 244 |
| Document Layout .....  | 245 |
| Delegation .....   | 248 |
| Process Overview .....   | 249 |
| 14. Others: Additional Select/Acquire Standard Transactional Documents .....                       | 251 |
| Disbursement Voucher .....   | 251 |
| Document Layout .....  | 252 |
| Process Overview .....   | 255 |
| Distribution of Income and Expense .....   | 258 |
| Document Layout .....  | 258 |
| Process Overview .....   | 259 |
| Donor Annual Stewardship Report .....  | 260 |
| Donor Encumbered Report .....  | 261 |
| General Ledger Introduction .....  | 262 |
| GL Inquiries: Basic Information .....  | 264 |
| Entering Lookup Criteria .....   | 264 |
| Meaning of Dollar Accumulators .....   | 265 |
| Drilldowns .....   | 265 |
| Include or Exclude Pending Entries, Unapproved Entries, and GL Entries .....                       | 266 |
| General Error Correction .....   | 267 |
| Document Layout .....  | 267 |
| Process Overview .....   | 268 |
| Example .....  | 270 |
| General Ledger Correction Process .....  | 271 |
| Accounting Cycle Files .....   | 271 |
| General Ledger Entry .....   | 273 |
| Lookup Criteria .....  | 273 |

Guide to the OLE Select  
and Acquire Module

---

|  |     |
|--|-----|
| Search Results .....                         | 274 |
| Pre-Encumbrance .....                        | 274 |
| Document Layout .....                        | 274 |
| Process Overview .....                       | 275 |
| Year End E-Docs .....                        | 277 |
| Year End E-Doc Business Rules .....          | 278 |
| Year End E-Doc Routing .....                 | 278 |
| Initiating a Year-End Document .....         | 278 |
| 15. Standard COA E-Docs .....                | 280 |
| Managing COA Documents .....                 | 280 |
| Initiating Chart of Account Structures ..... | 281 |
| Creating Funds: OLE Chart of Accounts .....  | 281 |
| Global COA Documents .....                   | 282 |
| Edit List of xxx Tab .....                   | 283 |
| Account .....                                | 284 |
| Document Layout .....                        | 285 |
| Process Overview .....                       | 292 |
| Account Global .....                         | 294 |
| Document Layout .....                        | 295 |
| Process Overview .....                       | 296 |
| Chart .....                                  | 298 |
| Document Layout .....                        | 299 |
| Implementation Information .....             | 300 |
| Object Code .....                            | 301 |
| Document Layout .....                        | 301 |
| Process Overview .....                       | 303 |
| Implementation Information .....             | 304 |
| Object Code Global .....                     | 304 |
| Document Layout .....                        | 305 |
| Process Overview .....                       | 306 |
| Organization .....                           | 308 |
| Document Layout .....                        | 309 |
| Process Overview .....                       | 310 |
| Implementation Information .....             | 311 |
| Project Code .....                           | 312 |
| Document Layout .....                        | 312 |
| Process Overview .....                       | 313 |
| Business Rules .....                         | 313 |
| Routing .....                                | 313 |
| Sub-Account .....                            | 313 |
| Document Layout .....                        | 314 |
| Process Overview .....                       | 315 |
| Sub-Object Code .....                        | 316 |
| Document Layout .....                        | 317 |
| Process Overview .....                       | 318 |
| Sub-Object Code Global .....                 | 319 |
| Document Layout .....                        | 320 |
| Process Overview .....                       | 321 |
| Responsibility Center .....                  | 323 |
| Document Layout .....                        | 324 |
| 16. COA Attribute Maintenance E-Docs .....   | 325 |
| Account Type .....                           | 325 |
| Document Layout .....                        | 326 |
| Accounting Period .....                      | 326 |

Guide to the OLE Select  
and Acquire Module

---

|   |     |
|---|-----|
| Document Layout .....                         | 326 |
| Balance Type .....                            | 327 |
| Document Layout .....                         | 327 |
| Basic Accounting Category .....               | 328 |
| Document Layout .....                         | 328 |
| Budget Aggregation Code .....                 | 329 |
| Document Layout .....                         | 329 |
| .....   | 329 |
| Fund Group .....                              | 329 |
| Document Layout .....                         | 330 |
| Object Consolidation .....                    | 330 |
| Document Layout .....                         | 331 |
| Object Level .....                            | 331 |
| Document Layout .....                         | 332 |
| Object Sub-Type .....                         | 332 |
| Document Layout .....                         | 333 |
| Object Type .....                             | 333 |
| Document Layout .....                         | 334 |
| Organization Type .....                       | 334 |
| Document Layout .....                         | 335 |
| Restricted Status .....                       | 335 |
| Document Layout .....                         | 336 |
| Stewardship Requirement .....                 | 336 |
| Document Layout .....                         | 337 |
| Sub-Fund Group .....                          | 337 |
| Document Layout .....                         | 338 |
| Sub-Fund Group Type .....                     | 339 |
| Document Layout .....                         | 339 |
| Sufficient Funds Check Type .....             | 339 |
| Document Layout .....                         | 340 |
| Sufficient Funds Code .....                   | 340 |
| Document Layout .....                         | 341 |
| 17. Vendor Attribute Maintenance E-Docs ..... | 342 |
| Address Type .....                            | 342 |
| Document Layout .....                         | 343 |
| Campus .....                                  | 343 |
| Document Layout .....                         | 344 |
| Contact Type .....                            | 345 |
| Document Layout .....                         | 345 |
| Contract Manager .....                        | 346 |
| Document Layout .....                         | 346 |
| Cost Source .....                             | 347 |
| Document Layout .....                         | 347 |
| Payment Terms Type .....                      | 347 |
| Document Layout .....                         | 348 |
| Phone Type .....                              | 349 |
| Document Layout .....                         | 349 |
| Shipping Payment Terms .....                  | 349 |
| Document Layout .....                         | 350 |
| Shipping Special Conditions .....             | 350 |
| Document Layout .....                         | 351 |
| Shipping Title .....                          | 351 |
| Document Layout .....                         | 352 |
| Supplier Diversity .....                      | 352 |

|  |     |
|--|-----|
| Document Layout .....                                  | 353 |
| Vendor Inactive Reason .....                           | 353 |
| Document Layout .....                                  | 354 |
| Vendor Search Alias Type .....                         | 354 |
| Document Layout .....                                  | 355 |
| Vendor Transmission Format .....                       | 355 |
| Document Layout .....                                  | 356 |
| Vendor Transmission Type .....                         | 356 |
| Document Layout .....                                  | 357 |
| 18. Lookup (Account Delegate) Maintenance E-Docs ..... | 358 |
| Account Delegate .....                                 | 358 |
| Document Layout .....                                  | 359 |
| Process Overview .....                                 | 360 |
| Account Delegate Global .....                          | 360 |
| Creating New Global from Scratch .....                 | 360 |
| Creating New Global from Model .....                   | 361 |
| Document Layout .....                                  | 361 |
| Process Overview .....                                 | 363 |
| Account Delegate Global From Model .....               | 364 |
| Account Delegate Model .....                           | 364 |
| Document Layout .....                                  | 364 |
| Process Overview .....                                 | 367 |
| 19. E-Acquisitions Maintenance Documents .....         | 368 |
| Access Location .....                                  | 368 |
| Document Layout .....                                  | 369 |
| Access Type .....                                      | 369 |
| Document Layout .....                                  | 370 |
| Agreement Document Type .....                          | 370 |
| Document Layout .....                                  | 371 |
| Agreement Method .....                                 | 371 |
| Document Layout .....                                  | 372 |
| Agreement Status .....                                 | 372 |
| Document Layout .....                                  | 373 |
| Agreement Type .....                                   | 373 |
| Document Layout .....                                  | 373 |
| Authentication Type .....                              | 374 |
| Document Layout .....                                  | 375 |
| Content Type .....                                     | 375 |
| Document Layout .....                                  | 376 |
| E-Resource Status .....                                | 376 |
| Document Layout .....                                  | 377 |
| License Request Current Location .....                 | 377 |
| Document Layout .....                                  | 378 |
| License Request Status .....                           | 378 |
| Document Layout .....                                  | 379 |
| License Request Type .....                             | 379 |
| Document Layout .....                                  | 380 |
| Licensing Requirement .....                            | 380 |
| Document Layout .....                                  | 381 |
| Material Type .....                                    | 381 |
| Document Layout .....                                  | 382 |
| Package Scope .....                                    | 382 |
| Document Layout .....                                  | 383 |
| Package Type .....                                     | 383 |

Guide to the OLE Select  
and Acquire Module

---

|   |     |
|---|-----|
| Document Layout .....                               | 384 |
| Payment Type .....                                  | 384 |
| Document Layout .....                               | 385 |
| Request Priority .....                              | 385 |
| Document Layout .....                               | 386 |
| 20. Select & Acquire Admin Maintenance E-Docs ..... | 387 |
| Bank .....  | 388 |
| Document Layout .....                               | 388 |
| Implementation Information .....                    | 390 |
| Billing Address .....                               | 390 |
| Document Layout .....                               | 390 |
| Building .....                                      | 391 |
| Document Layout .....                               | 391 |
| Cancellation Reason .....                           | 392 |
| Document Layout .....                               | 392 |
| Carrier .....                                       | 393 |
| Document Layout .....                               | 393 |
| Currency Type .....                                 | 394 |
| Document Layout .....                               | 394 |
| Delivery Required Date Reason .....                 | 395 |
| Document Layout .....                               | 395 |
| Donor .....   | 395 |
| Document Layout .....                               | 396 |
| Exception Type .....                                | 397 |
| Document Layout .....                               | 397 |
| Exchange Rate .....                                 | 397 |
| Document Layout .....                               | 398 |
| Invoice Sub Type .....                              | 398 |
| Document Layout .....                               | 399 |
| Invoice Type .....                                  | 399 |
| Document Layout .....                               | 400 |
| Item Category .....                                 | 400 |
| Document Layout .....                               | 401 |
| Item Type .....                                     | 401 |
| Document Layout .....                               | 402 |
| Method of PO Transmission .....                     | 402 |
| Document Layout .....                               | 403 |
| Note Type .....                                     | 403 |
| Document Layout .....                               | 404 |
| Order Type .....                                    | 404 |
| Document Layout .....                               | 405 |
| Payment Method .....                                | 405 |
| Document Layout .....                               | 406 |
| Recurring Payment Type .....                        | 406 |
| Document Layout .....                               | 407 |
| Request Source Type .....                           | 407 |
| Document Layout .....                               | 408 |
| Sensitive Data .....                                | 408 |
| Document Layout .....                               | 409 |
| Electronic Invoice Item Mapping .....               | 409 |
| Document Layout .....                               | 409 |
| Format .....  | 410 |
| Document Layout .....                               | 411 |
| Funding Source .....                                | 411 |

Guide to the OLE Select  
and Acquire Module

---

|  |     |
|--|-----|
| Document Layout .....  | 412 |
| Item Price Source .....  | 412 |
| Document Layout .....  | 413 |
| Item Reason Added .....  | 413 |
| Document Layout .....  | 414 |
| Negative Payment Request Approval Limit .....                            | 414 |
| Document Layout .....  | 415 |
| Organization Parameter .....   | 415 |
| Document Layout .....  | 416 |
| Payment Request Auto Approve Exclusions .....                            | 416 |
| Document Layout .....  | 417 |
| Purchase Order Contract Language .....                                   | 417 |
| Document Layout .....  | 418 |
| Purchase Order Item Status .....   | 418 |
| Document Layout .....  | 419 |
| Purchase Order Vendor Choice .....                                       | 419 |
| Document Layout .....  | 420 |
| Receiving Address .....  | 420 |
| Document Layout .....  | 421 |
| Receiving Threshold .....  | 422 |
| Document Layout .....  | 422 |
| Recurring Payment Frequency .....  | 423 |
| Document Layout .....  | 423 |
| Requisition Source .....   | 424 |
| Document Layout .....  | 424 |
| Room .....   | 425 |
| Document Layout .....  | 425 |
| Disbursement Voucher Payment Reason .....                                | 425 |
| Document Layout .....  | 426 |
| Fiscal Year Function Control .....                                       | 426 |
| Document Layout .....  | 427 |
| Function Control Code .....  | 427 |
| Document Layout .....  | 428 |
| Offset Definition .....  | 428 |
| Document Layout .....  | 429 |
| Organization Reversion .....   | 429 |
| Document Layout .....  | 430 |
| Process Overview .....   | 434 |
| Organization Reversion Category .....                                    | 435 |
| Document Layout .....  | 435 |
| Organization Reversion Global .....                                      | 436 |
| Document Layout .....  | 437 |
| Process Overview .....   | 441 |
| 21. Pre-Disbursement Processor .....                                     | 442 |
| PDP-Generated General Ledger Entries .....                               | 443 |
| PDP and Flexible Bank Specification .....                                | 443 |
| Flexible Bank Specification Parameters .....                             | 443 |
| Setting the Bank Code for a Transaction .....                            | 443 |
| PDP Disbursements and Bank Codes .....                                   | 444 |
| Canceling and Re-Issuing Payments with Flexible Bank Specification ..... | 444 |
| PDP General Ledger Entries with Flexible Bank Specification .....        | 444 |
| PDP Batch Jobs .....   | 445 |
| Accounting Change Code .....   | 446 |
| Document Layout .....  | 447 |

Guide to the OLE Select  
and Acquire Module

---

|   |     |
|---|-----|
| ACH Bank .....  | 448 |
| Document Layout .....   | 448 |
| ACH Transaction Code .....                                    | 449 |
| Document Layout .....   | 450 |
| ACH Transaction Type .....                                    | 450 |
| Document Layout .....   | 451 |
| Customer Profile .....  | 451 |
| Document Layout .....   | 452 |
| Implementation Information .....                              | 456 |
| Disbursement Number Range .....                               | 456 |
| Document Layout .....   | 457 |
| Disbursement Type .....                                       | 457 |
| Document Layout .....   | 458 |
| Format Checks/ACH .....                                       | 458 |
| Document Layout .....   | 459 |
| Process Overview .....  | 461 |
| Format Reset .....  | 462 |
| Document Layout .....   | 462 |
| Format Summary .....  | 463 |
| Document Layout .....   | 463 |
| Payee ACH Account .....                                       | 463 |
| Document Layout .....   | 464 |
| Payee Type .....  | 465 |
| Document Layout .....   | 465 |
| Payment Bank History .....                                    | 466 |
| Document Layout .....   | 466 |
| Payment Change .....  | 467 |
| Document Layout .....   | 467 |
| Payment File Batch Upload .....                               | 468 |
| Upload a File to PDP .....                                    | 468 |
| PDP Payment Upload File Format .....                          | 469 |
| Payment Type .....  | 471 |
| Document Layout .....   | 471 |
| Payment Status .....  | 472 |
| Document Layout .....   | 472 |
| Search for Batch (Batch Lookup) .....                         | 473 |
| Document Layout .....   | 473 |
| Process Overview .....  | 474 |
| Search for Payment .....                                      | 476 |
| Document Layout .....   | 476 |
| Taking Action on Payments .....                               | 484 |
| 22. Appendix .....  | 488 |
| Terms and Definitions .....                                   | 488 |
| Select And Acquire Roles .....                                | 490 |
| Maintenance Documents Permissions and Routing .....           | 493 |
| Sample Codes .....  | 494 |
| Sample Chart/Account Codes .....                              | 494 |
| Chart Codes with related Accounts/Object codes: BUDGETS ..... | 494 |
| Sample Library (OLE) Organizations .....                      | 497 |
| Document Statuses .....                                       | 497 |
| Purchase Order Statuses .....                                 | 497 |
| Payment Request Statuses .....                                | 498 |
| Linked Resources .....  | 499 |

---

# Introduction

This guide provides information about using Select and Acquire functions. The Select and Acquire module encompasses selection, purchasing, receiving, and payment for all library materials, both print and electronic. Full financial and budgeting structures, batch importing of vendor and bibliographic records, and tools supporting the lifecycle of electronic records are incorporated in the module.

## Note

To learn more about the Select and Acquire Module, see the *Select and Acquire Overview* on the [OLE Documentation Portal](#).

This guide is organized to follow the layout of the Select/Acquire tab followed by the Licensing tab. Please note there is a slight difference in Select/Acquire documentation. To follow the workflow, the documentation covers Order, Paying, Receiving and then returns to addressing each submenu in columns.

- Order provides access to the requisitions, purchase orders, and the order holding queue. Users initiate requisitions which become purchase orders sent to vendors.
- Paying provides access to invoices and credit memos. Users are able to invoice vendors or receive money back via the credit memo.
- Receiving provides access to monographic and serial receiving.
- Fund allows users to manage library funds.
- Acquisition provides access to search and edit payment requests, create general error corrections and disbursement vouchers, and search and edit E-Resources.
- Chart of Accounts contains the maintenance documents associated with the chart of accounts documents.
- Lookup and Maintenance provides access to the chart of accounts documents: accounts, subaccounts, organizations, objects and subobjects.
- Vendor provides access to vendor records as well as to search bibliographic records and acquisition documents.
- Vendor (2nd submenu) contains the maintenance documents associated with the vendor document.
- Import provides access to import batch marc and vendor files and view reports of these loads.
- Purchasing/Accounts Payable contains the maintenance documents associated with ordering, paying, receiving, and e-resources as well as general ledger entry and available balances lookups.

On the Licensing tab:

- Licensing provides access to the license request document.
- Licensing Admin contains the maintenance documents associated with license requests.
- Agreement Admin contains the maintenance documents associated with agreements.

These sections are divided into subsections covering individual functions. For each function, the applicable subsection presents a breadcrumb trail showing how to access the function and information on the layout and fields on the related screen(s). As appropriate, some subsections include business rules and routing information for e-docs and/or special instructions for performing activities.



## Note

In order to work efficiently in the system's Select/Acquire and Licensing screens, you need to understand the basics of the user interface. For information and instructions on logging on and off, navigating, understanding the components of screens, and performing basic operations in the screens, see the [OLE Basic Functionality and Key Concepts](#).

This guide as well as guides to other OLE modules are available for download from the [OLE Documentation Portal](#).

## Tip

Bookmark any page within OLE. This will allow you to easily navigate back to an interface or e-doc in one click, just log in.

---

# Chapter 1. Accessing Purchasing and Accounts Payable Functions

The Kualo OLE Purchasing and Accounts Payable module includes several e-docs to help your institution manage its procurement processes. Kualo OLE users may initiate Requisition e-docs to request that orders be placed for goods or services. Fully approved Requisition e-docs are then processed by departmental staff and then become purchase orders (POs). Under certain conditions (specified by your institution's business rules in Kualo OLE), fully approved requisitions may become POs automatically without any additional processing.

Each PO is an official request for goods or services to a specified vendor for an agreed-upon cost. After goods are delivered or services rendered, Kualo OLE allows for the processing of vendor invoices through the Payment Request e-doc, which applies full or partial payment against a PO. Credits received from vendors may also be processed on a Credit Memo e-doc. Both payments and credit memos may then be applied to outstanding invoices when payment is due.

Purchasing and Accounts Payable e-docs are accessible from the Select/Acquire tab.

# Chapter 2. Batch Processes

Users do not interact directly with OLE batch processes, but some users want to understand how these processes keep the data base up to date. For users who are interested, the following table summarizes the functions of the system's Purchasing/Accounts Payable batch processes. These processes, which are run according to a predetermined schedule, not only keep your database up to date but, in some cases, generate new e-docs as needed to make certain types of adjustments.

## Purchasing and Accounts Payable Batch Jobs

| Job Name                                      | Description  |
|---|--|
| approveLineItemReceivingJob                   | If unordered items have been received and noted when doing line item receiving, Purchasing and Accounts Payable attempts to create a Purchase Order Amendment e-doc to adjust for the new items. If a purchase order cannot be amended for some reason (for example, if it is closed or has pending payment requests), this job rechecks each time it is run and creates the Purchase Order Amendment e-doc as soon as it is allowed to do so. |
| autoApprovePaymentRequestsJob                 | Automatically approves payment request documents with a current or past pay date.  |
| autoClosePurchaseOrdersJob                    | Closes open purchase orders with no remaining encumbrance.   |
| autoCloseRecurringOrdersJob                   | Looks at the end date on a recurring order (that is, a purchase order with a recurring payment type not equal to null). If this date is less than or equal to the date defined in the AUTO_CLOSE_RECURRING_PO_DATE parameter, it closes the purchase order and disencumbers any outstanding amounts.   |
| electronicInvoiceExtractJob                   | Examines and validates invoices uploaded electronically by vendors. Creates Payment Request e-docs for valid invoices and creates Electronic Invoice Reject e-docs for invalid invoices.   |
| faxPendingDocumentJob                         | Not yet supported by OLE; this job is a placeholder for a process used by Indiana University. (POs are queued electronically to be sent via fax, and this job runs every 15 minutes. If there is a problem with the fax device, the job fails. If the fax device is working normally, the POs are faxed.)  |
| purchasingPreDisbursementExtractJob           | Extracts all eligible and approved Payment Request and Credit Memos e-docs into the Pre-Disbursement Processor (PDP) for payment.  |
| purchasingPreDisbursementImmediatesExtractJob | Extracts eligible and approved payment requests and credit memos flagged for immediate payment into the Pre-Disbursement Processor (PDP) for payment.  |
| receivingPaymentRequestJob                    | If using receiving and if a payment request is entered that exceeds the open quantity on the purchase order, the payment request is held in "Waiting on Receiving" status. This job checks payment requests held in this status and releases them for normal routing when the purchase order has a sufficient open quantity.   |
| approveLineItemReceivingJob                   | If unordered items are received when doing line item receiving, Purchasing and Accounts Payable attempts to create a Purchase Order Amendment e-doc to adjust for the new items. If the purchase order cannot be amended for some reason (for example, if it is closed or has pending payment requests), this job rechecks every time it is run and creates the Purchase Order Amendment e-doc as soon as it is allowed to do so.              |
| autoApprovePaymentRequestsJob                 | Automatically approves payment request documents with a current or past pay date.  |
| autoClosePurchaseOrdersJob                    | Closes open purchase orders with no remaining encumbrance.   |
| autoCloseRecurringOrdersJob                   | Looks at the end date on a recurring order (that is, a purchase order with a recurring payment type not equal to null). If this date is less than or equal to the date defined in the AUTO_CLOSE_RECURRING_PO_DATE parameter, closes the Purchase Order and disencumbers any outstanding amounts.  |

---

# Chapter 3. Ordering Materials: Standard Transactional E-Docs

## REQUISITIONS

[Create](#)  
[Search](#)

## PURCHASE ORDERS

[Search](#)



On the **Select/Acquire** tab, the **Order** submenu provides access to request and order library materials.

## Requisition Search



OLE offers a customized document search related to electronic requisitions. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.

- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

**Maintenance Links:**

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

**Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.


**Note**

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

**Note**

For information about Document lookup fields that are specific to requisitions, see “Document Layout” under [Requisition](#).

## Requisition



All orders begin in OLE as Requisitions. Requisitions or imported vendor files are processed into Approved Purchase Orders, or can be saved in support of ongoing Selection activities.

## Getting Started

Anyone can create a requisition for routing. Users who can create a requisition, that, when all required fields are entered and business rules are satisfied, becomes an automatic/approved Purchase Order transmitted to Vendor must have the role OLE-SELECT Acquisitions-AQ2, Acquisitions-AQ3, Acquisitions-AQ4, Acquisitions-AQ5, OLE\_Selectors, OLE\_Selectors-serials, OLE\_ACQ-Mgr, PLE\_ACQ-Mgr-Serials, OLE-Acquisitions, OLE-Acquisitions-serials.

**Note**

Currently any authorized user of a Requisition e-Doc can process it into an Automated Purchase Order if all business rules and required fields are satisfied for *firm, fixed orders*. In future, the

Ordering Materials: Standard  
Transactional E-Docs

inherited routing rules and business rules will continue to be modified to prohibit Selection-staff from submitting an order (i.e., via Account codes).

The Requisition (REQS) document collects information about the desired items or services, possible vendors to fulfill the order, delivery instructions, contact information, and related accounting details. The approved Requisition document is used to generate the purchase order. Authorized users can process requisitions to Automated Purchase Orders for firm fixed orders

## Document Layout

|   |                                     |   |
|---|-------------------------------------|---|
| <b>Requisition</b> <span style="font-size: small;">?</span> | <b>Doc Nbr:</b> 10293               | <b>Status:</b> INITIATED                  |
|   | <b>Initiator:</b> ole-quickstart    | <b>Created:</b> 02:43 PM 08/25/20         |
|   | <b>Requisition #:</b> Not Available | <b>Requisition Doc Status:</b> In Process |

[expand all](#)   [collapse all](#)   \* required field

**Document Overview** ▶ show

**Delivery** ▼ hide

**Final Delivery**

|  |                                       |
|--|---------------------------------------|
| <b>* Delivery Campus:</b> BL - BLOOMINGTON   | <b>* Delivery To:</b> quickstart, ole |
| <b>Building:</b> Wells Library <span style="font-size: x-small;">building not found   set as default building</span> | <b>Phone Number:</b>                  |
| <b>* Address 1:</b> 1320 E 10th St   | <b>Email:</b> test@email.edu          |
| <b>Address 2:</b>  | <b>Date Required:</b>                 |
| <b>* Room:</b> 006   | <b>Date Required Reason:</b>          |
| <b>* City:</b> Bloomington   | <b>Delivery Instructions:</b>         |
| <b>State:</b> IN   |                                       |
| <b>Postal Code:</b> 47405-3907   |                                       |
| <b>* Country:</b> United States  |                                       |

**Receiving Address**

**Receiving Address:**

**Address To Vendor**

**Shipping Address Presented to Vendor:**  Receiving Address    Final Delivery Address

**Vendor** ▶ show

**Titles** ▼ hide

**Add Item** ?

|                                |  |  |                                     |   |
|--------------------------------|--|--|-------------------------------------|---|
| <b>Bib Info:</b>               | <input type="radio"/> new bib <input type="radio"/> existing | <input checked="" type="radio"/> print holdings <input type="radio"/> e-holdings | <b>Location:</b>                    | <b>Copy #:</b>  |
| <b>* No of Copies Ordered:</b> | <b>* No of Parts Ordered:</b>                                | <b>* List Price:</b> 0.00  | <b>Extended Cost:</b> 0.00          | <b>Public View:</b> <input checked="" type="checkbox"/> |
| <b>Receipt Status:</b>         | <b>No Of Copies Received:</b>                                | <b>No of Parts Received:</b>   | <b>Item Price Source:</b> Publisher | <b>Request Source:</b> Staff                            |
| <b>Format:</b>                 | <b>Category:</b>   | <b>Vendor Item Identifier:</b>   | <b>Requestor:</b>                   | <b>Route To Requestor:</b>                              |
| <b>* Unit Cost:</b>            | <b>Discount:</b>   | <b>Discount Type:</b> %  | <b>Item Status:</b>                 | <b>Purpose:</b>   |

[setup distribution](#)   [remove accounts from all items](#)   [expand all accounts](#)   [collapse all accounts](#)

**Current Items**

**Additional Charges** ▶ show

**Totals**

|                     |           |
|---------------------|-----------|
| <b>Grand Total:</b> | 0.00      |
| <b>APO Limit:</b>   | 10,000.00 |

**Payment Info** ▶ show

**Additional Institutional Info** ▶ show

**Account Summary** ▶ show

**View Related Documents** ▶ show

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

The Requisition document includes several unique tabs—**Delivery, Vendor, Titles, Payment Info, Additional Institution Info, Account Summary, and View Related Documents.**

Unlike a standard financial e-doc, there is no **Accounting Lines** tab, and the document header and the **Document Overview** tab are slightly different.

**Requisition document tabs and purposes**

| Tab Name                      | Purpose   |
|-------------------------------|---|
| Document Overview             | In addition to the standard document overview information (description, explanation, and organization document number), contains the fiscal year, line item receiving requirements, order types, , funding source, and the payment request positive approval required override flag, license requirement or review flag and status. |
| Delivery                      | Contains information about the final delivery and central receiving addresses.  |
| Vendor                        | Suggests a vendor or a list of vendors who might provide the goods or services being requisitioned.   |
| Titles                        | Identifies what is being ordered on this requisition and establishes an accounting distribution indicating how those items should be charged.   |
| Payment Info                  | Indicates the type of payment schedule required and the duration of that schedule if recurring payments are required for the items on this requisition.   |
| Additional Institutional Info | Collects information about the organization at your institution that has requested the goods or services for this requisition as well as the internal contact information.  |
| Account Summary               | Summarizes the accounting information for all line items on the requisition. The line items that make up the summary display here.  |
| View Related Documents        | Lists all documents related to a requisition, such as the purchase order, receiving documents, payments, credit memos.  |

**Document Header**

As in other OLE documents, the header section contains basic identification and status information about the document as well as who created it. The Requisition document has two additional fields in the document header that do not appear in other OLE documents: **REQ Nbr** and **REQ Status**.

Like the other fields in the document header, these fields are completed and updated automatically by Kualii OLE.

|                       |                              |                                |                     |
|-----------------------|------------------------------|--------------------------------|---------------------|
| <b>Doc Nbr:</b>       | 4514                         | <b>Status:</b>                 | INITIATED           |
| <b>Initiator:</b>     | <a href="#">ole-khuntley</a> | <b>Created:</b>                | 01:37 PM 08/19/2013 |
| <b>Requisition #:</b> | Not Available                | <b>Requisition Doc Status:</b> | In Process          |

**Document header definition**

| Title              | Description   |
|--------------------|---|
| Requisition #      | An identifying number assigned to this requisition. This number, which may be used for queries specific to the Purchasing/AP module of OLE, differs from the Doc Nbr, which identifies the requisition as a unique document for general OLE and Workflow queries.                                   |
| Requisition Status | A status that indicates where in the Purchasing/AP process a requisition is at any given time. This is similar to the status a document receives in Workflow but is specific to the purchasing process. Examples of REQ Status might include 'Awaiting Fiscal Officer,' 'In Process,' and 'Closed'. |

**Note**

For additional information, see [Document Header](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).


**Document Overview Tab**

Unlike the **Document Overview** tab in other financial documents, a special **Fiscal Year** field is included in this tab on the Requisition document because, in some circumstances, users may be able to select from

Ordering Materials: Standard  
Transactional E-Docs

more than one fiscal year to which a Requisition should be applied. The tab also includes the **Requisition Detail** section, which identifies funding source for this requisition.

**Document Overview tab definition**

| Title                                      | Description   |
|--|---|
| <i>Financial Document Detail</i>           |   |
| Year                                       | Required. The default is the current fiscal year. This field is not editable until the 'ALLOW ENCUMBER NEXT YEAR DAYS' parameter has been met.<br><br>Setting the year to the next fiscal year can affect the requisition in several ways. The requisition may not become an APO if the 'ALLOW APO NEXT FY DAYS' parameter has not been met, and the funds will not be encumbered until the next fiscal year once a PO is fully approved. |
| Total Amount                               | Display-only. Displays the total amount of the requisition after fees.  |
| <i>Requisition Detail</i>                  |   |
| Chart/Org                                  | Required. Automatically completed based on the initiator's chart/org. This value may be changed manually via the lookup  . This value is also the chart/org that is used for the Content route level.  |
| Receiving Required                         | Optional. Select the check box to ignore the receiving thresholds on the approved purchase order. If the field is checked, then a Line Item Receiving document must be processed with sufficient quantities received before a payment will route to the fiscal officer.   |
| Order Type                                 | Identifies the type of order, possible values could be one-time, standing, subscription. System default data value is "Firm, Fixed".  |
| Funding Source                             | Required. Defaults to 'Institution Account'.  |
| Payment Request Positive Approval Required | Optional. The 'DEFAULT POS APPRVL LMT' parameter determines the dollar limit where payment requests must receive positive approval from a fiscal officer. If this field is selected, positive approval on the payment request is required regardless of the total of the payment.   |

**Delivery Tab**

The **Delivery** tab contains information about where goods ordered on this requisition should be delivered. It also collects delivery contact information and any special delivery instructions. The system provides two ways for you to specify the delivery address: select the building from the **building** lookup or enter a different address by entering the address after selecting the **Other Building** option.

**Note**

When implementing OLE, libraries can update the Building maintenance e-Doc with their own building designations.



## Ordering Materials: Standard Transactional E-Docs

▼ hide

| Final Delivery   |  |
|--|--|
| <b>* Delivery Campus:</b> BL - BLOOMINGTON   | <b>* Delivery To:</b> quickstart, ole  |
| <b>Building:</b> Wells Library <span style="font-size: small;">building not found   set as default building</span>                           | <b>Phone Numbers:</b> <input style="width: 100%;" type="text"/>                                      |
| <b>* Address 1:</b> 1320 E 10th St   | <b>Email:</b> test@email.edu   |
| <b>Address 2:</b> <input style="width: 100%;" type="text"/>  | <b>Date Required:</b> <input style="width: 100%;" type="text"/>                                      |
| <b>* Room:</b> 064   | <b>Date Required Reason:</b> <input style="width: 100%;" type="text"/>                               |
| <b>* City:</b> Bloomington   | <b>Delivery Instructions:</b> <div style="border: 1px solid gray; height: 40px; width: 100%;"></div> |
| <b>State:</b> IN   |  |
| <b>Postal Code:</b> 47405-3907   |  |
| <b>* Country:</b> United States  |  |
| Receiving Address  |  |
| <b>Receiving Address:</b> <input style="width: 100%;" type="text"/>  |  |
| Address To Vendor  |  |
| <b>Shipping Address Presented to Vendor:</b> <input type="radio"/> Receiving Address <input checked="" type="radio"/> Final Delivery Address |  |

### Delivery tab definition

| Title                                | Description   |
|--------------------------------------|---|
| Delivery Campus                      | Required. Defaults to the appropriate campus for the user's chart/org. You may also search for another campus from the <b>Delivery Campus</b> lookup .  |
| Building                             | Required. Search for the building to which goods should be delivered from the <b>building</b> lookup . Only buildings that correspond with the delivery campus will display. Selection of a building automatically completes the <b>Address</b> , <b>City</b> , <b>State</b> and <b>Postal Code</b> fields. |
| Address 1                            | Required; automatically populated from data for the <b>Building</b> value. May be entered manually if the user selects the <b>Building Not Found</b> button.  |
| Address 2                            | Optional. Entered manually if an additional line of address is needed.  |
| Room                                 | Required. Enter the room number to which delivery should be made.   |
| City                                 | Required; automatically populated from data for the <b>Building</b> value. May be entered manually if the user selects the <b>Building Not Found</b> button.  |
| State                                | Required; automatically populated from data for the <b>Building</b> value. May be entered manually if the user selects the <b>Building Not Found</b> button.  |
| Postal Code                          | Required; automatically populated from data for the <b>Building</b> value. May be entered manually if the user selects the <b>Building Not Found</b> button.  |
| Country                              | Required; Automatically populated from data for the <b>Building</b> value. May be entered manually if the user selects the <b>Building Not Found</b> button.  |
| Delivery To                          | Required. Defaults to the initiator's user name. You may enter another name or use the <b>User</b> lookup  to find it.  |
| Phone Number                         | Optional. Automatically populated from the initiator's phone number but may be changed.   |
| Email                                | Optional. Defaults to the initiator's user e-mail address but may be changed.   |
| Date Required                        | Optional. Enter a date on which delivery is required or choose the date from the calendar .   |
| Date Required Reason                 | Optional. If a date required has been specified, select the appropriate date required reason from the list.   |
| Delivery Instructions                | Optional. Enter text describing any special delivery instructions for the item(s).  |
| Receiving Address                    | If this field does not display, it is because the 'ENABLE RECEIVING ADDRESS INDICATOR' parameter is set to 'N'. If it does display, the default is determined by the receiving address that has been set up for the initiator's organization. May be changed by using the lookup .                          |
| Shipping Address Presented to Vendor | Defaults to the receiving address. May be changed to the final delivery address.<br><br>NOTE: If this field is read-only, it is because the 'ENABLE ADDRESS TO VENDOR SELECTION INDICATOR' parameter is set to 'No'.  |

## Vendor Tab


The **Vendor** tab includes three sections: **Vendor Address**, **Vendor Info**, and **Additional Suggested Vendor Names**.

In order to generate a PO through the creation of a requisition it is important to search for and select vendors of the type "Purchase Order"

OLE has built in functionality to support both foreign and domestic vendors. Using a foreign vendor will require you to take the extra step of entering the **Foreign List Price** (illustrated in the instructions below).

### Tip




To prepopulate vendor information, enter the **Vendor Alias Name** and click 



The screenshot shows the Vendor tab interface. It is divided into three main sections: Vendor Address, Vendor Info, and Additional Suggested Vendor Names. The Vendor Address section includes fields for Vendor Alias Name (with a 'select vendor' button), Suggested Vendor (with a 'clear vendor' button), Vendor #, Address 1, Address 2, Attention, City, State, Province, Postal Code, and Country. The Vendor Info section includes Acquisition Unit's Vendor account / Vendor Info Customer #, Notes To Vendor, Contract Name, Phone Number, Fax Number, Payment Terms, Shipping Title, Shipping Payment Terms, Contacts, and Supplier Diversity. The Additional Suggested Vendor Names section has five rows for Vendor Name 1 through Vendor Name 5.

## Vendor Address Section

### Vendor Address section definition




| Title             | Description  |
|-------------------|--|
| Vendor Alias Name | If you know the vendor's alias, enter the code in the box and click  . This will prepopulate the Vendor address and information.   |
| Suggested Vendor  | Optional. Enter the name of a vendor that is able to fulfill this requisition or search for it from the <b>Vendor</b> lookup  . Selecting a vendor from the table populates other fields in this tab based on the information already on file in OLE for this vendor. Alternately, you may select a contract (see below) and the vendor associated with that contract is automatically populated. |
| Vendor #          | Display-only. Completed automatically when a suggested vendor is selected from the vendor table.   |
| Address 1         | Optional. Enter the first line of the address for the suggested vendor. If a vendor has been selected from the vendor table this field is automatically populated. If you want to select a different vendor address than the default, choose one of the addresses entered for this vendor from the <b>Address</b> lookup  .   |

Ordering Materials: Standard  
Transactional E-Docs

|             |   |
|-------------|---|
| Address 2   | Optional. Enter the second line of the address for the suggested vendor. If a vendor has been selected from the vendor table this field is automatically populated. |
| Attention   | Optional. Enter the name of the person to whom the delivery is to be directed.  |
| City        | Optional. Enter the suggested vendor's city. If a vendor has been selected from the vendor table this field is automatically populated.                             |
| State       | Optional. Enter the suggested vendor's state. If a vendor has been selected from the vendor table, this field is automatically populated.                           |
| Province    | Optional. Enter the province if vendor is located outside of the United States.   |
| Postal Code | Optional. Enter the selected vendor's postal code. If a vendor has been selected from the vendor table, this field is automatically populated.                      |
| Country     | Optional. Enter the selected vendor's country. If a vendor has been selected from the vendor table, this field is automatically populated.                          |

## Vendor Info Section

### Vendor Info section definition

| Title  | Description   |
|--|---|
| Acquisition unit's vendor account/Vendor info customer # | Optional. Enter a customer number that identifies your institution or department for this vendor's reference<br><br>Used for reporting and to separate out different library branches or locations' vendor acct information that all links to the same master vendor  |
| Notes to Vendor  | Optional. Include any text notes you want the vendor to see on the PO.  |
| Contract Name  | Optional. If a contract exists with the vendor for these goods or services, select one from the <b>Contract</b> lookup  . Selecting a contract also populates the vendor associated with that contract.<br><br><b>Note</b><br><br>The contracts are campus-specific. A requisition returns results only for the campus associated with the Chart/Org found on the <b>Additional Institutional Info</b> tab (see below). Selecting a contract affects the APO limit, depending on how the contract has been set up for the organization. The APO limit is usually increased when a contract is selected. |
| Phone Number   | Optional. If a vendor has been selected from the Vendor table, this field may automatically be populated or the <b>Phone Number</b> lookup  will list all the Phone Numbers for this Vendor.<br><br><b>Note</b><br><br>The lookup is simply a convenience that allows you to view the phone number. It does not provide a <b>return value</b> link.  |
| Fax Number   | Optional. Enter the selected vendor's fax number. If a vendor has been selected from the vendor table, this field may automatically be populated.   |
| Payment Terms  | Display-only. If a vendor has been selected from the Vendor table or a contract, this field may be populated automatically.   |
| Shipping Title   | Display-only. If a vendor has been selected from the Vendor table or a contract, this field may be populated automatically.   |
| Shipping Payment Terms                                   | Display-only. If a vendor has been selected from the Vendor table or a contract, this field may be populated automatically.   |
| Contacts   | Optional. If a vendor has been selected from the Vendor table or a contract, the <b>Contact</b> lookup  will list all the contacts for the vendor.<br><br><b>Note</b><br><br>The lookup is simply a convenience that allows you to view the contacts list. It does not provide a <b>return value</b> link.   |

Ordering Materials: Standard  
Transactional E-Docs

Supplier Diversity

Display-only. If a vendor has been selected from the Vendor table or a contract, this field may be populated automatically.

## Additional Suggested Vendor Name Section

### Additional Suggested Vendor Name section definition

| Title             | Description   |
|-------------------|---|
| Vendor Name (1-5) | Optional. Enter up to five additional suggested vendors that may be able to fulfill this requisition. |

## Title Tab

Expand the **Titles** tab of the requisition to fill in information about the library resource(s) being ordered. On this tab, multiple ordered resources can be added to the requisition by filling in all of the required fields and clicking the **add** button.

The **Titles** tab includes four sections: **Add Item**, **Current Items**, **Additional Charges**, and **Totals**.



The screenshot shows the 'Titles' tab interface. At the top, there's a 'Titles' header with a 'hide' button. Below it is the 'Add Item' section, which contains several input fields and radio buttons. The 'Bib Info' section has radio buttons for 'new bib', 'existing', 'print holdings', and 'e-holdings'. There are fields for 'Location', 'Copy #', '\* No of Copies Ordered', '\* No of Parts Ordered', '\* List Price', 'Extended Cost', 'Public View', 'Do Not Claim', 'Receipt Status', 'No Of Copies Received', 'No of Parts Received', 'Item Price Source', 'Request Source', 'Requestor', 'Route To Requestor', 'Claim Date', 'Format', 'Category', 'Vendor Item Identifier', 'Discount Type', '\* Unit Cost', 'Discount', and 'Purpose'. At the bottom of the 'Add Item' section, there are buttons for 'setup distribution', 'remove accounts from all items', 'expand all accounts', and 'collapse all accounts'. Below this are sections for 'Current Items', 'Additional Charges' (with a 'show' button), and 'Totals'. The 'Totals' section shows 'Grand Total: 0.00' and 'APO Limit: 10,000.00'.

## Add Item and Current Items Sections

### Add Item, Current Items section definition

| Title                        | Description   |
|------------------------------|---|
| Bib Info                     | Choose the radio button to select to create new or link to an existing bib record. Depending on your choice, a button will appear.<br><br>Click <b>create new</b> to link to the Bib Editor. Titles will appear in the after an item has been added.<br><br>Click <b>existing bib</b> to link to an existing bib. |
| Print Holdings or E-Holdings | Select the Holdings format you would like the Requisition to link to. Later the created Purchase Order will link to an Item record (for print materials) or E-Instance (for electronic material).   |
| Location                     | Select the location of the item being specified on this line from the drop down list.   |
| Copy #                       | Optional. You may add a copy number to indicate the copy of the item. This will appear on the purchase order and the item record. If left blank, the field on the purchase order and item record will also be blank.  |
| No of Copies Ordered         | Required. Enter the quantity of the item in this field.   |

Ordering Materials: Standard  
Transactional E-Docs

|                        | <b>Note</b>  |
|------------------------|--|
|                        | If ordering more than on copy, you will need to fill out the copies tab.   |
| No. of Parts Ordered   | This is the number of individual pieces that must be accounted for upon payment/receipt of a requisitioned item.   |
| List Price             | Basic price of an item before any discounts are taken.   |
| Extended Cost          | Display-only. No of Copies ordered multiplied by the list price and minus any discount.  |
| Public View            | Optional. Indicates whether or not a bibliographic description shall be exposed to users prior to purchase/receipt. Default is Yes.  |
| Do Not Claim           | Optional. Indicates whether or not an item should be claimed. Default is No. If checked, overrides the Claim Date box below in the event a vendor has an established claim interval frequency per the Vendor Record.   |
| Currency Type          | Display only if foreign vendor is chosen. Identifies the associated vendor's currency as identified on the vendor record that is identified in the Link to Vendor/Supplier.  |
| Exchange Rate          | Display only if foreign vendor is chosen. Currency conversion rate populates from the Exchange rate and Currency Type maintenance tables. The rate will populate when user clicks action button "Calculate" on conversion tab. Optionally: when currency tab opens, currency rate may auto-populate. This may be updated up until the Requisition is approved. After that point, it may no longer be modified. |
| Foreign List Price     | Basic foreign price of an item before any discounts are taken.   |
| Receipt Status         | Display only. Will reflect receipt status after receiving has occurred.  |
| No Of Copies Received  | Display only. The number of copies already received. This will populate as the document moves through the acquisition workflow.  |
| No Of Parts Received   | Display only. The number of parts already received. This will populate as the document moves through the acquisition workflow.   |
| Item Price Source      | Optional. Select the Price Source of the requested item from the drop down list.   |
| Request Source         | Optional. Select the Request Source of the requested item from the drop down list.   |
| Claim Date             | Defaults to the claim interval recorded in the Vendor Record. If no claim interval is set per the Vendor Record, the claim date will remain blank. To override the claiming interval, enter a date or select one from the calendar    |
| Format                 | Optional. Select the Format of the requested item from the drop down list.   |
| Category               | Optional. Select a category for the item from the drop down list.  |
| Vendor Item Identifier | Display Only. Identifies a vendor item identifier if one has been provided by a vendor.  |
| Requestor              | Defaults to the selector's user name. If the Requestor is different than the selector, you may use the <b>Requestor</b> lookup  to find the requesting individual's name or create a new Requestor (this links to the OLE Patron database).   |
| Route to Requestor     | Optional. Yes/No checkbox to indicate whether a requestor should be notified when the item has been purchased. System default data value is "No".  |
| Foreign Unit Cost      | Display only if foreign vendor is chosen. Calculated foreign cost per unit for the item or service on this line. Calculation is the Foreign List Price less Foreign Discount amount.   |
| Unit Cost              | The cost per unit. This is populated by the list price.  |
| Discount               | Discount provided by the vendor/customer number/organization combination. Automatically populated from the Vendor customer number table based on the selected vendor and customer number. Can be modified for a specific title. If the vendor record has a Vendor currency noted other than the default system currency (aka US dollar), then the Vendor discount will populate the Foreign Discount field.    |
| Discount Type          | Choose # (for Amount) or % (for Percentage).   |
| Foreign Discount       | Foreign discount provided by the vendor/customer number/organization combination when the vendor record has a Currency Type different from   |

Ordering Materials: Standard  
Transactional E-Docs

|                       |  |
|-----------------------|--|
|                       | the system default currency. Should be automatically populated from the Vendor customer number table based on the selected vendor and customer number. This data can be changed for the specific title. Must identify the type of discount (amount or %.) If the vendor record does not have a Currency Type noted other than the default system currency (aka US dollar), then the discount should populate the Discount field. |
| Foreign Discount Type | Choose # (for Amount) or % (for Percentage).   |
|                       | Add or delete lines as appropriate. After a line has been added, it is moved to the <b>Current Items</b> section, where the details may be viewed or modified.   |

### Additional Charges Section

The Additional Charges tab allows lines for predetermined charges to be included on the invoice. This tab is divided into four charge lines, each representing a different type of charge and each with its own accounting lines. The four Additional Charges lines are **Freight, Shipping and Handling, Minimum Order, and Miscellaneous or Overhead.**

#### Additional Charges section definition

|               |   |
|---------------|---|
| Title         | Description   |
| Item Type     | Display-only. Describes the type of miscellaneous item (freight, shipping and handling, etc.) being defined in this line. |
| Description   | Required if the extended cost has been entered. Enter text describing the additional charges item line.                   |
| Extended Cost | Required. Enter the dollar amount for this item line.   |

### Totals Section

#### Totals section definition

|             |   |
|-------------|---|
| Title       | Description   |
| Grand Total | Display-only. This field displays a total of all item lines and miscellaneous item lines.   |
| APO Limit   | Display-only. This field displays the upper dollar limit for the creation of an automatic PO from this requisition. This dollar amount is based on a system default or, if a contract has been specified, on a contract-specific dollar amount. |

### Working in the Titles Tab

Note: If you are using a foreign vendor, you must also fill in the **Foreign List Price** pertaining to the item. OLE will then calculate for you the US Dollars Unit Cost.

### Bibliographic Editor

The linked editor will populate the bibliographic information into this Requisition line item using the Title information in the linked/edited bib. If a minimum input is not filled in on the Editor, filling the “Bib Info” field on the requisition line item, then the requisition cannot be approved (later in the process). If you fail to fill in the required information in the linked editor, and attempt to approve this requisition, OLE will display the following error message: *Description in Item X is a required field.*

### To add an Item to the Title tab

Users must complete the line item and linked bib in this sequential order. This will be fixed in future releases.

- **New bib:**
  - First click create new to launch the **Bib Editor** in a new tab.

## Ordering Materials: Standard Transactional E-Docs

Please enter details for new Bib record.

Staff Only:

Bibliographic Record Status:  Created By: On: Updated By: On: Status Updated By: On:

**Leader Structured Data Elements**

|                                |                         |                                |   |
|--------------------------------|-------------------------|--------------------------------|---|
| Length: #####                  | RecStat: n - New        | TypeRec: a - Language material | BibLvl: m - Monograph/Item                    |
| TypeCtr: # - No specified type | CharCod: a              | IndCount: 2                    | SubCount: 2                                   |
| BaseAdd: #####                 | EnclLvl: # - Full level | DescCat: a - AACR 2            | MultiRes: # - Not specified or not applicable |
| LengLeng: 4                    | LengStar: 5             | LengImp: 0                     | Undef: 0                                      |

Leader: #####nam#a22#####a#4500

**Control Fields**

001:

003:

005:

Show 006 Structured Data Elements

|                           |   |
|---------------------------|---|
| 006: <input type="text"/> | <input type="button" value="Clear"/> <input type="button" value="Edit"/> <input type="button" value="Add"/> <input type="button" value="Remove"/> |
|---------------------------|---|

Show 007 Structured Data Elements

|                           |   |
|---------------------------|---|
| 007: <input type="text"/> | <input type="button" value="Clear"/> <input type="button" value="Edit"/> <input type="button" value="Add"/> <input type="button" value="Remove"/> |
|---------------------------|---|

Show 008 Structured Data Elements

008: #####s#####xcu#####000#0#eng#d

**Data Fields**

|   |   |
|---|---|
| <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> | <input type="button" value="Test Link"/> <input type="button" value="Add"/> <input type="button" value="Remove"/> |
|---|---|

- Enter at minimum a title 245 field.

### Note

For more information about the [bibliographic editor](#), see the [OLE Guide to Describe and Manage](#).

- Click .
- You will receive a confirmation message “Record successfully created”:
- Click **close** to return to the original browser tab and add transactional data to the line (quantity, price, category etc.).

### Note

The bibliographic information will not yet appear.

- Enter the **List Price**, **Location**, and any other transactional data.
- Click  to save the line. This will update and link the bibliographic document and populate the **Bib Info** field.

## Ordering Materials: Standard Transactional E-Docs

- **Existing Bib:**

- First click **existing bib** to launch the **Search Workbench** in a new tab.
- Search for the record you wish to link to the requisition.

### Search Workbench

### Note

For more information about the Search Workbench, see the [Search Workbench](#) in the [Guide to OLE Basic Functionality and Key Concepts](#).

- Select the checkbox next to the correct bib and click **Link To Order**.
- Return to the original browser tab and select a **location** and other transactional data to the line (quantity, price, category etc.).

### Note

The bibliographic information will not yet appear.

- Click **add** to save the line. This will update and link the bibliographic document and populate the **Bib Info** field.



## Note

To learn more about the [bibliographic editor](#), see the [OLE Guide to Describe and Manage](#). This and other OLE user guides are available for download from the [OLE Documentation Portal](#).

## Multiple Copies

If you enter a number greater than one in **No of Copies Ordered**, you will be required to enter location data. This section only appears when the field entry is greater than one

In the **Copies** section, click the **show** button.

| Current Items   |                        |                                |                       |                                   |                        |                                    |                      |                      |                    |                                     |                      |                          |
|---|------------------------|--------------------------------|-----------------------|-----------------------------------|------------------------|------------------------------------|----------------------|----------------------|--------------------|-------------------------------------|----------------------|--------------------------|
| Item 1  |                        |                                |                       |                                   |                        |                                    |                      |                      |                    |                                     |                      |                          |
|   | Bib Info:              | TheLorax                       |                       |                                   |                        | Location:                          | B-EDUC/BED-CHILDRENS |                      |                    | Copy #:                             | <input type="text"/> |                          |
|   | * No of Copies Ordered | <input type="text" value="2"/> | * No of Parts Ordered | <input type="text" value="1"/>    | * List Price           | <input type="text" value="25.00"/> | Extended Cost        | 50.00                | Public View        | <input checked="" type="checkbox"/> | Do Not Claim         | <input type="checkbox"/> |
| 1   | Receipt Status         |                                | No Of Copies Received |                                   | No of Parts Received   |                                    | Item Price Source    | Publisher            | Request Source     | Staff                               | Claim Date           | <input type="text"/>     |
|   | Format                 |                                | Category              |                                   | Vendor Item Identifier |                                    | Requestor            | <input type="text"/> | Route To Requestor | <input type="checkbox"/>            |                      | <input type="text"/>     |
|   | Unit Cost              | 25.00                          | Discount              | <input type="text" value="0.00"/> | Discount Type          | %                                  | Item Status          | <input type="text"/> | delete             |                                     |                      |                          |
| <input type="button" value="show"/> Notes<br><input type="button" value="show"/> Accounting Lines<br><input checked="" type="button" value="show"/> Copies<br><input type="button" value="show"/> Donor |                        |                                |                       |                                   |                        |                                    |                      |                      |                    |                                     |                      |                          |

The expanded section appears:

| hide Copies          |                      |               |                                |                      |                      |                                    |
|----------------------|----------------------|---------------|--------------------------------|----------------------|----------------------|------------------------------------|
| Location Copies:     | No. Of Copies:       | No. Of Parts: | Starting Copy:                 | Caption:             | Volume Number:       | Action                             |
| <input type="text"/> | <input type="text"/> |               | <input type="text" value="1"/> | <input type="text"/> | <input type="text"/> | <input type="button" value="add"/> |

Enter the copy information and click **add**.

## Copies section definition

| Title           | Description   |
|-----------------|---|
| Location Copies | Select the home location of the title being requested from the drop down list.  |
| No. of Copies   | Enter the number of copies that will exist at the location selected.  |
| No. of Parts    | Display only. Once copies are added, this field is populated from the <b>No of Parts Ordered</b> .  |
| Starting Copy   | Enter the starting copy for the home location.  |
| Caption         | Optional. Enter a caption.  |
| Volume Number   | Enter the volume number for each item. You must enter the volume numbers sequentially for each value needed, separated only by commas with no spacing (For example if 2 copies were ordered for the same location, enter "1,2"). If there is only one volume, you must enter 1. |

In the example below, there are two copies of *Describe Workbench Test* ordered containing two parts each. One copy will go to the location B-WELLS/BWE-RCSTACKS and one copy will go to B-ALF/BAL-STACKS.




## Tip


Note the volume numbers are 1,2. Each number is separated by a comma but no spaces. OLE will also not allow non-numeric characters. If this format is not followed, you will receive an error.

| Item 2  |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
|---|------------------------------------|--------------------------------|-----------------------------------|------------------------|--------------------------------------|---------------------------------------|--|---------------------------------------|-------------------------------------|
| Bib Info: Describe Workbench Test KFXSANRPDL, OLE QA Smoketest KFXSANRPDL |                                    |                                |                                   |                        | Location: <input type="text"/>       |                                       |  |                                       |                                     |
| * No of Copies Ordered  | <input type="text" value="2"/>     | * No of Parts Ordered          | <input type="text" value="2"/>    | * List Price           | <input type="text" value="50.00"/>   | Extended Cost                         | <input type="text" value="100.00"/>    | Public View                           | <input checked="" type="checkbox"/> |
| Receipt Status  |                                    | No Of Copies Received          |                                   | No of Parts Received   |                                      | Item Price Source                     | <input type="text" value="Publisher"/> | Request Source                        | <input type="text" value="Staff"/>  |
| Format  | <input type="text" value="Book"/>  | Category                       | <input type="text"/>              | Vendor Item Identifier | <input type="text" value="3067551"/> | Requestor                             | <input type="text"/>                   | Route To Requestor                    | <input type="checkbox"/>            |
| Unit Cost   | <input type="text" value="50.00"/> | Discount                       | <input type="text" value="0.00"/> | Discount Type          | <input type="text" value="%"/>       | Item Status                           | <input type="text"/>                   | <input type="button" value="delete"/> |                                     |
| <input type="button" value="show"/> Notes                                 |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
| <input type="button" value="show"/> Accounting Lines                      |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
| <input type="button" value="hide"/> Copies                                |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
| Location Copies:  | <input type="text"/>               | No. Of Copies:                 | <input type="text"/>              | No. Of Parts:          | <input type="text"/>                 | Starting Copy:                        | <input type="text" value="1"/>         | Caption:                              | <input type="text"/>                |
| <input type="button" value="add"/>  |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
| Location Copies:  | <input type="text"/>               | No. Of Copies:                 | <input type="text"/>              | No. Of Parts:          | <input type="text"/>                 | Starting Copy:                        | <input type="text"/>                   | Caption:                              | <input type="text"/>                |
| <b>Copies 1</b>   |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
| <input type="text" value="B-WELLS/BWE-RCSTACKS"/>                         | <input type="text" value="1.00"/>  | <input type="text" value="2"/> | <input type="text" value="1"/>    | <input type="text"/>   | <input type="text" value="1,2"/>     | <input type="button" value="delete"/> |  |                                       |                                     |
| <b>Copies 2</b>   |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |
| <input type="text" value="B-ALF/BAL-STACKS"/>                             | <input type="text" value="1.00"/>  | <input type="text" value="2"/> | <input type="text" value="1"/>    | <input type="text"/>   | <input type="text" value="1,2"/>     | <input type="button" value="delete"/> |  |                                       |                                     |
| <input type="button" value="show"/> Payment History                       |                                    |                                |                                   |                        |                                      |                                       |  |                                       |                                     |

## Donor

To add one or more Donor codes to the line item, click  in the Donor subsection. This displays an input box and lookup icon:

| Current Items   |  |   |                              |                                    |
|---|--|---|------------------------------|------------------------------------|
| Item 1  |  |   |                              |                                    |
| 1   | <b>Bib Info:</b>                                   | BLUEBEARD GOTHIC : JANE EYRE AND ITS PROG HETA, TORONTOUNIV OF TORONTO PRESS, 97814 |                              |                                    |
|   | <b>* No of Copies Ordered</b>                      | <input type="text" value="1"/>  | <b>* No of Parts Ordered</b> | <input type="text" value="1"/>     |
|   | <b>Receipt Status</b>                              |   | <b>No Of Copies Received</b> |                                    |
|   | <b>Format</b>                                      | <input type="text"/>  | <b>Category</b>              | <input type="text"/>               |
|   | <b>Unit Cost</b>                                   | 58.50   | <b>Discount</b>              | <input type="text" value="10.00"/> |
|   | <input type="button" value="▶ show"/> <b>Notes</b> |   |                              |                                    |
| <input type="button" value="▶ show"/> <b>Accounting Lines</b>   |  |   |                              |                                    |
| <input type="button" value="▼ hide"/> <b>Donor</b>  |  |   |                              |                                    |
| <b>Donor:</b>   |  |   |                              |                                    |
| <input type="text"/>  <input type="button" value="add"/>                           |  |   |                              |                                    |
| <b>Additional Charges</b> <input type="button" value="▶ show"/>   |  |   |                              |                                    |

Either type in a valid Donor code, or select one from the lookup , and then click . You can add multiple Donor codes by repeating the process.

The screenshot shows a software interface with several sections. At the top, there is a 'show' button followed by the text 'Notes'. Below that is another 'show' button followed by 'Accounting Lines'. The next section is labeled 'Donor' and has a 'hide' button. Under 'Donor', there is a text input field, a magnifying glass icon, and an 'add' button. At the bottom of the interface, there is a 'show' button followed by the text 'Additional Charges'.

### Importing Account Information

If you have a number of accounts to enter, you may create a .csv file containing the information and import it into the requisition. The template available:

- Purchase Requisition (REQS) account import, which uses the [Account\\_Import.xls](#) template

#### Note

For more information about the layout of these templates, see [Account\\_Import.xls](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

The procedure for accessing and using these templates is much the same as the procedure for using accounting line import templates.


#### Note

For information on using a template to import items or accounts, see [OLE Data Import Templates](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

### Creating Accounting Distributions in the Titles Section

Accounting distributions for item lines may be created individually or a single accounting distribution may be copied to all line items on the requisition. A valid account string contains a chart, an account and an object code. The account must be active and the expiration date must not have been reached. The object code must be valid. Valid object codes are not only active codes in the object code table but are also not included in the 'OBJECT CONSOLIDATION' parameter. You must 'Add' at least one accounting line for each item. If you do not, and attempt to approve this requisition, OLE will display the following error message: *Item 1 does not contain at least one account.* Adding at least one Accounting Line (with 100 in Percent) to each transactional line item will resolve this error.

To create accounting distributions for individual item lines, follow these steps.


1. Add the title to the requisition.
2. In the **Accounting Lines** section, click the  button.
3. Complete the accounting line and indicate a percent of this item line that should be charged to this accounting line.

### Note

If there is only a single accounting line for this item the percent should be 100.

### Note

You may add an entry to either the **Dollar \$** or the **Percent** fields. OLE will calculate the other after you click **add**. You cannot add entries to both fields.

4. Click  to add an accounting line.
5. If the items need to be distributed to more than one accounting line, repeat steps 3 and 4.

### Note

All the accounting lines should total 100 percent when you have completed their accounting line distribution. If the total percent amount for all of the account lines does not equal 100%, the system will display an error message.



If the account chosen has sufficient funds checking and the threshold is reached, you may be blocked from using the account or you may receive a warning (depending on the chosen notification on the account) when the document is saved and the Fiscal Officer will be notified when the document is submitted.

This process may also be followed to add accounting distribution lines for items in the **Additional Charges** section. Open the **Accounting Lines** section for that miscellaneous line item and follow steps 4 and 5 above.

Line item accounting could create a lot of repetitive data entry. For example, if there are 100 line items but only one account/object code and one commodity code is being used, OLE allows you to load the information to all the line items rather than entering the information to each line item. The steps below describe how to distribute this information.

### Note

Accounts are distributed only to the line items where there are no accounts listed. This process does not replace the accounts that have been set up for individual line items.

1. Click  to add the item line to the requisition.
2. In the **Add Item** section, click the  button.

The system opens a new **Accounting Lines** section.

3. Complete the accounting line and indicate the percent of this item line that is distributed to the items on this requisition.

## Note

If there is only one accounting line for this item, the percent should be 100.

The system validates values as you enter them.

4. Click  to add the accounting line.
5. If the items need to be distributed to more than one accounting line, repeat steps 3 and 4.

## Note

All the accounting lines should total 100 percent when you have completed the distribution.

6. Click  to apply this distribution to all item lines that do not already have an accounting distribution specified.

The system displays the top of the document along with a message indicating that the accounts were successfully distributed to all items.

### Removing Accounts from all Item Lines

If line items have accounts set up and those accounts need to be modified, the individual accounting lines may be modified by following the steps for creating an accounting distribution for an individual item line as described above.

If you feel that it is more efficient to remove all the accounts, however, use the steps for creating an accounting distribution for multiple line items to recreate the accounting for the line items.

Follow these steps to remove all accounts.

1. Click .
2. Click  in response to the question 'Are you sure you want to remove the accounts from ALL items?'

All the accounting lines are removed.

### Expanding All Accounts

To expand the accounting lines for all the items in the Current Items section, click .

All the accounts are displayed in full detail.

## Note

This is the equivalent of clicking the **Accounting Lines show** button for each item listed.

### Collapsing All Accounts

To collapse the accounting lines for all the items in the **Current Items** section, click .

All the account displays are hidden.

## Note

This is the equivalent of clicking the accounting lines **hide** button for each item listed.

## Payment Info Tab

The **Payment Info** tab is used to indicate the type of payment schedule required and the duration of that schedule, if recurring payments are required for the items on this requisition.

The **Payment Info** tab includes two sections: **Payment Info** and **Billing Address**.

## Payment Info Section

### Payment Info section definition

| Title                     | Description  |
|---------------------------|--|
| Type of Recurring Payment | Optional. Select the proper recurring payment schedule from the list. Examples might include 'Fixed Schedule, Fixed Amount', 'Fixed Schedule, Variable Amount' and 'Variable Schedule, Variable Amount'. |
| Begin/End Date            | Required if <b>Type of Recurring Payment</b> has been selected. Indicates the time period in which the requisition is active. Enter a date or select the date from the calendar .                        |

## Billing Address Section




### Billing Address section definition

| Title   | Description  |
|---------|--|
| Address | Display-only. Displays the address to which vendor invoices should be mailed. This address is based on the campus specified for delivery on the <b>Delivery</b> tab. |

## Additional Institutional Info Tab

The **Additional Institutional Info** tab collects information about the organization at your institution that is responsible for this requisition. It also collects information on the transmission method and collects contact information.

**Additional Institutional Info tab definition**

| Title                     | Description   |
|---------------------------|---|
| Method of PO Transmission | Required. From the list, select the PO transmission method that should be used to send the related PO to the vendor. Choices include 'Print' and 'No Print'.  |
| Cost Source               | Display-only. The cost source will always be 'estimate' unless the vendor was selected from the <b>Contract</b> lookup  . In that case the cost source associated with the contract is displayed here.   |
| Contact Name              | Optional. The name of the person to be contacted if there are questions about the requisition. Enter a name in the field or search for it from the <b>User</b> lookup  .<br><br><b>Tip</b><br><br>The contact name may be used if the requestor should not be contacted with questions. |
| Contact Phone             | Optional. Enter the phone number of the person specified in the <b>Contact Name</b> field. (Formatted: xxx-xxx-xxxx)  |
| Contact Email             | Optional. Enter the email address of the person specified in the <b>Contact Name</b> field.   |
| PO Total Cannot Exceed    | Optional. This field indicates a total dollar amount that the associated PO should not exceed.  |
| Requestor Name            | Required. The name of the person requesting the good or services. The default is the initiator. This field may be changed by entering a new name or searching for it from the <b>user</b> lookup  .  |
| Requestor Phone           | Required. Enter the phone number of the person specified in the <b>Requestor Name</b> field. (Formatted: xxx-xxx-xxxx)  |
| Requestor Email           | Required. Enter the email address of the person specified in the <b>Requestor Name</b> field.   |
| Reference (1-3)           | Optional. Provide any type of additional reference information you want to include.   |

**Working in the Additional Institutional Information Tab**

The method of Purchase Order Transmission is set by default to the preferred method in the vendor record. If the method of Purchase Order transmission is selected as **No Print**, an EDI file representing the purchase order resulting from this requisition will be automatically created and transferred via FTP to a test server. The **Print** option should be selected if the vendor does not have access to FTP and needs a printed copy of the purchased order. Several of the fields of this tab are automatically populated with information.

**Tip**

OLE is not persisting a telephone number for ole-quickstart's record – you will need to input a phone number if using her login (formatted: xxx-xxx-xxxx).

**Account Summary Tab**

The **Account Summary** tab combines all the accounting information for the item(s) or service(s) on this requisition for easy reference.

Click [refresh account summary](#) to reload the page and view all the fiscal years, accounting lines and dollar amounts for this requisition.



| Account Summary            |                   |             |        |            |         |            |             |           |           |
|----------------------------|-------------------|-------------|--------|------------|---------|------------|-------------|-----------|-----------|
| Account Summary 1          |                   |             |        |            |         |            |             |           |           |
| Chart                      | Account Number    | Sub-Account | Object | Sub-Object | Project | Org Ref Id | Org. Doc. # | Amt       |           |
| BL                         | 1024700           |             | 5028   |            |         |            |             |           | 85.00     |
| Items of Account Summary 1 |                   |             |        |            |         |            |             |           |           |
| Item                       | Description       |             |        |            |         |            |             | Amount    |           |
| Shipping and Handling      | shipping charges  |             |        |            |         |            |             | 85.00     |           |
| Account Summary 2          |                   |             |        |            |         |            |             |           |           |
| Chart                      | Account Number    | Sub-Account | Object | Sub-Object | Project | Org Ref Id | Org. Doc. # | Amt       |           |
| BL                         | 1024700           |             | 5028   |            |         | 3          |             |           | 140.00    |
| Items of Account Summary 2 |                   |             |        |            |         |            |             |           |           |
| Item                       | Description       |             |        |            |         |            |             | Amount    |           |
| Freight                    | flatbed for Globe |             |        |            |         |            |             | 140.00    |           |
| Account Summary 3          |                   |             |        |            |         |            |             |           |           |
| Chart                      | Account Number    | Sub-Account | Object | Sub-Object | Project | Org Ref Id | Org. Doc. # | Amt       |           |
| BL                         | 1024700           |             | 7000   |            |         |            |             |           | 86,332.00 |
| Items of Account Summary 3 |                   |             |        |            |         |            |             |           |           |
| Item                       | Description       |             |        |            |         |            |             | Amount    |           |
| Item 1                     | Telescopes        |             |        |            |         |            |             | 20,400.00 |           |
| Item 2                     | Control panel     |             |        |            |         |            |             | 43,589.00 |           |
| Item 3                     | Rotating Globe    |             |        |            |         |            |             | 22,343.00 |           |

## View Related Documents Tab

The **View Related Documents** tab collects information about the PO payment and credits related to this document. Click the document number to open the document in a new tab.

| View Related Documents                         |          |
|--|----------|
| <b>Related Documents</b>                       |          |
| Purchase Order - 1075                          | No Notes |
| Payment Request - 1062 (Purchase Order - 1075) | No Notes |

## Process Overview

### Manually Creating a Requisition


1. Open a **Requisition** document from the **Select/Acquire** tab.
2. Open the **Vendor** tab and select a vendor.
3. On the **Title** tab, select "new bib" or "existing bib".
  - In the new window, create a new bib or search for the existing. Click **Submit** to submit a new bib, then close the tab to return to the Requisition. Click **Link to Order** to add an existing bib.
  - Select a **location** and enter a **List Price**. These are the minimum required fields in the title tab. Add additional information as necessary.
4. If multiple copies are ordered, enter the location information in the **Copies** section.
5. In the Accounting Line section of the requisition form, the required fields are **Chart**, **Account Number** and **Object**.

For testing in the test environment, a full set of valid demo values are available in the [Chart Code/Account Appendix](#)

When accounting values are entered into the fields, OLE will look up and display the text value associated with each of the codes.

## Warning


Caution: It is important to select the **Chart** code. The account number and object code look-up will not work properly if the Chart code has not been selected.

6. Before the requisition form can be submitted, the  button, which appears at the bottom of the screen, must be clicked.

## Tip

Remember that all required fields are noted with (\*) and must be completed to Submit or Blanket Approve (but not Save).


7. Choose the appropriate workflow button:
- The **submit** button sends the form to the next person in the workflow chain.
  - The **save** button allows you to save the requisition to come back to it later.
  - The **blanket approve** button fully approves this requisition without the need for any other approvals. The Blanket Approve button is permissions based - not all sample logins will have this option.
  - The **close** button closes this requisition. Clicking the **close** button will cause a prompt asking you if you would like to save the document before it is closed.
  - The **cancel** will completely delete the requisition changes, but will show a warning message first.

If during your creation of a Requisition in OLE you would like to generate a purchase order without any further approval being required, select  for your requisition. As a result, OLE will automatically create the purchase order. After clicking the **blanket approve** button, you will be returned to the **Select/Acquire** tab.

## Creating a Requisition Using the OLE Web Form

### Getting Started

OLE provides a demo web form which is meant to simulate a request that would originate from an implementing Library Website. Because the OLE web form was developed for demo purposes only, the screen does not contain any validations (although it may require the input of a Requestor). The menu item for the web form is labeled **PreOrder Service** and can be found on the **Administration** tab, in the Testing Section under **Testing**:




### Using the Web Form to Generate a Requisition

After clicking the **PreOrder Service** link (as described above), the web form appears. The web form allows you to make a request via Citation, Open URL or based upon item details entered in the web form depending on the option you select within the form:

The screenshot shows a web form with a yellow header bar containing 'action list' and 'doc search' buttons. Below the header, there are three radio buttons: 'Citation' (selected and circled in blue), 'Web Form', and 'Open URL'. The form includes a 'Citation String' text area, a 'Requestor Type' dropdown menu set to 'PATRON', a 'Requestor Notes' text area, and a 'Requestor Id' text input field. A 'Submit' button is located at the bottom left of the form.

To submit the web form via Citation, select the **Citation** radio button and enter your citation into the **Citation String** field and enter a patron ID in the **Requestor Id** field. In addition, optionally enter notes in the **Requestor Notes** field. Then, click the **Submit** button.

The result will be a confirmation page providing you with a document ID number:



This Document ID can then be used to view the requisition that was created. To view the requisition, click the current default **doc search** button.

From the **Document** lookup page you can search for the requisition using the **Document ID**.

## Note

For more information, see [Searching OLE](#) on the *Guide to OLE Basic Functionality and Key Concepts* on the [Guide to OLE Basic Functionality and Key Concepts](#).

To view the requisition, click the **Document/ Notification Id** URL.

## Note


The current default search does not allow you to search by bibliographic information. However, if you select the **Acquisitions Search** from the **Select/Acquire** tab, you can use bibliographic search terms.

The screenshot shows the 'Document Lookup' interface. At the top, there are tabs for 'action list' and 'doc search'. Below the tabs, the title 'Document Lookup' is displayed with a help icon and a 'detailed search' link. The search form includes fields for 'Type', 'Initiator', 'Document/Notification Id', 'Date Created From' (set to 11/04/2011), 'Date Created To', and 'Name this search (optional)'. There are 'search', 'clear', and 'cancel' buttons. Below the form, a message states '1 items found. Please refine your search criteria to narrow down your search. One item retrieved.' A table with the following data is shown:

| Document/Notification Id | Type        | Title                                    | Route Status |         |
|--------------------------|-------------|--|--------------|---------|
| 3758                     | Requisition | Requisition - WebformRequest_jd_11040245 | SAVED        | HUNTLEY |

Export options: [CSV](#) | [spreadsheet](#) | [XML](#)

This requisition is considered to be in an 'open' status requiring staff input and edits. At this stage staff members may conduct additional research to determine if they want to order the item.

The requisition will contain a default description – “WebformRequest\_fl\_MMDDHHMM”, where "fl" are the first and last initials of the requestor name entered on the web form, MM and DD are the Month and Day, and HH and MM are the hour and minute of the requisition's creation. The bib info of the library resource and requestor name will be a part of the requisition. To see additional details about the requestor entered through the web form click the lookup icon  next to the name of the requestor:

## Ordering Materials: Standard Transactional E-Docs

Document Overview hide

---

**Document Overview**

\* Description: WebformRequest\_kh\_05270826 Explanation:

Organization Document Number: Total Amount:

---

**Financial Document Detail**

\* Year: 2013

---

**Requisition Detail**

\* Chart/Org: UA / VPIT \* Funding Source: INSTITUTION ACCOUNT

Receiving Required:  Payment Request Positive Approval Required:

Order Type: Firm, Fixed Licensing Requirement/Review:

Licensing Requirement/Review Status:

---

Delivery show

Vendor show

Titles hide

---

**Add Item** import lines

|   |                          |                         |                              |
|---|--------------------------|-------------------------|------------------------------|
| Bib Info: <span style="float: right;">create new</span> |                          | Item Type               |                              |
| * No of Copies Ordered: 1                               | * No of Parts Ordered: 1 | * List Price: 0.00      | Extended Cost: 0.00          |
| Receipt Status:   | No Of Copies Received: 0 | No of Parts Received: 0 | Item Price Source: Publisher |
| Format:   | Category:                | Vendor Item Identifier: | Requestor: HUNTLEY, KEISHA Y |
| * Unit Cost:  | Discount: 0.00           | Discount Type: %        | Request Source: Staff        |

setup distribution remove accounts from all items expand all accounts collapse all accounts

---

**Current Items**

Item 1

|   |                          |                         |                              |
|---|--------------------------|-------------------------|------------------------------|
| Bib Info: <u>Mudlumps at the mouth of South Pass, Mississippi River; sedimentology, paleontology, structure, origin, and relation to deltaic processes.</u> |                          | Item Type               |                              |
| * No of Copies Ordered: 1   | * No of Parts Ordered: 1 | * List Price: 0.00      | Extended Cost: 0.00          |
| Receipt Status:   | No Of Copies Received: 0 | No of Parts Received: 0 | Item Price Source: Publisher |
| Format:   | Category:                | Vendor Item Identifier: | Requestor: HUNTLEY, KEISHA Y |
| * Unit Cost: 0.0000   | Discount: 0.00           | Discount Type: %        | Request Source: Staff        |

This requisition is partially filled in based on the data entered in the Web form. However, all required fields must be filled in (as described in the Manually Creating a Requisition section above) before the requisition can be approved.

## Business Rules

- In addition to the other required data (such as description, delivery information, and additional details), the requisition must have at least one item on the title tab in order to be submitted to workflow for routing.
- You must enter one accounting string per item before submitting the requisition.
- If the chart/org on the requisition does not have a content routing rule set up, the requisition routes back to the initiator of the requisition if there are no accounts entered.
- Account distributions must exist for all item lines on the document before it may leave the content routing stage.


The Automatic Purchase Order (APO) is automatically generated when a requisition e-Doc is fully approved and all the APO rules are met. APO Rules are defined by the parameter APORules. APO rules are:

- requisition total is less than the APO limit for the departmental organization (value set by Purchasing) (Parameter value: REQ\_GT\_PO)
- requisition total is greater than 0 (Parameter value: REQ\_GT\_ZE)

Ordering Materials: Standard  
Transactional E-Docs

- there are no restricted items (ITM\_REST)
- the vendor has been selected from the vendor lookup (VEN\_NOT\_SEL\_DB; ERR\_RTV\_VEN\_DB)
- the vendor is not a restricted vendor (VEN\_REST)
- the departmental organization has not set an 'Purchase Order Total Cannot Exceed' amount (PO\_TOT\_NOT\_EXC)
- the requisition has not added alternate vendor names (ALT\_VEN\_NAM)
- the funds will be encumbered in the current fiscal year (REQ\_ENCUM\_FISCAL\_YEAR). The fiscal year determines the APO allowed date range. The date range is determined by the 'ALLOW APO NEXT FY DAYS' parameter.
- the requisition does not contain a trade-in and discount line item (REQ\_TRAD\_IN)
- the requisition does not have a capital asset object code on any line items (REQ\_CPT\_ASST\_ITM)

An APO e-Doc can only be created under certain conditions, as specified in the business rules set up by the institution.



## Routing

The requisition document routing includes the following special condition routing in addition to the regular account review and organization review hierarchy:

- *Content routing* This type of routing allows the initiator of a requisition to route an incomplete document and have it completed by another OLE user. Content routing is optional and rules are created based on the Chart and Organization values in the requisition's **Requisition Detail** section of the **Document Overview** tab. A user who receives a document via content routing has a request type of 'Complete' for the document in his or her action list. This user may open the document, complete it and send it into normal routing. Content routing is most commonly used for the completion of accounting information.
- *Sub-account review* The requisition allows for approvers to be defined at the sub-account level. If the requisition uses a sub-account on its accounting lines, Workflow checks to see whether there is a specified routing rule for this sub-account. Users can only approve/disapprove the document at this level. Approvers cannot change content.
- *Fiscal officer routing* Approvers can modify and/or add accounting lines for accounts that they own; the only other content that can be modified at this level is the Org Document Number field.
- *Base/org review routing* Optional route level to work groups for the accounts set-up on the document based on the requisition amount total and charts/orgs in use.
- *Separation of duties* This rule routes a requisition to a defined central approver if the amount of the document exceeds an institutionally defined threshold and there have been no approvers other than the document initiator. This routing ensures that requisitions above a specified dollar amount are approved by at least two users. Approvers can only approve/disapprove. Approvers cannot change requisition content.

## Post-Processing

- If certain criteria are met (low dollar limit, vendor has been selected, etc.), the requisition will be fully approved and will generate an automatic purchase order (APO) and the PO will begin routing.
- Based on the rules described in the Additional Workflow Details (above), an approval of a requisition can generate an Automatic Purchase Order (if vendor information was entered into the requisition). To search for an Automatic Purchase Order click the **Search** link under the **Purchase Orders** section of the **Select/Acquire** tab.

From the purchase order screen, you can send notifications using the **send ad hoc request** button. You can also **void order**, **amend** the order, indicate **payment hold** or proceed to directly to the **receiving** step by using the buttons at the bottom of the form:



### Note

For more information on searching, see [Searching OLE](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

For information about the account review and organization review see [Route Levels and Workflow Routing](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Requisitions Exception Routing and Requisition Searches

If you submitted a requisition but the submission did not create a Purchase Order as expected, it may not have met all the rules for APO. To find the Requisition and correct the error, conduct a **Requisitions Search**.

### Note

For more information about Requisition searches, see [Custom Document Searches](#).

## Purchase Order Search



OLE offers a customized document search related to purchase orders. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

### Maintenance Links:

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.



- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

**Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.

**Note**

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

**Note**

For information about Document lookup fields that are specific to POs, see “Document Layout” under [Purchase Order](#).

## Purchase Order

After manually creating a requisition, if all APO rules are met, then a purchase order (PO) is created. This finalizes the purchasing decision, and transmits the request to the vendor, through whatever transmission method is defined for that vendor.

The approved Purchase Order (PO) document serves two purposes. Externally it is a legal contract with a vendor to deliver goods or services. Internally it provides the mechanism to generate documents for payments and receipt of goods. It differs from most other OLE documents in three ways:

The PO is *not* generated by initiating a blank document that is then completed by the initiator. Instead, purchase orders are currently created in one of several ways:

- vendor import; or,
- from a Requisition that met the APO rules (automatic purchase order)- after submitting from Requisition or Order (preorder) Holding Queue;

When creating the new PO, the system automatically populates it with information from the related requisition.

A purchase order can be amended after it is approved. No other OLE document behaves in the manner. Many purchasing organizations refer to this amended PO as a 'change order'.

**Note**

For more information about modifying an existing PO, see [Performing Other Activities on a PO](#).

## Document Layout

The PO document contains several unique tabs or unique sections in tabs that appear on all OLE documents : **Document Overview** (contains unique sections), **Delivery**, **Vendor**, **Stipulations**, **Titles**,

Ordering Materials: Standard  
Transactional E-Docs

**Payment Info, Additional Institutional Info, Account Summary, and View Related Documents.** While some of these tabs may appear in other financial documents, the tabs in a PO document may contain additional information.

## Note

For information about the standard tabs such as **Document Overview, General Ledger Pending Entries, Notes and Attachments, Ad Hoc Recipients, Route Log, Capital Asset, and Accounting Lines** tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

|  |                                  |  |
|--|----------------------------------|--|
| <b>Purchase Order</b> <span style="float: right;">?</span>                 | <b>Doc Nbr:</b> 10340            | <b>Status:</b> FINAL                   |
|  | <b>Initiator:</b> ole-quickstart | <b>Created:</b> 03:40 AM 08/26/2015    |
|  | <b>Purchase Order #:</b> 1389    | <b>Purchase Order Doc Status:</b> Open |
| <a href="#">expand all</a>   <a href="#">collapse all</a> * required field |                                  |  |

**Document Overview** ▼ hide

---

**Document Overview**

**\* Description:** Library Material\_0q\_0826150339 **Explanation:**

---

**Financial Document Detail**

**\* Organization Document Number:** **Total Amount:** 10.00

---

**Purchase Order Detail**

|                                |   |
|--------------------------------|---|
| <b>* Chart/Org:</b> UA / VPIT  | <b>* Funding Source:</b> INSTITUTION ACCOUNT ▼        |
| <b>Receiving Required:</b> No  | <b>Payment Request Positive Approval Required:</b> No |
| <b>Assigned To User:</b>       | <b>Previous Purchase Order #:</b>                     |
| <b>Order Type:</b> Firm, Fixed | <b>Purchase Order Confirmed Indicator:</b> No         |
|                                | <b>Requisition Source:</b> DIRECT INPUT               |

---

**Delivery** ▶ show

**Vendor** ▶ show

**Stipulations** ▶ show

**Titles** ▼ hide

---

**Current Items**

**Item 1**

| Bib Info:              |       | Best Laid Plans       |      |                        |       | Location          |           | API                |       |              | Copy # |   |
|------------------------|-------|-----------------------|------|------------------------|-------|-------------------|-----------|--------------------|-------|--------------|--------|---|
| * No of Copies Ordered | 1     | * No of Parts Ordered | 1    | * List Price           | 10.00 | Extended Cost     | 10.00     | Public View        | Yes   | Do Not Claim | No     | 1 |
| Receipt Status         |       | No Of Copies Received |      | No Of Parts Received   |       | Item Price Source | Publisher | Request Source     | Staff | Claim Date   |        |   |
| Format                 |       | Category              |      | Vendor Item Identifier |       | Requestor         |           | Route To Requestor | No    |              |        |   |
| Unit Cost              | 10.00 | Discount              | 0.00 | Discount Type          | %     | Item Status       |           | Purpose            |       |              |        |   |

---

▶ show **Notes**

▶ show **Accounting Lines**

▶ show **Donor**

---

**Additional Charges** ▶ show

---

**Totals**

|                                   |              |
|-----------------------------------|--------------|
| <b>Grand Total:</b>               | <b>10.00</b> |
| <b>Internal Purchasing Limit:</b> | 100,000.00   |

---

**Payment Info** ▶ show

**Additional Institutional Info** ▶ show

**Account Summary** ▶ show

**View Related Documents** ▶ show

**General Ledger Pending Entries** ▶ show

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

### Purchase Order document tabs and purposes

| Tab Name          | Purpose  |
|-------------------|--|
| Document Overview | In addition to the standard document overview information (description, explanation, and organization document number), contains the fiscal year, line item receiving requirements, order type, funding source, previous purchase order number, the source of the requisition, a way to alter the status of the PO when waiting on information from a vendor or the department, and license requirement information. |
| Delivery          | Contains information about the final delivery and central receiving addresses.   |

Ordering Materials: Standard  
Transactional E-Docs

|                                |  |
|--------------------------------|--|
| Vendor                         | Contains information about the vendor who has been selected to provide the goods or services and the reason the vendor was selected.   |
| Stipulations                   | Allows for the entry of stipulations that the vendor filling this PO must follow. May also be used for any additional contractual information that should be added to the PO.  |
| Titles                         | Identifies what is being ordered on this PO and establishes an accounting distribution indicating how these items should be charged, how many copies are ordered, and claiming information.                          |
| Payment Info                   | Indicates the type of payment schedule required and the duration of that schedule if recurring payments are required for the items on this PO  |
| Additional Institutional Info  | Collects information about the organization at your institution that has requested the goods or services for this PO as well as the transmission method and internal contact information.                            |
| Account Summary                | Summarizes the accounting information for all the line items on this PO. The line items that make up the summary display here.   |
| View Related Documents         | Lists all documents related to this PO such as the requisition, receiving documents, payments, credit memos. Also all the various PO documents that are created from the PO when the PO is amended, closed, or open. |
| General Ledger Pending Entries | Generates a display-only view of the encumbrances that have not yet posted the G/L. This tab may be empty if there are no pending entries.   |

## Document Header

As in other OLE documents, the header section contains basic identification and status information about the PO document as well as who created it. However, the PO document has two additional fields in the document header that do not appear in other OLE documents.

|                               |  |
|-------------------------------|--|
| <b>Doc Nbr:</b> 4584          | <b>Status:</b> FINAL                   |
| <b>Initiator:</b> ole         | <b>Created:</b> 03:35 PM 08/19/2013    |
| <b>Purchase Order #:</b> 1058 | <b>Purchase Order Doc Status:</b> Open |

These additional fields are defined below.

### Document Header definition for a Purchase Order document

| Title                 | Description  |
|-----------------------|--|
| Purchase Order #      | An identifying number assigned to this PO. The PO number may be used for queries specific to the Purchasing/AP module of the OLE. This number differs from the <b>Doc Nbr</b> entry, which identifies the PO as a unique document for general OLE and Workflow queries.                |
| Purchase Order Status | A status that indicates where the PO is in the Purchasing/AP process. This indicator is similar to the status a document receives in Workflow, but it is specific to the purchasing process. Examples of PO status include 'In Process,' 'Awaiting Purchasing Approval,' and 'Closed'. |

## Document Overview Tab

The **Document Overview** tab on the PO contains three sections: **Document Overview**, **Financial Document Detail**, and **Purchase Order Detail**.

| Document Overview                              |  |
|--|--|
| <div style="text-align: right;">hide</div>     |  |
| <b>Document Overview</b>                       |  |
| * Description: Library Material_kyh_0819131455 | Explanation:                                   |
| Organization Document Number:                  |  |
| <b>Financial Document Detail</b>               |  |
| * Year: 2014                                   | Total Amount: 50.00                            |
| <b>Purchase Order Detail</b>                   |  |
| * Chart/Org: UA / VPIT                         | * Funding Source: INSTITUTION ACCOUNT          |
| Receiving Required: No                         | Payment Request Positive Approval Required: No |
| Assigned To User:                              | Previous Purchase Order #:                     |
| Order Type: Firm, Fixed                        | Purchase Order Confirmed Indicator: No         |
|  | Requisition Source: DIRECT INPUT               |

## Note

The following section definitions contain only fields that are unique to the PO document. For more information about the standard **Document Overview** tab, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Financial Document Detail Section

| Financial Document Detail |                     |
|---------------------------|---------------------|
| * Year: 2014              | Total Amount: 50.00 |

### Document Overview section definition

| Title        | Description   |
|--------------|---|
| Year         | <p>Required. The default is the current fiscal year and this field isn't editable until the 'ALLOW ENCUMBER NEXT YEAR DAYS' parameter has been met. If the FY is set to the future then funds will not be encumbered until that next fiscal year.</p> <p style="text-align: center;"><b>Note</b></p> <p style="text-align: center;">This field automatically defaults to the current fiscal year.</p> |
| Total Amount | Display-only. The total PO amount.  |

## Purchase Order Detail Section

| Purchase Order Detail   |  |
|-------------------------|--|
| * Chart/Org: UA / VPIT  | * Funding Source: INSTITUTION ACCOUNT          |
| Receiving Required: No  | Payment Request Positive Approval Required: No |
| Assigned To User:       | Previous Purchase Order #:                     |
| Order Type: Firm, Fixed | Purchase Order Confirmed Indicator: No         |
|                         | Requisition Source: DIRECT INPUT               |

### Purchase Order Detail section definition

| Title                                      | Description  |
|--|--|
| Chart/Org                                  | Required. Automatically completed based on the requisition's chart/organization. May be changed manually by clicking the lookup  |
| Receiving Required                         | <p>Optional. This flag can be set by a Purchasing Processor while a PO is 'in process'. If the field is checked manually, the system will not use receiving thresholds to determine whether receiving is required.</p> <p>If the field is checked, a line item Receiving document must be processed with sufficient quantities received before a payment will route to the fiscal officer. After the PO is approved, this value cannot be changed.</p> |
| Assigned to User                           | Allows a user to take ownership of an in-process document. Users can then easily find documents they are working on.   |
| Order Type                                 | Identifies the type of order, possible values could be one-time, standing, subscription. System default data value is "Firm, Fixed".   |
| Funding Source                             | Display-only. The funding source for the PO; derived from the requisition.   |
| Payment Request Positive Approval Required | Optional. The 'DEFAULT POS APPRVL LMT' parameter determines the dollar limit at which payment requests must receive positive approval from a fiscal officer. If selected, this field overrides the parameter and requires positive approval on the payment request regardless of the total of the payment.   |
| Previous Purchase Order #                  | Optional. Identifies the previous PO number associated with this purchase order. This field is typically used to identify the converted PO number from a legacy purchasing system.   |

Ordering Materials: Standard  
Transactional E-Docs




|                                    |  |
|------------------------------------|--|
| Purchase Order Confirmed Indicator | Optional. Select this box to indicate that this PO is being created after the purchase has been made. This field may be used to track instances in which users did not properly create a requisition before making a purchase. In this case, the PO is being processed only to enter the transaction into OLE. |
| Requisition Source                 | Display only. Indicates whether the requisition that created this PO was input directly or created in some other way such as B2B.  |

## Delivery Tab



The **Delivery** tab contains information about where goods ordered on this PO should be delivered. It also collects delivery contact information and any special delivery instructions. The address that is transmitted to the vendor (final delivery vs. receiving address) depends on the radio button that is selected in the **Address to Vendor** section.

The following table explains the fields on this tab. With the exception of the last two fields listed, all fields pertain to the **Final Delivery** section. When the PO is initiated, all information in the tab is populated from the information in the same tab of the requisition. The fields described below apply only if the default information from the requisition needs to be updated by Purchasing.

### Delivery tab definition

| Title           | Description  |
|-----------------|--|
| Delivery Campus | Required. Defaults to the delivery campus that was selected on the requisition. Search for another campus by clicking the <b>lookup</b>  button.  |
| Building        | Required. Search for the building to which goods should be delivered from the <b>building</b> lookup  . Only buildings that correspond with the delivery campus will be displayed. Selection of a building automatically completes the <b>Address</b> , <b>City</b> , <b>State</b> and <b>Postal Code</b> fields. |
| Address 1       | Required (display-only); automatically populated from data in <b>Building</b> . May be entered manually if you clicked the <b>building not found</b> button.   |
| Address 2       | Optional; Entered manually if an additional line of address is needed.   |
| Room            | Required. Enter the room number to which delivery should be made.  |
| City            | Display-only. Automatically populated from data in <b>Building</b> . May be entered manually if you clicked the <b>building not found</b> button.  |
| State           | Display-only. Automatically populated from data in <b>Building</b> . May be entered manually you clicked the <b>building not found</b> button.   |
| Postal Code     | Display-only. Automatically populated from data in <b>Building</b> . May be entered manually if you clicked the <b>building not found</b> button.  |
| Country         | Display-only. Automatically populated from data in <b>Building</b> . May be entered manually you clicked the <b>building not found</b> button.   |
| Delivery To     | Required. This entry defaults to the user's name on the requisition. The <b>User</b> lookup  can be used if the name needs to be changed.  |
| Phone Number    | Optional. This entry defaults to the phone number from the requisition. (Formatted: xxx-xxx-xxxx)  |
| Email           | Optional. This entry defaults to the email address from the requisition.   |

## Ordering Materials: Standard Transactional E-Docs


|   |  |
|---|--|
| Date Required   | Optional. Defaults to the date required from the requisition. Change or enter a date on which delivery is required or use the date from the calendar    |
| Date Required Reason  | Optional. If a date required has been specified, select the appropriate date required reason from the list.  |
| Delivery Instructions   | Optional. Enter text describing any special delivery instructions for the item(s).   |
| Receiving Address   | Display-only after the PO has been approved. Defaults to the central receiving address from the requisition. May be changed by using the <b>lookup</b>  |
| Use Receiving Address as Shipping Address Presented to Vendor | Required. Defaults to the indicator selected on the requisition.   |

### Editing a Building Address

The address is completely editable before the PO is approved. Take the following steps to add an address for another building.


1. Click the **building not found** button.

The delivery address fields become editable.



2. Enter the delivery address.

### Tip

To search for a delivery address, click the lookup  next to **Building** and select a building from the search results.

### Vendor Tab

On an approved purchase order, the **Vendor** tab identifies the vendor that was awarded the PO. The default is the vendor selected on the requisition. Although most field entries in this tab default to the values provided on the associated requisition (REQS) document or from the vendor's default information, the entries may be modified. If a vendor was not supplied already, you must add one.

### Note

With open Purchase Orders, there is an additional required field for **Vendor Choice**. Select one of the options from the drop down list.

## Ordering Materials: Standard Transactional E-Docs

The screenshot shows a 'Vendor' tab with a 'hide' button. It is divided into two main sections: 'Vendor Address' and 'Vendor Info'.

**Vendor Address Section:**

- Vendor Alias Name:** YBP (with a 'select vendor' button)
- \* Vendor:** YBP Library Services
- Vendor #:** 12106-0
- \* Address 1:** 999 Maple Street
- Address 2:** (empty)
- Attention:** (empty)
- \* City:** Contoocook
- State:** NH (\*required for US)
- Province:** (empty)
- Postal Code:** 03229 (\*required for US)
- \* Country:** United States

**Vendor Info Section:**

- \* Vendor Choice:** Contracted Price
- Acquisition Unit's Vendor account / Vendor Info Customer #:** (empty)
- Notes To Vendor:** (empty text area)
- Contract Name:** (empty)
- Phone Number:** (empty)
- Fax Number:** (empty)
- Payment Terms:** Net 30 Days
- Shipping Title:** (empty)
- Shipping Payment Terms:** INST PAYS, PART OF PO ("PREPAID AND ADD")
- Contacts:** (empty)
- Supplier Diversity:** (empty)
- Search for alternate vendor:** (button)
- Alternate Vendor For Non-Primary Vendor Payment:** (empty)
- Vendor Name:** (empty)
- Vendor #:** (empty)
- remove alternate vendor:** (button)

The **Vendor** tab includes two sections: **Vendor Address** and **Vendor Info**.

### Vendor Address Section

The Vendor Address section lists address information about the vendor for this purchase order.

This is a close-up of the 'Vendor Address' section from the screenshot above. It contains the following fields:

- Vendor Alias Name:** YBP (with a 'select vendor' button)
- \* Vendor:** YBP Library Services
- Vendor #:** 12106-0
- \* Address 1:** 999 Maple Street
- Address 2:** (empty)
- Attention:** (empty)
- \* City:** Contoocook
- State:** NH (\*required for US)
- Province:** (empty)
- Postal Code:** 03229 (\*required for US)
- \* Country:** United States



### Vendor Address section definition

| Title             | Description   |
|-------------------|---|
| Vendor Alias Name | The abbreviated code, or alias, of the vendor. Enter the code and click <b>select vendor</b> to repopulate the vendor information.          |
| Vendor            | Required and Display-only. The vendor's name is automatically updated from the Vendor record.   |
| Vendor #          | Display-only. The OLE-generated identifying number assigned to this vendor.   |
| Address 1         | Required. The default address is the PO address defined as the default for the campus. This field is editable.                              |
| Address 2         | Optional. The default address is the PO address defined as the default for the campus. This field is editable.                              |
| Attention         | Optional. If the attention line on the PO address is present this information will be populated although this field is always editable.     |
| City              | Required. Enter the city associated with this vendor address.   |
| State             | Enter the state's abbreviation. States are required for US addresses.   |
| Province          | Optional. Non-U.S. vendor addresses may include a province. Enter the province here. This field should always be used for Canadian vendors. |
| Postal Code       | Enter the postal code for this address. Postal code may be required under certain circumstances (such as when entering a U.S. address).     |
| Country           | Required. Select a country from the <b>Country</b> list.  |

## Vendor Info Section

|  |                  |  |   |
|--|------------------|--|---|
| <b>Vendor Info</b>   |                  |  |   |
| * Vendor Choice:   | Contracted Price |  |   |
| Acquisition Unit's Vendor account / Vendor Info Customer # : |                  |  |   |
| Notes To Vendor:   |                  | Payment Terms:                                   | Net 30 Days   |
|  |                  | Shipping Title:                                  |   |
| Contract Name:   |                  | Shipping Payment Terms:                          | INST PAYS, PART OF PO ("PREPAID AND ADD")   |
| Phone Number:  |                  | Contacts:  |   |
| Fax Number:  |                  | Supplier Diversity:                              |   |
|  |                  | Alternate Vendor For Non-Primary Vendor Payment: | Search for alternate vendor   |
|  |                  |  | Vendor Name:<br>Vendor #:<br><input type="button" value="remove alternate vendor"/> |

### Vendor Info section definition


| Title   | Label  |
|---|--|
| Vendor Choice   | Required. Select the reason that this vendor was selected to fill this purchase order from the <b>Vendor Choice</b> list.  |
| Acquisition Unit's Vendor acct/Vendor Info Customer # | Optional. Enter or look up a customer number that identifies your institution or department for this vendor's reference.   |
| Notes to Vendor                                       | Optional. Include any text you want the vendor to see on the PO.   |
| Contract Name   | Optional. If a contract exists with the vendor for these goods or services, search for it from the <b>Contact</b> lookup  .   |
| Phone Number  | Optional. Enter the selected vendor's phone number. (Formatted: xxx-xxx-xxxx)  |
| Fax Number  | Optional. Enter the selected vendor's fax number.  |
| Payment Terms   | Optional. Select the payment terms from the <b>Payment Terms</b> list.   |
| Shipping Title  | Optional. Select the shipping title from the <b>Shipping Title</b> list.   |
| Shipping Payment Terms                                | Optional. Select the shipping payment terms from the <b>Shipping Payment Terms</b> list.   |
| Contacts  | Optional. If the vendor has multiple contacts, select the appropriate contact for this PO.   |
| Supplier Diversity                                    | Display-only. The information appears if the selected vendor has been assigned a supplier diversity type.  |
| Alternate Vendor for Non-Primary Vendor Payment       | Optional. Used any time a purchasing needs to give accounts payable the option to pay one vendor or another. Examples include third-party receivables or escrow accounts for construction payments. To search for a vendor, use the lookup  . To remove an alternate vendor, click <b>remove alternate vendor</b> . |

## Stipulations Tab

The **Stipulations** tab allows for the entry of stipulations for the vendor filling this PO. It may also be used for any additional contractual information that should be added to the PO.



### Stipulations tab definition

| Title     | Description  |
|-----------|--|
| Note Text | Required. Enter text to be viewed by the vendor of this PO or search for pre-defined text from the <b>lookup</b>  . |
| Actions   | Click <input type="button" value="add"/> to add new text.  |



## Titles Tab

The **Titles** tab identifies what is being ordered on the PO, how many copies, claiming information, and establishes the accounting distribution for payments. Before the PO has been approved, you may change or add to the items and accounts that have been carried over from the requisition. You may also add additional charges or apply PO total reductions here. Make sure you have bibliographic information in the **Bib Info** fields and complete accounting lines.

| Titles  |                 |                       |      |                        |       |                   |           |                    |       |                            |            |
|---|-----------------|-----------------------|------|------------------------|-------|-------------------|-----------|--------------------|-------|----------------------------|------------|
| Current Items   |                 |                       |      |                        |       |                   |           |                    |       |                            |            |
| Item 1  |                 |                       |      |                        |       |                   |           |                    |       |                            |            |
| Bib Info:   | Best Laid Plans |                       |      |                        |       | Location          | API       |                    |       | Copy #                     | 1          |
| * No of Copies Ordered  | 1               | * No of Parts Ordered | 1    | * List Price           | 10.00 | Extended Cost     | 10.00     | Public View        | Yes   | Do Not Claim               | No         |
| Receipt Status  |                 | No Of Copies Received |      | No Of Parts Received   |       | Item Price Source | Publisher | Request Source     | Staff | Claim Date                 |            |
| Format  |                 | Category              |      | Vendor Item Identifier |       | Requestor         |           | Route To Requestor | No    |                            |            |
| Unit Cost   | 10.00           | Discount              | 0.00 | Discount Type          | %     | Item Status       |           | Purpose            |       |                            |            |
| <a href="#">show</a> Notes<br><a href="#">show</a> Accounting Lines<br><a href="#">show</a> Donor |                 |                       |      |                        |       |                   |           |                    |       |                            |            |
| Additional Charges <a href="#">show</a>   |                 |                       |      |                        |       |                   |           |                    |       |                            |            |
| Totals  |                 |                       |      |                        |       |                   |           |                    |       |                            |            |
|   |                 |                       |      |                        |       |                   |           |                    |       | Grand Total:               | 10.00      |
|   |                 |                       |      |                        |       |                   |           |                    |       | Internal Purchasing Limit: | 100,000.00 |

## Add Item and Current Items Sections



| Titles  |  |                       |  |                        |                                   |                      |  |                    |                                     |                      |   |
|---|--|-----------------------|--|------------------------|-----------------------------------|----------------------|--|--------------------|-------------------------------------|----------------------|---|
| Add Item  |  |                       |  |                        |                                   |                      |  |                    |                                     |                      |   |
| Bib Info:   | <input type="radio"/> new bib <input type="radio"/> existing bib |                       | <input checked="" type="radio"/> print holdings <input type="radio"/> e-holdings |                        | Location                          | <input type="text"/> |  |                    | Copy #                              | <input type="text"/> |   |
| * No of Copies Ordered  | <input type="text" value="1"/>                                   | * No of Parts Ordered | <input type="text" value="1"/>   | * List Price           | <input type="text" value="0.00"/> | Extended Cost        | 0.00                                   | Public View        | <input checked="" type="checkbox"/> | Do Not Claim         | <input type="checkbox"/>                  |
| Receipt Status  |  | No Of Copies Received |  | No Of Parts Received   |                                   | Item Price Source    | <input type="text" value="Publisher"/> | Request Source     | <input type="text" value="Staff"/>  | Claim Date           | <input type="text"/>                      |
| Format  | <input type="text"/>   | Category              | <input type="text"/>   | Vendor Item Identifier | <input type="text"/>              | Requestor            | <input type="text"/>                   | Route To Requestor | <input type="checkbox"/>            |                      | <input type="text"/>                      |
| Unit Cost   |  | Discount              | <input type="text" value="0.00"/>  | Discount Type          | <input type="text" value="%"/>    | Item Status          | <input type="text"/>                   | Purpose            | <input type="text"/>                |                      | <input type="button" value="add"/>        |
| <a href="#">setup distribution</a>   <a href="#">remove accounts from all items</a>   <a href="#">expand all accounts</a>   <a href="#">collapse all accounts</a> |  |                       |  |                        |                                   |                      |  |                    |                                     |                      |   |
| Current Items   |  |                       |  |                        |                                   |                      |  |                    |                                     |                      |   |
| Item 1  |  |                       |  |                        |                                   |                      |  |                    |                                     |                      |   |
| Bib Info:   | Best Laid Plans  |                       |  |                        |                                   | Location             | API                                    |                    |                                     | Copy #               | 1   |
| * No of Copies Ordered  | 1  | * No of Parts Ordered | 1  | * List Price           | 10.00                             | Extended Cost        | 10.00                                  | Public View        | <input checked="" type="checkbox"/> | Do Not Claim         | <input type="checkbox"/>                  |
| Receipt Status  |  | No Of Copies Received |  | No Of Parts Received   |                                   | Item Price Source    | Publisher                              | Request Source     | Staff                               | Claim Date           |   |
| Format  |  | Category              |  | Vendor Item Identifier |                                   | Requestor            |  | Route To Requestor | <input type="checkbox"/>            |                      |   |
| Unit Cost   | 10.00  | Discount              | 0.00   | Discount Type          | %                                 | Item Status          |  | Purpose            |                                     |                      | <input type="button" value="inactivate"/> |
| <a href="#">show</a> Notes<br><a href="#">show</a> Accounting Lines<br><a href="#">show</a> Donor   |  |                       |  |                        |                                   |                      |  |                    |                                     |                      |   |

Add Item and Current Items sections contain the same fields.

### Add Item and Current Items section definitions

| Title                        | Description  |
|------------------------------|--|
| Bib Info                     | Choose <a href="#">create new</a> to link to the Bib Editor. Titles will appear in the after an item has been added.<br><br>In <b>Current Items</b> , you may click the title link to open the bibliographic editor. |
| Print Holdings or E-Holdings | Select the Holdings format you would like the Purchase Order to link to. Purchase Orders link to an Item record (for print materials) or E-Instance (for electronic material).                                       |
| Location                     | Select the home location for the item.   |

Ordering Materials: Standard  
Transactional E-Docs

|                        |   |
|------------------------|---|
| Copy #                 | Optional. You may add a copy number to indicate the copy of the item. This will appear on the purchase order and the item record. If left blank, the field on the purchase order and item record will also be blank.  |
| No of Copies Ordered   | Required. Enter the quantity of the item in this field.   |
| No. of Parts Ordered   | This is the number of individual pieces that must be accounted for upon payment/receipt of a requisitioned item.  |
| List Price             | Basic price of an item before any discounts are taken.  |
| Extended Cost          | Display-only. No of Copies ordered multiplied by the list price minus any discount.   |
| Public View            | Optional. Indicates whether or not a bibliographic description shall be exposed to users prior to purchase/receipt. Default is Yes (checked).   |
| Do Not Claim           | Optional. Indicates whether or not an item will be claimed. Default is No (unchecked). If checked, overrides Claim Date information below.  |
| Currency Type          | Display only if foreign vendor is chosen. Identifies the associated vendor's currency as identified on the vendor record that is identified in the Link to Vendor/Supplier.   |
| Exchange Rate          | Display only if foreign vendor is chosen. Currency conversion rate populates from the Exchange rate and Currency Type maintenance tables. The rate will populate when user clicks action button "Calculate" on conversion tab. Optionally: when currency tab opens, currency rate may auto-populate. This may be updated up until the Requisition is approved. After that point, it may no longer be modified.                          |
| Foreign List Price     | Basic foreign price of an item before any discounts are taken.  |
| Receipt Status         | Display only. Will reflect receipt status after receiving has occurred.   |
| No Of Copies Received  | Display only. The number of copies already received. This will populate as the document moves through the acquisition workflow.   |
| No Of Parts Received   | Display only. The number of parts already received. This will populate as the document moves through the acquisition workflow.  |
| Item Price Source      | Optional. Select the Price Source of the requested item from the drop down list.  |
| Request Source         | Optional. Select the Request Source of the requested item from the drop down list.  |
| Claim Date             | Date item is eligible for the next claim based on the claim interval entered in the Vendor Record. To override the claiming interval, enter a date or select one from the calendar   |
| Format                 | Optional. Select the format of the requested item from the drop down list.  |
| Category               | Optional. Select a Category of the item from the drop down list..   |
| Vendor Item Identifier | Display Only. Identifies a vendor item identifier if one has been provided by a vendor.   |
| Requestor              | Defaults to the selector's user name. If the Requestor is different than the selector, you may use the <b>Requestor</b> lookup  to find the requesting individual's name or create a new Requestor (this will search from the OLE Patron database).  |
| Route to Requestor     | Optional. Yes/No checkbox to indicate whether a requestor should be notified when the item has been purchased. System default data value is "No".   |
| Foreign Unit Cost      | Display only if foreign vendor is chosen. Calculated foreign cost per unit for the item or service on this line. Calculation is the Foreign List Price less Foreign Discount amount.  |
| Discount               | Discount provided by the vendor/customer number/organization combination. Automatically populated from the Vendor customer number table based on the selected vendor and customer number. Can be modified for a specific title. If the vendor record has a Vendor currency noted other than the default system currency (aka US dollar), then the Vendor discount will populate the Foreign Discount field.                             |
| Discount Type          | Choose # (for Amount) or % (for Percentage).  |
| Foreign Discount       | Foreign discount provided by the vendor/customer number/organization combination when the vendor record has a Currency Type different from the system default currency. Should be automatically populated from the Vendor customer number table based on the selected vendor and customer number. This data can be changed for the specific title. Must identify the type of discount (amount or %.) If the vendor record does not have |

## Ordering Materials: Standard Transactional E-Docs

|                       |  |
|-----------------------|--|
|                       | a Currency Type noted other than the default system currency (aka US dollar), then the discount should populate the Discount field.                            |
| Foreign Discount Type | Choose # (for Amount) or % (for Percentage).   |
| Actions               | Add or delete lines as appropriate. After a line has been added, it is moved to the <b>Current Items</b> section, where the details may be viewed or modified. |

### Adding or Modifying an Item

**Inactivate Button:** The **inactivate** button becomes available only when you are amending a PO. If while amending a PO you would like to deactivate a line item, click the **inactivate** button associated with that item.

### Note

For more information about how to amend the PO, see [Purchase Order Amend](#).

When processing an amendment to a PO, you may deactivate item lines that are no longer valid. To do so, select the **Inactivate** check box next to the appropriate items. When the amendment is approved, these items are no longer valid for this PO.

| Current Items  |                 |                       |      |                        |       |                   |           |                    |                                     |                          |   |
|--|-----------------|-----------------------|------|------------------------|-------|-------------------|-----------|--------------------|-------------------------------------|--------------------------|---|
| Item 1   |                 |                       |      |                        |       |                   |           |                    |                                     |                          |   |
| Bib Info:  | Best Laid Plans |                       |      |                        |       | Location:         | API       |                    | Copy #:                             | 1                        |   |
| * No of Copies Ordered                               | 1               | * No of Parts Ordered | 1    | * List Price           | 10.00 | Extended Cost     | 10.00     | Public View        | <input checked="" type="checkbox"/> | Do Not Claim             | <input type="checkbox"/>                  |
| 1 Receipt Status                                     |                 | No Of Copies Received |      | No Of Parts Received   |       | Item Price Source | Publisher | Request Source     | Staff                               | Claim Date               |   |
| Format   |                 | Category              |      | Vendor Item Identifier |       | Requestor         |           | Route To Requestor | <input type="checkbox"/>            |                          |   |
| Unit Cost  | 10.00           | Discount              | 0.00 | Discount Type          | %     | Item Status       |           | Purpose            |                                     | <input type="checkbox"/> | <input type="button" value="inactivate"/> |
| <input type="button" value="show"/> Notes            |                 |                       |      |                        |       |                   |           |                    |                                     |                          |   |
| <input type="button" value="show"/> Accounting Lines |                 |                       |      |                        |       |                   |           |                    |                                     |                          |   |
| <input type="button" value="show"/> Donor            |                 |                       |      |                        |       |                   |           |                    |                                     |                          |   |

Click  to add a line. The system will move it to the **Current Items** section.

### Note

To add an item, you must follow the same procedure described in [Working in the Titles Tab](#) on the Requisition section (First add the bibliographic record, fill in the purchasing information, then click add).

Click  to delete a line.

Click  to view the additional details (notes, accounting lines, copies, claim history, invoice history, donor).

### Additional Charges Section

The Additional Charges tab allows lines for predetermined charges to be included on the payment request. This tab is divided into four charge lines, each representing a different type of charge and each with its own accounting lines. The four Additional Charges lines are **Freight, Shipping and Handling, Full Order Discount, and Trade In**.

## Ordering Materials: Standard Transactional E-Docs

| Additional Charges <span style="float: right;">▼ 100%</span> |                         |                      |                      |      |
|--|-------------------------|----------------------|----------------------|------|
| * Item Type  | Description             | Extended Cost        | Amount Paid          |      |
| <b>Freight</b>   |                         |                      |                      |      |
|  | Freight :               | <input type="text"/> | <input type="text"/> | 0.00 |
| <a href="#">▶ show</a> Accounting Lines                      |                         |                      |                      |      |
| <b>Shipping and Handling</b>                                 |                         |                      |                      |      |
|  | Shipping and Handling : | <input type="text"/> | <input type="text"/> | 0.00 |
| <a href="#">▶ show</a> Accounting Lines                      |                         |                      |                      |      |
| <b>Full Order Discount</b>                                   |                         |                      |                      |      |
|  | Full Order Discount :   | <input type="text"/> | <input type="text"/> | 0.00 |
| <a href="#">▶ show</a> Accounting Lines                      |                         |                      |                      |      |
| <b>Trade In</b>  |                         |                      |                      |      |
|  | Trade In :              | <input type="text"/> | <input type="text"/> | 0.00 |
| <a href="#">▶ show</a> Accounting Lines                      |                         |                      |                      |      |

### Additional Charges section definition

| Title         | Description   |
|---------------|---|
| Item Type     | Display-only. Describes the type of miscellaneous item ('Freight' or 'Shipping and Handling') being defined in this line. |
| Description   | Required if the extended cost has been entered. Enter a text description describing the additional charges item line.     |
| Extended Cost | Required. Enter the dollar amount for this item line.   |
| Amount Paid   | Display-only. Automatically calculated based on responses in other fields.  |

## Totals Section

| Totals |  |                                   |                   |
|--------|--|-----------------------------------|-------------------|
|        |  | <b>Grand Total:</b>               | <b>9,999.00</b>   |
|        |  | <b>Internal Purchasing Limit:</b> | <b>100,000.00</b> |

### Totals section definition

| Title                     | Description   |
|---------------------------|---|
| Grand Total               | Display-only. Displays a total of all current item lines and additional charges lines.                              |
| Internal Purchasing Limit | Display-only. Displays the dollar amount of the maximum purchasing limit, above which a PO will route for approval. |

## Creating Accounting Distributions in the Titles Section

Accounting distributions for item lines may be created individually, or a single accounting distribution may be copied to all line items on the requisition. A valid account string contains a chart, an account, and an object code. The account must be active and the expiration date has not expired. The object code must valid. Valid object codes are active codes in the object code table and are *not* included in the OBJECT CONSOLIDATION parameter.

To create accounting distributions for individual item lines, follow these steps.

1. Click **add** in the **Actions** column to add the item line.
2. In the **Current Items** section, click the [▶ show](#) button for the line to which you want to add an accounting distribution.
3. In the **Item Accounting Lines** section, click the [▶ show](#) button.
4. Complete the accounting line and indicate a percent of this item line that should be charged to this accounting line. If there is only one accounting line for this item, the percent must be 100.
5. Click [add](#) to add the accounting line.
6. If the item needs to be distributed to more than one accounting line, repeat steps 4 and 5. The sum of all accounting lines must equal 100 percent when you finish the distribution.

## Note

If the account chosen has sufficient funds checking and the threshold is reached, you may be blocked from using the account or you may receive a warning (depending on the chosen notification on the account) when the document is saved and the Fiscal Officer will be notified when the document is submitted.

## Note

This process may also be followed to add accounting distribution lines for items in the **Additional Charges** section. Open the **Accounting Line Items** section for that miscellaneous line item and follow steps 4-6 above.

Line item accounting can create considerable repetitive data entry. OLE allows you to load the information to all the line items rather than entering the information to each line item separately. The steps below describe how to distribute this information. This process distributes accounts only to line items that have no accounts added. It does not replace accounts that have been set up for individual line items.

1. Click  to add the item line.
2. In the **Add Item** section, click the  button.

The system opens a new **Accounting Lines** section.

3. Enter the accounting line and indicate the percent of this item line that is to be distributed to the items on this requisition. If there is a single accounting line for these items, the percent must be 100.

## Note

The system validates values as you enter the information.

4. Click  to add the accounting line.
5. If the items need to be distributed to more than one accounting line, repeat steps 3 and 4. The accounting lines distribution should total 100%.
6. Click the  button to apply this distribution to all item lines that do not yet have an accounting line distribution specified.


The system displays the top of the document and the message 'The accounts were successfully distributed to all items'.

## Removing Accounts from all Item Lines

If line items have accounts set up and those accounts need to be modified, then the individual accounting lines may be modified by following the steps for creating an accounting distribution for an individual item line discussed in the previous section. However, if it is more efficient to remove all the accounts, use the steps for creating an accounting distribution for multiple line items to recreate the accounting for the line items.

Follow these steps to remove all accounts.

1. Click .

- Click  in response to the question 'Are you sure you want to remove the accounts from ALL items?'

All the accounting lines are removed.

### Expand All Accounts

To expand the accounting lines for all the items in the **Current Items** section, follow these steps. (This is the equivalent of clicking the accounting lines' **show** button for each item listed.)

- Click .
- All accounts are displayed in full detail.

### Collapse All Accounts

To collapse the accounting lines for all items in the **Current Items** section, follow these steps. (This procedure is the equivalent of clicking the Accounting Lines **hide** button for each item listed.)

- Click **collapse all accounts**.
- All account displays are hidden.



## Payment Info Tab

If recurring payments are required for the items on this PO, this tab is used to indicate the type of payment schedule required and the duration of that schedule. The fields in this tab are informational only. They do not drive any other functions within OLE.


The **Payment Info** tab includes **Payment Info** and **Billing Address** sections.

## Payment Info Section

### Payment Info section definition

| Title                     | Description  |
|---------------------------|--|
| Type of Recurring Payment | Optional. Select the proper recurring payment schedule from the list. Examples include 'Fixed Schedule, Fixed Amount,' 'Fixed Schedule, Variable Amount' and 'Variable Schedule, Variable Amount'.   |
| Begin/End Date            | Required if <b>Type of Recurring Payment</b> has been selected. Enter dates indicating the time period during which the order is active, or search for the dates from the calendar  .                               |
| Recurring Payment Amount  | Optional. If a recurring payment type of 'fixed schedule' or 'fixed amount' has been selected, complete the remaining fields in this section.  |
| Amount                    | Optional. Enter the dollar amount of the recurring payment.  |
| First Payment Date        | Optional. Enter the date on which the first recurring payment should be made or search for the date from the calendar  . This date is used to determine subsequent payments based on the frequency. For example, if |

Ordering Materials: Standard  
Transactional E-Docs

|                                |   |
|--------------------------------|---|
|                                | the frequency is 'monthly' and the first payment date is 01/01/2010, the subsequent payments occur on the first of the month.   |
| Frequency                      | Optional. Select a number to indicate how often recurring payments should be made.  |
| Initial & Final Payment Amount | Optional. Enter the amount of the initial and final payments if those amounts differ from the amount in the <b>Amount</b> field above.  |
| Initial & Final Payment Date   | Optional. Enter the dates on which the initial and final payments are to be made if those dates differ from the date in the <b>First Payment Date</b> field.<br>Or search for the dates from the calendar  . |




## Billing Address Section

### Billing Address section definition



| Title   | Description   |
|---------|---|
| Address | Display-only. The address to which vendor invoices are to be mailed. This address is based on the campus specified for delivery on the <b>Delivery</b> tab. |

## Additional Institutional Info Tab

The **Additional Institutional Info** tab collects information about the organization at your institution that is responsible for initiating this purchase. It also collects information on transmission method and contact information.

| Additional Institutional Info <span style="float: right;">▼ hide</span> |  |
|---|--|
| Additional  |  |
| * Method of PO Transmission:  | PRINT                   |
| * Cost Source:  | ESTIMATE               |
| Contact Name:   | <input type="text"/>  |
| Contact Phone:  | <input type="text"/>   |
| Contact Email:  | <input type="text"/>   |
| PO Total Cannot Exceed:   | <input type="text"/>   |
| * Requestor Name:   | HUNTLEY, KEISHA Y  |
| * Requestor Phone:  | 209-954-5067   |
| * Requestor Email:  | test@email.edu   |
| <b>Sensitive Data</b>   |  |

### Additional Institutional Info tab definition

| Title                     | Description  |
|---------------------------|--|
| Method of PO Transmission | Required. Select the transmission method. Normally this is 'Print,' but if for some reason you do not need to print a copy of the PO for the vendor, you may choose 'No Print'.  |
| Cost Source               | Required. This field indicates how the pricing on the PO was determined. Select the appropriate cost source from the list.   |
| Contact Name              | Optional. Enter the name of the person to be contacted if Purchasing (or vendor if the order is an APO) has questions about the order or search for it from the <b>Person</b> lookup  . |
| Contact Phone             | Optional. Enter the phone number of the person specified in the <b>Contact Name</b> field. (Formatted: xxx-xxx-xxxx)   |
| Contact Email             | Optional. Enter the email address of the person specified in the <b>Contact Name</b> field.  |
| PO Total Cannot Exceed    | Optional. This information is typically entered on the requisition and indicates to Purchasing that the order has a limited amount of resources.   |
| Requestor Name            | Required. The name of the person who requested the goods or services. This field may be changed by entering a new name or searching for it from the <b>Person</b> lookup  .             |
| Requestor Phone           | Required. Enter the phone number of the person specified in the <b>Requestor Name</b> field. (Formatted: xxx-xxx-xxxx)   |
| Requestor Email           | Required. Enter the email address of the person specified in the <b>Requestor Name</b> field.  |
| Sensitive Data            | Display-only. This displays the currently assigned sensitive data entries created using the <b>sensitive data</b> button at the bottom of the document.  |

## Account Summary Tab

The **Account Summary** tab combines all accounting information for the items on this PO for future reference.

| Account Summary            |   |             |        |            |         |            |             |        |
|----------------------------|---|-------------|--------|------------|---------|------------|-------------|--------|
| Account Summary 1          |   |             |        |            |         |            |             |        |
| Chart                      | Account Number  | Sub-Account | Object | Sub-Object | Project | Org Ref Id | Org. Doc. # | Amt    |
| BL                         | 1031400   |             | 5000   |            |         |            |             | 119.10 |
| Items of Account Summary 1 |   |             |        |            |         |            |             |        |
| Item                       | Description   |             |        |            |         |            | Amount      |        |
| Item 1                     | 78 : The Boston Red Sox, a Historic Game, and a Divided City                  |             |        |            |         |            | 53.88       |        |
| Item 2                     | Faithful : Two Diehard Boston Red Sox Fans Chronicle the Historic 2004 Season |             |        |            |         |            | 38.46       |        |
| Item 3                     | The Boston Red Sox: An Illustrated History                                    |             |        |            |         |            | 26.76       |        |

Clicking the **refresh account summary** button reloads the page and adds any accounts and/or line items that the user may have just added to the PO.

## View Related Documents Tab

The **View Related Documents** tab collects information about Purchasing/AP documents related to this document. For example, it displays identifying information for any associated requisition, payment requests, or credit memos.

| View Related Documents |                   |                           |
|------------------------|-------------------|---------------------------|
| Related Documents      |                   |                           |
| Requisition - 1064     |                   |                           |
| Date                   | User              | Note                      |
| 2013-08-19 15:34:58.0  | HUNTLEY, KEISHA Y | copied from document 4537 |

### View Related Documents tab definition

| Title | Description  |
|-------|--|
| Date  | Display-only. The date the related document was created.   |
| User  | Display-only. The user who created the related document. 'Kuali System User' means the document was automatically created by the system. |
| Note  | Display-only. The note describing the document.  |

When you click the document number link, the system displays the related document in a separate window.

## General Ledger Pending Entries Tab

G/L Pending Ledger entries are generated after the PO document is submitted. These entries include the encumbrances for the transaction and the appropriate offsetting entry. After the nightly batch jobs run to post the G/L entries, these pending entries no longer display here.

| General Ledger Pending Entries |             |       |                |             |        |            |         |          |              |           |        |     |
|--------------------------------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| Seq #                          | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
| 1                              | 2010        | BL    | 1031400        | ----        | 5000   | ---        | -----   | PQ       | EX           | EX        | 999.00 | D   |
| 2                              | 2010        | BL    | 1031400        | ----        | 9892   | ---        | -----   | PQ       | EX           | FB        | 999.00 | C   |

### General Ledger Pending Entries tab definition

| Title | Description  |
|-------|--|
| Seq # | Display-only. Assigns a number to the entry in sequential order. |



## Ordering Materials: Standard Transactional E-Docs

---

|                |  |
|----------------|--|
| Fiscal Year    | Display-only. Identifies the fiscal year of the debit or credit.   |
| Chart          | Display-only. Identifies the chart to which the pending entry is assigned.   |
| Account        | Display-only. Identifies the account number to which the pending entry is assigned.  |
| Sub-Account    | Display-only. Identifies the sub-account, if one exists, to which the pending entry is assigned.   |
| Object         | Display-only. Identifies the object code of the item being ordered.  |
| Sub-Object     | Display-only. Identifies the sub-object code of the item being ordered, if one exists.   |
| Project        | Display-only. Identifies the project code, if one exists, to which the PO is assigned.   |
| Doc. Type Code | Display-only. Identifies the document type code of the document. When working with POs, this value will almost always be PO.                         |
| Balance Type   | Display-only. Identifies the different balances (actuals, budget, encumbrances, etc.) recorded in OLE to facilitate reporting and financial queries. |
| Obj. Type      | Display-only. Categorizes object codes into general categories identifying income, expenses, assets, liabilities, fund balance or transfers.         |
| Amount         | Display-only. Indicates the amount charged to each account on the PO.  |
| D/C            | Display-only. Indicates whether the entry is a debit (D) or credit (C) to the account.   |

---

## Process Overview

### Business Rules

- All required fields must be completed before the PO document can be submitted for approval.
- The **Bib Info** field on the **Item** tab must be completed.
- The PO generates encumbrances when it reaches a workflow status of 'FINAL'. Encumbrances are created on the accounts and object codes entered in the item sections and the appropriate offset object code(s).
- An APO document may be created only under certain conditions, as specified in the business rules set up by the institution. Examples of conditions that might prevent an APO from being created are:
  - The requisition total is greater than the APO limit.
  - The requisition total is not greater than zero.
  - The requisition contains an item that is marked as restricted.
  - The vendor was not selected from the vendor database.
  - An error occurred while retrieving the vendor from the database.
  - The selected vendor is marked as restricted.
  - The requisition has no contract selected, but a contract exists for the selected vendor.
  - The requisition's payment type is marked as recurring (**Payment Info** tab).
  - The 'PO Total Cannot Exceed' amount has been entered (**Additional Institutional Info** tab).
  - The requisition contains alternate vendor names.


- The requisition is set to encumber during the next fiscal year (chosen from **Year** in the **Document Overview** tab) and approval is not within the APO allowed date range. The date range is determined by the 'ALLOW APO NEXT FY DAYS' parameter.
- The requisition contains a full order discount.
- The requisition contains accounting strings with an object level in the OLE-PURAP:PURCHASING\_ACCOUNTS\_PAYABLE\_OBJECT\_LEVELS parameter (currently set to CAP).

## Routing

The PO document does the following types of routing:

- **Budget Office Review:** If the PO is for the current fiscal year, all accounts used on the document are checked to see if any of accounts use sufficient funds checking. If the encumbrances from this order would cause these accounts to have insufficient funds, the PO document routes to the Budget Reviewer role for approval.
- **Document Transmission:** If the document is an APO, an FYI is generated back to the initiator of the requisition document. If the document is not an APO, an FYI is generated back to the user who submitted the PO.

Ordering Materials: Standard  
Transactional E-Docs



## Processing a PO Document

1. Search for 'In Process' purchase orders using the Order Holding Queue or document search and click the document ID to open it.

The system displays a PO document populated with information from the requisition.


2. Complete the standard tabs as necessary.

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines** tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

3. Complete the **Vendor, Stipulations, Titles, Payment Info, Delivery, Additional Institutional Info and other** tabs as necessary. To add information to these sections, click the **amend** button at the bottom of the PO.
4. Click  or

If all required fields have been correctly filled in, and you click on **approve**, the system will then approve the Purchase Order. If any required field is blank or contains invalid data, the system places a warning note at the top of the screen, and by the appropriate field. You will be unable to approve the purchase order until you resolve the problem.



Once a Purchase Order is approved, the system:

- changes the status of the Purchase Order document to Final
- queues it for printing and/or transmission, by whichever method is specified
- returns you to the Select/Acquire tab.


## Transmitting Purchase Order/Place Order

OLE is currently setup to place orders as follows:

- Imported vendor orders (paired EDI and MRC files): no transmission
- Staff-generated manual requisitions and approved purchase orders and purchase order amendments: transmit in real-time to vendor FTP site (no staff interface currently exists for transmit confirmation reports etc.).
  - If transmit method of Vendor or Purchase Order is set to **no print** with format of FTP, or SFTP, then resulting EDIFACT order file is transmitted to OLE “mock” vendor FTP site per below.
  - If transmit method of Vendor or Purchase Order is **print** with format of Email, Fax, etc., then at completion of an approved Purchase Order, a  button will appear on the e-Doc allowing

the user to print, email, or fax a PDF of the Purchase Order. The Purchase Order will also route to Acquisitions staff's Action Lists as notification to complete the action.

OLE will transmit purchase orders automatically if the Purchase Order fulfills the required APO rules. To

retransmit a Purchase Order, click .

FTP Site (to see transmitted orders):

[http://docstore.demo.ole.kuali.org/upload/Order\\_Records/Orders\\_To\\_Be\\_Processed\\_By\\_Vendor/](http://docstore.demo.ole.kuali.org/upload/Order_Records/Orders_To_Be_Processed_By_Vendor/)

**Sample Purchase Order Statuses:**

| Code | Status   |
|------|----------|
| CANC | Canceled |
| CLOS | Closed   |
| OPEN | Open     |

See all statuses in [Purchase Order Status](#) in the Appendix.

## Performing Other Activities on a PO

To facilitate routings and approvals, and maintain detailed audit trails, OLE has adapted the KFS versions of Purchase Orders. Not all of these may be needed in support of future library processes, but we are providing them for review.

After a PO has been initiated, authorized users may perform a variety of activities on it. With the exception of **Print**, each of these actions generates a new OLE document (although the PO number remains the same). The following chart summarizes each action and its corresponding document type. (The document type code for each is listed in parenthesis after the name of the associated button.) The table also indicates whether each action results in transactions to be fed to the G/L process.

The “versions” or e-Docs available are permissions-based, and dependent upon the Purchase Order status in workflows.

### Note

For more information about printing a PO, see [Printing a PO](#).

### PO document types

| Document  | Description  |
|---|--|
| <a href="#">Purchase Order Amend</a> (POA)                | Makes changes to the existing PO.  |
| <a href="#">Purchase Order Payment Hold</a> (POH)         | Indicates that no payments should be processed against this PO.  |
| <a href="#">Purchase Order Remove Payment Hold</a> (PORH) | Changes the status of the PO back to 'Open' so payments can be made. An FYI is also sent to AP to indicate that the hold has been removed. |
| <a href="#">Purchase Order Void</a> (POV)                 | Cancels the PO and disencumbers all related items. This option is not available after a payment has been made.                             |
| <a href="#">Purchase Order Close</a> (POC)                | Closes out any remaining items on this PO and disencumbers any outstanding funds.  |
| <a href="#">Purchase Order Reopen</a> (POR)               | Reopens the PO and re-encumbers any accounting lines that were disencumbered when the PO was originally closed.                            |

## Accessing the Various PO Options

To access any of these options for working with a PO, follow these steps:

1. Search for the PO document and open it.

At the bottom of the open document, the system displays a series of specialized action buttons are displayed at the bottom, each corresponding to a different option.



2. Click the button for the function you want to perform.

After you submit one of the above documents, if you subsequently retrieve the original PO document, the system shows a warning in the upper left corner, indicating that there is a newer version of the PO.



**Document Versioning:** A single PO document can have several different OLE document numbers assigned. To correlate this information and find the most recent version of a PO, use the Purchase Order search in the Ordering menu group of the Select/Acquire tab and enter the PO number as a search criteria. In the example shown below, a user amended a PO (POA), placed the PO on hold (POH, removed the hold (PORH), and then created a PO Void (POV). The system retrieved five documents when the user searched on the PO number.

| Document Id | Status | Document Description | Organization Document Number | Purchase Order # | Purchase Order Doc Status | Contract Manager Name    | Chart/Org | Vendor               | University Fiscal Year | Type                               | Chart Code | Organization Code | Account Number | Ledger Document Type | Total Amount |
|-------------|--------|----------------------|------------------------------|------------------|---------------------------|--------------------------|-----------|----------------------|------------------------|------------------------------------|------------|-------------------|----------------|----------------------|--------------|
| 4102        | FINAL  | testing around       |                              | 1038             | Open                      | AUTOMATIC PURCHASE ORDER | UA-VPIT   | YBP Library Services | 2014                   | Purchase Order Remove Payment Hold |            |                   |                |                      |              |
| 4095        | FINAL  | testing another1     |                              | 1039             | Open                      | AUTOMATIC PURCHASE ORDER | UA-VPIT   | YBP Library Services | 2014                   | Purchase Order Amendment           |            |                   |                |                      |              |
| 4088        | FINAL  | testing another      |                              | 1039             | Retired Version           | AUTOMATIC PURCHASE ORDER | UA-VPIT   | YBP Library Services | 2014                   | Purchase Order                     | BL         | EDUC              | 2947482        | OLE_PO               | 30.00        |
| 4029        | FINAL  | testing around       |                              | 1038             | Retired Version           | AUTOMATIC PURCHASE ORDER | UA-VPIT   | YBP Library Services | 2014                   | Purchase Order Payment Hold        |            |                   |                |                      |              |
| 4021        | FINAL  | testing around       |                              | 1038             | Retired Version           | AUTOMATIC PURCHASE ORDER | UA-VPIT   | YBP Library Services | 2014                   | Purchase Order                     |            |                   |                |                      |              |
| 4062        | FINAL  | test nrs             |                              | 1037             | Void                      | AUTOMATIC PURCHASE ORDER | UA-VPIT   | YBP Library Services | 2014                   | Purchase Order Void                |            |                   |                |                      |              |

## Printing a PO

The print option allows users with the OLE-PURAP Purchasing Processor role to generate a PDF version of the document to print. The **print** action button becomes available for POs with the 'Pending Print' status.


### Note

The **print** button appears on a PO only when the **Method of PO Transmission** is 'PRINT' on the **Additional Institutional Info** tab of the PO and the status of the PO is 'Pending Print'.

### Note

There is no document type for the print functionality.

Ordering Materials: Standard  
Transactional E-Docs


|  |          |  |  |   |           |               |
|--|----------|--|--|---|-----------|---------------|
|   |          | <b>THE UNIVERSITY<br/>PURCHASE ORDER</b> |  | PO Number: 1016   |           |               |
| Vendor<br>Dell Inc<br>ATTN: null<br>111 One Dell Way<br>DellTown, DE 55555   |          |  | Shipping Address<br>quickstart_ole<br>Law Room #123<br>211 S Indiana Ave<br>Bloomington, IN 47405-7001<br>null |   |           |               |
| Shipping Terms   |          |  | Payment Terms<br><b>Net 30 Days</b>  |   |           |               |
| Delivery Required By   |          |  |  |   |           |               |
| Order Date<br><b>07-11-2014</b>  |          | Customer #                               |  | Billing Address<br>THE UNIVERSITY<br>ACCOUNTS PAYABLE<br>P.O. BOX 4095<br>BUTTER NUT, SC 47402<br>342-456-2398<br>Invoice status inquiry: <a href="http://kuali.org">"http://kuali.org"</a> |           |               |
| Delivery Instructions  |          | Contract ID                              |  |   |           |               |
| Vendor Note(s)   |          |  |  |   |           |               |
| Vendor Stipulations and Information  |          |  |  |   |           |               |
| Item No.   | Quantity | UOM                                      | Description  | Special Instructions  | Unit Cost | Extended Cost |
| 1  | 1.00     | EA                                       | Nomina.  |   | 20.00     | \$20.00       |
| 2  | 1.00     | EA                                       | Intersections.   |   | 30.00     | \$30.00       |
| 3  | 1.00     | EA                                       | Orientalia Lovaniensia Analecta.   |   | 40.00     | \$40.00       |
| <b>Total order amount:</b>   |          |  |  |   |           | \$90.00       |
| 1 Attention IUPUI Suppliers: Please be advised of the new IUPUI Tobacco Policy. Effective August 14, 2006 Tobacco use or sale, including, but not limited to smoking, is prohibited on university-owned, -operated, -or leased property. This policy applies to anyone on campus. Inclusive are Patients, visitors, faculty, staff, volunteers, physicians, students, contractors/other employees, contractors/suppliers/vendors and service representatives. For further information we refer you to: <a href="http://www.iupui.edu/~nosmoke/">http://www.iupui.edu/~nosmoke/</a> .<br>2 Invoices must be sent showing purchase order number to someone who has money to pay for the purchase.<br>3 All deliveries are to be made to the address and room number as listed above. |          |  |  |   |           |               |
| UNSIGNED: This is a TEST PO<br><br>SALLY SMITH<br>UNIVERSITY DIRECTOR OF PURCHASING  |          |  |  | For more information contact: quickstart_ole null test@email.edu  |           |               |

To print a PO:

1. Search for the PO you want to print from the PO search screen and open the PO.

### Tip

You may narrow down the search by selecting "Pending Print" in the **Purchase Order Status** search criteria field.

2. Click  to open a printable PDF version of this PO.

A separate window opens and a PDF version of the PO appears.

3. Close the window after taking the necessary actions, using the PDF toolbar (save, print, etc.).

### Modifying the Purchase Order PDF

There are two properties in the configuration file olefs-config-defaults.xml that control the "test document (tst)" display that appears across the purchase order. These two properties must be set to local:

```
<param name="environment">local</param>
```

```
<param name="production.environment.code">local</param>
```

To change the logo in the upper left corner, update the following parameters from the admin tab:

PDF location is based on delivery campus code and the following system parameters:

PDF\_IMAGE\_LOCATION\_URL

PDF\_LOGO\_IMAGE\_PREFIX

PDF\_LOGO\_IMAGE\_EXTENSION

Therefore if:

PDF\_IMAGE\_LOCATION\_URL = <http://tst.ole.kuali.org/static/images/>

PDF\_LOGO\_IMAGE\_PREFIX = logo

PDF\_LOGO\_IMAGE\_EXTENSION = jpg

delivery campus code in po = bl

It will find the image in this way: PDF\_IMAGE\_LOCATION\_URL + PDF\_LOGO\_IMAGE\_PREFIX +  
\_ + delivery campus code in po + PDF\_LOGO\_IMAGE\_EXTENSION

Creating:



### How the Purchase Order PDF is populated

- The billing address is the address from the delivery campus code
- Under the billing address is an "Invoice Status Inquiry" link. This value is from the system parameter PDF\_STATUS\_INQUIRY\_URL
- Foot notes are populated from the Purchase Order Contract Language maintenance document


### Note

To learn more about the maintenance document, see [Purchase Order Contract Language](#) below.

## Purchase Order Amend

OLE allows you to add or modify certain data elements on an approved Purchase Order via a Purchase Order Amendment. By so doing, the system creates a new version of the e-Doc called a Purchase Order Amendment (POA) that can be independently processed or routed. The POA then serves as the new version of the purchase order and will be transmitted to the Vendor.


Purchase Order Amendments are created:

- Manually from the  button on a Purchase Order
- Automatically from the entry of **Unordered line items on Receiving e-Doc**
- Automatically from the entry of **Unordered line items on Payment Request e-Doc**

When you amend a PO, the system creates a PO Amend (POA) document based on the existing PO. Enter a reason when initiating the amendment. When the amendment is submitted, the fiscal officer receives an FYI. This is his or her notification that the order has changed.



Once you supply a reason, OLE will display the Purchase Order, and allow you to change almost any field. (In OLE, accounting lines cannot be edited in the PO Amendment process, but can be changed during the payment request process, except for new lines.)

If you add titles to the Purchase Order or change prices, click the  button at the bottom of the screen.

### Note

You cannot edit or delete the Copies section on a POA. This is to avoid discrepancies between the amended purchase order and the DocStore record.

## Document Layout

The document layout of the POA document is identical to that of the original PO, with the addition of a notation regarding status in the Document Header. A notation also displays at the top of the PO document, such as 'Warning: There is a pending action on this Purchase Order.'

### Note


For information about the fields on this document, see “Document Layout” under [Purchase Order](#).

## Notes and Attachments Tab

When you click the **amend** button to initiate the document, the system automatically inserts note text and the previous PO number in the **Notes and Attachments** tab of both the original PO document and the POA document.

### Note

The same note text is placed in the original PO and the amended PO.



| Notes and Attachments |                     |        |   |
|-----------------------|---------------------|--------|---|
|                       | Posted Timestamp    | Author | * Note Text   |
| add:                  |                     |        |   |
| 1                     | 10/26/2009 03:19 PM | KFS    | Purchase Order Amendment 1027 (document id 3320) created for new un... line items due to Receiving (document id 3319) |

## Process Overview

### Business Rules


- The POA may be initiated only by the members of the Purchasing Processor role; Acquisition Staff 2-5; Receiving 3-4; Accounting 3-4; Financial 2-5.

- The PO must be in an 'Open' status.
- If there are payment requests (PREQs) or vendor credit memos (CMs) in process, the **amend** button is not displayed.
- The system adds a note with the date the amendment was started, the person who started the amendment, the information entered on the 'confirm' page, and the previous document number.
- If payment requests (PREQs) or credit memos (CMs) have been processed, the **Receiving Required** field cannot be changed.
- The fiscal year cannot be changed
- If there are unpaid payment requests (PREQs) or credit memos (CMs), the existing line items cannot be changed.
- If the item invoiced amount is greater than 0, the line item cannot be deleted; it can only be deactivated.
- New line items can always be added.
- If modifying an existing line item, the amount cannot go below what has already been invoiced.
- Inactive items are display-only.
- There must be at least one active line item when the **submit** button is selected.
- The **calculate** button must be pressed prior to submitting the POA if you change the list price of an item or add a new line item.
- Fiscal officers receive an FYI when the amendment is completed.
- During the amend process, the original PO document (before the **amend** button was selected) will have a document status of 'pending amendment' and the newly created document will have a status of 'change in process'. After the amendment has been submitted, the original document status changes to 'retired version' and the amendment's status changes to 'open'.
- Users are not allowed to create Receiving documents, payment requests, or credit memos against a PO that has a pending amendment.

## Routing

- The document becomes 'FINAL' when the POA document is submitted.
- The fiscal officer of an account receives an FYI.

## Initiating a POA Document

1. Search for the PO you want to amend from the PO search screen. Open the PO.
2. Click  to make changes to the existing PO.
3. Enter a reason explaining why you are amending this PO.

Are you sure you want to **Amend** this Purchase Order?

\* Please enter the reason below:

Cancel a line item

4. Click .

The screen refreshes and a new document number (Doc Nbr) is assigned. The PO status becomes 'Pending Amendment'.

|                   |         |                     |                     |
|-------------------|---------|---------------------|---------------------|
| <b>Doc Nbr:</b>   | 317363  | <b>Status:</b>      | SAVED               |
| <b>Initiator:</b> | philips | <b>Created:</b>     | 04:26 PM 09/27/2007 |
| <b>PO Nbr:</b>    | 1048    | <b>* PO Status:</b> | Pending Amendment   |

5. Click the  button on the **Titles** tab and click the **show** button on the item you want to amend.
6. Modify the PO document.
7. Once you are done with your edits, and have recalculated if necessary, you can approve the amended Purchase Order using the **blanket approve** button at the bottom of the screen.

## Working with the POA Document


After you create a POA document, you may add, change, or deactivate the existing lines on the original PO.

### Note

To add or change the items or accounting lines on the PO, simply add or modify them as you would on the PO document.

### Note

An amended Purchase Order follows the same rules for routing as an original PO, so approving it may cause it to be routed to other staff members. Approving an amended PO does not cause it to be re-transmitted to the vendor, though.



## Purchase Order Payment Hold

When you put a PO on hold, the system creates a PO Hold (POPH) document, changes the PO status to 'Payment Held,' and prevents any payment request documents from being initiated against the PO. You must enter a reason when initiating the payment hold.

No G/L pending entries are generated from this document.

## Document Layout

The document layout of the POPH document is identical to that of the original PO, with the addition of a notation regarding status in the Document Header. A notation also displays at the top of the PO document, such as 'Warning: There is a pending action on this Purchase Order.'

## Note

For information about the fields on this document, see “Document Layout” under [Purchase Order](#).

## Notes and Attachments Tab


When you click the **payment hold** button to initiate the document, the system automatically inserts note text in the **Notes and Attachments** tab of both the original PO document and the POPH document.

| Notes and Attachments (1) <span style="float: right;">hide</span> |                         |                      |   |
|---|-------------------------|----------------------|---|
| Notes and Attachments   |                         |                      |   |
|   | <u>Posted Timestamp</u> | <u>Author</u>        | <u>* Note Text</u>  |
| <b>add:</b>   |                         |                      | <input type="text"/>  |
| <b>1</b>  | 09/27/2007<br>07:37 PM  | PHILIPS,KRISTIN<br>U | Note entered while putting a Purchase Order on payment hold : Hold for confirmation of receipt. |

## Process Overview

### Routing

- The document becomes 'FINAL' when the POPH document is submitted.



## Initiating a POPH Document

1. Search for the PO from the PO search screen and open the PO.
2. Click **payment hold**.
3. Enter the reason for the hold.

Are you sure you want to **Hold Payment** this Purchase Order?

\* Please enter the reason below:

Hold for confirmation of receipt.

**yes** **no**

4. Click **yes**.
5. Click **ok** when you see the confirmation message.

The Purchase Order was successfully placed on payment hold.

**ok**

The system displays the Select/Acquire tab.

## Purchase Order Remove Payment Hold

When you click the **remove hold** button on a purchase order, the system creates a Remove Hold (PORH) document. This document allows you to remove the hold from a PO document and allow processing of payment requests. The **remove hold** button is available only on the PO documents with 'Payment Hold' status. You must enter a reason when removing the payment hold.

Removing a payment hold changes the Purchase order status back to 'Open'. No G/L pending entries are generated from this document.

## Document Layout

The document layout of the PORH document is identical to that of the original PO, with an additional notation regarding the status in the Document Header. A notation also displays at the top of the PO document, such as 'Warning: There is a pending action on this Purchase Order.'

### Note

For information about the fields on this document, see “Document Layout” under [Purchase Order](#).

## Notes and Attachments Tab


When you click the **remove hold** button to initiate the document, the system automatically inserts note text in the **Notes and Attachments** tab of both the original PO document and the PORH document.

| Notes and Attachments (2) <span>hide</span> |                         |                |  |
|---|-------------------------|----------------|--|
| Notes and Attachments                       |                         |                |  |
|   | <u>Posted Timestamp</u> | <u>Author</u>  | <u>* Note Text</u>   |
| <b>add:</b>                                 |                         |                |  |
| <b>1</b>                                    | 09/30/2007 11:46 AM     | POTTER,PATTI V | Note entered while putting a Purchase Order on payment hold : Hold for confirmation of receipt |
| <b>2</b>                                    | 09/30/2007 11:52 AM     | POTTER,PATTI V | Note entered while removing a Purchase Order from payment hold : Goods received. Okay to pay.  |

## Process Overview

### Routing

- The document becomes 'FINAL' when the PORH document is submitted.
- Notification may be sent to a user or role defined in the Notification Route level.



## Initiating a PO Remove Hold Document

1. Search for a PO from the PO search screen and open the PO.

### Tip

You may search for a PO with a payment held by selecting the 'Payment Hold' in the **Purchase Order Status** option on the PO search screen.

2. Click **remove hold** to remove the hold from the document.
3. Enter the reason for removing the payment hold.

Are you sure you want to **Remove Payment Hold** this Purchase Order?

\* Please enter the reason below:

Goods received. Okay to pay.

**yes** **no**

4. Click **ok**.



Your Purchase Order Remove from Payment Hold request was successfully submitted.



You are back on the Select/Acquire tab.

## Purchase Order Void

If a PO has been fully approved and transmitted to the vendor and no payments have been processed, the Void Order (POV) document allows you to cancel the PO and disencumber all related items. You must enter a reason when initiating the PO void.

### Note

The **void order** button is displayed on a PO only if no payments have been processed against it.

## Document Layout

When a PO is voided, the system creates a PO Void (POV) document based on the existing PO. The document layout of the POV document is identical to that of the original PO, with an additional notation regarding the status in the Document Header. A notation also displays at the top of the PO document, such as 'Warning: There is a pending action on this Purchase Order.'

### Note

For information about the fields on this document, see “Document Layout” under [Purchase Order](#).

## General Ledger Pending Entries Tab

When the POV document is successfully submitted, the **General Ledger Pending Entries** tab displays the transactions that will disencumber the total funds associated with this PO. This document reverses the encumbrances that were created by the purchase order.

| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| 1     | 2010        | BA    | 1031400        | .....       | 4000   | ---        | .....   | PO       | EX           | EX        | 500.00 | D   |
| 2     | 2010        | BA    | 1031400        | .....       | 9892   | ---        | .....   | PO       | EX           | FB        | 500.00 | C   |

### Note

For information about the fields on this tab, see “Document Layout” under [Purchase Order](#).

## Notes and Attachments Tab

When you click the **void order** button to initiate the document, the system automatically inserts a note text in the **Notes and Attachment** tab of the original PO document and the POV document.

| Notes and Attachments (2) <span style="float: right;">hide</span> |                         |                      |  |
|---|-------------------------|----------------------|--|
| Notes and Attachments   |                         |                      |  |
|   | <u>Posted Timestamp</u> | <u>Author</u>        | <u>* Note Text</u>   |
| add:  |                         |                      | <input type="text"/>   |
| 1   | 09/27/2007<br>05:52 PM  | PHILIPS,KRISTIN<br>U | Note entered while amending a Purchase Order : Cancel a line item (Previous Document Id is 317378) |
| 2   | 09/28/2007<br>02:53 PM  | PHILIPS,KRISTIN<br>U | Note entered while voiding a Purchase Order : Voiding the PO per department                        |


## Process Overview

### Business Rules

- The void option is available only if no payments have been issued against this PO.


### Routing

- The document becomes 'FINAL' when the POV document is submitted.



## Initiating a PO Void Document

1. Search for the PO you want to void from the PO search screen and open the PO.

2. Click  to cancel the PO.
3. Enter the reason for voiding the PO. There are two options for entering this reason: choosing a Cancellation Reason from the drop-down list (required), and typing a free-text cancellation note (optional).

Are you sure you want to **Void** this Purchase Order?

\* Cancellation Reason:

Please enter the reason:





4. Click .

The system displays this message:

Your Purchase Order Void request was successfully submitted.



5. Click .

The system displays the Select/Acquire tab.

## Purchase Order Close

The Close Order (POC) document closes an open PO. When you close an order, all encumbrances associated with the remaining items are disencumbered. Items already paid are unaffected. This option should be used only when there are payment requests against the PO. You must enter a reason when initiating the PO close action.

### Note


To close a PO without outstanding payment requests, use the **Void Order** option.

## Document Layout

The document layout of the POC document is identical to that of the original PO, with an additional notation regarding the status in the Document Header. A notation also displays at the top of the PO document, such as 'Warning: There is a pending action on this Purchase Order.'

## General Ledger Pending Entries Tab

When the POC document is successfully submitted, the **General Ledger Pending Entries** tab shows the transactions to disencumber remaining encumbrances on this PO.




| Seq # | Fiscal Year | Chart | Account | Sub-Account | Object | Sub-Object | Project | Doc. Type Code | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|---------|-------------|--------|------------|---------|----------------|--------------|-----------|--------|-----|
| 1     | 2008        | BL    | 0212001 | -----       | 5821   | ---        | -----   | POC            | EX           | EX        | 900.00 | C   |
| 2     | 2008        | BL    | 0212001 | -----       | 9892   | ---        | -----   | POC            | EX           | FB        | 900.00 | D   |

### Note

For information about the fields on this document, see “Document Layout” under [Purchase Order](#).

## Notes and Attachments Tab

When you click the **close order** button, the system automatically inserts a note text into the **Notes and Attachments** tab of the original PO and the POC document.



|             | <u>Posted Timestamp</u> | <u>Author</u>    | <u>* Note Text</u>                                 |
|-------------|-------------------------|------------------|--|
| <b>add:</b> |                         |                  | <input type="text"/>                               |
| <b>1</b>    | 09/26/2007 10:52 AM     | HUNTLEY,KEISHA Y | Note entered while closing a Purchase Order : test |


## Process Overview

### Business Rules

- There must be at least one outstanding payment request against to close the PO.
- The POC document generates General Ledger Pending Entries to disencumber remaining encumbrances on the PO.

### Routing

- The document becomes 'FINAL' when the POC document is submitted.



## Initiating a PO Close Document

1. Search for a PO from the PO search screen and open the PO document you want to close.
2. Click  to close out any remaining items on the PO.

The system displays the Select/Acquire tab.

## Purchase Order Reopen

The Purchase Order Reopen (POR) document reopens the PO and re-encumbers any lines that were disencumbered when the PO was originally closed. You must enter a reason when initiating the PO reopen action.

### Note

The **open order** button is available only on a closed PO.

## Document Layout

The document layout of the POR document is identical to that of the original PO, with an additional notation regarding the status in the Document Header. A notation also displays at the top of the PO document, such as 'Warning: There is a pending action on this Purchase Order.'

## General Ledger Pending Entries Tab

When the POR document is successfully submitted, the **General Ledger Pending Entries** tab shows the transactions and re-encumbers the PO amount that was originally disencumbered by the POC document.

Ordering Materials: Standard  
Transactional E-Docs

| General Ledger Pending Entries |             |       |         |             |        |            |         |                |              |           |        |     |
|--------------------------------|-------------|-------|---------|-------------|--------|------------|---------|----------------|--------------|-----------|--------|-----|
| Seq #                          | Fiscal Year | Chart | Account | Sub-Account | Object | Sub-Object | Project | Doc. Type Code | Balance Type | Obj. Type | Amount | D/C |
| 1                              | 2008        | BL    | 0212001 | -----       | 5821   | ---        | -----   | POR            | EX           | EX        | 900.00 | D   |
| 2                              | 2008        | BL    | 0212001 | -----       | 9892   | ---        | -----   | POR            | EX           | FB        | 900.00 | C   |

**Tip**

**Effect on an Account by the Purchase Order Reopen Document:** When a POR document is submitted, the amount re-encumbered by the document is not the same as the original PO document. In the above example, the encumbered amount by the original PO was \$1,000. Then, the POC document disencumbered \$900. Finally, the POR document re-encumbered the amount disencumbered by the POC document. You may see the effect on the account from the General Ledger Pending Entries inquiry screen by listing the transactions by the Reference Document Number that stores the PO number.

| Fiscal Year | Chart Code | Account Number | Sub-Account Number | Object Code | Sub-Object Code | Balance Type Code | Object Type Code | Fiscal Period | Document Type Code | Origin Code | Document Number | Transaction Ledger Entry Description | Transaction Ledger Entry Amount | Debit Credit Code | Transaction Date |
|-------------|------------|----------------|--------------------|-------------|-----------------|-------------------|------------------|---------------|--------------------|-------------|-----------------|--------------------------------------|---------------------------------|-------------------|------------------|
| 2008        | BL         | 0212001        | -----              | 5821        | ---             | EX                | EX               | 03            | PO                 | EP          |                 |                                      | 900.00                          | D                 | 09/26/2007       |
| 2008        | BL         | 0212001        | -----              | 9892        | ---             | EX                | FB               | 03            | PO                 | EP          |                 |                                      | 900.00                          | C                 | 09/26/2007       |
| 2008        | BL         | 0212001        | -----              | 5821        | ---             | EX                | EX               | 03            | POC                | EP          |                 |                                      | 900.00                          | C                 | 09/26/2007       |
| 2008        | BL         | 0212001        | -----              | 9892        | ---             | EX                | FB               | 03            | POC                | EP          | 316856          | TP<br>Generated Offset               | 900.00                          | D                 | 09/26/2007       |
| 2008        | BL         | 0212001        | -----              | 5821        | ---             | EX                | EX               | 03            | POR                | EP          |                 |                                      | 900.00                          | D                 | 09/28/2007       |
| 2008        | BL         | 0212001        | -----              | 9892        | ---             | EX                | FB               | 03            | POR                | EP          | 317447          | Generated Offset                     | 900.00                          | C                 | 09/28/2007       |

PO encumbers the original PO amount

POC disencumbers remaining encumbrances

POR reencumbers the disencumbered amount

**Notes and Attachments Tab**

When you click the **open order** button on the PO, the system automatically inserts note text into the **Notes and Attachment** tab of the original PO document and the POR document.

| Notes and Attachments (2) <span style="float: right;">hide</span>         |                     |                    |  |
|---|---------------------|--------------------|--|
| Warning: This includes all notes on the PO, not just up to this document. |                     |                    |  |
| Notes and Attachments   |                     |                    |  |
|   | Posted Timestamp    | Author             | * Note Text  |
| add:  |                     |                    | <input type="text"/>   |
| 1   | 09/26/2007 10:52 AM | HUNTLEY, KEISHA Y  | Note entered while closing a Purchase Order : test   |
| 2   | 09/28/2007 12:09 PM | PHILIPS, KRISTIN U | Note entered while reopening a Purchase Order : Service order still pending - reopen PO per Biology Department |


## Process Overview

### Business Rules

- The POR may be initiated only from the closed PO.
- The POR document generates General Ledger Pending Entries to re-establish encumbrance to match the amount disencumbered by the POC document.


### Routing

- The document becomes 'FINAL' when the POR document is submitted.



## Initiating a Purchase Order Reopen Document

1. Search for the PO that you want to reopen from the PO search and open the PO.
2. Click **open order** to reopen the PO and re-encumber any lines that were disencumbered when the PO was originally closed.
3. Enter the reason for reopening the PO.



Are you sure you want to **Reopen** this Purchase Order?


\* Please enter the reason below:

Service order still pending - reopen PO per Biology Department

**yes** **no**

4. Click **yes**.

The system displays this window.




The Purchase Order was successfully reopened.

**ok**

5. Click **ok**.

The system displays the Select/Acquire tab.

## Order Holding Queue



The Order Holding Queue was designed to allow users a quick search interface that allowed some global actions:

- filter requisitions search - open or in process (not yet APO)



## Ordering Materials: Standard Transactional E-Docs

- **assign** requisitions to other selection or acquisitions staff
- use a **totals** tool to do simple pricing calculations on a group of selected requisitions
- **approve** a group of requisitions into the next workflow step (subject to user permissions and requisition business rules)
- **cancel requisitions** (or archive) that the user no longer wishes to purchase/convert to approved and transmitted purchase order (permissions based).

To view open or in-process Requisitions, click on the **Order Holdings Queue** link on the **Select/Acquire** tab.

You may **select** items on the left column of the search results. Continue to scroll to the bottom of the screen to **assign** or **total**:

The screenshot displays the 'Order Holdings Queue' interface. At the top, there is a 'Search Results' section with a 'hide' button and a message '16 items retrieved, displaying all items.' Below this is a table with columns: Select?, Document Number, Requisition Status, Workflow Status Change Date, Title, Author, Publisher, Publication Date, Format, Price, Chart Code, Account, and Object Code. The table contains three rows of data. Below the table are four buttons: 'select all from all pages', 'deselect all from all pages', 'select all from this page', and 'deselect all from this page'. The 'Assign To' section has a 'hide' button and a search box for 'User Id'. The 'Actions' section has a 'hide' button and four buttons: 'approve', 'cancel requisition', 'assign', and 'total selected items'.


| Select?                  | Document Number | Requisition Status | Workflow Status Change Date | Title                             | Author                      | Publisher                   | Publication Date | Format | Price | Chart Code | Account | Object Code |
|--------------------------|-----------------|--------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------|------------------|--------|-------|------------|---------|-------------|
| <input type="checkbox"/> | 3315            | In Process         | 02/09/2013                  | 2_PURAP Workflow Test - W48W0V39E | Stephanie Simpson W48W0V39E | Assorted Group, Co.         |                  |        | 92.00 | BL         | 2947494 | 7112        |
| <input type="checkbox"/> | 3322            | In Process         | 02/09/2013                  | 2_PURAP Workflow Test - 8DWO1FZQV | Elise Phelps 8DWO1FZQV      | Singular Publications, Ltd. |                  |        | 4.00  | BL         | 2947494 | 7112        |
| <input type="checkbox"/> | 4068            | In Process         | 02/19/2013                  | The First Duke in Milan E3QY81BQQ | Elise Carmichael E3QY81BQQ  | Singular Group Ltd.         | 1924             | Book   | 94.00 | BL         | 2947494 | 7112        |

The Order Holding Queue is simply a portal or view of open requisitions. These open requisitions will route according to requisitions business rules and workflow.

### Note

For information about performing a search, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

Ordering Materials: Standard  
Transactional E-Docs



---

# Chapter 4. Paying for Materials: Standard Transactional E-Docs

## INVOICES

[Create](#)  
[Search](#)

## CREDIT MEMOS

[Create](#)  
[Search](#)

## PAYMENT REQUESTS

[Select/Acquire](#) > [Paying](#) > [Search](#)

On the Select/Acquire tab, the Paying submenu provides access to invoices, credit memos and claiming e-documents.

## Invoice Search

[Select/Acquire](#) > [Paying](#) > **INVOICES** > [Search](#)

OLE offers a customized document search related to invoices. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

**Result Table:**

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

**Maintenance Links:**

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

**Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.


**Note**

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

**Note**

For information about Document lookup fields that are specific to payment requests, see “Document Layout” under [Invoice](#).

## Invoice



OLE uses the Invoice document to process vendor billing, whether positive (an invoice) or negative (a credit memo), or a mixture. The only exception is when making an initial prepayment for a Deposit Account Arrangement. See instructions for creating a Disbursement Voucher for these type payments.

**Note**

To learn more about about Deposit Accounts, see the [Disbursement Voucher](#)

Invoice documents can be created three ways:

1. Manually, from the **Select/Acquire** Menu. Instructions are documented below.
2. By choosing “Pay” or “Receive and Pay” from the bottom of the Receiving Queue, which creates a new Invoice for the titles selected. Both these options use the Receiving Queue to create an Invoice document and populate it with chosen titles. From that point on, the document acts like any Saved invoice.

To learn more about the Receiving Queue, see [Receiving Queue](#) listed under Receiving.

3. By importing an EDIFACT Invoice message.

For instructions on how to do this, please see the [Batch Processes](#) section of the [Guide to OLE System Administration](#). Once created, the EDIFACT invoice acts like any other Saved invoice.

## Document Layout

To make an Invoice in the **Select/Acquire** menu, clicks the Invoice**Create** button below the **Paying** submenu. This launches a blank Invoice document.

## Paying for Materials: Standard Transactional E-Docs

### Invoice <sup>®</sup>

Document Number: 3459 Document Status: INITIATED Initiator: ole-quickstart Created: 05:54 PM 09/11/2015 Invoice Doc Status: Initiated  
\* Indicates required field

Document Overview

Vendor Info

|                                |                                   |
|--------------------------------|-----------------------------------|
| <b>Vendor Address</b>          |                                   |
| * Vendor: <input type="text"/> | City: <input type="text"/>        |
| Vendor #:                      | State: <input type="text"/>       |
| Address 1:                     | Province: <input type="text"/>    |
| Address 2:                     | Postal Code: <input type="text"/> |
| Attention:                     | Country: <input type="text"/>     |

Vendor Alias Name:

Vendor Info

|  |   |
|--|---|
| Acquisition Unit's Vendor account / Vendor Info Customer # : <input type="text"/> <input type="button" value="Q"/> | Payment Terms: <input type="text"/>                 |
| Check Stub Notes: <input type="text"/>   | Special Handling Instructions: <input type="text"/> |
| <input type="text"/>   | <input type="text"/>                                |
| <input type="text"/>   | <input type="text"/>                                |

Invoice Info

|   |   |
|---|---|
| Vendor Invoice Number: <input type="text"/>                           | Pay Date: <input type="text"/> <input type="button" value="Q"/> Immediate Payment Indicator: <input type="checkbox"/> |
| * Invoice Date: <input type="text"/> <input type="button" value="Q"/> | * Vendor Invoice Amount: <input type="text"/>   |
| Payment Attachment Indicator?: <input type="checkbox"/>               | Extract Date: <input type="text"/>  |
| Processed Date: <input type="text"/>                                  | Invoice Type: <input type="text"/>  |
| Invoice Sub-Type: <input type="text"/>                                | Bank Code: <input type="text"/>   |
| * Payment Method: <input type="text"/>                                | Vendor Foreign Invoice Amount: <input type="text"/>   |
| Currency Type: <input type="text"/> US Dollar                         | Exchange Rate: <input type="text"/>   |

Process Items

Purchase Order:

Process Titles

Purchase Order Documents

Current Items

| PO # | Subscription From Date | To Date | Open Qty | Title | Donor | PO Unit/Ext Price | Copies Invoiced | Invoiced Price | Discount | Discount type | Unit Cost | Extended Cost |
|------|------------------------|---------|----------|-------|-------|-------------------|-----------------|----------------|----------|---------------|-----------|---------------|
|------|------------------------|---------|----------|-------|-------|-------------------|-----------------|----------------|----------|---------------|-----------|---------------|

Showing 1 to 0 of 0 entries (filtered from 4 total entries)

Invoice Total Prior to Additional Charges: 0.00

Additional Charges

| Item Type                 | Price                | Description          |
|---------------------------|----------------------|----------------------|
| Freight                   | <input type="text"/> | <input type="text"/> |
| Accounting Lines          |                      |                      |
| Shipping and Handling     | <input type="text"/> | <input type="text"/> |
| Accounting Lines          |                      |                      |
| Minimum Order             | <input type="text"/> | <input type="text"/> |
| Accounting Lines          |                      |                      |
| Miscellaneous or Overhead | <input type="text"/> | <input type="text"/> |
| Accounting Lines          |                      |                      |

Grand Total: 0.00

Account Summary

Notes and Attachments (0)

Ad Hoc Recipients

Route Log

This screen includes unique **Document Overview**, **Vendor**, **Invoice Info**, **Process Items**, **Account Summary** tabs in addition to the standard tabs that display at the bottom of a financial transaction document.

## Note

For more information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Document Overview Tab

## Note

For information about the standard Document Overview tab, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Financial Document Detail Section

### Financial Document Detail section definition

| Title        | Description   |
|--------------|---|
| Year         | Display-only. The fiscal year of the purchase order referenced by the Payment Request document. |
| Total Amount | Display-only. The total amount of the payment request after the request has been submitted.     |

## Vendor Tab

The **Vendor** tab has two sections: **Vendor Address** and **Vendor Info**.

## Vendor Address Section

### Vendor Address section definition

| Title            | Description   |
|------------------|---|
| Suggested Vendor | Select a vendor from the drop down list, this will auto-populate the vendor address and some of the details in the vendor info tab. |

Paying for Materials: Standard  
Transactional E-Docs

|               | <b>Note</b>   |
|---------------|---|
|               | All POs on an invoice must use the same vendor.   |
| Vendor Number | Display-only. Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down. The vendor number followed by a hyphen and the division number. |
| Address 1     | Display-only. Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down.   |
| Address 2     | Display-only. Populates as necessary when the vendor is selected from the <b>Suggested Vendor</b> drop down.  |
| Attention     | Display-only. Populates as necessary when the vendor is selected from the <b>Suggested Vendor</b> drop down.  |
| City          | Display-only. Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down.   |
| State         | Display-only. Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down.   |
| Province      | Display-only. Populates as necessary when the vendor is selected from the <b>Suggested Vendor</b> drop down.  |
| Postal Code   | Display-only. Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down.   |
| Country       | Display-only. Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down.   |

## Vendor Info Section

### Vendor Info section definition


| Title   | Description  |
|---|--|
| Acquisition Unit's Vendor Account/ Vendor Info Customer # | Optional. Populated from the PO. Override it by entering the customer number directly.   |
| Check Stub Notes  | Optional. These three fields are for data to be passed along to whatever system your library uses to print checks. The first field mirrors the Vendor Invoice Number field, so that the invoice number will print on the check stub. The other two fields are free-text. |
| Payment Terms   | Populates when the vendor is selected from the <b>Suggested Vendor</b> drop down. Override it by selecting a different payment term from the drop down list.   |
| Special Handling Instructions                             | Optional. Additional free-text fields for instructions. Can be passed on to your check-printing system. .  |

## Invoice Info Tab

▼ Invoice Info

|                                |                          |                                |                      |                              |                          |
|--------------------------------|--------------------------|--------------------------------|----------------------|------------------------------|--------------------------|
| Vendor Invoice Number:         | <input type="text"/>     | Pay Date:                      | <input type="text"/> | Immediate Payment Indicator: | <input type="checkbox"/> |
| * Invoice Date:                | <input type="text"/>     | * Vendor Invoice Amount:       | <input type="text"/> |                              |                          |
| Payment Attachment Indicator?: | <input type="checkbox"/> | Extract Date:                  | <input type="text"/> |                              |                          |
| Processed Date:                | <input type="text"/>     | Invoice Type:                  | <input type="text"/> |                              |                          |
| Invoice Sub-Type:              | <input type="text"/>     | Bank Code:                     | <input type="text"/> |                              |                          |
| * Payment Method:              | <input type="text"/>     | Vendor Foreign Invoice Amount: | <input type="text"/> |                              |                          |
| Currency Type:                 | US Dollar                | Exchange Rate:                 | <input type="text"/> |                              |                          |

### Invoice Info tab definition

| Title                        | Description  |
|------------------------------|--|
| Vendor Invoice Number        | The number assigned by the vendor to their invoice for credit.   |
| Invoice Date                 | Required. Enter an invoice date or select it from the calendar  |
| Payment Attachment Indicator | Optional. Select the check box if an attachment (such as a copy of the invoice) must be returned to the Vendor with this payment.                    |
| Processed Date               | Display-only. The date at which the payment was processed.   |



Paying for Materials: Standard  
Transactional E-Docs

|                               |   |
|-------------------------------|---|
| Invoice Sub Type              | Select the locally defined invoice sub type from the drop down menu.  |
| Payment Method                | Required. This may be prepopulated from the vendor record but must not be left blank. Select the method of payment from the drop down menu.   |
| Currency Type                 | The currency type of the vendor. If the vendor has a currency type assigned, this field will be prepopulated. It is possible to select a different currency type at any time until the Invoice document is submitted however you will need to reenter item price information.   |
| Pay Date                      | <p>Defaults to the date automatically calculated by the system. If payment terms are edited, the system repopulates this field only if it is blank. Override the automatic entry by entering a pay date or selecting it from the calendar </p> <p><b>Note</b></p> <p><b>Pay Date Calculations:</b> The pay date is calculated automatically in two different ways. The payment terms specified are applied to the invoice date to generate a pay date. The payment terms parameters are in the Payment Terms Type table. Additionally, ten days (or another institutionally defined default number of days - controlled by the parameter NUMBER_OF_DAYS_USED_TO_CALCULATE_DEFAULT_PAY_DATE under component "Invoice") are added to the current date to generate a pay date. OLE selects the later of these two dates and uses it as the default pay date for this Invoice document. The pay date will not appear until after you save, submit or blanket approve the invoice.</p> <p>The pay date may be entered manually, but it must not be a past date. If the date is more than 60 days from the current date, the system displays a warning message.</p> <p><b>Note</b></p> <p>There are several issues noted for the pay date, see <a href="#">OLE-5522</a>.</p> <p>There is also an enhancement noted to allow future pay dates, see <a href="#">OLE-6216</a>.</p> |
| (Immediate Payment Indicator) | Optional. Select the Immediate Pay check box if a check is needed on the same day (overrides the pay date – subject to the rules of your accounts-payable system). This indicator allows for an approved payment request to be extracted for payment during the day.  |
| Vendor Invoice Amount         | Required for non-foreign vendors. The vendor total invoice amount.  |
| Extract Date                  | Display-only. The date the Payment record is extracted to the Pre-Disbursement Processor.   |
| Invoice Type                  | Optional. Select the type of invoice. Locally defined but sample data could include values Proforma/prepay, Regular.  |
| Bank Code                     | <p>Required. The bank code will be displayed only if the Bank_Code_Document_Types includes 'PREQ' and Enable_Bank_Specification_Ind='Y'. The default bank is determined by the Default_Bank_By_Document_Type parameter. You may override this value by entering another bank code or selecting it from the <b>Bank</b> lookup .</p>  |
| Vendor Foreign Invoice Amount | Required for foreign vendors. The vendor total invoice amount. You must enter the <b>Vendor Foreign Invoice Amount</b> however once the document is submitted, this will be calculated based on the total cost and the currency rate.   |
| Exchange Rate                 | Automatically populated from the Currency Type. The exchange rate can be edited until the Invoice is submitted.   |

## Process Items Tab

This is the heart of the Invoice document, where the titles to be paid for are listed.

## Paying for Materials: Standard Transactional E-Docs

**Process Items**

Purchase Order:

**Process Titles**

Purchase Order Documents

**Current Items**

Invoice Total Prior to Additional Charges: 0.00

**Additional Charges**

| Item Type                 | Extended Cost        | Description          |
|---------------------------|----------------------|----------------------|
| Freight                   | <input type="text"/> | <input type="text"/> |
| Accounting Lines          | <input type="text"/> | <input type="text"/> |
| Shipping and Handling     | <input type="text"/> | <input type="text"/> |
| Accounting Lines          | <input type="text"/> | <input type="text"/> |
| Minimum Order             | <input type="text"/> | <input type="text"/> |
| Accounting Lines          | <input type="text"/> | <input type="text"/> |
| Miscellaneous or Overhead | <input type="text"/> | <input type="text"/> |
| Accounting Lines          | <input type="text"/> | <input type="text"/> |

Prorate By Price  
 Prorate By Qty  
 Prorate By Manual  
 No Proration

Grand Total: 0.00

The **Process Items** tab includes a **Purchase Order** field and additional sections: **Process Titles**, including **Purchase Order Documents**, **Current Items**, and **Additional Charges**.

### Purchase Order

To attach a title to the Invoice, you can either type the Purchase Order number into the box or search for it from the lookup .

### Process Titles

Once a purchase order has been located, the **Purchase Order Documents** subtab of the **Process Titles** tab will display all the titles on that PO. Remove titles you don't want by un-checking the "Select Item for Invoice" box.

**Process Items**

Purchase Order:

**Process Titles**

Purchase Order Documents

PO #  Close PO   [View Related Documents](#)

1021  [Requisitions](#) [Line Item Receiving](#) [Correction Receiving](#) [Payment Request](#) [Credit Memo](#)

| Item Line # | Check Subscription Date Overlap | Subscription From Date | To Date              | Open Quantity | Title      | Donor | Copies Ordered | Parts Ordered | Invoiced Copies | Invoiced Parts | Invoiced Price | Unit Cost | Extended Cost | Invoiced Foreign Price | Foreign Discount | Discount type | Currency Type | Exchange Rate | Foreign Unit Cost | Select Item for Invoice             |
|-------------|---------------------------------|------------------------|----------------------|---------------|------------|-------|----------------|---------------|-----------------|----------------|----------------|-----------|---------------|------------------------|------------------|---------------|---------------|---------------|-------------------|-------------------------------------|
| 1           | <input type="checkbox"/>        | <input type="text"/>   | <input type="text"/> | 1.00          | testing FC |       | 1              | 1             | 1               | 1              | 202.88         | 202.88    | \$202.88      | 10000.00               | 0.00             | %             | Indian Rupee  | 49.29         | 10000.00          | <input checked="" type="checkbox"/> |

Showing 1 to 1 of 1 entries

[Previous](#) [Next](#)

**Current Items**

Invoice Total Prior to Additional Charges: 0.00



**Additional Charges**

Grand Total: 0.00

### Purchase Order Documents subtab definition

| Title | Description   |
|-------|---|
| PO #  | Displays the Purchase Order number. Click the number to open the purchase order in a new tab or window. |

Paying for Materials: Standard  
Transactional E-Docs

|                                 |   |
|---------------------------------|---|
| Close PO                        | <p>If you know this is the last expected activity on this PO, you can check the box. When the Invoice is approved, OLE will automatically Close the PO.</p> <p><b>Note</b></p> <p>Whether to Close POs after receipt and invoicing is a local decision.</p>   |
| Action                          | <p>Click <b>add P.O.</b> or <b>delete P.O.</b> to add or remove the purchase order from the Invoice document.</p> <p>When you've made your desired edits to titles from this PO, click the <b>add P.O.</b> button, and the checked title(s) will be moved to the Current Items section. You can then enter your next Purchase Order number to begin working on the next title on the invoice.</p>           |
| View related Documents          | Click the document links to open the documents in a new tab or window.  |
| Item Line #                     | Display-only. The line item number representing each item.  |
| Check Subscription Date Overlap | <p>Check the box if you would like OLE to detect any overlap between the subscription dates on another invoice.</p> <p>OLE will ask you to continue if an overlap is detected.</p>  |
| Subscription From Date          | <p>The date the subscription is to begin. Enter the date or search for one from the calendar icon .</p> <p>Required if Check subscription date overlap is checked.</p>   |
| To Date                         | <p>The date the subscription is to end. Enter the date or search for one from the calendar icon .</p> <p>Required if Check subscription date overlap is checked.</p>   |
| Open Quantity                   | Display-only. The quantity of items that have yet to be invoiced for this line item.  |
| Title                           | Display-only. Displays the title from the bibliographic record. Click to open the editor in a new tab or window.  |
| Donor                           | Display-only. If available, displays the Donor from the purchase order.   |
| Copies Ordered                  | Display-only. Indicates the number of copies ordered from the purchase order.   |
| Parts Ordered                   | Display-only. Indicates the number of parts ordered from the purchase order.  |
| Invoiced Copies                 | The number of copies listed on the invoice.   |
| Invoiced Parts                  | The number of parts listed on the invoice.  |
| Invoice Price                   | <p>Defaults to the price entered on the purchase order. You may change it here to the actual invoice price. You can also edit other information, like the accounting string, if desired.</p> <p><b>Note</b></p> <p>The <b>Dollar</b> field on the Accounting line is a reflection of the Invoiced Price field on the line item. Updating the Invoice Price automatically updates the Amount.</p>            |
| Discount                        | The amount of a discount on an item.  |
| Discount Type                   | Select the type of discount from the drop down list.  |
| Unit Cost                       | Display-only. The cost of the item from the purchase order.   |
| Extended Cost                   | The cost of the item after the discount has been factored in.   |
| Invoice Foreign Price           | Basic foreign price of an item before any discounts are taken. This is carried over from the purchase order but can be modified on the Invoice document.  |
| Discount / Foreign Discount     | Discount provided by the vendor/customer number/organization combination. Automatically populated from the Vendor customer number table based on the selected vendor and customer number. Can be modified for a specific title. If the vendor record has a Vendor currency noted other than the default system currency (aka US dollar), then the Vendor discount will populate the Foreign Discount field. |

## Paying for Materials: Standard Transactional E-Docs

|                         |   |
|-------------------------|---|
| Discount Type           | Choose # (for Amount) or % (for Percentage).  |
| Currency Type           | Display only. Identifies the associated vendor's currency type.   |
| Exchange Rate           | Display only if foreign vendor is chosen. Currency conversion rate populates from the Exchange rate and Currency Type maintenance tables.                                   |
| Foreign Unit Cost       | Display only if foreign vendor is chosen. Calculated foreign cost per unit from the purchase order.   |
| Select Item for Invoice | Automatically checked. Uncheck the box to remove the item from the Invoice.   |
| Accounting Lines        | Required. The accounting information is pulled from the purchase order but is editable. To update the <b>Dollar</b> field, change the amount of the <b>Invoiced Price</b> . |

**Note**

If the difference between the amount encumbered on the purchase order and the amount invoiced is larger than the threshold set on the account a warning message will appear when the invoice is submitted. The warning can be overwritten. For details on setting account thresholds see instructions on setting up an [account](#).

### Current Items

When you've made your desired edits to titles from this PO, click the **add P.O.** button and the checked title(s) will be moved to the Current Items section. You can then enter your next Purchase Order number to begin working on the next title on the invoice.

Once a title has been moved to the Current Items section, its price and accounting string can still be changed. Additionally, you may click **Delete** to remove the item from the Invoice or **Unlink** to link a different purchase order to the Invoice.

| ▼ Current Items |                         |                        |         |          |   |       |                   |                 |                |          |               |           |               |            |   |
|-----------------|-------------------------|------------------------|---------|----------|---|-------|-------------------|-----------------|----------------|----------|---------------|-----------|---------------|------------|---|
|                 | PO #                    | Subscription From Date | To Date | Open Qty | Title   | Donor | PO Unit/Ext Price | Copies Invoiced | Invoiced Price | Discount | Discount type | Unit Cost | Extended Cost | Total Cost | Action  |
| 1               | <a href="#">Details</a> | 1008                   |         |          | this is a test of the title record, slabach, rich |       | 82.55             | 1               | 82.55          | \$0.00   | %             | 82.55     | \$82.55       | \$82.55    | <a href="#">Delete</a> <a href="#">UNLINK</a> |
| 2               | <a href="#">Details</a> | 1008                   |         |          | Cat In the Hat, Dr Seuss                          |       | 20                | 1               | 20.00          | \$0.00   | %             | 20        | \$20.00       | \$20.00    | <a href="#">Delete</a> <a href="#">UNLINK</a> |

Showing 1 to 2 of 2 entries (filtered from 6 total entries)

Invoice Total Prior to Additional Charges: 102.55

### Additional Charges

Once you have added all the titles on your invoice, you can add other amounts on the **Additional Charges** tab. This tab is divided into four charge lines, each representing a different type of charge, each with its own accounting. The four Additional Charges lines are **Freight**, **Shipping and Handling**, **Minimum Order**, and **Miscellaneous or Overhead**. Each of these four lines has a "Description" note field. This field is optional except for the **Miscellaneous or Overhead** section – if you enter an amount there, you must explain it in a note.

| ▼ Additional Charges  |                      |                      |   |
|---|----------------------|----------------------|---|
| Item Type   | Extended Cost        | Description          |   |
| Freight   | <input type="text"/> | <input type="text"/> | Prorate By Price <input type="checkbox"/><br>Prorate By Qty <input type="checkbox"/><br>Prorate By Manual <input type="checkbox"/><br>No Proration <input type="checkbox"/> |
| <a href="#">Accounting Lines</a><br>Shipping and Handling     | <input type="text"/> | <input type="text"/> |   |
| <a href="#">Accounting Lines</a><br>Minimum Order             | <input type="text"/> | <input type="text"/> |   |
| <a href="#">Accounting Lines</a><br>Miscellaneous or Overhead | <input type="text"/> | <input type="text"/> |   |
| <a href="#">Accounting Lines</a>                              |                      |                      |   |
| <b>Grand Total:</b>   |                      |                      | 0.00  |

### Additional Charges section definition

Paying for Materials: Standard  
Transactional E-Docs

---

|                               |   |
|-------------------------------|---|
| Title                         | Description   |
| Item Type                     | Display-only. The type of item to be charged.   |
| Extended Cost / Foreign Price | Enter the extended amount charged on the invoice for this additional charge item. This will be displayed as "Foreign Price" only when a foreign vendor has been selected. |
| Description                   | Required for miscellaneous charges.   |

---

You have two choices for assigning an accounting string to each type of additional charge:

1. You can supply an accounting string in the "Accounting Lines" subsection, or
2. you can have the system prorate the charge to the accounts used on the PO titles in the Current Items section. The system assumes you want to prorate the charge if you enter the charge but not an accounting string with it. The four choices for proration are:

### Prorate by Price

This divides the cost among the funds used on the PO titles by the costs of those titles. This is the default option.

**Example:** an invoice with three titles:

Title 1: 2 copies, \$25.00 each, charged to chart UP / account PSYCHOL / object code 0010

Title 2: 1 copy, \$30.00, charged to chart UP / account ECONOMI / object code 0020

Title 3: 1 copy, \$20.00, charged to chart UP / account LITERAT / object code 0010

A Freight charge of \$12 is entered with no accounting line. The system creates the following lines:

\$6.00, charged to chart UP / account PSYCHOL / object code 0010

\$3.60, charged to chart UP / account ECONOMI / object code 0020

\$2.40, charged to chart UP / account LITERAT / object code 0010

### Prorate by Quantity

This divides the cost among the funds used on the PO titles by the quantities being invoiced.

**Example:** an invoice with three titles:

Title 1: 2 copies, \$25.00 each, charged to chart UP / account PSYCHOL / object code 0010

Title 2: 1 copy, \$30.00, charged to chart UP / account ECONOMI / object code 0020

Title 3: 1 copy, \$20.00, charged to chart UP / account LITERAT / object code 0010

A Freight charge of \$12 is entered with no accounting line. The system creates the following lines:

\$6.00, charged to chart UP / account PSYCHOL / object code 0010

\$3.00, charged to chart UP / account ECONOMI / object code 0020

\$3.00, charged to chart UP / account LITERAT / object code 0010

### Prorate Manually

This divides the costs among the funds used on the PO titles, but requires the operator to type in the amounts. Use this option when you need to divide the costs unevenly among the funds.

**Example:** an invoice with three titles:

Title 1: 2 copies, \$25.00 each, charged to chart UP / account PSYCHOL / object code 0010

Title 2: 1 copy, \$30.00, charged to chart UP / account ECONOMI / object code 0020

Title 3: 1 copy, \$20.00, charged to chart UP / account LITERAT / object code 0010

A Freight charge of \$12 is entered with no accounting line. The system creates the following lines:

an accounting line for chart UP / account PSYCHOL / object code 0010, with a blank amount

an accounting line for chart UP / account ECONOMI / object code 0020, with a blank amount


an accounting line for chart UP / account LITERAT / object code 0010, with a blank amount

### No Proration

Changing to **No Proration** deletes the prorated accounting lines already supplied. This option will primarily be used when you've started prorating the charges, but want to switch back to supplying accounts manually.

## Account Summary Tab

The Account Summary tab will summarize all accounts attached to the invoice and their respective charges after calculation. Information in the account summary is divided first by account, then by line item or additional charges line. Charges prorated to multiple accounts will be represented separately. Any changes made to accounting line items will not be updated until the Invoice has been calculated and the "Refresh Account Summary" button at the top of the tab has been clicked.

Click  to reload the page and view all the fiscal years, accounting lines and dollar amounts for this requisition.

## Process Overview

To create an Invoice:

1. Create an **Invoice** edoc.
2. Enter the **suggested vendor**, add additional information as necessary.
3. Enter the required fields and any additional information to the **Invoice Info** tab.
4. Search for a **Purchase Order** and modify the item as necessary. Click **add P.O.**
5. Update the accounting lines and prorate as needed.
6. Save or submit the Invoice.
7. When the Submit, Approve, or Blanket Approve buttons are clicked, OLE compares the total invoice charges (including additional charges) with the Vendor Invoice Amount entered earlier. If they do not match, a warning message appears. Clicking **continue** submits or approves the invoice, making the necessary ledger entries back on the individual invoice lines. (The "vendor invoice amount" is retained on the document, but nothing further is done with it.)

Paying for Materials: Standard  
Transactional E-Docs

## Note

There is a documented problem with rounding amounts on a foreign invoice. If there is a discrepancy of a few cents, you will need to manually adjust the invoiced price on the Current Items tab. For more information on the bug, please see [OLE-6733](#).

## \$0 Invoice

OLE will allow libraries to create \$0 invoice lines, or an entire invoice totally \$0 (or negative amounts) to accommodate for non-priced items, credits, or error correction.

In order to create a \$0 invoice, enter \$0 in the **Vendor Invoice Amount** field on the **Invoice Info** tab. Then, after the Purchase Order has been added, change the **Invoiced Price** field on the **Current Items** tab to \$0.

**Invoice Info**

Vendor Invoice Number:  Pay Date: 04/29/2014 Immediate Payment Indicator:

\* Invoice Date: 04/01/2014 \* Vendor Invoice Amount: 0.00

Payment Attachment Indicator?:  Extract Date:

Processed Date: Invoice Type:

Invoice Sub-Type:  Bank Code:

\* Payment Method: Check

---

**Process Items**

Purchase Order:

**Process Titles**

Purchase Order Documents

**Current Items**

|   | PO # | Open Qty | Title  | Donor | PO Unit/Ext Price | Copies Invoiced | Invoiced Price | Discount | Discount Type | Unit Cost | Extended Cost | Total Cost | Action        |
|---|------|----------|--|-------|-------------------|-----------------|----------------|----------|---------------|-----------|---------------|------------|---------------|
| 1 | 105  | 1        | FRITHJOF SCHUON : MESSENGER OF THE PERENNIAL PHILOSOPHY, FIT ZGERALD, MICHAEL OREN, 1949-, BLOOMINGT |       | 19.75             | 1               | 0.00           | 10.00    | %             | 0         | \$0.00        | \$0.00     | Delete UnLink |

Showing 1 to 1 of 1 entries

Invoice Total Prior to Additional Charges: 0.00

**Additional Charges**

Grand Total: 0.00

If an invoice has multiple purchase orders, change as many **Invoiced Price** lines to \$0 as required. The \$0 line items will be allowed and will not change the total amount of the invoice.

**Current Items**

|   | PO # | Open Qty | Title   | Donor | PO Unit/Ext Price | Copies Invoiced | Invoiced Price | Discount | Discount Type | Unit Cost | Extended Cost | Total Cost | Action        |
|---|------|----------|---|-------|-------------------|-----------------|----------------|----------|---------------|-----------|---------------|------------|---------------|
| 1 | 104  | 1        | EXPERIENCE OF SAMADHI : AN IN-DEPTH EXPLORATION OF BUDDHIST MEDITATION, SHANKMAN, RICHARD, BOSTONSH     |       | 17.05             | 1               | 18.95          | 10.00    | %             | 17.05     | \$17.05       | \$17.05    | Delete UnLink |
| 2 | 105  | 1        | RUSSIA'S PENAL COLONY IN THE FAR EAST : A TRANSLATION OF VLAS D OROSHCHEVICH'S "SAKHALIN"; TRAN S. BY A |       | 22.5              | 1               | 0.00           | 10.00    | %             | 0         | \$0.00        | \$0.00     | Delete UnLink |
| 3 | 105  | 1        | FRITHJOF SCHUON : MESSENGER OF THE PERENNIAL PHILOSOPHY, FIT ZGERALD, MICHAEL OREN, 1949-, BLOOMINGT    |       | 19.75             | 1               | 0.00           | 10.00    | %             | 0         | \$0.00        | \$0.00     | Delete UnLink |

Showing 1 to 3 of 3 entries

Invoice Total Prior to Additional Charges: 17.05

**Additional Charges**

Grand Total: 17.05

## Negative Invoices

A negative charge against a PO line item will have a negative invoice amount for the line item. The total of all invoice amounts on line items must equal the value entered into Vendor Invoice Amount. The amount on the accounting lines will still appear as a positive number, but a negative amount for a PO will generate a Credit Memo instead of a Payment Request. The example below shows how the Invoice's Current Items tab will appear with negative amounts.

| Current Items  |                  |                    |               |  |                 |                |          |               |           |               |            |         |         |               |
|--|------------------|--------------------|---------------|--|-----------------|----------------|----------|---------------|-----------|---------------|------------|---------|---------|---------------|
| PO #   | Open Qty         | Title              | Donor         | PO Unts/Ext Price  | Copies Invoiced | Invoiced Price | Discount | Discount type | Unit Cost | Extended Cost | Total Cost | Action  |         |               |
| 1  | Details          | 1032               | 0.00          | Literary and theological review [electronic resource], New-York, N.Y. : D. Appleton & Co.,           |                 | 30             | 1        | (30.00)       | \$0.00    | %             | 30         | \$30.00 | \$30.00 | Delete Unlink |
| Close PO: false Check Subscription Date Overlap: <input type="checkbox"/> Subscription From Date: <input type="text"/> To Date: <input type="text"/> |                  |                    |               |  |                 |                |          |               |           |               |            |         |         |               |
| Accounting Lines   |                  |                    |               |  |                 |                |          |               |           |               |            |         |         |               |
| Chart  | * Account Number | Sub Account Number | * Object Code | Sub Object Code  | Project         | Org Ref Id     | Dollar   | * Percentage  | Actions   |               |            |         |         |               |
|  | Q                | Q                  | Q             | Q  | Q               |                |          | 100           | Add       |               |            |         |         |               |
| BL   | 2947482          |                    | 7120          |  |                 |                | \$30.00  | 100           | Delete    |               |            |         |         |               |
| Line Item Note for Invoice   |                  |                    |               |  |                 |                |          |               |           |               |            |         |         |               |
| 2  | Details          | 1033               | 0.00          | The beauties of modern architecture [microform] : illustrated by forty-eight original plates designe |                 | 40             | 1        | (40.00)       | \$0.00    | %             | 40         | \$40.00 | \$40.00 | Delete Unlink |

## Cloning an Invoice


Cloning, or copying, an Invoice is a useful feature offered in OLE for multiple-lined renewals and for invoices that need to be reversed.

To clone an Invoice:

1. Search for an existing Invoice from the Invoice **Search**.
2. At the bottom of the screen, click **clone**.
3. Select one of the following options in the pop-up box and click **ok**:
  - Debit Invoice with Debit Entries
  - Credit Invoice with Credit Entries
4. For a Debit Invoice, OLE creates an exact copy of the invoice and saves it as a new eDocument with a new Document Number. Make any modifications and click **Submit**.
5. For a Credit Invoice, OLE creates a copy of the invoice, but changes all price fields in the document from positive to negative numbers (or vice versa). The **Vendor Invoice Number** will not carry forward, you must input one. Make any additional modifications and click **Submit**.

A pop-up box will appear with a warning. Click **continue**.





At the top of the document, a "Document was successfully submitted" message will appear.

## Canceling an Invoice

While an Invoice is still in saved or initiated document status, the option to cancel an invoice is available. To fully remove the link between the purchase order(s) added to the Invoice and the Invoice document, first **Delete** the purchase orders from the current items section of the Invoice.

▼ Current Items

|   | PO #         | Open Qty | Title   | Donor | PO Unit/Ext Price | Copies Invoiced | Invoiced Price | Discount | Discount Type | Unit Cost | Extended Cost | Total Cost | Action  |
|---|--------------|----------|---|-------|-------------------|-----------------|----------------|----------|---------------|-----------|---------------|------------|---|
| 1 | Details 1076 |          | Common sense /Paine, Thomas, New York :Penguin Books, 9780143122005 |       | 9.96              | 1               | 9.96           | 0.00     | %             | 9.96      | \$9.96        | \$9.96     | <input type="button" value="Delete"/> <input type="button" value="Link"/> |

Showing 1 to 1 of 1 entries (filtered from 5 total entries)

Then click **Cancel** at the bottom of the document.

Skipping the first step will not cause problems within OLE but the purchase order(s) will maintain links to the canceled Invoice, which may cause confusion for staff.

## Business Rules

- An Invoice can be Saved once its required fields have been filled in (see above) and at least one title has been added to the Current Titles section.

While the Invoice is in Saved status, it can be closed at any time. When reopened, the operator can continue to modify it: adding more titles, removing titles, changing prices, etc.

## Paying for Materials: Standard Transactional E-Docs

- There are two ways to approve an invoice:
  1. Clicking on the Submit button at the bottom of the document submits the document to the workflow your site has defined for invoices. The most common workflow is for the document to be routed to a Fiscal Officer for approval. The Fiscal Officer would then find the document listed in his/her Action List:

| <u>Id</u> | <u>Type</u>     | <u>Title</u>   | <u>Route Status</u>                       | <u>Action Requested</u> | <u>Delegator</u> | <u>Date Created</u>    | <u>Group Request</u> | <u>Log</u> |
|-----------|-----------------|--|---|-------------------------|------------------|------------------------|----------------------|------------|
| 3431      | Invoice         | Vendor: YBP Library Services Account: BL 2947494 Amount: 235.00 Pay Date: 12/31/2013 | PROCESSED, Department-Approved            | ACKNOWLEDGE             |                  | 02:40 PM<br>12/03/2013 |                      |            |
| 3441      | Payment Request | Payment Request - PO: 1008 Vendor: YBP Library Services                              | PROCESSED, Department-Approved            | ACKNOWLEDGE             |                  | 02:42 PM<br>12/03/2013 |                      |            |
| 3552      | Invoice         | Vendor: YBP Library Services Account: BL 2947494 Amount: 50.00 Pay Date: 01/01/2014  | ENROUTE, Awaiting Fiscal Officer Approval | APPROVE                 |                  | 08:47 AM<br>12/04/2013 |                      |            |

The Fiscal Officer would open it from there, modify it if necessary, and then Approve it by clicking the “Approve” button at the bottom of the document.

A Fiscal Officer can also choose to Disapprove an Invoice, by clicking the “Disapprove” button at the bottom of the document. This might happen if the document was created in error, or was found to be a duplicate not caught earlier in the process. Once Disapproved, the document is retained permanently in the system, but no further action can be taken on it.

2. OLE can allow a user to approve his/her own Invoices if desired. The user must be authorized to approve invoices, and the workflow would have to not require routing. In that circumstance, a “blanket approve” button will also appear at the bottom of the screen

### Note

While this functionality is available in OLE, many sites will choose not to use it, instead requiring all invoices to be routed to another user for approval. If the workflow has been set to require a separate approver, no “blanket approve” button will appear.

- An Invoice cannot be edited once it has been Approved. If a correction is made, it must be submitted via a new document (another Invoice, a Credit Memo, or a General Ledger Correction document).

## Post-Approval

Once an Invoice is approved, OLE takes several actions without further operator input:

- It creates Payment Request (PREQ) documents for all positive amounts on the Invoice. One PREQ is created for each PO on the invoice

**Example:** if an invoice contains 4 line items with positive prices:

2 from PO 1014

1 from PO 1024

1 from PO 1065

OLE will create three PREQs when the invoice is approved.

The PREQs are usually automatically approved at the same time they are created.

- It creates Credit Memo (CM) documents for all negative amounts on the Invoice. Like the PREQs, these are automatically approved.
- It writes the totals from these PREQs and CMs to a particular set of tables, to enable local extraction of the data for transmission to other accounting systems

### Note

OLE does not contain hard-coded functionality for this extraction, since it will vary for each institution, depending on the needs of their local systems. Instead, OLE compiles this data in one set of tables for easy extraction.


- It updates balances in the General Ledger (G/L), changing the Invoice amounts from Pending expenditures to actual expenditures, and relieving encumbrances as appropriate.

## Duplicate Check on Invoice

The Invoice document's check for duplicate invoice numbers is done at the approval step, since fields such as "invoice number" and "invoice date" are editable within the document until that point. As part of invoice approval, OLE looks for any other approved invoice documents exactly matching all three of these elements:

- vendor
- vendor invoice number
- invoice date

If duplications occur on all three fields, the Invoice will route for approval but when the approver clicks **Approve**, a message will pop up:




As the approver, click the linked **Document ID numbers** to review those Invoices.

Click **Yes** to approve the invoice despite the duplication.

Click **No** to return to the Invoice document to disapprove or amend it.

## Vendor Credit Memo Search



OLE offers a customized document search related to credit memos. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

### Maintenance Links:

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

### Export Functionality:

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.


### Note

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

### Note

For information about Document lookup fields that are specific to credit memos, see “Document Layout” under [Vendor Credit Memo](#).

# Vendor Credit Memo



The Vendor Credit Memo (CM) document allows you to process vendor refunds for goods or services related to invoices processed on POs. You may process a vendor credit memo against a specific payment request, a purchase order, or a vendor ID.

## Note

You must be a member of the role OLE-SELECT Accounting-AQ2, -AQ3 or -AQ4 to initiate the Vendor Credit Memo document.

## Document Layout

Two screens are associated with this e-doc—an initiation screen with a single folder, followed by a main screen with multiple folder tabs.

## Credit Memo Initiation Tab

When you select **Vendor Credit Memo** from the Select/Acquire, the system displays the **Credit Memo Initiation** tab.

| Credit Memo Initiation       |                |
|------------------------------|----------------|
| * Credit Memo # from Vendor: | 1200-BN-1090-1 |
| **Payment Request #:         |                |
| * Credit Memo Date:          | 07/22/2009     |
| **Purchase Order #:          | 1090           |
| * Vendor Credit Memo Amount: | 14             |
| **Vendor #:                  |                |

\*\* You must enter one and only one of these fields: Payment Request #, Purchase Order #, or Vendor #.

This tab is used to specify the vendor credit memo number, date, and amount for the credit memo along with the number for a payment request, a purchase order, or a vendor in order to initiate the Vendor Credit Memo document.

### Credit Memo Initiation tab definition

| Title                     | Description   |
|---------------------------|---|
| Credit Memo # from Vendor | Required. Enter the number found on the vendor's credit memo.   |
| Credit Memo Date          | Required. Enter the date found on the credit memo itself or select the date from the calendar   |
| Vendor Credit Memo Amount | Required. Enter the net amount of the credit.   |
| Payment Request #         | Specify a payment request number in this field <i>only</i> if the vendor credit memo is processed against a specific payment request. See note below.                             |
| Purchase Order #          | Specify a PO number in this field <i>only</i> if the vendor credit memo is processed against a specific PO. See note below.   |
| Vendor #                  | Specify a vendor number in this field <i>only</i> if the vendor credit memo is general in nature (not applicable to a specific payment request or a specific PO). See note below. |

Paying for Materials: Standard Transactional E-Docs

Note

An entry in one and only one of these three fields is required: **Payment Request #**, **Purchase Order #**, or **Vendor #**.

Click [continue](#) to begin initiation of this vendor credit memo.

The Vendor Credit Memo document continues from the initiation screen to the main document screen that displays the unique **Vendor**, **Credit Memo Info**, and **Process Items** tabs in addition to the standard e-doc tabs.

|  |  |                                   |  |
|--|--|-----------------------------------|--|
| <b>Vendor Credit Memo</b> <span>?</span> |  | <b>Doc Nbr:</b> 3343              | <b>Status:</b> SAVED                             |
|  |  | <b>Initiator:</b> ole.khuntley    | <b>Created:</b> 08:45 AM 05/27/2013              |
|  |  | <b>Vendor Credit Memo #:</b> 1003 | <b>Vendor Credit Memo Doc Status:</b> In Process |

[expand all](#) [collapse all](#) \* required field

**Document Overview** hide

**Document Overview**

\* **Description:** PO: 1007 Vendor: D.K. Agencies (P) Ltd. **Explanation:**

**Organization Document Number:**

---

**Financial Document Detail**

\* **Year:** 2013 **Total Amount:** 0.00

**Vendor Credit Memo Document Detail**

**Order Type:**

---

**Vendor** show

**Credit Memo Info** hide

**Credit Memo Info**

|  |   |
|--|---|
| * <b>Credit Memo # from Vendor:</b> 12345  | <b>Credit Memo Type:</b> PO                   |
| * <b>Credit Memo Date:</b> 05/27/2013  | <b>Vendor #:</b> 1009-0                       |
| * <b>Vendor Credit Memo Amount:</b> 25.00  | <b>Purchase Order #:</b> 1007                 |
| <b>PO End Date:</b>  | <b>Payment Request #:</b>                     |
| <b>PO Notes:</b> No  | <b>AP Processed Date:</b>                     |
| <b>Extract Date:</b>   | <b>Credit SubType:</b> <input type="text"/>   |
| <b>Credit Type:</b> <input type="text"/>   | * <b>Payment Method:</b> <input type="text"/> |
| * <b>Bank Code:</b> TEST <input type="text"/><br>FIRST NATIONAL TEST BANK OF KUALI |   |

---

**Process Items** hide

**Process Titles**

**Add Item**

| #                                  | PO Qty                            | PO Unit Price                  | Total Invoice Cost                | CM Qty                            | CM Unit Price                     | Prorated Surcharge                    | Credit Processed                   | Catalog #                          | Description | Action                             |
|------------------------------------|-----------------------------------|--------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------------------|------------------------------------|------------------------------------|-------------|------------------------------------|
|                                    | <input type="text" value="1.00"/> | <input type="text" value="0"/> |                                   | <input type="text" value="1.00"/> |                                   |                                       |                                    |                                    |             | <input type="button" value="add"/> |
| <b>Foreign Currency Conversion</b> |                                   |                                |                                   |                                   |                                   |                                       |                                    |                                    |             |                                    |
|                                    | <b>Currency Type</b>              | * <b>Foreign List Price</b>    | <b>Foreign Discount</b>           | <b>Discount Type</b>              | <b>Foreign Discount Amt</b>       | <b>Foreign Unit Cost</b>              | <b>Exchange Rate</b>               | <b>USD Unit Cost</b>               |             |                                    |
|                                    | Indian Rupee                      | <input type="text"/>           | <input type="text" value="0.00"/> | <input type="text" value="0"/>    | <input type="text" value="0.00"/> | <input type="text" value="2,500.00"/> | <input type="text" value="49.29"/> | <input type="text" value="50.72"/> |             |                                    |

**Bib Info:** **Bib Editor**

**Current Items**

| #                                  | PO Qty               | PO Unit Price                         | Total Invoice Cost                | CM Qty                         | CM Unit Price                     | Prorated Surcharge                    | Credit Processed                   | Catalog #                          | Description                 | Action |
|------------------------------------|----------------------|---------------------------------------|-----------------------------------|--------------------------------|-----------------------------------|---------------------------------------|------------------------------------|------------------------------------|-----------------------------|--------|
| 1                                  | 1.00                 | 50.72                                 | 50.72                             | 1.00                           | 50.72                             | 0                                     |                                    |                                    | Oh, the Places You Will Go! |        |
| <b>Foreign Currency Conversion</b> |                      |                                       |                                   |                                |                                   |                                       |                                    |                                    |                             |        |
|                                    | <b>Currency Type</b> | * <b>Foreign List Price</b>           | <b>Foreign Discount</b>           | <b>Discount Type</b>           | <b>Foreign Discount Amt</b>       | <b>Foreign Unit Cost</b>              | <b>Exchange Rate</b>               | <b>USD Unit Cost</b>               |                             |        |
|                                    | Indian Rupee         | <input type="text" value="2,500.00"/> | <input type="text" value="0.00"/> | <input type="text" value="0"/> | <input type="text" value="0.00"/> | <input type="text" value="2,500.00"/> | <input type="text" value="49.29"/> | <input type="text" value="50.72"/> |                             |        |

**Bib Info:** **Bib Editor**

**Accounting Lines** show

---

**Additional Charges** show

**Total credit processed prior to restocking fee:** 0.00

**Grand Total:**

---

**Account Summary** show

**View Related Documents** show

**View Payment History** show

**General Ledger Pending Entries** show

**Notes and Attachments (0)** show

**Ad Hoc Recipients** show

**Route Log** show

## Note

For information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).



## Vendor Tab

The **Vendor** tab allows you to modify the vendor address information via address lookup if the credit memo has been processed against a PO or a vendor. You may also add check stub notes on this tab.

| Vendor  |                      |              |               |
|---|----------------------|--------------|---------------|
| <b>Vendor Address</b>                                       |                      |              |               |
| * Vendor:   | YBP Library Services | * City:      | Atlanta       |
| Vendor #:   | 12106-0              | * State:     | GA            |
| * Address 1:  | P.O. BOX 277991      | Province:    |               |
| Address 2:  |                      | Postal Code: | 30384-7991    |
| Attention:  |                      | * Country:   | United States |
| <b>Vendor Info</b>  |                      |              |               |
| Acquisition Unit's Vendor account / Vendor Info Customer #: |                      |              |               |
| Check Stub Notes:   |                      |              |               |


This tab contains two sections, **Vendor Address** and **Vendor Info**.

### Vendor Address section definition

| Title       | Description  |
|-------------|--|
| Vendor      | Display-only. The name of the vendor.  |
| Vendor #    | Display-only. The number that uniquely identifies the particular vendor.   |
| Address 1   | Required. The first line of the vendor's address. A change of address is possible via lookup  for credits processed referencing the PO or referencing the vendor.<br><br><b>Note</b><br><br>The lookup is not provided if a payment request number was entered in the <b>Credit Memo Initiation</b> tab<br><br>Leave as is or search for the address from the <b>Address</b> lookup  . |
| Address 2   | Display-only. The second line of the vendor address.   |
| Attention   | Display-only. If the credit memo is against a payment request and the payment request had an attention line completed, the name in the attention line on the payment request populates this field.   |
| City        | Display-only. The city of the vendor's address.  |
| State       | Display-only. The state of the vendor's address.   |
| Province    | Display-only. The province of the vendor's address (foreign addresses).  |
| Postal Code | Display-only. The postal code of the vendor's address.   |
| Country     | Display-only. The country of the vendor's address.   |

## Vendor Info Section

### Vendor Info section definition

| Title  | Description   |
|--|---|
| Acquisition Unit's Vendor account / Vendor Info Customer # | Display-only. The ID number for the customer. The system displays this value if a customer number exists on the referenced document. A change of customer number is possible via lookup  for credits processed referencing the PO or the vendor. |

Paying for Materials: Standard  
Transactional E-Docs




|                  |  |
|------------------|--|
|                  | <b>Note</b>  |
|                  | The lookup is not provided if a payment request number was entered in the <b>Credit Memo Initiation</b> tab. |
| Check Stub Notes | Optional. Enter text to be printed on the check stub.  |

## Credit Memo Info Tab

The **Credit Memo Info** tab displays information pertinent to the current credit memo. In the examples below, the first credit memo is against a payment request and the second is against a vendor.

| Credit Memo Info             |   |
|------------------------------|---|
| * Credit Memo # from Vendor: | 12321                                     |
| * Credit Memo Date:          | 05/06/2013                                |
| * Vendor Credit Memo Amount: | 91.00                                     |
| PO End Date:                 |   |
| PO Notes:                    | No  |
| Extract Date:                |   |
| Credit Type:                 |   |
| * Bank Code                  | TEST<br>FIRST NATIONAL TEST BANK OF KUALI |
| Credit Memo Type:            | Vendor                                    |
| Vendor #:                    | 12106-0                                   |
| Purchase Order #:            |   |
| Payment Request #:           |   |
| AP Processed Date:           |   |
| Credit SubType:              |   |
| * Payment Method:            |   |

### Credit Memo Info tab definition

| Title                     | Description  |
|---------------------------|--|
| Credit Memo # from Vendor | Display-only. The credit memo number as entered on the <b>Credit Memo Initiation</b> tab.  |
| Credit Memo Date          | Display-only. The credit memo date as entered on the <b>Credit Memo Initiation</b> tab.  |
| Vendor Credit Memo Amount | Display-only. The amount of the credit as entered on the <b>Credit Memo Initiation</b> tab. This field is displayed only on an in-process Vendor Credit Memo document. After the document has been submitted, the field no longer carries forward.   |
| PO End Date               | Display-only. The end date automatically populated from PO information.  |
| PO Notes                  | Display-only. 'Yes' if the PO contains notes.  |
| Extract Date              | Display-only. The date the credit record was extracted to the Pre-Disbursement Processor.  |
| Credit Type               | Corresponds to the Invoice Type on Payment Requests. Enter a value or search from the lookup  .   |
| Bank Code                 | Required. The bank code will be displayed only if the Bank_Code_Document_Types includes 'CM' and Enable_Bank_Specification_Ind='Y.' The default bank is determined by the Default_Bank_By_Document_Type parameter. You may override this value by entering another bank code or selecting it from the <b>Bank</b> lookup  . |
| Credit Memo Type          | Display-only. Indicates whether this credit memo references a payment request, PO, or vendor.  |
| Vendor #                  | Display-only. Automatically populated based on the entry in the <b>Credit Memo Initiation</b> tab that references either the payment request, the purchase order or the vendor number. The vendor number is followed by a hyphen and the division number.  |
| Purchase Order #          | Display-only. The referenced purchase order number or the purchase order number associated with the referenced payment request.  |
| Payment Request #         | Display-only. If processing a credit against a payment request, this field is populated based on the entry in the <b>Credit Memo Initiation</b> tab.   |
| AP Processed Date         | Display-only. The date the vendor credit memo was submitted by Accounts Payable.   |
| Credit Sub Type           | Corresponds to the Invoice Sub Type of the payment request. Example values may include "regular" and "supplemental". Enter a value or search from the lookup  .   |



## Paying for Materials: Standard Transactional E-Docs

Payment Method Select the method of payment from the drop down menu.

### Process Items Tab

The **Process Items** tab identifies the lines of a specified purchase order or payment request that this credit relates to. It also indicates the dollar amounts to be credited to individual lines and allows you to edit the accounting information associated with these lines. It also allows you to enter additional credits pertaining to items such as restocking fees or miscellaneous credits.

The tab includes two sections: **Items** and **Additional Charges**. In the example below, the credit references a purchase order.

### Items Section

The makeup of the **Items** section varies based on whether the credit is being applied to a purchase order, payment request or vendor. If crediting by vendor, the **Items** section contains no fields. See below for the section definition when the CM is based on a vendor number or a payment request.

#### Process Items tab definition (credit references a purchase order)

|                    |  |
|--------------------|--|
| Title              | Description  |
| #                  | Display-only. The item line number from the PO.  |
| PO Qty             | Display-only. The quantity of items available for credit.  |
| PO Unit Price      | Display-only. The unit price copied from the PO for this line item.  |
| Total Invoice Cost | Display-only. The total amount already invoiced and available to credit for this line item.  |
| CM Qty             | Optional. Enter the number of items for this line that are to be credited. This entry increases the <b>Open Qty</b> value for this line item on the PO.  |
| CM Unit Price      | Optional. The unit price for this line item to be processed as a credit. This field is automatically populated using the price from the PO, but it may be edited to match the credit memo unit price.                |
| Prorated Surcharge | Additional charge applied to the line item based on the proportional distribution.   |
| Credit Processed   | If blank and if the credit memo quantity invoiced is populated, the system calculates the credit processed for this line item when you click the <b>calculate</b> button.  |
|                    | <p style="text-align: center;"><b>Note</b></p> <p>If the field already contains a value, you must delete the value in order to populate a new value by clicking <b>calculate</b>. Override the amount as needed.</p> |

Paying for Materials: Standard  
Transactional E-Docs

|              |   |
|--------------|---|
| Total Amount | Display-only. The sum of credit processed, if applicable. |
| Catalog #    | Display-only. The catalog number for this item on the PO. |
| Description  | Display-only. The description for this item on the PO.    |

In this next example, the credit references a payment request.

| Process Items                                   |                   |                 |                    |                      |               |                    |                      |           |   |        |
|---|-------------------|-----------------|--------------------|----------------------|---------------|--------------------|----------------------|-----------|---|--------|
| Process Titles                                  |                   |                 |                    |                      |               |                    |                      |           |   |        |
| Items   |                   |                 |                    |                      |               |                    |                      |           |   |        |
| #   | PREQ Qty Invoiced | PREQ Unit Price | Total Invoice Cost | CM Qty               | CM Unit Price | Prorated Surcharge | Credit Processed     | Catalog # | Description   | Action |
| 1   | 1.00              | 80.00           | 80.00              | <input type="text"/> | 80.00         |                    | <input type="text"/> |           | 1 PURAP Workflow Test - LLC4W1UUB , Fred Farrow LLC4W1UUB , Portland Standard Publications, LLC 198 |        |
| <a href="#">show</a> Accounting Lines           |                   |                 |                    |                      |               |                    |                      |           |   |        |
| 2   | 1.00              | 71.00           | 71.00              | <input type="text"/> | 71.00         |                    | <input type="text"/> |           | 2 PURAP Workflow Test - LLC4W1UUB , Elise Simpson LLC4W1UUB , Portland Standard Press, Inc. 1914 ,  |        |
| <a href="#">show</a> Accounting Lines           |                   |                 |                    |                      |               |                    |                      |           |   |        |
| Total credit processed prior to restocking fee: |                   |                 |                    |                      |               |                    | 0.00                 |           |   |        |
| Additional Charges <a href="#">show</a>         |                   |                 |                    |                      |               |                    |                      |           |   |        |
| Grand Total:                                    |                   |                 |                    |                      |               |                    | 0.00                 |           |   |        |

**Process Items tab definition (credit references a payment request)**

|                    |   |
|--------------------|---|
| Title              | Description   |
| #                  | Display-only. The item line number from the payment request.  |
| PREQ Qty Invoiced  | Display-only. The quantity of items available to be credited on the specified Payment Request document.   |
| PREQ Unit Price    | Display-only. The unit price copied from the payment request for this line item.  |
| Total Invoice Cost | Display-only. The total amount available to be credited for this line item on the specified Payment Request document.   |
| CM Qty             | Optional. Enter the number of items for this line that are to be credited. This increases the <b>Open Qty</b> value for this line item on the PO.   |
| CM Unit Price      | Optional. The unit price for this line item to be processed as a credit. This field is automatically populated using the price from the payment request, but the unit price may be edited if the credit reflects a different price.   |
| Prorated Surcharge | Additional charge applied to the line item based on the proportional distribution.  |
| Credit Processed   | If blank and if the credit memo quantity invoiced is populated, the system calculates the credit processed for this line item when you click the <b>calculate</b> button.<br><br><b>Note</b><br><br>If the field already contains a value, you must delete the value in order to populate a new value upon next calculate. Override the amount as needed. |
| Total Amount       | Display-only. The sum of credit processed.  |
| Catalog #          | Display-only. The catalog number for this item on the PO.   |
| Description        | Display-only. The description for this item on the PO.  |

**Additional Charges Section**

**Additional Charges section definition (credit references a payment request)**

|       |             |
|-------|-------------|
| Title | Description |
|-------|-------------|

Paying for Materials: Standard  
Transactional E-Docs

|                  |  |
|------------------|--|
| Item Type        | Display-only. The type of item to be charged.<br><br><b>Note</b><br><br>An entry of 'Less Restocking Fee' reduces the amount of any credit entered for other item types.   |
| Credit Processed | Optional. Enter the amount that corresponds to this item type.<br><br><b>Note</b><br><br>A 'Miscellaneous Credit' entry can be entered as a positive or negative amount if the parameter allows this choice. A positive amount increases the credit total. |
| Total Amount     | Display-only. The sum of credit processed.   |
| Description      | Parameters control whether descriptions are required.  |

You may also prorate the additional charges to the invoiced titles. Enter the amount of the additional charge, select to prorate by **Quantity**, **Dollar**, or **Manual Prorate**. If Manual prorate is selected, enter the amount you would like prorated to each title.

For a vendor credit memo referencing a vendor ID, additional charges are the only types of information displayed in the **Process Items** tab. Dollar amounts are not prefilled, so you must enter accounting information.

In the example below, the credit references a vendor number.

The screenshot shows the 'Process Items' window with a 'hide' button. The 'Additional Charges' section is expanded, showing a table with columns for 'Item Type', 'Credit Processed', and 'Description'. There are two main items: 'Less Restocking Fee' and 'Miscellaneous Credit'. Each item has a 'show' button and 'Accounting Lines' text. To the right of each item are checkboxes for 'Prorate By Quantity', 'Prorate By Dollar', and 'Manual Prorate'. At the top right, it says 'Total credit processed prior to restocking fee: 0.00'. At the bottom right, it says 'Grand Total: 0.00'.

This section presents information about restocking fees and miscellaneous credits that apply to the credit memo.

**Additional Charges section definition (credit references a vendor number)**

|                  |   |
|------------------|---|
| Title            | Description   |
| Credit Processed | The dollar amount to be applied to this vendor credit memo.   |
| Total Amount     | Display-only. The sum of credit processed, if applicable.   |
| Description      | Required by default for miscellaneous credit only.<br><br><b>Note</b><br><br>The <code>Item_Types_Requiring_User_Entered_Description</code> parameter controls whether the description is required or optional. |

**Note**

Click **show/hide** to display or hide item accounting lines for each line item or additional item.

Paying for Materials: Standard  
Transactional E-Docs

Item Accounting Lines ▼ hide

| Accounting Lines <span>hide detail</span> |                      |                       |                      |                              |                      |                      |                      |                      |   |
|---|----------------------|-----------------------|----------------------|------------------------------|----------------------|----------------------|----------------------|----------------------|---|
| Source                                    |                      |                       |                      |                              |                      |                      |                      |                      |   |
|   | * Chart              | * Account             | Sub-Account          | * Object                     | Sub-Object           | Project              | Org Ref Id           | * Percent            | Actions   |
| add:                                      | <input type="text"/> | <input type="text"/>  | <input type="text"/> | <input type="text"/>         | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="button" value="add"/>  |
| 1:  | BL<br>BLOOMINGTON    | 1031400<br>PSYCHOLOGY | <input type="text"/> | 5000<br>SUPPLIES AND EXPENSE | <input type="text"/> | <input type="text"/> | <input type="text"/> | 100                  | <input type="button" value="delete"/><br><input type="button" value="bal inquiry"/> |

## View Related Documents Tab

The **View Related Documents** tab collects information about Purchasing/AP documents related to this Vendor Credit Memo document. For example, it displays identifying information and any pertinent notes for the requisition, purchase order, receiving documents, payment requests, or other vendor credit memos associated with the purchase order.

View Related Documents ▼ hide

| Related Documents                          |          |
|--|----------|
| Requisition - 1059 <span>▼ hide</span>     | No Notes |
| Purchase Order - 1063 <span>▼ hide</span>  | No Notes |
| Payment Request - 1068 <span>▼ hide</span> | No Notes |
| Payment Request - 1067 <span>▼ hide</span> | No Notes |

This tab lists related documents.

### View Related Documents tab definition

| Title | Description   |
|-------|---|
| Date  | Display-only. The date the related document was created.  |
| User  | Display-only. The user who created the related document. Entry of 'Kuali System User' means the document was automatically created by the system. |
| Note  | Display-only. A note describing the document.   |

To access one of these related documents, click its document number. The system displays the document in a separate window.

## View Payment History Tab

The **View Payment History** tab tracks payment information related to the purchase order associated with this Vendor Credit Memo document. It shows pending payment information and updates indicating when a payment was processed through the Pre-Disbursement Processor (PDP). This tab also shows any other vendor credit memos that have been processed against the related purchase order and any associated payment requests.

View Payment History ▼ hide

| Payment History - Payment Requests |           |      |                     |      |                |                        |            |        |            |                       |  |
|------------------------------------|-----------|------|---------------------|------|----------------|------------------------|------------|--------|------------|-----------------------|--|
| PREQ #                             | Invoice # | PD # | PREQ Status         | Hold | Request Cancel | Vendor Name            | Customer # | Amount | Pay Date   | PDP Extract Date      | Paid?  |
| 1068                               | I-2       | 1063 | Auto-Approved       | No   | No             | DIVISION 1 OF PO BASIC |            | 221.00 | 10/26/2009 | 2009-10-26 14:57:50.0 | <input type="button" value="disbursement info"/> Yes |
| 1067                               | I-1       | 1063 | Department-Approved | No   | No             | DIVISION 1 OF PO BASIC |            | 294.00 | 10/26/2009 | 2009-10-26 14:57:50.0 | <input type="button" value="disbursement info"/> Yes |

| Payment History - Credit Memos |             |        |      |                    |      |                        |            |        |            |                       |  |
|--------------------------------|-------------|--------|------|--------------------|------|------------------------|------------|--------|------------|-----------------------|--|
| CM #                           | Vendor CM # | PREQ # | PD # | Credit Memo Status | Hold | Vendor Name            | Customer # | Amount | APAD Date  | PDP Extract Date      | Paid?  |
| 1003                           | I-C-1       | 1067   | 1063 | Complete           | No   | DIVISION 1 OF PO BASIC |            | 100.00 | 10/26/2009 | 2009-10-26 14:57:50.0 | <input type="button" value="disbursement info"/> Yes |

Paying for Materials: Standard  
Transactional E-Docs

---

**Payment Requests section definition**

| Title            | Description  |
|------------------|--|
| PREQ#            | Display-only. The payment request number.  |
| Invoice #        | Display-only. The invoice number.  |
| PO#              | Display-only. The purchase order number.   |
| PREQ Status      | Display-only. The payment request status.  |
| Hold             | Display-only. Displays 'yes' if the payment request is on hold. Displays 'no' if the payment request is not on hold.   |
| Req Canc         | Display-only. Displays 'yes' if the payment request has been requested to be canceled. Displays 'no' if the payment request has not been requested to be canceled or if the 'request cancel' has been removed. |
| Vendor Name      | Display-only. The vendor name associated with this payment request.  |
| Customer #       | Display-only. The customer number associated with this payment request.  |
| Amount           | Display-only. The payment request amount.  |
| Pay Date         | Display-only. The date the payment is scheduled to extract to PDP.   |
| PDP Extract Date | Display-only. The date the payment request was extracted to the Pre-Disbursement Processor for disbursement processing.  |
| Paid?            | Display-only. Displays 'yes' if the payment has been disbursed. Displays 'no' if the payment has not been disbursed.   |

**Credit Memos section definition**

| Title              | Description   |
|--------------------|---|
| CM#                | Display-only. The credit memo number assigned by OLE.   |
| Vendor CM#         | Display-only. The credit memo number assigned by the vendor.  |
| PREQ#              | Display-only. The payment request number, if a payment request was referenced in processing the credit memo.              |
| PO#                | Display-only. The purchase order number associated with this credit memo.   |
| Credit Memo Status | Display-only. The credit memo status.   |
| Hold               | Display-only. Displays 'yes' if the credit memo is on hold. Displays 'no' if it is not on hold.                           |
| Vendor Name        | Display-only. The vendor name associated with this credit memo.   |
| Customer #         | Display-only. The customer number associated with this credit memo.   |
| Amount             | Display-only. The dollar amount associated with this credit memo.   |
| APAD Date          | Display-only. The Accounts Payable approved date (that is, the date the Accounts Payable User submitted the credit memo). |
| PDP Extract Date   | Display-only. The date the credit memo was extracted to the Pre-Disbursement Processor for disbursement processing.       |
| Paid?              | Display-only. Displays 'yes' if the credit has been disbursed. Displays 'no' if it has not been disbursed.                |

## Process Overview

### Business Rules

- If the vendor number and credit memo number match those of a CM previously processed, a warning notifies you of the potential duplicate. You may override the warning and continue.
- If the credit memo amount and credit memo date match those of a CM previously processed, a warning notifies you of the potential duplicate. You may override the warning and continue.
- A credit memo may be processed against a payment request, a purchase order, or a vendor, but only one of the three.

- A credit memo processed at the vendor level requires processing on the **Miscellaneous** line. Accounting must be added to the **Miscellaneous** line during processing
- When a credit memo is processed at the level of payment request or purchase order and the purchase order has been closed, you may reopen the purchase order.
- Modification of remit addresses is permitted for a credit memo referencing a PO or a vendor. The address lookup functionality is used to modify the remit address.
- After being approved by AP, accounts cannot be changed on a credit memo.
- The system re-encumbers amounts associated with each line item on a credit memo. The Amount encumbered follows the rules of PO encumbrance (CM Quantity x PO Unit Cost), which is similar to the payment request disencumbrance that utilizes the PO unit cost rather than the PREQ unit cost if the two unit costs are different.
- Accounts encumbered are the accounts on the original PO, with the account distribution in proportion to the distribution on the PO if more than one account is involved per line item. PO open quantities are incremented by the line item quantity on a credit memo.
  - Credit entry: The accounts (full accounting string) on the vendor credit memo are credited in the G/L at the time of AP submit. The G/L entry is made in summary for each accounting string. (So, for example, if three line items on a CM use the same accounting string, only one expense credit entry—not three—is created in the G/L for that accounting string.)
  - Debit entry: Create one offset to object code 9041 for each account and sub-account combination on a CM.
- After being canceled, the G/L entries of the credit memo are reversed, any encumbrance created from AP approval of the credit memo are reversed, and any PO open quantities that were incremented from the creation of the credit memo are decreased.
- FYI notification on a credit memo routes to the fiscal officer or CM delegate per the account number(s) on the credit memo.
- A credit memo may be canceled or placed on hold at any time prior to extraction.
- When a credit memo is in 'AP-Processed' status, it is eligible to be extracted to PDP for disbursement.
- The system groups all PREQs and CMs eligible for extract for disbursement as a positive payment based on vendor and processing campus.
- Credit memo searches are available to all users.


## Routing

The Vendor Credit Memo document is initiated by a member of the Accounting-AQ2, -AQ3, -AQ4 roles. Routing is dependent on whether an image attachment is part of an institution's configuration.


- An Accounting-AQ2, -AQ3, or -AQ4 clicks the **submit** button to complete the processing of a Vendor Credit Memo document. The document goes into 'Awaiting AP Review' status if `Require_attachment_ind='Y'`. The AP Review status may be satisfied by an image attachment or in another fashion (configurable at your institution). After AP review, the document routes to the fiscal officer or fiscal officer delegate as an FYI. At the AP Review routing level, approvers are not permitted to change content on the document. They may only add notes and attachments and approve or cancel.
- The document routes an FYI copy to the fiscal officer associated with each account number that appears on the vendor credit memo.

## Note

**The Timing of G/L Update:**After a CM document has been created and submitted, it updates the G/L the next time a batch process runs. Note that this is different from most OLE docs, which do not update the G/L until the document receives all approvals. If accounting entries on the document change before it reaches 'FINAL' status, the G/L entries are updated accordingly the next time a batch process runs.



## Initiating a Vendor Credit Memo Document

3. Select **Credit Memo: Create** from the **Paying** menu group on the **Select/Acquire** tab.
4. Log into OLE as necessary.  
  
The system displays a blank **Vendor Credit Memo Initiation** tab with a new document ID.
5. Complete the **Credit Memo Initiation** tab as follows:
  - a) Enter values for **Credit Memo # from Vendor**, **Credit Memo Date**, and **Vendor Credit Memo Amount**.
  - b) Enter a value for one and only one of these: **Payment Request #**, **Purchase Order #**, or **Vendor #**.
6. Click  .
7. Complete the **Vendor** tab as follows:
  - a) Verify the vendor address.
  - b) Add check stub notes if requested.
8. Review the **Credit Memo Info** tab and update the bank code, if necessary.

9. Complete the **Process Items** tab as follows:

- a) For quantity-based line items, enter the credit memo quantity from the vendor credit.
- b) For non-quantity-based line items, enter the credit processed amount using the vendor credit amount.
- c) Enter a credit processed amount for additional charges, if needed. Miscellaneous charges require a description, depending on parameter setup.

10. Complete the standard tabs as necessary: **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, and **Route Log**.

### Note

For information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

11. Click the  button.

12. Click .

13. AP reviewers approve the document if the parameter Require\_attachment\_ind='Y'.

### Note


For more information about how to approve a document, see [Workflow Action Buttons](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).


## Placing a Credit Memo On Hold

An AP user may choose to place the credit memo on hold or remove the hold when it is no longer necessary. The hold flag prevents a vendor credit memo from being extracted and applied. When a document is taken off hold, it retains the status it had when the hold flag was set.

A credit memo in the 'AP-REVIEW' or 'COMPLETE' status may be placed on hold from the time of AP Submit until the time the credit extracts it to the Pre-Disbursement Processor.

To place a credit memo on hold, you must attach a note to the document explaining why it has been put on hold. To put a credit memo on hold:

14. After displaying the credit memo, click .





15. Enter a reason for putting the CM on hold and click **yes**.

A note is required to place a Credit Memo on hold.

**\* Please enter the reason below:**

Per department, credit already received. Must research.

The system marks the vendor credit memo as being in 'HOLD' status. It also displays a large header on the document indicating who placed the order on hold.

|   |                   |          |                     |           |
|---|-------------------|----------|---------------------|-----------|
| <b>Credit Memo</b> <input style="font-size: 1em; vertical-align: middle;" type="button" value="?"/> | <b>Doc Nbr:</b>   | 315517   | <b>Status:</b>      | FINAL     |
|   | <b>Initiator:</b> | appleton | <b>Created:</b>     | 06:49     |
|   | <b>* CM Nbr:</b>  | 1002     | <b>* CM Status:</b> | COMPLETED |

## This Credit Memo has been Held by APPLETON,NEAL K

Document Overview

| Document Overview     |                               |                     |
|-----------------------|-------------------------------|---------------------|
| <b>* Description:</b> | Vendor: ABC CLEANING SERVICES | <b>Explanation:</b> |
| <b>* Year:</b>        | 2008                          |                     |
| <b>Total Amount:</b>  | 100.00                        | <b>Org. Doc. #:</b> |

## Removing a Vendor Credit Memo Hold

Either the person who placed the credit memo on hold or an AP supervisor may take a vendor credit memo off hold. To take a credit memo off hold:

16. Display the CM and click **remove hold**.

General Ledger Pending Entries

Notes and Attachments (1)

Route Log

17. Enter the reason for removing the hold and click .

A note is required to remove hold on a Credit Memo.

\* Please enter the reason below:

Confirmed valid credit. Remove Hold to allow extract.

In the **Notes and Attachments** tab, the system displays the history of this action.

| Notes and Attachments (2) <input type="button" value="hide"/> |                        |                    |   |   |                      |                                     |
|---|------------------------|--------------------|---|---|----------------------|-------------------------------------|
| Notes and Attachments   |                        |                    |   |   |                      |                                     |
|   | Posted Timestamp       | Author             | * Note Text   | Attached File   | FYI Recipient        | Actions                             |
| add:  |                        |                    | <input type="text"/>  | <input type="text"/> <input type="button" value="Browse..."/> |                      | <input type="button" value="add"/>  |
|   |                        |                    |   | <input type="button" value="CANCEL"/>                         |                      |                                     |
| 1   | 09/22/2007<br>07:01 PM | APPLETON,NEAL<br>K | Hold Pre department, credit already received. Must research.      |   | <input type="text"/> | <input type="button" value="send"/> |
| 2   | 09/22/2007<br>07:10 PM | APPLETON,NEAL<br>K | Remove Hold Confirmed valid credit. Remove Hold to allow extract. |   | <input type="text"/> | <input type="button" value="send"/> |

## Example

A vendor issues a \$30.00 credit for two items that were returned after payment was made. An AP user creates a credit memo referencing the payment request document that issued a payment for these two items.

The initiator, a user with the role of Accounting-AQ2, -AQ3, or -AQ4, creates a new credit memo document by entering the vendor credit memo number, amount and date; and one of the following: the payment request number, the PO number, or the Vendor number. When the initiator clicks **continue**, the system

generates the Vendor Credit Memo document. In the **Process Items** tab, the initiator enters the quantity being credited and clicks **calculate**. At this point, the document is ready for submission and routing.

## Payment Request Search



OLE offers a customized document search related to payment requests. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >, <, >=, <=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

### Maintenance Links:

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

### **Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.

### **Note**

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

### **Note**

For information about Document lookup fields that are specific to payment requests, see “Document Layout” under [Payment Request](#).

## **Payment Request**

### **Note**

In order for users to submit the Payment Request document, the ENABLE\_BANK\_SPECIFICATION\_IND parameter must be set to Y and the DEFAULT\_BANK\_BY\_DOCUMENT\_TYPE parameter must be completed. Even if your institution is not planning to use the Bank Offset feature in Quali OLE, the DEFAULT\_BANK\_BY\_DOCUMENT\_TYPE parameter must be completed if your users plan to use the Payment Request document. Bank offsets will not be created if the Bank Offset feature has not been configured.

The Payment Request (PREQ) document is created in response to receiving an invoice for goods or services requested from a vendor on a PO. The system provides two ways of creating a payment request:

- One is automated through the electronic invoicing process.
- The other approach is to complete the Payment Request document manually using the screen described in this section.

## **Search for Purchase Order Numbers**

Before initiating a payment request, you’ll need to know the purchase order number for the title(s) on your invoice. This can be found by doing an **Acquisitions Search** or a **Purchase Order Search**.

### **Note**

To learn more about searching, see [Searching OLE](#) on the [Guide to OLE Basic Functionality and Key Concepts](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

Once you have the Purchase Order number in hand for the title on your invoice, you can begin the payment process.

## Tip

Be sure you have the Purchase Order number and not the system-generated document-identifier to initiate Payment Requests.

## Document Layout

Two screens are associated with the Payment Request document—an 'initiation' screen with a single tab followed by a 'main' screen with multiple tabs.


## Payment Request Initiation Tab

When you select **Payment Request** from the **Select/Acquire** tab, the system displays a screen containing the **Payment Request Initiation** tab.

This tab allows you to specify details about the invoice and the PO to which it applies.

### Payment Request Initiation tab definition

| Title                         | Description  |
|-------------------------------|--|
| Purchase Order Number         | Required. Enter the PO number to which the invoice applies.  |
| Invoice Date                  | Required. Enter the invoice date from the vendor invoice or select the date from the calendar                                  |
| Special Handling Instructions | Optional. Enter text into any of the special handling fields to indicate a special check delivery requirement for the payment. |
| Invoice Number                | Required. Enter the identifying invoice number from the vendor invoice.  |
| Vendor Invoice Amount         | Required if the vendor is not foreign. Enter the net dollar amount of the invoice to be processed.                             |
| Foreign Vendor Invoice Amount | Required if the Vendor is foreign. Enter the net amount of the invoice to be processed.  |

Click  to initiate this payment request. The system displays the main screen for the Payment Request document. It imports some information like vendor, line item details, accounting information, etc. from the relevant Purchase Order

Paying for Materials: Standard Transactional E-Docs

Main Screen

The screenshot displays the 'Payment Request' main screen with the following sections and data:

- Document Overview:** Description: PO: 1031 Vendor: YBP Library Services; Organization Document Number: [blank]; Explanation: [blank]
- Financial Document Detail:** Year: 2013; Total Amount: 0.00
- Payment Request Detail:** Receiving Required: No; Order Type: Firm, Fixed; Payment Request Positive Approval Required: No
- Vendor:** Vendor: TEST; Bank Code: FIRST NATIONAL TEST BANK OF KUALI
- Invoice Info:** Invoice Number: ABC123; Pay Date: 04/28/2013; Invoice Date: 04/01/2013; Purchase Order #: 1031; Vendor Invoice Amount: 39.95
- Process Items:** Purchase Order Line Item Totals: Encumbrance excluding freight & s/h: 39.95; Total Encumbrance Amount Relieved: 0.00; Total Paid Amount: 0.00
- Current Items Table:**

| Item Line # | Open Qty | PO Unit/Ext Price | Format | Vendor Item Identifier | * No of Copies Ordered | * No. of Parts | List Price | Discount | Discount Type | Prorated Surcharge | Unit Cost | Extended Cost | Assigned To Trade In | Description   | Action |
|-------------|----------|-------------------|--------|------------------------|------------------------|----------------|------------|----------|---------------|--------------------|-----------|---------------|----------------------|---|--------|
| 1           |          | 39.9500           |        |                        | 1                      | 1              | 39.95      | 0.00     | %             | 0.0000             | 39.9500   | 39.95         | No                   | CREATION AND EVOLUTION, GOODMAN, LENN EVAN, 1944-, LONDON 2010, 9780415913812 |        |
- Additional Charges:** Invoice Total Prior to Additional Charges: 39.95; Grand Total: 39.95
- Account Summary:** View Related Documents, View Payment History, General Ledger Pending Entries, Notes and Attachments (0), Ad Hoc Recipients, Route Log

This screen includes unique **Document Overview**, **Vendor**, **Invoice Info**, **Process Items**, **Account Summary**, **View Related Documents**, and **View Payment History** tabs in addition to the standard tabs that display at the bottom of a financial transaction document.

**Note**

For more information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

**Document Overview Tab**

The **Document Overview** tab for the Payment Request document is different from the standard **Document Overview** tab. The **Description** field defaults to the purchase order number and the vendor name.

On the Payment Request document, this tab is made up of three sections—**Document Overview**, **Financial Document Detail**, and **Payment Request Detail**. The **Document Overview** section is the same as the standard **Document Overview** tab.

## Paying for Materials: Standard Transactional E-Docs

| Document Overview                                    |  |
|--|--|
| ▼ hide   |  |
| <b>Document Overview</b>                             |  |
| * Description: PO: 1039 Vendor: YBP Library Services | Explanation:                                   |
| Organization Document Number:                        |  |
| <b>Financial Document Detail</b>                     |  |
| * Year: 2016   | Total Amount: 35.00                            |
| <b>Payment Request Detail</b>                        |  |
| Receiving Required: No                               | Payment Request Positive Approval Required: No |
| Order Type:  |  |
| Proforma: No   |  |

### Note

For information about the standard Document Overview tab, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Financial Document Detail Section

### Financial Document Detail section definition

| Title        | Description   |
|--------------|---|
| Year         | Display-only. The fiscal year of the purchase order referenced by the Payment Request document. |
| Total Amount | Display-only. The total amount of the payment request after the request has been submitted.     |

## Payment Request Detail Section

### Payment Request Detail section definition

| Title                                      | Description  |
|--|--|
| Receiving Required                         | Display-only. An indicator showing whether receiving is required.  |
| Order type                                 | Identifies the type of order, possible values could be one-time, standing, subscription. System default data value is "Firm, Fixed".   |
| Proforma                                   | Identifies whether the invoice is pre-paid. Check the box to indicate yes. This will override business rules requiring receiving before the payment request is approved and override payment terms associated with the vendor and set the invoice to "immediate pay" regardless of the invoice date. |
| Payment Request Positive Approval Required | Display-only. An indicator showing whether positive approval is required.  |

## Vendor Tab


The **Vendor** tab contains information about the vendor associated with the PO and allows you to modify vendor address information.

| Vendor  |                            |
|---|----------------------------|
| ▼ hide  |                            |
| <b>Vendor Address</b>                                       |                            |
| * Vendor: HARRASSOWITZ                                      | * City: WIESBADEN          |
| Vendor #: 12111-0   | State:                     |
| * Address 1: TAUNUSSTRASSE 5                                | Provinces:                 |
| Address 2:  | Postal Code:               |
| Attention:  | * Country: Germany         |
| <b>Vendor Info</b>  |                            |
| Acquisition Unit's Vendor account / Vendor Info Customer #: | Payment Terms: Net 30 Days |
| Check Stub Notes:   | Shipping Title:            |
|   | Shipping Payment Terms:    |
| Special Handling Instructions:                              |                            |

The **Vendor** tab has two sections: **Vendor Address** and **Vendor Info**.


## Vendor Address Section

### Vendor Address section definition

| Title         | Description   |
|---------------|---|
| Vendor        | Display-only. The name of the vendor is automatically populated based on information in the purchase order.   |
| Vendor Number | Display-only. The vendor number followed by a hyphen and the division number.   |
| Address 1     | Required. The default remit-to address is ordinarily populated from the Vendor document. The purchase order address will display here instead if there is not a remit-to address in the Vendor record. Override the default by entering a different address in this field or by searching for it from the <b>Address lookup</b>  . |
| Address 2     | Optional. Override the default or leave it as is.   |
| Attention     | Optional. Override the default or leave it as is.   |
| City          | Required. Override the default or leave it as is.   |
| State         | Required for U.S. addresses. Override the default by selecting the state from the <b>State</b> list or leave it as is.  |
| Province      | Optional. Override the default or leave it as is.   |
| Postal Code   | Required for U.S. addresses. Override the default or leave it as is.  |
| Country       | Required. Override the default by selecting a country from the <b>Country</b> list or leave it as is.   |

## Vendor Info Section

### Vendor Info section definition

| Title   | Description   |
|---|---|
| Acquisition Unit's Vendor Account/ Vendor Info Customer # | Optional. Populated from the PO. Override it by entering the customer number directly or searching for it from the <b>vendor lookup</b>  .   |
| Check Stub Notes  | Optional. Enter text to be printed on the check stub. This three line field allows for special notes to be printed on the check stub for the payment. Please note that entering a value into this field will force the system to create a physical check rather than an ACH transfer. |
| Special Handling Instructions                             | Optional. Enter the handling instructions to be printed on the check. These handling instructions relate to the delivery of the check to the vendor. Please note that entering a value into this field will force the system to create a physical check rather than an ACH transfer.  |
| Payment Terms   | Optional. Populated from the PO. Override it by selecting the payment terms from the <b>Payment Terms</b> list.   |
| Shipping Title  | Display-only. This entry indicates when the items associated with a PO become the property of the ordering institution.   |
| Shipping Payment Terms                                    | Optional. Populated from the PO; identifies the entity that pays for shipping (the vendor or the institution). Override the entry by selecting the terms from the <b>Shipping Payment Terms</b> list.   |

## Invoice Info Tab



The **Invoice Info** tab provides a means for display and modification of invoice information.

| Invoice Info   |   |
|--|---|
| <b>Invoice Number:</b> ADDLCHARGESTEST2                                    | <b>* Purchase Order #:</b> 1039               |
| <b>Pay Date:</b> 08/29/2015 No (Immediate Pay)                             | <b>PO Notes:</b> Yes                          |
| <b>* Invoice Date:</b> 08/01/2015  | <b>Payment Request Cost Source:</b>           |
| <b>PO End Date:</b>  | <b>Payment Classification:</b>                |
| <b>Payment Attachment Indicator:</b> No                                    |   |
| <b>Extract Date:</b> 08/05/2015 11:00 PM <a href="#">disbursement info</a> | <b>AP Processed Date:</b> 08/05/2015 03:25 PM |
| <b>Invoice Type:</b>   | <b>Invoice SubType:</b>                       |
| <b>* Bank Code:</b> TEST<br>FIRST NATIONAL TEST BANK OF KUALI              | <b>* Payment Method:</b> Check                |




Paying for Materials: Standard  
Transactional E-Docs

**Invoice Info tab definition**

| Title                         | Description  |
|-------------------------------|--|
| Invoice Number                | Display-only. Populated from the <b>Payment Request Initiation</b> tab.  |
| Pay Date<br>Ok,               | Defaults to the date automatically calculated by the system. If payment terms are edited, the system repopulates this field only if it is blank. Override the automatic entry by entering a pay date or selecting it from the calendar <br><br><b>Note</b><br><br><b>Pay Date Calculations:</b> The pay date is calculated automatically in two different ways. The payment terms specified are applied to the payment request date to generate a pay date. The payment terms parameters are in the Payment Terms Type table. Additionally, ten days (or another institutionally defined default number of days - controlled by the parameter NUMBER_OF_DAYS_USED_TO_CALCULATE_DEFAULT_PAY_DATE under component "Payment Request") are added to the current date to generate a pay date. OLE selects the later of these two dates and uses it as the default pay date for this Payment Request document.<br><br>The pay date may be entered manually, but it must not be a past date. If the date is more than 60 days from the current date, the system displays a warning message. |
| (Immediate Pay)               | Optional. Select the Immediate Pay check box if a check is needed on the same day (overrides the pay date – subject to the rules of your accounts-payable system). This indicator allows for an approved payment request to be extracted for payment during the day.   |
| Invoice Date                  | Display-only. Populated from the <b>Payment Request Initiation</b> tab.  |
| PO End Date                   | Display-only. The purchase order end date, if any, is automatically populated from the PO.   |
| Payment Attachment Indicator  | Optional. Select the check box if an attachment (such as a copy of the invoice) must be returned to the Vendor with this payment.  |
| Extract Date                  | Display-only. The date the Payment record is extracted to the Pre-Disbursement Processor.  |
| Invoice Type                  | Optional. Select the type of invoice. Sample data values are Proforma/prepay, Regular.   |
| Bank Code                     | Required. The bank code will be displayed only if the Bank_Code_Document_Types includes 'PREQ' and Enable_Bank_Specification_Ind='Y'. The default bank is determined by the Default_Bank_By_Document_Type parameter. You may override this value by entering another bank code or selecting it from the <b>Bank</b> lookup  .   |
| Purchase Order Number         | Display-only. The PO number associated with this invoice. This is the PO number used on the initiation screen.   |
| PO Notes                      | Display-only. If notes have been added to the PO, this field contains the value 'Yes'.   |
| Payment Request Cost Source   | Display-only. Automatically populated from the PO if it exists.  |
| Payment Classification        | Display-only. Not currently used. In Quali OLE the field will always be null. In a future enhancement, when wire transfer and foreign drafts are processed on Payment Request documents, this field will be populated.   |
| Vendor Invoice Amount         | Display-only. The vendor total invoice amount as entered on the <b>Payment Request Initiation</b> tab. This field is displayed only on an 'In Process' PREQ document. When the document is submitted, the system no longer carries the field and the value forward.  |
| Foreign Vendor Invoice Amount | Display-only. The foreign vendor total invoice amount as entered on the <b>Payment Request Initiation</b> tab. This field is displayed only on an 'In Process' PREQ document. When the document is submitted, the system no longer carries the field and the value forward.  |
| AP Processed Date             | Display-only. The date the PREQ was submitted by an Accounts Payable processor.  |

## Paying for Materials: Standard Transactional E-Docs

|                  |  |
|------------------|--|
| Invoice Sub Type | Optional. Enter the subtype of invoice or select it from the <b>Invoice Sub Type</b> lookup  . Sample data values are Regular, Supplemental. |
| Payment Method   | Select the method of payment from the drop down menu.  |

### Process Items Tab

The **Process Item**stab indicates the lines of the PO that this invoice relates to and the dollar amounts to be paid on this payment request. If a price was listed on the purchase order, that price is automatically supplied in the **Unit Cost** field. The tab also provides a means to edit accounting information associated with these lines and allows for the entry of additional invoiced items such as freight or shipping and handling. You should change the supplied price to the amount listed on your invoice, and supply the number of copies being invoiced.

| Purchase Order Line Item Totals                      |       |                |  |                   |       |                                   |      |                        |       |                   |       |
|--|-------|----------------|--|-------------------|-------|-----------------------------------|------|------------------------|-------|-------------------|-------|
| Encumbrance excluding freight & s/h                  |       |                |  |                   | 35.00 | Total Encumbrance Amount Relieved |      |                        | 35.00 | Total Paid Amount | 35.00 |
| Process Titles                                       |       |                |  |                   |       |                                   |      |                        |       |                   |       |
| Current Items  |       |                |  |                   |       |                                   |      |                        |       |                   |       |
| Item Line #  | 1     | Open Qty       | 0  | PO Unit/Ext Price | 35    | Format                            |      | Vendor Item Identifier |       |                   |       |
| * No of Copies Ordered                               | 1     | * No. of Parts | 1  | List Price        | 35.00 | Discount                          | 0.00 | Discount Type          | %     |                   |       |
| Unit Cost  | 35.00 | Extended Cost  | 35.00                                      |                   |       |                                   |      |                        |       |                   |       |
| Assigned To Trade In                                 | No    | Description    | The return of the king., Tolkien, J. R. R. |                   |       | Action                            |      |                        |       |                   |       |
| Bib Info:  |       | Bib Editor     | <input type="button" value="view"/>        | Receipt Status    |       |                                   |      |                        |       |                   |       |
| <input type="button" value="show"/> Invoice Notes    |       |                |  |                   |       |                                   |      |                        |       |                   |       |
| <input type="button" value="show"/> Accounting Lines |       |                |  |                   |       |                                   |      |                        |       |                   |       |
| <input type="button" value="show"/> Donor            |       |                |  |                   |       |                                   |      |                        |       |                   |       |
| Invoice Total Prior to Additional Charges:           |       |                |  |                   |       |                                   |      |                        | 35.00 |                   |       |
| Grand Total:   |       |                |  |                   |       |                                   |      |                        | 35.00 |                   |       |

The **Process Items** tab includes three sections: **Purchase Order Line Item Totals**, **Process Titles**, and **Additional Charges**.

### Purchase Order Line Item Totals Section

#### Purchase Order Line Item Totals section definition

| Title                               | Description  |
|-------------------------------------|--|
| Encumbrance excluding freight & s/h | Display-only. The total dollar amount encumbered for this PO excluding freight, shipping and handling.   |
| Total Encumbrance Amount Relieved   | Display-only. The total dollar amount of the encumbrance that has thus far been relieved from this PO, excluding any additional charges processing.  |
| Total Paid Amount                   | Display-only. The dollar amount total for line item payments excluding freight, shipping and handling, discount and miscellaneous payments made thus far against this purchase order. The difference in amounts between Total Encumbered Amount Relieved and Total Paid Amount is the difference between the PO unit cost and the payment request unit cost. |

### Process Titles Section

#### Items section definition

| Title             | Description  |
|-------------------|--|
| Item Line #       | Display-only. The actual Item line number from this PO.                              |
| Open Qty          | Display-only. The quantity of items that have yet to be invoiced for this line item. |
| PO Unit/Ext Price | Display-only. The cost per unit from the PO for this line item.                      |

## Paying for Materials: Standard Transactional E-Docs

|   |  |
|---|--|
| Format                                    | Display-only. Identifies the Format for this line item.  |
| Vendor Item Identifier                    | Display –only. Identifies a vendor item identifier if one has been provided by a vendor.   |
| No of Copies Ordered                      | Required. Enter the number of copies of a title being invoiced. This entry reduces the open number of parts for this line item on the PO.  |
| No. of Parts                              | Required. Enter the parts of items being invoiced for this line. This entry reduces the open number of parts for this line item on the PO.   |
| List Price                                | Basic price of an item before any discounts are taken.   |
| Discount                                  | Discount provided by the vendor/customer number/organization combination. Automatically populated from the Vendor customer number table based on the selected vendor and customer number. Can be modified for a specific title. If the vendor record has a Vendor currency noted other than the default system currency (aka US dollar), then the Vendor discount will populate the Foreign Discount field.  |
| Discount Type                             | Choose # (for Amount) or % (for Percentage).   |
| Prorate Surcharge                         | Additional charge applied to the line item based on the proportional distribution  |
| Unit Cost                                 | Optional The unit price for this line item as it appears on the invoice. This field is automatically populated using the price from the PO, but it may be changed if the invoice reflects a different price.   |
| Extended Cost                             | If this field is blank and if the No of Copies Ordered is populated, the system calculates the extended cost for this line item when you click the <b>calculate</b> button.<br><br><b>Note</b><br><br>If the field already contains a value, you must delete the value in order to populate a new value by clicking <b>calculate</b> . Override the amount as needed.  |
| Assigned To Trade In                      | Display-only. This 'Yes/No' indicator is based on the PO.  |
| Description                               | Display-only. The title of the item, retrieved from the PO.  |
| Currency Type                             | Display only. Identifies the associated vendor's currency as identified on the vendor record that is identified in the Link to Vendor/Supplier   |
| Foreign List Price                        | Basic foreign price of an item before any discounts are taken.   |
| Foreign Discount                          | Foreign discount provided by the vendor/customer number/organization combination when the vendor record has a Currency Type different from the system default currency. Should be automatically populated from the Vendor customer number table based on the selected vendor and customer number (PUR_VNDR_CUST_NBR_T: VNDR_CUST_NBR). This data can be changed for the specific title. Must identify the type of discount (amount or %.) If the vendor record does not have a Currency Type noted other than the default system currency (aka US dollar), then the discount should populate the Discount field. |
| Foreign Discount Type                     | Choose # (for Amount) or % (for Percentage).   |
| Foreign Discount Amt                      | Foreign Discount Amount is a calculated value in the foreign currency  |
| Foreign Unit Cost                         | Calculated foreign cost per unit for the item or service on this line. Calculation is the Foreign List Price less Foreign Discount amount.   |
| Exchange Rate                             | Currency conversion rate populates from the Currency rate column in the Currency Type maintenance table (which is populated each night into system as Batch from bank files). The rate will populate when user clicks action button "Calculate" on conversion tab. Optionally: when currency tab opens, currency rate may auto-populate. This may be updated up until the Requisition is approved. After that point, it may no longer be modified.   |
| <i>Bib Info</i>                           | If new item is invoiced, must be entered via the <b>Bib Editor</b> and a PO Amendment  |
| Receipt Status                            | Select the status from the drop down menu.   |
| Invoice Total Prior to Additional Charges | Display-only. The calculated sum of the <b>Total Amount</b> fields of all the line items.  |

### Modifying the Process Titles Tab

On a new, unsubmitted payment request, the Process Titles subsection of the Process Items tab will have two divisions. One line will be headed by the label “Add Item”, and the next will be headed by the label

“Current Items”. The “Current Items” section may feature multiple lines, divided by item number, each with its own “Invoice Notes” and “Accounting Lines” sub tab. Both the line items and their accounting lines are automatically carried over from the purchase order preceding the current payment request.

### **Add New Line Items**

It is possible to add additional titles or other miscellaneous line items which are listed on the invoice, even if they were not originally on the purchase order:

Users must complete the line item and linked bib in this sequential order. This will be fixed in future releases.

New line items:

- a. First click  to launch the bib editor and input your data

 Please enter details for new Bib record.

Staff Only:

Bibliographic Record Status:

Created By :

### ▼ Leader Structured Data Elements

|           |  |           |   |
|-----------|--|-----------|---|
| Length:   | <input type="text" value="#####"/>                 | RecStat:  | <input type="text" value="n - New"/>        |
| TypeCtrl: | <input type="text" value="# - No specified type"/> | CharCod:  | <input type="text" value="a"/>              |
| BaseAdd:  | <input type="text" value="#####"/>                 | EncLvl:   | <input type="text" value="# - Full level"/> |
| LengLeng: | <input type="text" value="4"/>                     | LengStar: | <input type="text" value="5"/>              |

Leader:

### ▼ Control Fields

001:

003:

005:

Show 006 Structured Data Elements

006:

Show 007 Structured Data Elements

007:

## Note

For more information about the [bibliographic editor](#), see the [OLE Guide to Describe and Manage](#).

- b. Return to the Payment Request browser tab and add transactional data to the line (quantity, price, category etc.).
- c. After both are complete, click on  to save the line. This will update and link the bib and Description.
- d. Then depending on the document, finish with rest of edits, add accounting lines, **calculate**, **save** etc.
- e. After the **add** button is clicked, the Bibliographic information will show up in the Process Titles section. To add accounting information to each of the items you have added, click the  button next to Accounting Lines:

| Item 1 |                                     |                                     |            |   |   |                      |  |                   |       |
|--------|-------------------------------------|-------------------------------------|------------|---|---|----------------------|--|-------------------|-------|
|        | Qty                                 | 1.00                                | EA<br>EACH | 1 | EMIL NOLDE, EMIL<br>SCHUMACHER :<br>VERWANDTE<br>SEELEN,NOLDE, EMIL,<br>1867-1956,COLOGNE<br>DUMONT<br>2011,9783832193515 | 45.00                |  | 45.00             | 45.00 |
| 1      | Bib                                 | <input type="button" value="view"/> | Requestor  |   | HUNTLEY, KEISHA Y   |                      |  |                   |       |
|        | Options                             | Format                              | Category   |   |   | Item Price<br>Source |  | Request<br>Source |       |
|        | <input type="button" value="show"/> | Notes                               |            |   |   |                      |  |                   |       |
|        | <input type="button" value="show"/> | Accounting Lines                    |            |   |   |                      |  |                   |       |

### Editing existing line items

Click on the  button to edit the linked bib of the existing line item. When completed, you will be returned to your working purchasing document.

## Note

You will not yet see your revised Description from the updated bib, until you complete further actions on the overall purchasing document, such as **save**, **submit**, or **blanket approve**. If you are only saving your doc, and wish to see Description updates, you may need to **save** or **save & reload** the e-Doc AFTER making updates in the bib- in order to update its description with linked bib changes-- prior to **submit** or **blanket approve**

### Invoice Notes and Accounting Lines Section

Invoice Notes and Accounting lines, for fund accounting, are hidden beneath the Items section; they can be shown by clicking the  button next to each:

## Paying for Materials: Standard Transactional E-Docs

| Item Line #  | Open Qty         | PO Unit/Ext Price | Format   | Vendor Item Identifier | * No of Copies Ordered | * No. of Parts | List Price  | Discount                                | Discount Type  | Prorated Surcharge | Unit Cost                                  | Extended Cost | Assigned To Trade In | Description  | Action                             |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
|--|------------------|-------------------|----------|------------------------|------------------------|----------------|-------------|---|--|--------------------|--|---------------|----------------------|--|------------------------------------|------------------|--|--|--|--|--|--|--|--|--|--|--|--------|--|--|--|--|--|--|--|--|--|--|--|---------|------------------|-------------|----------|------------|---------|------------|-------------|-----------|---------|--|--|--|--|--|--|--|--|------|------|------------------------------------|--|----|---------|--|------|--|--|--|-------|--------|--|--|
| 1  |                  | 39.9500           |          |                        | 1                      | 1              | 39.95       | 0.00                                    | %  | 0.0000             | 39.9500                                    | 39.95         | No                   | CREATION AND EVOLUTION., GOODMAN, LENN EVAN, 1944., LONDON 2010, 9780415913812 |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <b>Bib Info:</b> Bib Editor <input type="button" value="edit"/> Receipt Status <input type="text"/>  |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <input type="button" value="hide"/> Invoice Notes  |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <b>Note:</b>   |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  | <input type="button" value="add"/> |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <input type="button" value="hide"/> Accounting Lines   |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <table border="1"> <thead> <tr> <th colspan="11">Accounting Lines</th> <th><input type="button" value="hide detail"/></th> </tr> <tr> <th colspan="11">Source</th> <th></th> </tr> <tr> <th>* Chart</th> <th>* Account Number</th> <th>Sub-Account</th> <th>* Object</th> <th>Sub-Object</th> <th>Project</th> <th>Org Ref Id</th> <th>* Dollar \$</th> <th>* Percent</th> <th colspan="2">Actions</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>0.00</td> <td colspan="2"><input type="button" value="add"/></td> </tr> <tr> <td>BL</td> <td>2947430</td> <td></td> <td>7112</td> <td></td> <td></td> <td></td> <td>39.95</td> <td>100.00</td> <td colspan="2"> <input type="button" value="delete"/> <input type="button" value="bal inquiry"/> </td> </tr> </tbody> </table> |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  |                                    | Accounting Lines |  |  |  |  |  |  |  |  |  |  | <input type="button" value="hide detail"/> | Source |  |  |  |  |  |  |  |  |  |  |  | * Chart | * Account Number | Sub-Account | * Object | Sub-Object | Project | Org Ref Id | * Dollar \$ | * Percent | Actions |  |  |  |  |  |  |  |  | 0.00 | 0.00 | <input type="button" value="add"/> |  | BL | 2947430 |  | 7112 |  |  |  | 39.95 | 100.00 | <input type="button" value="delete"/> <input type="button" value="bal inquiry"/> |  |
| Accounting Lines   |                  |                   |          |                        |                        |                |             |   |  |                    | <input type="button" value="hide detail"/> |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| Source   |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| * Chart  | * Account Number | Sub-Account       | * Object | Sub-Object             | Project                | Org Ref Id     | * Dollar \$ | * Percent                               | Actions  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
|  |                  |                   |          |                        |                        |                | 0.00        | 0.00                                    | <input type="button" value="add"/>   |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| BL   | 2947430          |                   | 7112     |                        |                        |                | 39.95       | 100.00                                  | <input type="button" value="delete"/> <input type="button" value="bal inquiry"/> |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <b>Invoice Total Prior to Additional Charges:</b>  |                  |                   |          |                        |                        |                | 39.95       |   |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <b>Additional Charges</b> <input type="button" value="show"/>  |                  |                   |          |                        |                        |                |             |   |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |
| <b>Grand Total:</b>  |                  |                   |          |                        |                        |                | 39.95       | <input type="button" value="Close PO"/> |  |                    |  |               |                      |  |                                    |                  |  |  |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |  |  |         |                  |             |          |            |         |            |             |           |         |  |  |  |  |  |  |  |  |      |      |                                    |  |    |         |  |      |  |  |  |       |        |  |  |

### Invoice Notes section definition

| Title | Description   |
|-------|---|
| Note  | Optional. Free text note to include additional information about the invoiced item. |

### Accounting Lines section definition

| Title          | Description  |
|----------------|--|
| Chart          | Required. Select the chart code from the <b>Chart</b> list.  |
| Account Number | Required. Enter the account number or search for it from the <b>Account</b> lookup <input type="button" value="lookup"/> .         |
| Sub-Account    | Optional. Enter the sub-account number or search for it from the <b>Sub-Account</b> lookup <input type="button" value="lookup"/> . |
| Object         | Required. Enter the object code or search for it from the <b>Object Code</b> lookup <input type="button" value="lookup"/> .        |
| Sub-Object     | Optional. Enter the sub-object code or search for it from the <b>Sub-Object</b> lookup <input type="button" value="lookup"/> .     |
| Project        | Optional. Enter the project code or search for it from the <b>Project</b> lookup <input type="button" value="lookup"/> .           |
| Org Ref Id     | Optional. Enter the appropriate data for the transactions.   |
| Dollar \$      | Display only. Calculated total dollar amount that will be applied to the Line Account.   |
| Percent        | Indicates the Percentage that will be applied to the Line Account. System default data value 100%.                                 |
| Actions        | Add or delete lines as appropriate.  |

Accounting lines are carried over from the purchase order related to the payment request. A new accounting line will be followed by an  action button, and existing accounting lines will be followed by both a  action button and a  action button.

## Tip

If the account chosen has sufficient funds checking and the threshold is reached, you may be blocked from using the account or you may receive a warning (depending on the chosen notification on the account) when the document is saved and the Fiscal Officer will be notified when the document is submitted.

Charges can be shared among multiple funds by percentage. A blank line for adding an additional fund appears for each title, above the line/s already added:

| Accounting Lines <span style="float: right;">hide detail</span> |             |                  |             |          |            |         |            |             |           |                       |
|---|-------------|------------------|-------------|----------|------------|---------|------------|-------------|-----------|-----------------------|
| Source  | * Chart     | * Account Number | Sub-Account | * Object | Sub-Object | Project | Org Ref Id | * Dollar \$ | * Percent | Actions               |
|   |             |                  |             |          |            |         |            | 0.00        |           | add                   |
|   | * Chart     | * Account Number | Sub-Account | * Object | Sub-Object | Project | Org Ref Id | * Dollar \$ | * Percent | Actions               |
| BL  | BLOOMINGTON | 2947488          | FOLKLORE    | 0110     |            |         |            | 0.00        | 50        | delete<br>bal inquiry |
|   |             |                  |             |          |            |         |            |             |           |                       |
| BL  | BLOOMINGTON | 2947491          | HISTORY     | 0110     |            |         |            | 0.00        | 20        | delete<br>bal inquiry |

## Account Summary Tab

The Account Summary tab will summarize all accounts attached to the payment request and their respective charges after calculation. Information in the account summary is divided first by account, then by line item or additional charges line. Charges prorated to multiple accounts will be represented separately. Any changes made to accounting line items will not be updated until the PREQ has been calculated and the “Refresh Account Summary” button at the top of the tab has been clicked.

Click [refresh account summary](#) to reload the page and view all the fiscal years, accounting lines and dollar amounts for this requisition.

## View Related Documents Tab

The **View Related Documents** tab collects information about Purchasing/AP documents related to this document. For example, it displays identifying information and any pertinent notes for associated requisitions, the purchase order, receiving documents, other payment requests for this PO, and credit memos. Within each document type the documents are listed in order, with the most recent first.

| View Related Documents <span style="float: right;">hide</span>                                     |          |
|--|----------|
| <b>Related Documents</b>   |          |
| Requisition - 1037 <span style="float: right;">hide</span>   | No Notes |
|  |          |
| Purchase Order Close - 1039 <span style="float: right;">hide</span><br>Purchase Order - Doc # 4343 | No Notes |
|  |          |
| Invoice - addichargestest2 <span style="float: right;">hide</span>                                 | No Notes |

## Process Overview

### Business Rules

- Partial payment/short-pay is allowed. Multiple payments against a PO or PO line item are allowed.
- Every payment request must be processed against a specific open PO document. This PO must be specified when the payment request is initiated.

### Note

Many to one Purchase Order to Invoice.

- If the vendor number and invoice number match values previously processed, a warning notifies the initiator of the potential duplicate. Even so, the system allows the initiator to override the warning and continue.



- If the invoice amount and invoice date match values previously processed for this vendor, a warning notifies the initiator of the potential duplicate. Even so, the system allows the initiator to override the warning and continue.
- Insufficient funds in the assigned budget will stop a payment from processing.
- Pay Date may not be a past date. If the pay date is more than 60 days in the future, a warning is received.
- Discounts applied from payment terms do not apply to freight or shipping and handling charges.
- Additional charges items that were not specifically funded on the purchase order are allocated to accounting lines in proportion to the item amounts on the purchase order if no allocation noted, else:
  - OLE offers prorating as form of incorporating additional charges within each line item unit cost.
- The **calculate** button must be pressed prior to submitting the payment request.
- Accounts Payable can close the PO during the processing of an invoice if the invoice will complete the order.
- The following G/L entries are created when the payment request is submitted.
  - Debit entry: The expense accounts (full accounting string) on the payment request are debited in the G/L when the initiator submits the document. The G/L entry is made in summary for each accounting string. Consequently, if three line items on a payment request use the same accounting string, only one debit (not three) is created in the G/L for that accounting string.)
  - Credit entry: One offset to object code 9041 is created for each account/sub-account combination on a payment request.
- During fiscal officer approval routing of the PREQ, the fiscal officer/PREQ delegate may edit the accounts/sub-account/object codes and amounts. The existing account string is reversed. The new account string debits the expense and credits object code 9041, the liability offset.
- After being canceled, the G/L entries are reversed, any disencumbrance created from AP submission of the payment request is reversed, and the PO open quantities that were decremented from the creation of the payment request are increased. Only authorized users may cancel a Payment Request document.
- Only authorized users may modify a payment request's pay date, attachment flag, special handling instructions, immediate pay flag, and check stub notes. This action may be taken at any point following AP submit and preceding extract to PDP.
- Payment request searches are available to all users.
- A payment request that is Hold = 'yes' or is Request Cancel = 'yes' does not continue through workflow routing and cannot be paid until the hold or request cancel is removed.
- If payment requests total less than the threshold established by the institution and do not have any accounts requiring positive approval, they may be automatically approved.

### **Tip**

Sites not wishing to use this functionality can circumvent it by setting a very low threshold (as low as \$0.01 to effectively turn the feature off).

- After being extracted, a payment request cannot be put on hold.
- A payment request is extracted for payment if the following conditions are met:

- The PREQ is department-approved or auto-approved.
- The Pay Date is today or a prior date or 'immediate pay' is indicated and the payment has departmental approval.
- The payment is not Hold = 'yes'.
- If the payment request includes accounts that are excluded from auto-approval, it must be department-approved.


## Routing

- An AP Processor selects the **submit** button to complete the processing of a payment request document. The document routes to 'Awaiting AP Review' status if Require\_attachment\_ind='Y'. The AP Review status may be satisfied by an image attachment or in another fashion (configurable at your institution). After AP review, the document routes for fiscal officer or fiscal officer delegate approval. At the AP Review routing level, approvers cannot change content on the document. They may only add notes/ attachments and approve or cancel.
- In addition to normal account review and organization review, the Payment Request document includes the following special condition routing:
  - Sub-Account Manager: An optional role that allows users to receive workflow action requests for documents that involve a specific account number and sub-account number. The role name is Sub-Account Reviewer. Approvers at this level may only approve, request cancel, and hold the document. They cannot change content.
  - Chart Approval: An optional role that allows users to receive workflow action requests for documents of a specified type that contain accounts belonging to a specified chart and organization (including the organization hierarchy) and within a certain dollar amount or involving a specified override code. The role name is Accounting Reviewer. Approvers at this level may only approve, request cancel, and hold the document. They cannot change content.

## Post Processing

- Unlike other KUALI OLE documents, G/L entries for this document are created prior to final approval. Upon document submission to Workflow, disencumbrance entries and actual charges are generated, written to the G/L pending entry table, and posted in the nightly G/L batch cycle. If fiscal officers change accounting strings or redistribute the charges within their accounts, G/L entries are generated to reverse the original actual entries and recreate them (encumbrances are not altered) and these entries are written to the GL Pending table for posting in the next batch cycle.
- Upon document submission, PO line item details (open quantity, amount paid, etc.) are adjusted to reflect materials/services that have been paid.
- Upon document submission, the 'ap-approved' timestamp will be updated.
- If the department completes all of the approvals through Workflow, the payment request status is updated to 'Dept-Approved' during post-processing. If the document is automatically approved through the batch auto-approve script, its status is updated to 'Auto-Approved'.
- Canceling a payment request that has already received some level of approval will result in reversing G/L entries (encumbrances and actuals) and reversing updates to the PO line items affected (open quantity, amount paid, etc.).
- Once a payment request has been approved, an audit-trail entry is added to the request's **Route Log**.


**The Timing of G/L Update:** After a Payment Request document has been created and submitted, it updates the G/L the next time a batch process runs. Note that this timing is different from that of most KUALI OLE docs, which do not update the G/L until the document receives all approvals. If accounting entries on the document change before it reaches 'Final' status, the G/L entries is updated accordingly the next time a batch process runs.



## Initiating a Payment Request Document

1. Select **Payment Request** from the **Paying** submenu on the **Select/Acquire** tab.

The system displays a blank **Payment Request Initiation** tab with a new document ID.

2. Enter the purchase order number, invoice number, invoice date, and vendor invoice amount on the **Payment Request Initiation** tab.
3. Click  .
4. Complete the **Vendor** tab.
  - a) Verify that the address on invoice is the same as the one on the Vendor file.

- b) Enter the Acquisition Unit's Vendor Account/ Vendor Info Customer #as needed.
  - c) Modify payment terms as needed.
  - d) Add check stub notes or special handling instructions if requested.
5. Complete the **Invoice Info** tab.
- a) Select **Immediate Pay** if applicable.
  - b) Select **Payment Attachment Indicator**, if applicable.
  - c) Clear the pay date if the payment terms have been modified and the system-calculated pay date is desired.
6. Complete the **Process Items** tab:
- a) In the **Process Titles** section, enter the number of copies and parts.
  - b) In the **Additional Charges** section enter an extended cost amount if needed. Miscellaneous charges require a description.
7. Complete the common tabs as necessary: **Document Overview, Notes and Attachments, Ad Hoc Recipients**, and **Route Log**.

### Note

For more information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

### Close Purchase Order

An authorized user can opt to **Close PO** at the completion of the Payment Request, via a checkbox by the document total charges:

|   |                                     |             |
|---|-------------------------------------|-------------|
| <b>Invoice Total Prior to Additional Charges:</b> |                                     | <b>39.9</b> |
| <b>Additional Charges</b>                         | <input type="button" value="show"/> |             |
| <b>Grand Total:</b>                               |                                     | <b>39.9</b> |

Alternatively, Purchase Orders can be closed via action buttons at the bottom of Purchase Order once payments have been completed. Accounts Payable staff has the **Close PO** flag for non-recurring purchase orders available while processing the payment request

- 8. Click . (OLE will expect you to calculate an invoice before you **submit** or **save** it.)
  - 9. Click . **Submit** or **approve** the payment request, depending on your OLE permissions and the workflow at your institution. Submitting a payment request uses the OLE internal routing mechanism to route it to the designated approving officer at your institution.
10. Appropriate Sub-Account, fiscal officers, and organization reviewers approve the document.

Approving a payment request is only available to authorized users. (In OLE 0.6, you can log in as user ole-abeal to have approval capabilities). An approved payment request will trigger the system to transmit data to another designated system, like a university's accounts-payable system. This will be in future releases.

## Note


For more information about how to approve a document, see [Workflow Action Buttons](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Putting a Payment Request on Hold

An AP user or an approver who receives a payment request for approval may choose to put the payment request on hold or remove a hold from the payment request.

To place a payment request on hold, you must attach a note to the document explaining the reason it has been put on hold. The payment request is then marked as **Hold** = 'Yes'. **Hold** is an indicator; the document's status does not change.

The hold flag prevents a payment request from being extracted and paid. A payment request may be put on hold any time between submit and the time it is extracted to the Pre-Disbursement Processor. When a document is taken off hold, it retains the status it had when the hold flag was turned on.



11. Click the  button.

12. In the field displayed, enter a reason for putting the payment on hold.

Please hold the Payment Request now.

\* Please enter the reason below:

Hold for confirmation of receipt.

yes no

13. Click **yes** to put the payment request on hold.

The payment request is marked Hold='yes' and a large header appears at the document indicating who placed the order on hold.

### This Payment Request has been Held by RENFROW,ROBERTA G

| Document Overview        |  | hide                |
|--------------------------|--|---------------------|
| <b>Document Overview</b> |  |                     |
| * <b>Description:</b>    | PO: 1017 Vendor: ABC CLEANING SERVICES | <b>Explanation:</b> |
| * <b>Year:</b>           | 2008                                   |                     |
| <b>Total Amount:</b>     | 30.00                                  | <b>Org. Doc. #:</b> |

## Removing a Hold from the Payment Request

Either the person who placed a payment request on hold or an AP supervisor may take a payment request off hold. This user must provide a reason for taking the payment request off hold.

14. Open the document and click the **remove hold** button.

Route Log **show**

General Ledger Pending Entries **show**

View Related Documents **show**

View Payment History **show**

Status History **show**

**remove hold** **route report** **reload** **approve** **close**

15. In the window displayed, provide a reason for taking the payment request off hold.

Please remove the hold on Payment Request now.

\* Please enter the reason below:

Goods received. Okay to pay.

yes no

16. Click **yes** to take the payment request off hold.

## Cancellation of Payment Request

The Account Payable Processor who receives a payment request may choose to request cancellation of the payment request or may remove the request cancellation of the payment request.

### Requesting To Cancel a Payment Request

An approver who receives the payment request may choose to request that it be canceled. After a request cancel has been made, the payment request cannot be routed or paid until the cancel request is removed.

A request cancel may be made any time after the payment request has begun routing for approval and before it has received fiscal officer approval. After a request cancel has been made, the actual cancellation is performed by Accounts Payable.

### Tip

After a payment request has received fiscal officer approval, it may still be canceled by Accounts Payable until it is extracted to the Pre-Disbursement Processor.

To request cancellation:

17. Open the document and click the **request cancel** button.

General Ledger Pending Entries **show**

View Related Documents **show**

View Payment History **show**

Status History **show**

hold **request cancel** route report reload approve

18. In the window displayed, provide a reason for canceling the request.

Please request to cancel the Payment Request now.

\* Please enter the reason below:

Duplicate payment made on invoice #123456.

yes no

19. Click **yes** to cancel the payment request.

The document provides an informational message stating who has requested cancel of the document.

**This Payment Request has been Requested for Cancel by RENFROW,ROBERTA G**

Document Overview hide

| Document Overview     |   | Explanation:        |
|-----------------------|---|---------------------|
| * <b>Description:</b> | PO: 1030 Vendor: ACCOUNTING CONSULTANTS |                     |
| * <b>Year:</b>        | 2008                                    |                     |
| <b>Total Amount:</b>  | 2,475.00                                | <b>Org. Doc. #:</b> |

## Removing a Request to Cancel

Only the AP supervisor or the approver who originally requested cancellation may remove the cancellation request.

Route Log show

General Ledger Pending Entries show

View Related Documents show

View Payment History show

remove request cancel route report save reload close

20. Click **remove request cancel**



Please remove the request to cancel the Payment Request now.

\* Please enter the reason below:

Payment should be made. Removing request cancel

yes no

The screenshot shows a web form with a title bar. The main content area contains the text 'Please remove the request to cancel the Payment Request now.' followed by a red asterisk and the text '\* Please enter the reason below:'. Below this is a text input field containing the text 'Payment should be made. Removing request cancel'. At the bottom of the form are two buttons labeled 'yes' and 'no'.

21. Enter the reason for removing the request cancellation request.

When the request cancel is removed, the document retains the status it had before the **request cancel** flag was set.

## Automated Approval

Your institution may use an automated approval function for payment request documents. For payment requests that qualify for auto-approval, the system automatically enters 'Processed' status on the pay date. Any user who normally would have received the document for approval instead receives an acknowledgment copy of the document in his or her **action list**.

### Tip

Specific accounts may be excluded from auto-approval by adding them to the Auto Approve Exclude administration table. If one account on a PREQ document is excluded from auto-approval, the entire document is excluded.

A payment request is eligible for auto-approval if:

- The total invoice amount is less than the auto-approve threshold designated by your institution.
- All accounts on the Payment Request document allow for auto-approval.
- The payment is not on hold.
- The payment is not on request cancel.

---


# Chapter 5. Receiving Materials: Standard Transactional E-docs

## MONOGRAPH RECEIVING

[Create](#)  
[Search](#)

[Claim Notices](#)  
[Claim Response Update](#)  
[Receiving and Claiming Queue](#)


## SERIALS RECEIVING

 [Claim](#)  
[Search & Receive](#)



On the Select/Acquire tab, the Receiving submenu provides access to receiving e-documents.

## Monograph Receiving Search



OLE offers a customized document search related to receiving. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

**Maintenance Links:**

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

**Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.


**Note**

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

**Note**

For information about Document lookup fields that are specific to receiving, see “Document Layout” under [Receiving \(Line Item Receiving\)](#).

## Monograph Receiving (Line Item Receiving)



The Line Item Receiving (RCV) document is used to acknowledge the receipt of goods or services on purchase order line items for which a quantity is given. Line item receiving is used to record the quantities of items received, damaged, returned or unordered on a purchase order.

When the purchase order routing is completed and the PO becomes fully approved, if the **Receiving Required** flag is not 'Yes,' the attributes of the purchase order are compared to the Receiving Thresholds table. If one of the attributes on the purchase order matches the Thresholds table, then the **Receiving**

**Required** flag is set to 'Yes'. Amendments are also evaluated to determine whether the flag should be set if payment requests have not yet been processed against the purchase order.

When receiving is required, the Receiving document is processed against a purchase order to satisfy confirmation of satisfactory receipt of the goods.

### Note

**When receiving is satisfied, the payment request is eligible for auto approval for payment without regard to dollar amount limits.** For this reason, it is important that the fiscal officer (or delegate) understand that the receiving document does not replace the fiscal officer (or delegate's) responsibility to confirm that accounts are properly charged and the proper amount is paid. The receiving document satisfies the receipt of goods only. The fiscal officer or delegate is responsible for ensuring that the amounts to be paid are correct and the correct accounts are charged.

### Note

When receiving required is 'Yes', the payment request document does not route for fiscal officer approval until sufficient quantity has been documented as received.

### Note

The auto approval process is designed to push payments through so that vendors are paid on time. The fiscal officer is permitted to approve all payments, not just those that require positive approval.

## Document Layout

Line Item Receiving documents may be created in several ways—by selecting the Search or Create link on the **Select/Acquire** menu or by viewing the purchase order and then clicking the **receiving** button. OLE also contains a [Receiving Queue](#) for quick, straightforward receiving.

## Line Item Receiving Initiation Tab

When you first access the Line Item Receiving document, the system displays the **Line Item Receiving Initiation** tab. The fields on the initiation screen are used to detect duplicate entries. Initiating the Line Item Receiving document in this manner allows the system to provide feedback to you regarding potential duplicate entries.

The screenshot shows a web form titled "Line Item Receiving Initiation" with a "hide" button. The form contains the following fields:

- \* Purchase Order #:
- \* Date Received:
- Packing Slip #:
- Bill of Lading #:
- Carrier:

At the bottom of the form are two buttons: "continue" and "clear".


Here you enter information to create a new Line Item Receiving document.

### Line Item Receiving Initiation tab definition

| Title | Description |
|-------|-------------|
|-------|-------------|

## Receiving Materials: Standard Transactional E-docs

|                  |   |
|------------------|---|
| Purchase Order # | Required. Enter the PO number associated with the goods for which line item receiving is being processed. |
| Date Received    | Required. Enter the date of the vendor's receiving document.  |
| Packing Slip #   | Enter the packing slip number if included on the receiving document.                                      |
| Bill of Lading # | Enter the bill of lading number if included on the receiving document.                                    |
| Carrier          | Select from the list to specify the freight carrier used by the Purchasing Department.                    |

Click the  button to display tabs of the main Line Item Receiving document.

## Line Item Receiving Document

This main screen for the Line Item Receiving document includes unique **Vendor**, **Titles**, and **Delivery** tabs in addition to the standard tabs that display at the bottom of a financial transaction document.

### Note

For more information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

Doc Nbr: 4374
Status: SAVED

Initiator: ole-ksuntley
Created: 03:26 PM 10/07/20

Line Item Receiving Doc Status: In Process

expand all | collapse all

\* required field

---

Document Overview ▼ hide

\* Description: PO: 1016 Vendor: YBP Library Services

Organization Document Number:

Explanation:

Vendor ▼ hide

\* Vendor: YBP Library Services

Vendor #: 12106-0

\* Address 1: 999 Maple Street

Address 2:

\* Date Received: 10/07/2013

Packing Slip #:

Bill Of Lading #:

\* City: Contoocook

State: NH

\* required for US Postal Code: 03229

\* required for US Country: United States

Reference #:

Carrier:

Titles ▼ hide

Receiving Line Items load qty received | clear qty received

| Line # | Vendor Item Identifier | Description  | Format | Qty Ordered | No Parts Ordered | Prior Qty Rcd | Prior Parts Rcd | Qty to be Rcd | Parts to be Rcd | Item Received Total Quantity | Item Returned Total Parts | Item Returned Total Quantity | Item Returned Total Parts | Item Damaged Total Quantity | Item Damaged Total Parts | Addition Reason | Available to Public                 | Actions  |
|--------|------------------------|--|--------|-------------|------------------|---------------|-----------------|---------------|-----------------|------------------------------|---------------------------|------------------------------|---------------------------|-----------------------------|--------------------------|-----------------|-------------------------------------|--|
| 1      |                        | LOVE POEMS, LETTERS, AND REMEDIES OF OVID; TRANS. BY DAVID R. SLAVITT. OVID, 43 B.C.-17 OR 18 A.D. HARVARD UNIV PRESS. 9780674259047 |        | 1           | 1                | 0             | 0               | 1             | 1               | 0                            | 0                         | 0                            | 0                         | 0                           | 0                        |                 | <input checked="" type="checkbox"/> | <input type="button" value="edit"/> <input type="button" value="receive"/> |

Bib Info:  Bib Editor  Action:

Exception Notes

Receipt Notes

Special Processing Instructions

Delivery

View Related Documents

Notes and Attachments (0)

Route Log

## Document Overview Tab

The **Document Overview** tab is standard except that the **Description** field defaults to the purchase order number and vendor's name.

Document Overview ▼ hide

\* Description: PO: 1016 Vendor: YBP Library Services

Organization Document Number:

Explanation:

Receiving Materials: Standard  
Transactional E-docs

### Document Overview tab definition

| Title       | Description  |
|-------------|--|
| Description | Defaults to the purchase order number and vendor's name  |
| Org. Doc. # | The organization document number. If the organization does not use an internal referencing system, this field is left blank.                             |
| Explanation | Allows you to include additional information about the document that does not fit into the <b>Description</b> field (which is limited to 40 characters). |


## Vendor Tab

The **Vendor** tab contains vendor details related to the items being received.

### Vendor tab definition

| Title            | Description   |
|------------------|---|
| Vendor           | Display-only. The vendor name from the Purchase Order document.   |
| Vendor #         | Display-only. The OLE-generated identifying number assigned to this vendor.   |
| Address 1        | Display-only. The first line of the address for the selected vendor.  |
| Address 2        | Display-only. The second line of the address for the selected vendor.   |
| Date Received    | Required. Defaults from the initiation tab but can be changed.  |
| Packing Slip #   | Defaults from the <b>Line Item Receiving Initiation</b> tab but can be edited.  |
| Bill of Lading # | Defaults from the <b>Line Item Receiving Initiation</b> tab but can be edited.  |
| City             | Display-only. The city associated with this vendor. This entry is required under certain circumstances (such as, for a U.S. address).       |
| State            | Display-only. The state associated with this vendor.  |
| Postal Code      | Display-only. The postal code for this vendor address. Postal codes are required under certain circumstances (such as, for a U.S. address). |
| Country          | Display-only. The country associated with this vendor.  |
| Reference #      | Allows you to add additional information that will assist with document searching.  |
| Carrier          | Defaults from the <b>Line Item Receiving Initiation</b> tab but can be edited.  |

## Title Tab

The **Title** tab displays the lines of the PO that this receiving document relates to. On this tab the quantity received for each line item number is recorded. If known at this time, quantity returned and quantity damaged are also recorded; otherwise, this information can be added later by using the Receiving Correction document. Click  to receive the title, click **edit** to access the Bibliographic Editor and modify the record.

### Note

To receive additional titles on a PO, users must create a purchase order amendment (POA). A POA is created when a change or addition is made to an existing PO. If the existing PO is open

## Receiving Materials: Standard Transactional E-docs

then the PO can be amended, if the PO is closed then the PO has to be opened and then amend the PO. PO amendments allows for changes in number of copies, adding a copy for a different location or fund or for adding a new title to the existing PO. To learn more about creating a POA, see [Purchase Order Amend](#)

| Line #                              | Vendor Item Identifier | Description   | Format                              | Qty Ordered    | No Parts Ordered | Prior Qty Rcd                          | Prior Parts Rcd | Qty to be Rcd | Parts to be Rcd | Item Received Total Quantity | Item Received Total Parts | Item Returned Total Quantity | Item Returned Total Parts | Item Damaged Total Quantity | Item Damaged Total Parts | Addition Reason | Available to Public                 | Actions |
|-------------------------------------|------------------------|---|-------------------------------------|----------------|------------------|--|-----------------|---------------|-----------------|------------------------------|---------------------------|------------------------------|---------------------------|-----------------------------|--------------------------|-----------------|-------------------------------------|---------|
| 1                                   |                        | LOVE POEMS, LETTERS, AND REMEDIES OF OVID; TRANS. BY DAVID R. SLAVITT., OVID, 43 B.C.-17 OR 18 A.D. HARVARD UNIV PRESS, 9780674059047 |                                     | 1              | 1                | 0                                      | 0               | 1             | 1               | 0                            | 0                         | 0                            | 0                         | 0                           | 0                        |                 | <input checked="" type="checkbox"/> |         |
| <b>Bib Info:</b>                    |                        | <b>Bib Editor</b>   | <input type="button" value="edit"/> | <b>Action:</b> |                  | <input type="button" value="receive"/> |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| <input type="button" value="show"/> |                        | <b>Exception Notes</b>  |                                     |                |                  |  |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| <input type="button" value="show"/> |                        | <b>Receipt Notes</b>  |                                     |                |                  |  |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| <input type="button" value="show"/> |                        | <b>Special Processing Instructions</b>  |                                     |                |                  |  |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |

## Receiving Titles section

### Titles tab definition

|                              |   |
|------------------------------|---|
| Title                        | Description   |
| Line #                       | Display-only. The line number on the receiving document. The line number corresponds to the line number on the purchase order.  |
| Vendor Item Identifier       | Display-only (optional for new line items) Identifies a vendor item identifier if one has been provided by a vendor.  |
| Description                  | Concatenated data values from the related bibliographic description.  |
| Format                       | Display-only (optional for new line items). Identifies the Format for this line item.   |
| Qty Ordered                  | Display-only. Indicates the original quantity ordered from the purchase order.  |
| No. of Parts Ordered         | Display-only. Indicates the original number of individual pieces ordered from the purchase order.   |
| Prior Qty Received           | Display-only. Indicates the sum of total quantity received minus total quantity returned from all previously submitted Line Item Receiving documents.                           |
| Prior Parts Rcd              | Display-only. Indicates the sum of total of parts received minus total parts returned from all previously submitted Line Item Receiving documents.                              |
| Qty to be Received           | Display-only. The <b>Quantity Ordered</b> minus the <b>Prior Quantity Received</b> .  |
| Parts to be Rcd              | Display-only. The <b>No. Parts Ordered</b> minus the <b>Prior Parts Received</b> .  |
| Item Received Total Quantity | The quantity of this item received in this shipment.<br><br><b>Note</b><br><br>If you receive additional copies of an item, you will need to fill in the <b>Copies</b> section. |
| Item Received Total Parts    | The parts of this item received in this shipment.   |
| Item Returned Total Quantity | The quantity to be returned to the vendor.  |
| Item Returned Total Parts    | The parts to be returned to the vendor.   |
| Item Damaged Total Quantity  | The quantity received that was damaged.   |
| Item Damaged Total Parts     | The part(s) received that was (were) damaged.   |
| Addition Reason              | Required. When adding items, indicates the reason this line item is being added (i.e., 'substitution' or 'not on order').   |
| Available to the Public      | Optional. Indicates whether or not a bibliographic description shall be exposed to users prior to purchase/receipt. Default is checked for yes.                                 |
| <i>Bib Info</i>              | To modify the bibliographic record, click <b>edit</b> . Click <b>receive</b> to receive the item.   |





## Receiving Materials: Standard Transactional E-docs

| Line #    | Vendor Item Identifier | Description   | Format                              | Qty Ordered  | No Parts Ordered | Prior Qty Rcd   | Prior Parts Rcd | Qty to be Rcd                          | Parts to be Rcd | Item Received Total Quantity | Item Returned Total Parts | Item Returned Total Quantity | Item Returned Total Parts | Item Damaged Total Quantity | Item Damaged Total Parts | Addition Reason | Available to Public                 | Actions |
|-----------|------------------------|---|-------------------------------------|--------------|------------------|-----------------|-----------------|--|-----------------|------------------------------|---------------------------|------------------------------|---------------------------|-----------------------------|--------------------------|-----------------|-------------------------------------|---------|
|           |                        | RIGHTS OF MY PEOPLE :<br>LILUOKALANI'S ENDURING<br>BATTLE WITH THE UNITED<br>STATES, 1893-1917, PROTO,<br>NEIL THOMAS ALGORA<br>PUBLISHING, 9780973867205 |                                     | 2            | 1                | 0               | 0               | 2                                      | 1               | 0                            | 0                         | 0                            | 0                         | 0                           | 0                        |                 | <input checked="" type="checkbox"/> |         |
| Bib Info: |                        | Bib Editor  | <input type="button" value="edit"/> |              |                  |                 |                 |  |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| show      |                        | Exception Notes   |                                     |              |                  |                 |                 |  |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| show      |                        | Receipt Notes   |                                     |              |                  |                 |                 |  |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| show      |                        | Special Processing Instructions   |                                     |              |                  |                 |                 |  |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| hide      |                        | Copies  |                                     |              |                  |                 |                 |  |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
|           |                        | Enumeration:  | Location:                           | Copy Number: |                  | Receipt Status: |                 | Action                                 |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| Copies 1  |                        | 1   | B-WELLS/BWE-RCSTACKS                | 1            |                  | Not Received    |                 | <input type="button" value="receive"/> |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |
| Copies 2  |                        | 1   | B-WELLS/BWE-RCSTACKS                | 2            |                  | Not Received    |                 | <input type="button" value="receive"/> |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |

### Copies section definition

|                |   |
|----------------|---|
| Title          | Description   |
| Enumeration    | Descriptive information for the numbering scheme of the item.                                   |
| Location       | The home location of the title being requested.   |
| Copy Number    | Identifies the number of copies a library location has of the same item.                        |
| Receipt Status | Display only. Identifies the receiving status of the item.                                      |
| Action         | Click <input type="button" value="receive"/> to receive the item and update the receipt status. |

## Delivery Tab

The **Delivery** tab contains information about where goods ordered on this order should be delivered. It also displays delivery contact information and any special delivery instructions. All fields in this tab come from the purchase order's **Delivery** tab.

| Final Delivery         |                    |
|------------------------|--------------------|
| * Delivery Campus:     | BL                 |
| Building:              |                    |
| * Address 1:           | 400 E 7th St       |
| Address 2:             | Poplars Bldg       |
| * Room:                | 402                |
| * City:                | Bloomington        |
| * State:               | IA                 |
| * Postal Code:         | 47405              |
| Country:               | UNITED STATES      |
| * Delivery To:         | RENFROW, ROBERTA G |
| Phone Number:          |                    |
| Email:                 |                    |
| Date Required:         |                    |
| Date Required Reason:  |                    |
| Delivery Instructions: | LEAVE ON DESK      |

### Delivery tab definition

|                 |   |
|-----------------|---|
| Title           | Description   |
| Delivery Campus | The campus code where the goods were delivered.                       |
| Building        | The building where the goods were delivered.                          |
| Address 1       | Address line 1 where the goods were delivered.                        |
| Address 2       | Address line 2 where the goods were delivered.                        |
| Room            | The room number where the goods were delivered.                       |
| City            | The city where the goods were delivered.                              |
| State           | The state where the goods were delivered.                             |
| Postal Code     | The postal code where the goods were delivered.                       |
| Country         | The country where the goods were delivered.                           |
| Delivery To     | The person to whom the delivery was made.                             |
| Phone Number    | The phone number of the delivery-to person. (Formatted: xxx-xxx-xxxx) |

Receiving Materials: Standard  
Transactional E-docs

|                       |  |
|-----------------------|--|
| Email                 | The email address of the delivery-to person.                               |
| Date Required         | The date the delivery was required.  |
| Date Required Reason  | If a date required was entered the date required reason is displayed here. |
| Delivery Instructions | Displays any special delivery instructions for the items.                  |

## Process Overview

To receive the item in hand:

1. Open the **Line Item Receiving** edoc.
2. In the **Titles** tab, click **receive** under the **Action** column.
3. Once you have received all the items you want from this Purchase Order, click the **blanket approve** button at the bottom of the screen. This changes the status of the Receiving e-Doc to “Complete”, and prevents any further receiving on it.

### Tip

Tip: The **blanket approve** option will only appear if you are logged in as a member of the OLE\_RCV or OLE-Receive-Mgr groups. Otherwise (if you are a member of OLE-Invoicing), you must click on the **submit** button, review the route log by opening the **Route Log** tab and click **show** next to **Future Action Requests**.

To receive a partial shipment, only receive the items that are in hand.

To return items, enter quantities in the **Item Returned** fields or **Item Damaged** fields and add an exception note. The Purchase Order will reflect the return.

## Receiving Damaged Items or Exceptions

To receive damaged items or exceptions, on the **Titles** tab of the **Receiving** e-document:

1. Open the **exception notes** subtab.

| Line #  | Vendor Item Identifier | Description   | Format | Qty Ordered | No Parts Ordered | Prior Qty Rcd | Prior Parts Rcd | Qty to be Rcd | Parts to be Rcd | Item Received Total Quantity | Item Received Total Parts | Item Returned Total Quantity | Item Returned Total Parts | Item Damaged Total Quantity | Item Damaged Total Parts | Addition Reason | Available to Public                 | Actions |  |
|---|------------------------|---|--------|-------------|------------------|---------------|-----------------|---------------|-----------------|------------------------------|---------------------------|------------------------------|---------------------------|-----------------------------|--------------------------|-----------------|-------------------------------------|---------|--|
|   |                        | RIGHTS OF MY PEOPLE : LILLUOKALANI'S ENDURING BATTLE WITH THE UNITED STATES, 1893-1917, PROTO, NEIL THOMAS, ALGORA PUBLISHING:9730375867205 |        | 2           | 1                | 0             | 0               | 2             | 1               | 0                            | 0                         | 0                            | 0                         | 0                           | 0                        |                 | <input checked="" type="checkbox"/> |         |  |
| Bib Info: Bib Editor <input type="button" value="edit"/>  |                        |   |        |             |                  |               |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |  |
| ▼ hide Exception Notes <input type="button" value="add"/> |                        |   |        |             |                  |               |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |  |
| Exception Type: Received-damaged                          |                        |   |        |             |                  |               |                 |               |                 | Note:                        |                           |                              |                           |                             | Action                   |                 |                                     |         |  |
| ▼ show Receipt Notes                                      |                        |   |        |             |                  |               |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |  |
| ▼ show Special Processing Instructions                    |                        |   |        |             |                  |               |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |  |
| ▼ show Copies   |                        |   |        |             |                  |               |                 |               |                 |                              |                           |                              |                           |                             |                          |                 |                                     |         |  |


2. Select the **Exception Type** from the drop down list.

3. Add an exception note as needed.
4. Click .

## Receiving Correction

Receiving corrections are a version of receiving for use after receiving has been completed and approved. While authorized users may continue to initiate multiple receiving documents on a single Purchase Order (subject to quantities ordered), corrections to a single document are accomplished via Receiving Correction.

Search for and open the correct receiving document. At the bottom of the screen click **correction**.




A pop-up window will appear allowing users to enter a note. This note is required to correct the receiving document. Click **yes** to proceed to the Receiving screen and make modifications or unreceive items.

## Business Rules


- When the Receiving document is submitted, the **No Of Copies Received** and **No Of Parts Received** fields are updated on the purchase order with the **Receipt Status** reflecting the item's Receiving status.
- Notes in the **Notes and Attachments** tab are used to record any additional detail about damaged goods.
- After the document has been submitted, a correction document needs to be processed to reduce or increase the quantity received, returned, and/or damaged if the original entered amounts are determined to be in error.

## Routing

If other receiving or payment actions are in progress against this Purchase Order and receiving document (i.e., and not yet approved), you may be prohibited from processing additional receiving until completed.



## Claim Notices



Claim Notices allows users to download pdf versions of the claims. The item as it appears in Claim Notice will include any notes to the vendor made at the time the claim was generated. All Claims generated will appear in the PO under the Claim History tab for that item.

Claim Notices are stored on a disk or in the cloud. This location is locally configurable by the parameter PDF\_LOCATION (Select Component).

### Note

For information about Claiming, see [Receiving and Claiming Queue](#)

# Claim Notices

## Claim Notices

Show  entries

|  |
|--|
| <a href="#">YBP_Library_Services_Claim_Notice_Tue_Apr_01_17:02:58_EDT_2014.pdf</a>     |
| <a href="#">YBP_Library_Services_Claim_Notice_Tue_Apr_01_15:17:13_EDT_2014.pdf</a>     |
| <a href="#">PHYSIK_INSTRUMENT_L.P_Claim_Notice_Tue_Apr_01_10:08:39_EDT_2014.pdf</a>    |
| <a href="#">FOREIGN_PARTNERSHIP_-CCS_Claim_Notice_Tue_Apr_01_09:25:02_EDT_2014.pdf</a> |
| <a href="#">YBP_Library_Services_Claim_Notice_Tue_Apr_01_10:03:38_EDT_2014.pdf</a>     |
| <a href="#">ALEPH-BET_BOOKS_Claim_Notice_Mon_Mar_31_11:20:16_EDT_2014.pdf</a>          |

Showing 1 to 6 of 6 entries

## Claim Response Information (Update)

Select/Acquire >

Receiving >

MONOGRAPH RECEIVING >

[Claim Response Update](#) >

# Claim Response Information

The Claim Response Update allows the user to enter information received from a vendor about an item that has been previously claimed. This information will then be saved in the Claim History tab for that item within the Purchase Order.

### Note

For information about Claiming, see [Receiving and Claiming Queue](#)

## Process Overview


On the **Select/Acquire** tab, click on the **Receiving and Claiming Queue** link listed under the **Receiving** submenu.


It will bring you to this screen:

### Claim Response Information ?

▼ **Search Conditions:**

|  |  |
|--|--|
| <b>Vendor Name:</b>  | <input type="text"/>   |
| <b>Title:</b>  | <input type="text"/>   |
| <b>Claim Date:</b>   | <input type="text"/>  |
| <input type="button" value="Search"/> <input type="button" value="Clear"/> |  |

The Claim Response Information screen allows users to search for an existing claim by the Vendor Name, Title, and Claim Date. To search, you may select a vendor from the dropdown list, fill in a partial title, and/or select the Claim Date from the calendar .




Enter the information needed and click

Once the search results display, enter the information into the Claim Response Information box to the right of the title.

### Claim Response Information ?

▼ **Search Conditions:**

|  |   |
|--|---|
| <b>Vendor Name:</b>  | <input type="text" value="YBP Library Services"/>   |
| <b>Title:</b>  | <input type="text" value="Dombey and son., Dickens, Charles."/>   |
| <b>Claim Date:</b>   | <input type="text" value="04/01/2014"/>  |
| <input type="button" value="Search"/> <input type="button" value="Clear"/> |   |

▼ **Search Results:**

| VendorName           | Title                              | Claim Date | Claim Count | Claim # | Claim Response Information |
|----------------------|------------------------------------|------------|-------------|---------|----------------------------|
| YBP Library Services | Dombey and son., Dickens, Charles. | 04/01/2014 | 1           | 3       | <input type="text"/>       |
| YBP Library Services | Dombey and son., Dickens, Charles. | 04/01/2014 | 1           | 6       | <input type="text"/>       |

Showing 1 to 2 of 2 entries




Once all information from the vendor is entered, Click **Update Claim Response Info**. A message noting “Updated Claim Response Information successfully” will appear at the top of the screen:

## Claim Response Information

Updated Claim Response Information successfully

### Search Conditions:


|  |  |
|--|--|
| Vendor Name:   | YBP Library Services   |
| Title:   | Dombey and son., Dickens, Cha  |
| Claim Date:  | 04/01/2014  |
| <input type="button" value="Search"/> <input type="button" value="Clear"/> |  |

### Search Results:

| VendorName           | Title                              | Claim Date | Claim Count | Claim # | Claim Response Information          |
|----------------------|------------------------------------|------------|-------------|---------|-------------------------------------|
| YBP Library Services | Dombey and son., Dickens, Charles. | 04/01/2014 | 1           | 3       | out of stock indefinitely; order ca |
| YBP Library Services | Dombey and son., Dickens, Charles. | 04/01/2014 | 1           | 6       |                                     |

Showing 1 to 2 of 2 entries [Previous](#) [Next](#)

# Receiving and Claiming Queue



The Receiving and Claiming Queue is intended to be a quicker way to do straightforward receiving, and offers the option to receive and pay, receive or pay without receiving, and claim.

Purchase orders with special processing instructions are filtered out of Receiving Queue searches, and must be received via the standard Line Item Receiving document. Additionally, items that have been damaged, returned, or are only part of an order must also be received through the Line Item Receiving document.

## Note

For information about Line Item Receiving, see [Receiving \(Line Item Receiving\)](#).

On the **Select/Acquire** tab, click on the **Receiving and Claiming Queue** link listed under the **Receiving** submenu.

It will bring you to this screen:

Receiving and Claiming Queue Search \* required field

|  |                                     |
|--|-------------------------------------|
| Purchase Order Number: <input type="text"/>  | Monograph: <input type="checkbox"/> |
| ISxN: <input type="text"/>   | Order Status: <input type="text"/>  |
| Title: <input type="text"/>  | Vendor Name: <input type="text"/>   |
| Order Type: <input type="text"/>   | PO Date From: <input type="text"/>  |
| Filter By Claim: <input type="checkbox"/>  | PO Date To: <input type="text"/>    |
| <input type="button" value="search"/> <input type="button" value="clear"/> <input type="button" value="cancel"/> |                                     |

The Receiving and Claiming Queue allows users to search by PO, ISXN, Title, Order type, Monograph, Vendor Name, and PO dates. The user can also filter results to find only those orders eligible for claiming by clicking the check box to the right of Filter by Claim.

This search filters for all Purchase Orders with Open statuses that have no Special Processing Instruction Notes that may have been entered on the original Requisition. (Special Processing Instruction Notes require acknowledgment during receiving. Titles with special processing instruction notes therefore cannot be received via the Receiving Queue.)

## Note

To learn more about searching, see [Searching OLE](#) on the *Guide to OLE Basic Functionality and Key Concepts* on the [Guide to OLE Basic Functionality and Key Concepts](#).

Click  .

The PO search results are retrieved and the user can choose to **Receive**, **Create Receiving**, **Pay**, or **Receive and Pay**, or **Claim**.


## Note

To receive additional titles on a PO, users must create a purchase order amendment (POA). A POA is created when a change or addition is made to an existing PO. If the existing PO is open then the PO can be amended, if the PO is closed then the PO has to be opened and then amend the PO. PO amendments allows for changes in number of copies, adding a copy for a different location or fund or for adding a new title to the existing PO. To learn more about creating a POA, see [Purchase Order Amend](#)

## Receive

This choice will allow the PO to be received without creating a payment or a general ledger entry. The PO document will move to complete and a Line Item Receiving document id will be available from the **View Related Documents** tab.

Click the **check box** to the left of the title(s) you want to receive, and then click the **receive** button at the bottom of the page:



|                                     |      |                      |               |  |  |  |   |   |  |        |        |
|-------------------------------------|------|----------------------|---------------|--|--|--|---|---|--|--------|--------|
| <input type="checkbox"/>            | 1034 | YBP Library Services | EKKLJ9GW6N3S  |  |  |  | 1 | 1 |  | 74.00  | 74.00  |
| <input checked="" type="checkbox"/> | 1035 | YBP Library Services | Toya five cag |  |  |  | 1 | 1 |  | 100.00 | 100.00 |
| <input type="checkbox"/>            | 1036 | YBP Library Services | Toya four cag |  |  |  | 1 | 1 |  | 100.00 | 100.00 |
| <input checked="" type="checkbox"/> | 1037 | Dell Inc             | Toya's test   |  |  |  | 1 | 1 |  | 643.00 | 643.00 |

select all from all pages    deselect all from all pages    select all from this page    deselect all from this page

Actions

hide

**receive**    create receiving    pay    receive and pay    claim

If this action completes the receiving expected for a given Purchase Order, the system replies in the **Actions** tab:



## Receiving Materials: Standard Transactional E-docs

|                          |      |          |             |  |  |  |   |   |  |        |        |
|--------------------------|------|----------|-------------|--|--|--|---|---|--|--------|--------|
| <input type="checkbox"/> | 1037 | Dell Inc | Toya's test |  |  |  | 1 | 1 |  | 643.00 | 643.00 |
|--------------------------|------|----------|-------------|--|--|--|---|---|--|--------|--------|

Actions

Receiving Complete : Document Ids : 4170 4171 ←

## Create Receiving

This choice will allow for changes to be made to the receiving information on the line item. This will also allow you to partially receive, receive exceptions and damaged items. Once changes are made and item received then the PO moves to the status of received.

Click the **check box** to the left of the title you want to create a receiving document for, and then click the **create receiving** button at the bottom of the page:

|                                     |      |                      |               |  |  |  |   |   |  |        |        |
|-------------------------------------|------|----------------------|---------------|--|--|--|---|---|--|--------|--------|
| <input type="checkbox"/>            | 1036 | YBP Library Services | Toya four cag |  |  |  | 1 | 1 |  | 100.00 | 100.00 |
| <input checked="" type="checkbox"/> | 1037 | Dell Inc             | Toya's test   |  |  |  | 1 | 1 |  | 643.00 | 643.00 |

Actions

This will bring up the Line item Receiving e-document.

### Note

For information about Line Item Receiving see [Receiving \(Line Item Receiving\)](#)

## Pay

This choice will allow open and received PO documents with no payments to be paid but not received. This option can be used for pre-payments and for expending funds. Payments are made by creating a new invoice or adding PO to an existing invoice.

Click the **check box** to the left of the title(s) you want to receive, and then click the **pay** button at the bottom of the page:

|                                     |      |                      |               |  |  |  |   |   |  |        |        |
|-------------------------------------|------|----------------------|---------------|--|--|--|---|---|--|--------|--------|
| <input type="checkbox"/>            | 1036 | YBP Library Services | Toya four cag |  |  |  | 1 | 1 |  | 100.00 | 100.00 |
| <input checked="" type="checkbox"/> | 1037 | Dell Inc             | Toya's test   |  |  |  | 1 | 1 |  | 643.00 | 643.00 |

Actions

This will bring up the **Add to Invoice** screen.

## Add to invoice

**Titles**  
Show  entries

| PurchaseOrder Id#                        | Vendor Name | Item Description | Item Title | Item Autho# | No of Copy Received | No of Part Received | Item Unit Price | Invoiced Price |
|--|-------------|------------------|------------|-------------|---------------------|---------------------|-----------------|----------------|
| <input checked="" type="checkbox"/> 1037 | Dell Inc    | Toya's test      |            |             | 1                   | 1                   | 643             | 643.00         |

Showing 1 to 1 of 1 entries [Previous](#) [Next](#)

**Add Titles To New Invoice**  
Invoice Date:   Vendor Invoice amount:  Vendor Invoice Number:   
Payment Method:

**Add Titles To Existing invoice**  
Invoice Document Number:

Users may choose to add titles to a new invoice or to an existing invoice.

## Add Titles to New Invoice

To add titles to a new invoice, enter the **Invoice Date** or search for it from the calendar icon .

Check the **Vendor Invoice Amount**


Enter a **Vendor Invoice Number**, a searchable number assigned by the library.

Select the **Payment Method** from the drop down list.

Click .

The invoice is created. A success message is provided below the **Add to Invoice** title containing the invoice document ID. Click the hyperlinked document ID to access the invoice.

## Add Titles to Existing Invoice

To add titles to an existing invoice, enter the invoice number in the **Invoice Document Number** or search for it from the lookup .

Click .

The existing invoice is updated. A success message is provided below the **Add to Invoice** title containing the invoice document ID. Click the hyperlinked document ID to access the invoice.

## Receive and Pay

This option will allow payment of PO documents while receiving line items.

Click the **check box** to the left of the title(s) you want to receive and pay for, and then click the **receive and pay** button at the bottom of the page:

## Receiving Materials: Standard Transactional E-docs

|                                     |      |                      |               |  |  |  |   |   |  |        |        |
|-------------------------------------|------|----------------------|---------------|--|--|--|---|---|--|--------|--------|
| <input type="checkbox"/>            | 1036 | YBP Library Services | Toya four cag |  |  |  | 1 | 1 |  | 100.00 | 100.00 |
| <input checked="" type="checkbox"/> | 1037 | Dell Inc             | Toya's test   |  |  |  | 1 | 1 |  | 643.00 | 643.00 |

[select all from all pages](#) [deselect all from all pages](#) [select all from this page](#) [deselect all from this page](#)

Actions ▼ hide

[receive](#) [create receiving](#) [pay](#) [receive and pay](#) [claim](#)

This will bring up the **Add to Invoice** screen.

## Add Titles to New Invoice

To add titles to a new invoice, enter the **Invoice Date** or search for it from the calendar icon .

Check the **Vendor Invoice Amount**

Enter a **Vendor Invoice Number**, a searchable number assigned by the library.

Select the **Payment Method** from the drop down list.




Click


The invoice and the receiving document are created. A success message is provided below the **Add to Invoice** title containing the document IDs. Click the hyperlinked document IDs to access the documents.

### Note

Receiving is not complete until the document is submitted. If the process is canceled, the items will not be received within OLE.

## Add Titles to Existing Invoice

To add titles to an existing invoice, enter the invoice number in the **Invoice Document Number** or search for it from the lookup .



Click

The existing invoice is updated and a receiving document is created. A success message is provided below the **Add to Invoice** title containing the invoice document ID. Click the hyperlinked document IDs to access the documents.

### Note

Receiving is not complete until the document is submitted. If the process is canceled, the items will not be received within OLE.

## Claim

This choice will allow any PO item eligible for a claim to be claimed and generating a Claim Notice which can then be saved locally in PDF or sent to the vendor. The item as it appears in Claim Notice will include

## Receiving Materials: Standard Transactional E-docs

any notes to the vendor made at the time the claim was generated. All Claims generated will appear in the PO under the Claim History tab for that item.

Click the **check box** to the right of the title(s) you want to claim, and then click the **claim** button at the bottom of the page:

| Receive                  | PO#  | Vendor Name          | Title    | Author               | Publisher | Edition | Claim                               | QTY Ordered | # Pts | No of Copies Rcvd | No of Parts Rcvd | ISxN | Price | Invoice Price |
|--------------------------|------|----------------------|----------|----------------------|-----------|---------|-------------------------------------|-------------|-------|-------------------|------------------|------|-------|---------------|
| <input type="checkbox"/> | 1020 | YBP Library Services | Cranford | Galskill, Elizabeth. |           |         | <input checked="" type="checkbox"/> | 1           | 1     |                   |                  |      | 0.00  | 0.00          |

select all from all pages    deselect all from all pages    select all from this page    deselect all from this page

Actions    hide

receive    create receiving    pay    receive and pay    **claim**

This will bring up the **Claim Information** screen. If multiple items were selected to claim, OLE will organize them by vendor.

## Claiming Information

### ▼ Vendors

Vendor Name  
YBP Library Services

▼ Titles

Show 10 entries    csv    xml    xls

| Title     | Claim Note           |
|-----------|----------------------|
| Cranford. | <input type="text"/> |

Showing 1 to 1 of 1 entries    First    Previous    1    Next    Last

Showing 1 to 2 of 2 entries    Previous    Next

claim    cancel

Enter any notes in the **Claim Note** area, and click **Claim**. A success message is displayed in the top left side of the screen below **Claiming Information**.

## Note

If the user wishes to save or print a list of titles to be claimed rather than complete the claiming process for those titles at this time, the list can be saved via the **Claiming Information** screen before claims are generated. Lists can be saved via CSV, XML, or XLS. The user can then click **Cancel** if they wish to not complete the claiming process.

## Serials Receiving Transaction



# Serials Receiving Record Search

## Serial Receiving Transaction<sup>?</sup>

A Serials Receiving Record is used to receive, claim and otherwise manage individual issues of a serial or continuing resource title (in a physical format, e.g., print or microform).

### Note

You must be a member of the role OLE-SELECT OLE\_Serial-Receiving role to receive serials and modify the serial receiving record.

Typically, for any currently-received serial or continuing resource, a library will use two records to store holdings and other information about a current subscription:

1. An OLE Instance Record (always linked to a Bibliographic Record and in some cases linked to a Purchase Order) with Extent of Ownership holdings statements for back issues of the title. Instance Records may also contain Item Records. Each Item Record typically represents a bound volume (or other gathering) of back issues (although Item Records may also represent individual issues). The OLE Instance Record shows the Location of all the holdings; an individual Item Record may contain its own Location if it is shelved separately. The OLE Instance Record and its linked Serials Receiving Record reflect the holdings of a single active subscription. If a serial ceases publication or the library cancels a subscription, the Serials Receiving Record can be deleted.
2. A Serials Receiving Record linked to the OLE Instance Record for the same subscription to record receipt of individual issues and show a Location for those issues that may differ from the Location in the OLE Instance Record.

The library's public user interface pulls holdings and location data from both records to present a comprehensive display to end-users.

### Note

The use of a Serials Receiving Record is completely optional and is not required. For example, some libraries may simply use the OLE Instance Record's Extent of Ownership statements to record holdings information and use the OLE Instance Record's public notes field to inform users if unbound issues are shelved separately from bound volumes. Use of the Serials Receiving Record is recommended if a library continues to claim serial issues. If a library no longer has an active subscription, no Serials Receiving Record is needed; retrospective holdings is typically recorded in the OLE Instance Record's Extent of Ownership statements along with Item Records for each volume (or other gatherings) of any bound back issues.

## Getting Started

Before proceeding with the creation of Serials Receiving Records, staff should be able to search and display both Bibliographic and Instance Records and understand their purpose and content.

### Note


For more information about performing DocStore searches, see [Document Store Search](#).

For more information about the [bibliographic editor](#), see the [OLE Guide to Describe and Manage](#). This and other OLE user guides are available for download from the [OLE Documentation Portal](#).

## Creating/Updating a Serial Receiving Record

A Serials Receiving Record can be created from two places in OLE: (1) an OLE Instance Record or (2) the Serials Receiving Record Search interface.


### Create a Serials Receiving Record Template from an Instance Record



1. From the **Search Workbench**, search for the title for which you wish to create a Serials Receiving Record.

### Note

For more information about the Search Workbench, see the [Search Workbench](#) section in [Guide to the OLE Basic Functionality and Key Concepts](#).

2. Click the record title to display the bibliographic record and then select the desired Holdings Record, i.e., the one used (or will be used) to record retrospective holdings for this subscription.
3. At the bottom of the Holdings Record display, click the  button.

---

**Extended Information**

Receipt Status:

Access Information:  [Test Link](#)

**Holding Notes**

Type:

Note:

←

### Create a Serials Receiving Record Template from the Serials Receiving Record Search Interface


1. From the **Select/Acquire** tab, under the **Receiving** menu, and listed below **Serial Receiving**, click **Receive** to open the **Serials Receiving Record Search**.

## Serials Receiving Record Search

### ▼ Search Conditions:

|            |  |              |   |             |                      |
|------------|--|--------------|---|-------------|----------------------|
| Search By: | <input type="text" value="Title"/>                       | Search Type: | <input type="text" value="All of these"/> | Search For: | <input type="text"/> |
| Operator:  | <input type="text" value="AND"/>                         |              |   |             |                      |
| Search By: | <input type="text" value="ISSN"/>                        | Search Type: | <input type="text" value="All of these"/> | Search For: | <input type="text"/> |
| Operator:  | <input type="text" value="AND"/>                         |              |   |             |                      |
| Search By: | <input type="text" value="Serials Receiving Record No"/> | Search Type: | <input type="text" value="All of these"/> | Search For: | <input type="text"/> |
| Operator:  | <input type="text" value="AND"/>                         |              |   |             |                      |
| Search By: | <input type="text" value="Local Identifier"/>            | Search Type: | <input type="text" value="All of these"/> | Search For: | <input type="text"/> |
| Operator:  | <input type="text" value="AND"/>                         |              |   |             |                      |
| Search By: | <input type="text" value="Purchase Order No"/>           | Search Type: | <input type="text" value="All of these"/> | Search For: | <input type="text"/> |
| Operator:  | <input type="text" value="AND"/>                         |              |   |             |                      |

### ▼ Search Results:

2. Select the search options and type in a search term. Click  .
3. From the results list, click **Create** to create a new Serials Receiving Record.

Whether you start with the OLE Instance Record or the Serials Receiving Record Search interface, the template that displays after clicking the Create button will be the same.



## Document Overview

**Serial Receiving Transaction** Document Number: 6367 Document Status: SAVED Initiator: ole-quickstart Created: 05:35 AM 08/13/2015 Serials Receiving Record #: 24

\* Indicates required field

▼ **Serial Receiving record**

|                          |   |                             |   |
|--------------------------|---|-----------------------------|---|
| Title:                   | "Aimai na seido" to shite no Chūgokugata shihon shugi /Katō Hiroyuki. | ISSN:                       |   |
| Author:                  | Katō, Hiroyuki,1955-  | Publisher:                  | Tōkyō : NTT Shuppan,                                  |
| PO ID:                   | <input type="text"/> <input type="button" value="Reink"/>             | Bib Record ID:              | 10003417  |
| Vendor Alias Name:       | <input type="text"/> <input type="button" value="Select Vendor"/>     | Vendor Name(* for claim):   | <input type="text"/>                                  |
| Holdings Record:         | who-81 <input type="button" value="Reink"/>                           | Call Number:                |   |
| Bound Location:          | LEHIGH  | UnBound Location:           | <input type="text"/>                                  |
| * Subscription Status:   | Received and complete or ceased                                       | Serials Receipt Work Unit:  | <input type="text"/>                                  |
| Print Label:             | <input type="checkbox"/>  | Public Display:             | <input checked="" type="checkbox"/>                   |
| Claim:                   | <input type="checkbox"/>  | Create Item:                | <input type="checkbox"/>                              |
| Copy Number:             | <input type="text"/>  | Urgent Note:                | <input type="text"/> <input type="button" value="✎"/> |
| General Receiving Note:  | <input type="text"/> <input type="button" value="✎"/>                 | Treatment Instruction Note: | <input type="text"/> <input type="button" value="✎"/> |
| * Receiving Record Type: | Main  | Claim Information:          | <input type="text"/> <input type="button" value="✎"/> |

▼ **Receive Enum/Chron Captions**

Action Interval(\* for claim):  Action Date(\* for claim):

| Enumeration          |                      |                      |                      |                      |                      | Chronology           |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| L1                   | L2                   | L3                   | L4                   | L5                   | L6                   | L1                   | L2                   | L3                   | L4                   |
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

▼ **Notes and Attachments (0)**

▼ **Route Log**

The main screen for the Serials Receiving Transaction document includes unique **Serials Receiving Record**, and **Receive Enum/Chron Captions** tabs in addition to the standard Route Log tab that display at the bottom of a document.

### Note

For more information about the route log, see [Route Log](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Serials Receiving Record Tab

The Serials Receiving record is a combination of information inherited from its linked Bibliographic, Instance, and Purchase Order Records as well as data entered by the operator when creating the record.

### Note

OLE 1.6 assumes the use of MARC bibliographic records for describing serial or continuing resource titles. OLE can store records in other formats but serials receiving features cannot be applied to records in other formats in this release.

## Receiving Materials: Standard Transactional E-docs

### Serial Receiving record

|                                 |   |                                    |  |
|---------------------------------|---|------------------------------------|--|
| <b>Title:</b>                   | *Aimai na seido* to shite no Chūgokugata shihon shugi /Katō Hiroyuki. | <b>ISSN:</b>                       |  |
| <b>Author:</b>                  | Katō, Hiroyuki,1955-  | <b>Publisher:</b>                  | Tōkyō : NTT Shuppan,                   |
| <b>PO ID:</b>                   | <input type="text"/> <a href="#">ReLink</a>                           | <b>Bib Record ID:</b>              | 10003417                               |
| <b>Vendor Alias Name:</b>       | <input type="text"/> <a href="#">Select Vendor</a>                    | <b>Vendor Name(* for claim):</b>   | <input type="text"/>                   |
| <b>Holdings Record:</b>         | who-81 <a href="#">ReLink</a>   | <b>Call Number:</b>                |  |
| <b>Bound Location:</b>          | LEHIGH  | <b>UnBound Location:</b>           | <input type="text"/> <a href="#">Q</a> |
| <b>* Subscription Status:</b>   | Received and complete or ceased                                       | <b>Serials Receipt Work Unit:</b>  | <input type="text"/>                   |
| <b>Print Label:</b>             | <input type="checkbox"/>  | <b>Public Display:</b>             | <input checked="" type="checkbox"/>    |
| <b>Claim:</b>                   | <input type="checkbox"/>  | <b>Create Item:</b>                | <input type="checkbox"/>               |
| <b>Copy Number:</b>             |   | <b>Urgent Note:</b>                | <input type="text"/> <a href="#">✎</a> |
| <b>General Receiving Note:</b>  | <input type="text"/> <a href="#">✎</a>                                | <b>Treatment Instruction Note:</b> | <input type="text"/> <a href="#">✎</a> |
| <b>* Receiving Record Type:</b> | Main  | <b>Claim Information:</b>          | <input type="text"/> <a href="#">✎</a> |

### Serials Receiving Record tab definition

| Title               | Description  |
|---------------------|--|
| Title               | Display-only. The title of the work, or the MARC 245  ab, is inherited from the Bibliographic record. Click the hyperlink to open the record in a new tab or window.   |
| Author              | Display-only. The author of the work, or the MARC 100  a, is inherited from the Bibliographic record. Alternatively, the field is blank.<br><br><b>Note</b><br><br>There is a bug (OLE-5273) to verify that we ware using MARC 100, 110, or 111 fields.  |
| PO ID               | Display-only. The purchase order number from the Purchase Order. If a purchase order was not linked to the OLE Instance, the field is blank.   |
| Vendor Alias Name   | If the vendor is inherited from the OLE Instance, the Vendor Alias will display. To add or change a vendor, enter the Vendor Alias and click <a href="#">Select Vendor</a> .<br><br><b>Tip</b><br><br>Entering a vendor alias will also populate the Vendor Name field.<br><br><b>Note</b><br><br>See OLE-4858 for possible changes. |
| Instance Record     | The local identifier of the OLE Instance record. Click the hyperlink to open the record in a new tab or window. Click <a href="#">ReLink</a> to search for and link to a new OLE Instance.   |
| Bound Location      | The Location of bound materials inherited from the OLE Instance record. Alternatively, the field is blank. This field can be edited for the public display record.   |
| Subscription Status | Select the Subscription Status from the drop down list.<br><br><b>Note</b><br><br>The Serials Receiving Record's linked Instance Record has a field labeled Receipt Status which uses the SAME values as the Subscription Status in the Serials Receiving Record.  |

Receiving Materials: Standard  
Transactional E-docs

|                            |  |
|----------------------------|--|
|                            | Assigning or changing a Subscription Status does NOT affect the Receipt Status and vice versa. Whether or not it should be the subject of <a href="#">OLE-5288</a> which will not be addressed until OLE 2.0.  |
| Print Label                | Check the box if you want OLE to print a label each time an issue is checked in. (Printers must be designated by operators.)   |
| Claim                      | Check the box if you plan to claim missing issues. If unchecked, the record will never appear on the claim alert report.<br><br><b>Note</b><br><br>Claim alert reports are planned for a future release.   |
| Copy Number                | The Copy Number inherited from the OLE Instance record. Alternatively, the field is blank.   |
| General Receiving Note     | Optional. Free-text note field, which displays on the serials receiving record, but does not require acknowledgment by the user. This note does not display to the public user interface.  |
| Receiving Record Type      | Select the Receiving Record Type from the drop down list. The default is "Main."   |
| ISSN                       | Display-only. The ISSN of the work, or the MARC 022 [a], is inherited from the Bibliographic record. Alternatively, the field is blank.  |
| Publisher                  | Display-only. The Publisher of the work, or the MARC 260 [abc], is inherited from the Bibliographic record. Alternatively, the field is blank.   |
| Bib Record ID              | Display-only. The Bibliographic record identifier for the work, or the MARC 001 without the prefix, is inherited from the Bibliographic record. Alternatively, the field is blank.   |
| Vendor Name (*for a claim) | Required for claims. If the vendor is inherited from the OLE Instance, the Vendor Name will display. To add or change a vendor, select a vendor from the drop down list. Selecting a vendor name will also populate the Vendor Alias field.<br><br><b>Note</b><br><br>See OLE-4858 for possible changes. |
| Call Number                | The call number inherited from the OLE Instance record. Alternatively, the field is blank.   |
| Unbound Location           | The location of unbound material. Type an asterisk (*) or begin to type the location code to produce a drop down menu of Locations.  |
| Serials Receipt Work Unit  | Optional. Enter a work unit for the serial.<br><br>This is a place holder for future development. See OLE-3796 for details.  |
| Public Display             | Box is checked, indicating that the serial receiving data will be displayed to the discovery layer. Uncheck the box only if you do NOT want ANY current receipt data to display in your public user interface.   |
| Create Item                | Check the box if you want to be prompted to create a new Item Record in the linked OLE Instance record each time an issue is received.   |
| Urgent Note                | Optional. If text is entered in this field, it is displayed as a dialog box when the record is displayed. The box must be acknowledged before work can continue.   |
| Treatment Instruction Note | Optional. If text is entered in this field, it is presented in a dialog box after an issue has been received i.e. special processing instructions such as "Send to bindery immediately". The box must be acknowledged before the operator can continue.  |
| Claim Information          | Optional. A free-text note field for general information about claiming which does not require acknowledgment.   |

## Receive Enum/Chron Captions Tab

▼ **Receive Enum/Chron Captions**

|   |   |
|---|---|
| Action Interval(* for claim): <input type="text"/>  | Action Date(* for claim): <input type="text"/>  |
| <b>Enumeration    Chronology</b>  |   |
| L1 <input type="text"/> L2 <input type="text"/> L3 <input type="text"/> L4 <input type="text"/> L5 <input type="text"/> L6 <input type="text"/> | L1 <input type="text"/> L2 <input type="text"/> L3 <input type="text"/> L4 <input type="text"/> |
| <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>                   | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>             |
| <input type="button" value="Receive"/> <input type="button" value="Special Issue"/> <input type="button" value="Claim"/>                        |   |

**Receive Enum/Chron Captions tab definition**

| Title                         | Description   |
|-------------------------------|---|
| Action Interval (* for claim) | Required for claims. Enter a number of days based on the frequency of the title and local policy that can be used in calculations at the time of receiving. For example, for a quarterly, the Action Interval may be 100 days.  |
| Action Date (* for claim)     | Required for claims. A date calculated at the time of any individual issue receipt by adding the action interval to today's date. The date is recalculated for each individual receipt action, overwriting the previous action date. Action Dates can be manually modified to overwrite the previous action date. |
| Enumeration L1-L6             | Enter a caption for each applicable level of enumeration, e.g., L1—v.; L2—no. Put brackets ( [ ] ) around any caption that should NOT be used when displaying an issue in the public user interface. If no captions apply, leave blank.   |
| Chronology L1-L4              | Enter a caption for each applicable level of enumeration, e.g., L1—[year]; L2—[month]. Put brackets ( [ ] ) around any caption that should NOT be used when displaying an issue in the public user interface. If no captions apply, leave blank.  |

## Process Overview

### Creating Main, Supplemental and Index Records

Libraries may create Serials Receiving Records for regularly published supplements and/or indexes as well as the main issues. This is entirely optional. [Libraries could, e.g., receive any supplements or indexes using the “Special Issue” option (see [below](#)).]

To create a record for another receiving record type:

1. Create a Serials Receiving Record for the first type you want.
2. Display this record and change the Receiving Record Type to the desired one.
3. The system will refresh the record and allow you to enter an Action Date and Enumeration/Chronology captions.
4. Click Save.

### Updating an Existing Serials Receiving Record

Perform the following steps:

1. Use the Serials Receiving Record Search interface to find the Serials Receiving Record. Or use Search Workbench to find the appropriate Instance Record from which to display the Serials Receiving Record.
2. Select the appropriate Receiving Record Type.
3. Make whatever changes are required. (Note: Action Date and Enumeration/Chronology are unique to each receiving record type. Other data applies to all of the types.)
4. Click the Save button at the bottom of the record.

## Receiving an Issue, Supplement, or Index

Once you have created a Serials Receiving Record, you are ready to receive individual issues.

1. Use the Serials Receiving Record Search interface to find the Serials Receiving Record. Or use the Search Workbench to find the appropriate OLE Instance Record from which to display the Serials Receiving Record.
2. Select Main, Supplement or Index as required.
3. If this is the first issue to be received: type in the issue data in the blank field(s) directly under each level of Enumeration/Chronology with a defined caption.
4. If this is a subsequent issue to be received: type over any issue data from the last received issue but leave alone any data that is the same, e.g., for a serial with volume, issue number, year and month, a subsequent issue may need only the issue number and month changed; you would leave the volume and year the same.
5. Click **Receive**.

The system supplies an Action Date once you receive an issue. The Action Date is today's date plus the number of days in the Action Interval.

### Note

In future releases, if no activity occurs in the record by the Action Date, the record will appear on a claims alert reports (provided that the Claim box is on).

Receipt Status "Received" and Receipt Date mm/dd/yyyy (i.e., today's date) will be updated automatically. OLE also records the receipt in the Receipt History that appears below the Enumeration/Chronology information. The columns labeled "Enumeration" and "Chronology" show the issue-specific data; notice that captions in brackets ( [ ] ) do NOT appear in the Receipt History.

A Public Receipt Note can be added for any individual issue as needed in the Receipt History. This displays in the library's public user interface.

By default, all issues are available for Public Display. Turn off as needed.

## Receiving Materials: Standard Transactional E-docs

### ▼ Receive Enum/Chron Captions

Action Interval\* for claim:  Action Date\* for claim:

| Enumeration |    |    |     |    |  | Chronology |  |    |  |    |  |      |        |    |         |    |  |    |  |
|-------------|----|----|-----|----|--|------------|--|----|--|----|--|------|--------|----|---------|----|--|----|--|
| L1          | v. | L2 | no. | L3 |  | L4         |  | L5 |  | L6 |  | L1   | [year] | L2 | [month] | L3 |  | L4 |  |
| 14          |    | 3  |     |    |  |            |  |    |  |    |  | 2014 | March  |    |         |    |  |    |  |

### ▼ Main Receipt History

|         | Enumeration | Chronology | Receipt Status | Receipt Date | Public Receipt Note | Public Display                      |  |
|---------|-------------|------------|----------------|--------------|---------------------|-------------------------------------|--|
| Details | v.14.no.3   | 2014:March | Received       | 08/15/2014   |                     | <input checked="" type="checkbox"/> | <input type="button" value="unreceive"/> |
| Details | v.14.no.2   | 2014:Feb   | Received       | 08/15/2014   |                     | <input checked="" type="checkbox"/> | <input type="button" value="unreceive"/> |
| Details | v.14.no.1   | 2014:Jan   | Received       | 08/15/2014   |                     | <input checked="" type="checkbox"/> | <input type="button" value="unreceive"/> |

Showing 1 to 3 of 3 entries

## Receiving a Special Issue

For any unexpected issue, you may record receipt by using the Special Issue feature.

1. Use the Serials Receiving Record Search interface to find the Serials Receiving Record. Or use the Search Workbench to find the appropriate OLE Instance Record from which to display the Serials Receiving Record.

2.

Click the  button to display a special window.



The image shows a window titled "Special Issue" with a large text area for notes. The word "Note:" is on the left. At the bottom, there are two buttons: "receive" and "Close".

3. Type in descriptive information in the note field.
4. Click the **Receive** button within the window.

Any receipt using the Special Issue button places the issue in the Main Receipt History as the last-received issue and any descriptive information typed into the Special Issue window is put into the Enumeration column of the resulting Receipt History. The system supplies an Action Date once you receive an issue. The Action Date is today's date plus the number of days in the Action Interval.

### Note

In future releases, if no activity occurs in the record by the Action Date, the record will appear on a claims alert report (provided that the Claim box is on).

Receipt Status "Received" and Receipt Date mm/dd/yyyy (i.e., today's date) will be updated automatically.

By default, all issues are available for Public Display. Turn off as needed.

## Deleting a Serials Receiving Record


If a subscription for a serial or continuing resource is canceled or the title ceases publication, libraries may wish to delete the Serials Receiving Record as no longer needed. This is not a requirement but a local decision, Serials Receiving Records could remain in OLE indefinitely.


Before deletion, libraries should verify that complete holdings data is entered in the linked OLE Instance Record's Extent of Ownership statement(s). Any individual issues would also typically be bound or otherwise gathered and represented by an Item Record. Additionally, the library could suppress the Receipt History information from its public user interface by setting the Serials Receiving Record's Public Display option to "no" by unchecking the **Public Display** box.

To delete a Serials Receiving Record, perform these steps:

1. Use the Serials Receiving Record Search interface to find the Serials Receiving Record. Or use Search Workbench to find the appropriate Instance Record from which to display the Serials Receiving Record.

2.



Click the  button that appears at the bottom of the record.

3. The system responds with a message indicating that the record has been successfully submitted.

In OLE, clicking **Delete** on a Serials Receiving Record sends a deletion request to a designated staff operator, one with the role of OLE-Select Operator, who can approve/disapprove the request. If approved, the Serials Receiving Record remains online but is locked and cannot be used for receiving. If disapproved, the system locks the Serials Receiving Record on which the delete request was made, but makes a second copy which can be used as before.


## Business Rules

When creating a Serials Receiving Record, required fields are marked with an asterisk ( \* ). In addition, the following logic applies.

- If the Claim box is checked, you must have a Vendor Name /Vendor Alias AND an Action Interval.
- The system supplies an Action Date once you save the record. The Action Date is today's date plus the number of days in the Action Interval.

## Note

In a future release if no activity occurs in the record by the Action Date, the record will appear on the No Serials Receipt Activity Report (provided that the Claim box is checked).

- An operator can change the Action Date by typing over the date (or clicking the calendar icon  and selecting a date) and then clicking the **Save** button.
- A Serials Receiving Record is linked to an OLE Instance Record which in turn is linked to a bibliographic record of any type; an OLE Instance Record can also be linked to a Purchase Order. There is no requirement that the bibliographic record must be coded as a “serial” or “continuing resource”, etc. nor does there have to be an open Purchase Order in order to create a Serials Receiving Record.

## Note

A Serials Receiving Record cannot be linked to an E-Instance Record.

- An OLE Instance Record can have only one Serials Receiving Record although it can be in three parts to allow for receiving different issue types of the same serial title: Main run issues, supplement issues, and index issues. Creating Serials Receiving Records to receive supplements and indexes is completely optional. For example, a library could choose to use the "Special Issue" receipt option for anything that was not a main-run issue.
- If a library has multiple subscriptions to the same title, it must create an OLE Instance Record and a Serial Receiving Record for each subscription—even if the multiple subscriptions go to the same location. There is no method for receiving two or more subscriptions on the same Serials Receiving Record.
- Issues as shown in the Receipt History—along with the Unbound Location—are available to be displayed in a library’s public user interface. This data, as well as data from the linked OLE Instance Record’s Extent of Ownership statement(s), Location(s), and Item Record information, is available for display in a library’s public user interface which controls HOW the data is presented to public users.

## Routing

By opening this tab, operators can see audit trail information regarding the history of the record. In addition, if an operator has clicked the **Delete** button to delete the entire Serials Receiving Record, the document routes to the role OLE-Select Operator for approval.



# Chapter 6. Fund

## Fund Balances

### **BUDGET ADJUSTMENT**

Create

Search

### **TRANSFER OF FUNDS**

Create

Search



On the Select/Acquire tab, the Fund submenu provides access for users to import manage library funds.

## General Ledger

The General Ledger (GL) contains numerous processes that ensure that OLE runs correctly. For users processing e-doc transactions, the most apparent of these processes are the generation of offsets and the posting of transactions to the balance tables. Other important General Ledger processes are less apparent to users. These processes ensure that transaction data are valid, that capitalization entries are created, and that indirect cost recovery and cost share transfers occur. OLE also offers related features such as sufficient funds checking and flexible offsets for institutions that want to utilize this functionality.


OLE will apply encumbrances and expenses to the General Ledger as a result of OLE implemented functionality for encumbrances, expenses, budget adjustments and transfers of funds. Real-time GL posting is made available, with certain GL entries updating their status through nightly “batch jobs”.

### Requisition

- No GL entries for this form of “pre-order”

### Purchase Order, Purchase Order Amendment, other forms of PO

- A final, “approved” Purchase Order will apply an encumbrance to the General Ledger as “pending”. During nightly batch jobs, the pending entry goes to “final”. Pending GL entries will be visible on the PO’s General Ledger Pending Entries tab, and be reflected in balance inquiries when “pending” or “all” transactions included.
- Sample: pending GL entry from approved PO with default (OLE Sample Data/object code 9892- RESV OUTSTANDING ORDR EXTRNL ENCUMBRNCES, Credit offset to the purchase order Debit) Offset- not yet processed through nightly batch job



| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| 1     | 2012        | BL    | 2947482        | .....       | 7112   | ...        | .....   | OLE PO   | EX           | FE        | 179.00 | D   |
| 2     | 2012        | BL    | 2947482        | .....       | 9892   | ...        | .....   | OLE PO   | EX           | FB        | 179.00 | C   |


Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

[sensitive data](#) [print](#) [send ad hoc request](#) [close](#)

- Sample: PO that has processed to nightly batch job- no pending GL entries



**Payment Request**

- As PREQ’s are payments to vendors, any PREQ created with accounting lines will post to the GL as “pending” whether it has completed workflow or not (unlike PO which must be final/approved).
- PREQ will reverse the encumbrance, as noted on the e-Doc, and apply the expense immediately.
- Nightly batch jobs will take approved PREQ’s to final status, and also apply liabilities to the balance sheet.
- Sample, PREQ with relieved encumbrance:

| Purchase Order Line Item Totals     |        |                                   |        |
|-------------------------------------|--------|-----------------------------------|--------|
| Encumbrance excluding freight & s/h | 179.00 | Total Encumbrance Amount Relieved | 179.00 |
|                                     |        | TotalPaidAmount                   | 179.00 |

- Sample: General Ledger Pending entries on approved PREQ (encumbrance and initial offset from PO are reversed. Expense applied with offset to Acct Payable/liability object code 9041):

| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| 1     | 2012        | BL    | 2947482        | *****       | 7112   | ---        | *****   | OLE PREQ | EX           | EE        | 179.00 | C   |
| 2     | 2012        | BL    | 2947482        | *****       | 9892   | ---        | *****   | OLE PREQ | EX           | FR        | 179.00 | D   |
| 3     | 2012        | BL    | 2947482        | *****       | 7112   | ---        | *****   | OLE PREQ | AC           | EE        | 179.00 | D   |
| 4     | 2012        | BL    | 2947482        | *****       | 9041   | ---        | *****   | OLE PREQ | AC           | LL        | 179.00 | C   |

**Fund Lookup**



**Note**

Future enhancements are to be made to the Fund Lookup. See [OLE-2824](#): Custom Account Query Dashboard.

Fund Lookup allows Libraries to monitor funds to ensure there are adequate balances available for encumbering and invoicing. Fund Lookup is also used to analyze allocations, encumbrances and expenditures.

### Ole Fund Lookup

Ole Fund Lookup
▼ hide

|  |                           |                                 |
|--|---------------------------|---------------------------------|
|  | <b>Keyword :</b>          | <input type="text"/>            |
|  | <b>* Chart Code:</b>      | <input type="text"/>            |
|  | <b>Organization Code:</b> | <input type="text"/>            |
|  | <b>* Account Number:</b>  | <input type="text"/>            |
|  | <b>* Object Code:</b>     | <input type="text"/>            |
|  | <b>Fiscal Year:</b>       | <input type="text" value="20"/> |
|  | <b>Active Indicator:</b>  | <input type="checkbox"/>        |

## Search Results

The system returns a list of funds with balance, encumbrance and expense information. There is no drill down available from this inquiry. Below is only a small sampling of results.

| Chart Code | Account Number | Account Name                   | Organization Code | Object Code | Cash balance | Free Balance | Initial Budget Allocation | Net Allocation | Encumbrances | Sum Paid Invoices | Sum Unpaid Invoices | % Expended | % Expended & Encumbered |
|------------|----------------|--------------------------------|-------------------|-------------|--------------|--------------|---------------------------|----------------|--------------|-------------------|---------------------|------------|-------------------------|
| BL         | PBRDAFE        | Brodie African Studies E-books | LACQ              | EBOOK       | 0.00         | 0.00         | 0.00                      | 0.00           | 0.00         | 0.00              | 0.00                | 0.00       | 0.00                    |
| BL         | PBRDAFE        | Brodie African Studies E-books | LACQ              | EBOOK       | 0.00         | 0.00         | 0.00                      | 0.00           | 0.00         | 0.00              | 0.00                | 0.00       | 0.00                    |
| BL         | PBRDAFE        | Brodie African Studies E-books | LACQ              | EBOOK       | 0.00         | 0.00         | 0.00                      | 0.00           | 0.00         | 0.00              | 0.00                | 0.00       | 0.00                    |
| BL         | PBRDAFE        | Brodie African Studies E-books | LACQ              | EBOOK       | 0.00         | 0.00         | 0.00                      | 0.00           | 0.00         | 0.00              | 0.00                | 0.00       | 0.00                    |
| BL         | PBRDAFE        | Brodie African Studies E-books | LACQ              | EBOOK       | 0.00         | 0.00         | 0.00                      | 0.00           | 0.00         | 0.00              | 0.00                | 0.00       | 0.00                    |
| BL         | PBRDAFE        | Brodie African Studies E-books | LACQ              | EBOOK       | 0.00         | 0.00         | 0.00                      | 0.00           | 0.00         | 0.00              | 0.00                | 0.00       | 0.00                    |

### Search Results definitions

| Title             | Description   |
|-------------------|---|
| Chart Code        | Required. A unique identifying code assigned to a chart. (Chart of Accounts is a reporting structure to group accounts and financial activity together in one set of workbooks, or documents, within OLE.)<br><br>You cannot use a wildcard when searching on this field.                       |
| Account Number    | An account is used to identify a pool of funds assigned to a specific university organizational entity for a specific purpose.  |
| Account Name      | The familiar title of an account.   |
| Organization Code | The Organization defines the entities representing units at many different levels within the institution (for example, a department, a responsibility center, or a campus).   |
| Object Code       | The Object Code represents all expense classifications that are assigned to transactions and help identify the nature of the transaction. Object codes are specific to a chart and a fiscal year and contain several attributes for financial reporting at the detail and consolidation levels. |

## Fund

|                           |   |
|---------------------------|---|
| Cash Balance              | This is the Total Allocations minus Sum Paid Invoices.  |
| Free Balance              | This is the Total Allocations minus Encumbrances, Sum Paid Invoices, and Sum Unpaid Invoices.   |
| Initial Budget Allocation | This is the amount available to be spent on this budget.<br><br>A university will commonly budget operating funds for library acquisitions in one lump sum. The library then commonly subdivides that money into smaller chunks, according to the perceived needs of its users. The most common ways to subdivide the collection budget are:<br><br>by school or administrative unit -- \$X for the School of Medicine, for instance, \$X for the School of Arts and Sciences, \$X for the Business School, etc.<br><br>by subject -- with the library deciding how many subject funds to subdivide the money into<br><br>by material type -- dividing the budget among monographs, print serials, e-serials, other e-resources, rare materials, etc.<br><br>or by a combination of these categories. |
| Net Allocation            | Total of all allocations.   |
| Encumbrance               | This is the total of all Requisitions/Purchase Orders charged to this Fund that have not been invoiced or paid.   |
| Sum Paid Invoices         | This is the total of all paid invoices charged to this Fund.  |
| Sum Unpaid Invoices       | This is the sum of invoices that have been created but not approved.  |
| % Expended                | This is the percent of the amount allocated that has been expended.   |
| % Expended and Encumbered | This is the percent of the amount allocated that has been expended and encumbered.  |

## Flexible Offset Options

OLE uses the Offset Generation table inherited from KFS to generate appropriate offsets for transactions. This table indicates the object code used in offset generation, based on the transaction's chart, fiscal year, document type, and the balance type it affects. Offsets are generated automatically by a OLE e-doc or in 'Scrubber' during GL processing (i.e. batch jobs).

Normally, offsets are applied to the same account as the transaction that generated the offset. But OLE has a flexible offset feature that allows institutions to have offset entries applied to different accounts. This OLE feature includes two functions:

- Flexible banking offset
- Flexible offsets by account

### Note

Offsets and full General Ledger functions in OLE will continue to be reviewed with Select & Acquire teams as we continue to build queries and budget functionality.

## Flexible Banking Offsets

Document types that require a user to specify a bank account number (such as the Advance Deposit or Credit Card Receipt documents) can apply offset entries to a special account associated with this bank account number. If the `ENABLE_BANK_SPECIFICATION_IND` parameter is set to 'Y,' an additional set of cash entries is created to a designated accounting string (chart, account, sub-account, object code, and sub-object code) defined in the Bank document. These entries occur in addition to the normally generated cash offsets created to balance a set of transactions. In effect, they reclassify the generic cash entry to a bank-specific cash entry for reconciliation and tracking purposes. If the

ENABLE\_BANK\_SPECIFICATION\_IND parameter is set to 'N,' the normal balancing cash entries are created but the reclassification of cash to a bank-specific entry is not performed.

This option allows the user to specify the document types on which a bank code should appear. This information, which is specified in the BANK\_CODE\_DOCUMENT\_TYPES parameter, allows you to specify bank information on additional document types that create disbursements or record revenue. A default Bank Code value should be established for each document type by using the DEFAULT\_BANK\_BY\_DOCUMENT\_TYPE parameter.

## Flexible Offsets by Account

This option allows OLE to redirect offset entries for an account to another specified account. It allows OLE to accommodate tracking offsets such as cash or liabilities in central designated accounts as opposed to tracking such offset entries in every account. The Offset Account document identifies the offset account for an object code and account number combination.

If the offsets by account option is enabled within the parameter USE\_FLEXIBLE\_OFFSET\_IND, OLE goes through a special process in e-docs and in 'Scrubber' during GL processing to determine the account that the offsets should be made to for a given transaction.


When the flexible offsets function is enabled, generation of offsets on e-docs occurs as follows:

4. The offset object code is defined in the Offset Definition table.
5. The object code and account number are searched from the Offset Account table.
6. If a match is found in the Offset Account table, the offset is made in the offset account defined there.
7. If no match is found, the offset is made in the same account on which the original transaction occurred.

Generation of offsets in 'Scrubber' when the flexible offsets function is enabled occurs as follows:

8. 'Scrubber' looks up the document type for a transaction in the Document Type table.
9. 'Scrubber' checks the document type of the entry against the document types defined in the parameter.
  - **OFFSET\_GENERATION\_DOCUMENT\_TYPES:** If the document type is found in this parameter, 'Scrubber' does not generate offsets for this entry. This ensures that document types that should not generate offset entries (like journal voucher) do not have offsets generated during 'Scrubber' processing.
  - **DOCUMENT\_TYPES\_REQUIRING\_FLEXIBLE\_OFFSET\_BALANCING\_ENTRIES:** If the document type is found in this parameter, 'Scrubber' generates offsets even if the document type appears to be balanced. This allows 'Scrubber' to generate the proper flexible offsets for transactions that originate outside of OLE.
10. If you are using flexible offsets (parameter USE\_FLEXIBLE\_OFFSET\_IND is set to 'Y'), 'Scrubber' checks the document type against those found in the parameter.
11. If 'Scrubber' determines in the previous steps that an offset is to be generated, it determines the transaction's offset object code using the Offset Definition table.
12. If you are using flexible offsets (parameter USE\_FLEXIBLE\_OFFSET\_IND is set to 'Y'), 'Scrubber' searches for the object code and account number in the Offset Account table.
13. If a match is found in the Offset Account table, the offset is made in the offset account defined there. If no match is found, the offset is made in the same account on which the original transaction occurred.

## Budget Adjustment Search



OLE offers a customized document search related to budget adjustments. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.


### Note

For information about performing a search for one or more requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#)

### Note

For information about Document lookup fields that are specific to requisitions, see “Document Layout” under [Requisition](#).

## Budget Adjustment



The Budget Adjustment (BA) document is used to record income and expense transactions not processed through other e-docs, against an existing budget. It can be used to modify a base budget, a current budget or both. It is a financial planning tool that allows an organization to adjust the current and base budget figures for a given account as circumstances may change throughout the fiscal year. It may be used to create a budget for a new account established after the beginning of a new fiscal year.

In OLE, a BA document is normally used to:

- establish budget lines in new accounts created after the fiscal year begins
- make long-term adjustments to the base budget
- reallocate current budget as necessary throughout the fiscal year
- transfer funds from one general fund account to another

The document allows for the establishment of monthly budgeted amounts for users that wish to maintain budget information at this level.

### Note

Budget Adjustments continue to be reviewed for OLE use.

## Document Layout

The BA document only has the standard financial transaction document tabs and does not have any unique tabs. Two field exceptions are the **Year** field in the **Document Overview** tab and the **Monthly Lines** section in the **Accounting Lines** tab, which are explained later in this section.

## Note

For more information about the standard tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).


The screenshot shows a web interface for a Budget Adjustment document. At the top, the document number is 3276, status is INITIATED, and it was created on 08/09/2009 at 04:16 PM. The initiator is khuntley. Below this are tabs for Document Overview and Accounting Lines. The Document Overview tab is active, showing fields for Description, Org. Doc. #, and Explanation. A Financial Document Detail section shows the year set to 2009 and a Total Amount field. The Accounting Lines tab is also visible, showing two sections: From/Decrease and To/Increase. Each section has a table with columns for Chart Code, Account Number, Sub-Account Code, Object Code, Sub-Object Code, Project Code, Organization Reference Id, Current Amt, and Base Amt. There are also buttons for 'add', 'show', and 'import lines'. At the bottom, there are buttons for 'submit', 'save', 'blanket approve', 'close', 'cancel', and 'copy'.

## Document Overview Tab

The **Document Overview** tab includes one unique field called **Year**.

### BA Document Overview tab definition

|       |  |
|-------|--|
| Title | Description  |
| Year  | Required. Select the fiscal year this adjustment should apply to from the <b>Fiscal Year</b> list. Most budget adjustments are made to the current fiscal year but in some cases you may be able to choose a fiscal year that has not yet begun. |

If you change the fiscal year, click  to make sure that all the fields on the document are available for that fiscal year. For example, you might not be able to do base budget changes to a particular fiscal year. Clicking **refresh** assures that the system disables fields that aren't valid for that year.

## Accounting Lines Tab

The **Accounting Lines** tab in the BA document is also different from the other financial transaction documents in that it has the **Monthly Lines** section that can be expanded by clicking **show**.

To distribute an accounting lines current budget amount into monthly periods, click **show** on the **Monthly Lines** section.

This opens a series of twelve monthly periods where you can specify how much of the current amount for this account line should be distributed to each month. The total of all monthly distributions must equal the total current amount for this accounting line.

Use of the **From/Decrease** section automatically decreases the budget associated with the account, sub-account, and object code combination entered. The current budget, base budget, or both may be affected.

### Note

Many OLE libraries will not need to use “base” budgets, unless they anticipate needing to track changes between an expected budget and the actual amount allocated. Libraries not needing base budgets can just use the “current” budget to track their allocations.

Use of the **To/Increase** section automatically increases the budget associated with the account, sub-account, and object code combination entered. The current budget, base budget, or both may be affected.

### Note

The **From/Decrease** and **To/Increase** sections do not contain totals. Increases and decreases must balance in the document with relation to object code types in order to route the document. This rule applies to the **From** and **To** sections affecting the current changed amount(s) and the **From** and **To** sections affecting the base changed amount(s).

### Tip

Try This Budget Setup:

1. Instead of typing in many accounting detail lines, users can use the BA spreadsheet template via the “Import Lines” option.



2. Simply fill in all accounting lines with required Chart, Account, Object, and Amounts
3. Import into the BA (or Transfer) documents in lieu of manual typing.

[BA-YEBA Import](#) template

4. Click  or .
5. Review the **General Ledger Pending Entries** tab.

| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount     | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|------------|-----|
| 1     | 2012        | BL    | 2947482        | ----        | 7110   | ---        | -----   | OLE BA   | CB           | EE        | (5,000.00) |     |
| 2     | 2012        | BL    | 2947482        | ----        | 7112   | ---        | -----   | OLE BA   | CB           | EE        | 5,000.00   |     |

6. Review the **Route Log** tab.
7. The document is routed to the fiscal officer for each account used in the Accounting Lines. The Route Status shows 'ENROUTE'.
8. Appropriate fiscal officers and organization reviewers approve the document.

## Income Stream Adjustments

If a Budget Adjustment involves two or more accounts with different Income Stream Accounts, OLE can be configured to create an automated Transfer of Funds transaction to properly adjust cash between those Income Stream accounts. This Transfer of Funds is generated by OLE after the Budget Adjustment is approved and does not route for approval itself.

(Note: many OLE libraries may choose not to track income streams, in which case this feature will never be invoked.)

## Process Overview

### Business Rules

- Only accounts that have the recording level attribute of 'Budget' accept budget adjustment transactions. The budget adjustment document cannot be used on a cash control (non-budgeted) account.

### Note

If you only plan to track budgeted funds in OLE, you can set up all your accounts with a recording level attribute of 'Budget'.

- Negative amounts are not allowed except when using the **Error Correction** option.

## Note

For information about the error correction, see [Correcting Errors After Approval](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

- Increases and decreases must balance in the document with relation to object code types. Increases in income may be balanced by decreases in other income lines or by increases in expenditures. Decreases in income may be balanced by increases in other income lines or by decreases in expenditures. Similar logic applies to changes in expenditures
- If Base Adjustments have not been enabled for the selected Fiscal Year on the document then base changes are not allowed.
- The fund group and sub-fund group attributes on an account contain an attribute (Budget Adjustment Restriction Code – BARC) for determining how budget adjustments within that group can be made. These attributes limit the mixing of accounts on the same BA documents.
- BARC values for fund group are: **C** (Chart), **O** (Organization), **A** (Account), or **F** (Fund).
- BARC values for sub-fund group are: **C** (Chart), **O** (Organization), **A** (Account), **S** (Sub-Fund), or **N** (None).
- If the BARC value of the sub-fund group is none, the BARC value of the sub-fund group's parent fund group applies to the account.
- The budget adjustment applies the following rules using these values:
  - If an account on the BA has an effective BARC of Account, then no other account can be used on that Budget Adjustment document, i.e. all adjustments (increases/decreases) must be to the same account.
  - If an account on the BA has an effective BARC of Organization, then the only other accounts on that Budget Adjustment document must belong to the same Organization, i.e. allowing adjustments among accounts in the same organization.
  - If an account on the BA has an effective BARC of Chart, then the only other accounts on that Budget Adjustment document must belong to the same Chart, i.e. allowing adjustments across accounts belonging to different Organizations but within the same Chart.
  - If an account on the BA has an effective BARC of Sub-Fund, then the only accounts on that Budget Adjustment document must belong to the same Sub-Fund Group, i.e. allowing adjustments across accounts belonging to different Organizations and Charts but with the same Sub-Fund Group Code.
  - If an account on the BA has an effective BARC of Fund, then the only accounts on that Budget Adjustment document must belong to the same Fund Group, i.e. allowing adjustments across accounts belonging to different Organizations and Charts and Sub-Fund Groups but with the same Fund Group Code.

The use of certain balance sheet object codes and certain object sub-types may be prohibited according to your institution's business rules.


## Routing

The BA document is approved as final by the initiator if the following conditions are met:

- The document only adjusts a single account
- The document only adjusts current budget amount

- The Initiator is the fiscal officer for the account
- The total decrease amount is not greater than the current budget balance for the object code being decreased
- If previous conditions are not met, the document continues with standard financial document routing, based on the account numbers used on the document as follows:
  - The fiscal officer for each account must approve.
  - Organization review routing occurs for the organization that owns each account.
  - Sub-fund routing occurs based on the sub-fund of each account.

The document status becomes 'FINAL' when the required approvals are obtained and the transaction is posted to the G/L during the next G/L batch process.



## Initiating a Budget Adjustment Document

1. Select **Create Budget Adjustment** from the **Funds** section of the Select & Acquire menu.

A blank BA document with a new document ID appears.

2. Complete the standard tabs.

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines** tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

3. Click .

The document is routed to the fiscal officers of the accounts as well as any approvers in the Organizational Review hierarchy.

4. Review the **General Ledger Pending Entries** tab.
5. Review the **Route Log** tab.

### Note

For information about the Route Log tab, see [Route Log](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

6. Appropriate fiscal officers and organization reviewers approve the document.

### Note

For more information about how to approve a document, see [Workflow Action Buttons](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Transfer of Funds Search



OLE offers a customized document search related to transfer of funds. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.


### Note

For information about performing a search for one or more requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

### Note

For information about Document lookup fields that are specific to requisitions, see “Document Layout” under [Requisition](#).

## Transfer of Funds



The Transfer of Funds (TF) document is used to transfer funds (cash) between accounts. The TF could be used to cover an overdraft, reimburse an account for an expense, or to fulfill a funding commitment.

## Document Layout

The TF document has only the standard financial transaction document tabs and does not have any unique tabs of its own.

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines** tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Process Overview

### Business Rules

- There must be at least one accounting line in the **From** section and one accounting line in the **To** section.
- The total in the **From** section must equal the total in the **To** section in the **Accounting Lines** tab.
- \$0 accounting line amounts are not allowed.
- Negative amounts are not allowed (unless it is an Error Correction TF).
- OLE automatically generates cash object code offset entries as defined by the information entered into the document.
- Object codes representing assets, liabilities, and fund balances (as indicated by the object code's object consolidation) may not be used.
- The Object code restrictions are as follows.

#### Restricted object type code in the Transfer of Funds document

| Object Type Codes | Description | Restrictions |
|-------------------|-------------|--------------|
|-------------------|-------------|--------------|

|    |                         |             |
|----|-------------------------|-------------|
| ES | Expense Not Expenditure | Unallowable |
| IC | Income Not Cash         | Unallowable |


- The object sub-types used must be sub-types of mandatory transfers and non-mandatory transfers.
- **From** accounting lines with an object sub-type of mandatory transfer must balance with **To** accounting lines with an object sub-type of 'Mandatory Transfer'.
- **From** accounting lines with an object sub-type of non-mandatory Transfer must balance with **To** accounting lines with an object sub-type of 'Non-Mandatory Transfer'.

## Routing

The document routes based on the account numbers used on the document as follows:

- The fiscal officer for each account must approve.
- Organization review routing occurs for the organization that owns each account.
- Sub-fund routing occurs based on the sub-fund of each account.

The document status becomes 'FINAL' when the required approvals are obtained and the transaction is posted to the G/L during the next G/L batch process.



## Initiating a Transfer of Funds Document

7. Select **Create** under **Transfer of Funds** in the **Fund** submenu on the **Select/Acquire** tab.

A blank TF document with a new document ID appears.

8. Complete the standard tabs.

All accounting lines in the **To** section generate credits and all accounting lines in the **From** section generate debits.

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines** tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

- a. Use sample Accounts & Objects in the [Appendix](#), such as moving \$\$ from Account 2947496 to 2947490 (note: using Non-Mandatory Object Sub-Type, TN, with specialized Object Codes for Transfer In and Transfer Out)

Transfer of Funds Doc Nbr: 3456 Status: PROCESSED  
Initiator: ole:khuntley Created: 04:43 PM 04/13/2012

expand all collapse all \* required field

Document Overview hide

Document Overview \* Description: test-transfer KG Explanation:

Financial Document Detail Organization Document Number: Total Amount: 1,000.00

Accounting Lines hide

Accounting Lines hide detail

| From            | * Chart        | * Account Number           | Sub-Account | * Object          | Sub-Object | Project | Org Ref Id | * Amount | Actions |
|-----------------|----------------|----------------------------|-------------|-------------------|------------|---------|------------|----------|---------|
| 1               | BL BLOOMINGTON | 2947496 SOCIOLOGY          |             | 1599 TRANSFER IN  |            |         |            | 1,000.00 |         |
| Total: 1,000.00 |                |                            |             |                   |            |         |            |          |         |
| To              | * Chart        | * Account Number           | Sub-Account | * Object          | Sub-Object | Project | Org Ref Id | * Amount | Actions |
| 1               | BL BLOOMINGTON | 2947490 SPEECH AND HEARING |             | 9500 TRANSFER OUT |            |         |            | 1,000.00 |         |
| Total: 1,000.00 |                |                            |             |                   |            |         |            |          |         |

General Ledger Pending Entries show

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

error correction send ad hoc request close copy

- b. Or from Accounts 2947486 to 2948482 (both of object code 7112 Monographs, with object sub-type of TN-Non Mandatory Transfer)

9. Click **submit**.

10. Review the **General Ledger Pending Entries** tab.

The pending entries include the offset generation to cash or fund balance object codes.

11. Review the **Route Log** tab.

The document is routed to the fiscal officer for each account used in the Accounting Lines. The Route Status shows 'ENROUTE'.

### Note

For more information about the Route Log, see For information about the Route Log tab, see [Route Log](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

12. Appropriate fiscal officers and organization reviewers approve the document.

**Note**

For more information about how to approve a document, see [Workflow Action Buttons](#) on the *[Guide to OLE Basic Functionality and Key Concepts](#)*.



---

# Chapter 7. Licensing Overview

The Licensing process in OLE includes a back and forth negotiating process between the licensing institution and the electronic resource vendor to set the final terms of the license contract. This is intended to be completed whenever appropriate during the electronic resource acquisition process. OLE will store notes, data and attached documents from this licensing period in an electronic document, or e-doc, called a License Request.

Licensing workflows are a variable part of the electronic acquisitions process. Some resources do not require a license at all and can be used within the guidelines of copyright law, while others require extensive negotiation of business and licensing terms. In general, the licensing process consists of:

- Requesting a standard license from a publisher for a resource
- Assigning the license to a “shepherd” or license owner
- Comparing the license with standard requirements established by the institution and/or library
- Back and forth negotiation with the publisher / library administration to modify license language if necessary.
- If approval, final signatures from both parties.
- Storing final license document (generally a PDF) in OLE.
- Coding machine-readable interpretation of license terms in OLE via a license editor (will be stored as ONIX-PL in the Doctor). Note that this final step is planned for a future release.

The documents and workflows in the Licensing sub-module will allow authorized users to gather information on available terms, store reference materials from providers, track and record external communications or “events,” and trace internal reviews, approvals, and signatures/signed agreements.

## Note

In order to work efficiently in the system’s Licensing screens, you need to understand the basics of the user interface. For information and instructions on logging on and off, navigating, understanding the components of screens, and performing basic operations in the screens, see the [OLE Basic Functionality and Key Concepts](#).

## Licensing e-documents

OLE Licensing utilizes e-documents and XML documents to store information about the Licensing process and all internal and external negotiations and communications. Initial OLE licensing will utilize:

- E-Resource Record to [initiate licensing workflows](#) by auto-creating the License Request when requested.
- [License Request](#) e-doc captures critical information and communication that takes place during vendor negotiations. It is used to create an institutional workflow for the license negotiation process.
- [Agreement Documents](#) (title lists, sample contracts, signed license, etc.) are external files that can be attached to License Requests

- ONIX-PL [Agreement](#) is used to record the interpreted terms of the license in a machine-readable format. Note that the Agreement is not available in the interface in 1.6, but the underlying infrastructure to import and store these documents has been created.
- Maintenance Documents & Code Lists

A License Request might be initiated for acquisitions of new titles, renewals of existing titles, or making changes to previous Agreements (amendments). OLE 1.6 provides for a License Request generated from an E-Resource Record as part of the acquisitions process. Future releases may address licensing for Addendums, Renewals, and Trials in more detail.

# Chapter 8. Standard Licensing E-Docs



On the **Select/Acquire** menu, the Licensing submenu allows users to view and maintain Licensing E-Docs.

## Agreement




### Warning


License Agreements are not currently functioning. This is a placeholder for the work in progress.

## Initiate License Workflow



In OLE, licensing and License Requests can be initiated from an **E-Resource** Record on the **Select/Acquire** tab.

When creating an E-Resource record, a user must click  to start the licensing workflow.



**Overview**

|              |            |                    |  |                  |   |
|--------------|------------|--------------------|--|------------------|---|
| Name:        | test       | Publisher:         |  | OLE Identifier:  | 1 |
| Status:      | In-Process | Platform Provider: |  | ISBN/ISSNs:      |   |
| Status Date: | 2014-07-28 | Vendor Name:       |  | GOKb Identifier: |   |

**Licenses**


| Document Id | Licensor | License Request Status | License Request Last Modified Date | License Title   | Attachments    | License Start Date | License End Date |
|-------------|----------|------------------------|------------------------------------|---|----------------|--------------------|------------------|
| 3580        |          | License Needed         | 07/28/2014 05:17 PM                | LicenseNeeded-REQS_ <a href="#">[date:2014-07-28]</a> | No Attachments |                    |                  |

To open the newly created license, click the License Title. Alternatively, from the **Select/Acquire** tab, click **License Request** under the **Licensing** sub-menu.

## Note

To learn more about the E-Resource Record, see the section [E-Resource](#).

## License Request



A License Request e-doc is a tool for collecting related information and documents during license investigations and negotiations. The License Request is a routable document, allowing various authorized users to complete workflow actions like reviews, approvals, signatures, or just notifications.

## Note

License Requests will continue to be developed and modified in future releases.

## Getting Started

You must be part of the OLE\_Licenses and OLE\_LicenseManager to edit license requests.

In order for a License Request to be created, the **start new license** box must be clicked on the **E-Resource Document's** Licenses tab. If this was done, staff may look for the License Request related to the E-Resource by clicking **License Request** under the **Licensing** header of the Licensing Menu.

## Note

For information on searching, see [Searching OLE](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

## Document Layout

## LicenseRequest®

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 3580           | Document Status:    | SAVED               |
| Initiator Network Id: | fred           | Creation Timestamp: | 05:17 PM 07/28/2014 |
| License Status:       | License Needed |                     |                     |

\* Indicates required field

### Document Overview

|                               |   |              |                      |
|-------------------------------|---|--------------|----------------------|
| * Description:                | <input type="text" value="LicenseNeeded-REQS_[date:2014-07-28]"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/>  |              |                      |

### Overview

|                              |   |                       |                      |
|------------------------------|---|-----------------------|----------------------|
| Initiate Licensing Workflow: | <input type="text" value="License Needed"/> | Owner/Assignee:       | <input type="text"/> |
| Current Location:            | <input type="text" value="Publisher"/>      | License Request Type: | <input type="text"/> |
| Agreement Method:            | <input type="text"/>                        |                       |                      |

### Event Log

Show  entries

Search:

| Type   | Date/Time           | Staff                             | Event Log/Notes                          | Actions                            |
|--------|---------------------|-----------------------------------|--|------------------------------------|
|        |                     | <input type="text" value="fred"/> | <input type="text"/>                     | <input type="button" value="Add"/> |
| system | 07/28/2014 05:17 PM | fred                              | License Request initiated by E-Resource. |                                    |

Showing 1 to 1 of 1 entries

[Previous](#) [Next](#)

### Agreement Documents

Show  entries

Search:

| Date | User | Agreement Type                  | Agreement Document Title | Attach File  | Agreement Notes      | Agreement Version | Actions                            |
|------|------|---------------------------------|--------------------------|--|----------------------|-------------------|------------------------------------|
|      |      | <input type="text" value="--"/> | <input type="text"/>     | <input type="button" value="Browse..."/> No file selected. | <input type="text"/> |                   | <input type="button" value="Add"/> |

Showing 0 to 0 of 0 entries

[Previous](#) [Next](#)

### Agreement

|                      |                      |                                  |                    |
|----------------------|----------------------|----------------------------------|--------------------|
| Find/Link Agreement: | <input type="text"/> | <input type="button" value="Q"/> | Type Status Method |
|----------------------|----------------------|----------------------------------|--------------------|

### View Related Document

### Ad Hoc Recipients

### Route Log

The License Request document includes the **Overview**, **Event Log**, **Agreement Documents**, and **Agreement** tabs, in addition to the standard tabs.

## Note

For information about the **standard tabs**, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

## Overview Tab

The License Request contains a custom tab called the **Overview** that contains basic information about the License Request. The License Request status, agreement method (license, SERU, etc.) and the type of License Request (new, addendum, renewal) are noted here.

## Tip

It is important to understand the workflow functions of licensing before working in the **Overview** tab. See [Workflows Overview](#) for more information about the license workflows steps.

▼ Overview

|                              |                |                       |  |
|------------------------------|----------------|-----------------------|--|
| Initiate Licensing Workflow: | License Needed | Owner/Assignee:       |  |
| Current Location:            | Publisher      | License Request Type: |  |
| Agreement Method:            |                |                       |  |

**Document Overview Tabs Definitions**


| Title                       | Description  |
|-----------------------------|--|
| Initiate Licensing Workflow | Required. Select workflow to utilize for this License Request.   |
| Current Location            | Required. Select current location of the negotiation process or documentation (such as at Vendor, or at Campus Purchasing).  |
| Agreement Method            | Required. Describes the type of agreement being documented (negotiated, SERU, Copyright, etc.).  |
| Owner/Assignee              | Required. A combined list of all users in OLE_Licenses or OLE_LicenseManagers who can be “owners” for a License Request. Intended to be used to “assign” a License Request to a single user within a larger role or group. |
| License Request Type        | Required. Indicates the type of this license negotiation process, whether new, renewal, or addendum.   |

**Tip**

Fields marked Required must be completed before the License Request can be submitted. The License Request can be saved without completing these fields.

**Event Log Tab**

The Event Log captures automated entries for workflow status changes, adding or linking Agreements or Agreement Documents. Users can also manually add entries to capture external communications, notes, or to summarize any actions external to OLE (such as with Vendor/Provider, University Legal, University


Purchasing, etc.). You may add an event note by filling out the required fields and clicking .

Many events can be recorded in the event log. You may display 10, 25, 50, or 100 entries at one time. Additionally, you may search for events from the search bar.

▼ Event Log

Show 10 entries

Search:


| Type   | Date/Time           | * Staff | * Event Log/Notes                        | Actions   |
|--------|---------------------|---------|--|---|
|        |                     | fred    |  |  |
| system | 07/28/2014 05:17 PM | fred    | License Request initiated by E-Resource. |   |

Showing 1 to 1 of 1 entries

[Previous](#) [Next](#)

**Event Log Tabs Definitions**

| Title | Description  |
|-------|--|
| Type  | System generated. The event type value will be 'system' when the request is initiated, 'user' if a line was added manually by user; 'file' if an |

|                 |   |
|-----------------|---|
|                 | Agreement doc was added; 'agreement' if a linked Agreement document was edited or added; 'location' if a location change occurred; 'status' if a license status change occurred.  |
| Date/Time       | System generated. Logs the date and time for the event log line item.   |
| Staff           | Required. Logs the user id of the person associated with the event log change. Defaults to current user but can be modified by entering a name or searching from the lookup  |
| Event Log/Notes | Required; may be manually added or system generated. Users may input information to provide audit trail information. System also records what events have occurred.   |

## Agreement Documents Tab

Throughout negotiations and investigations, various Licensing staff may need to upload or download miscellaneous documents. These are not restricted, and could be any documents that licensing staff wish to archive or share within the licensing process, such as Title Lists, Emails, Analytics or Statistics, sample agreements, signed and unsigned vendor agreements.

Agreement Documents should also be used to store updated Checklists used in the licensing process. Staff may download blank checklists from the [Manage Checklist](#) (Word documents, PDF Forms, Excel, etc.) and upload completed or in-progress Checklists to the License Request, specific to this negotiation process.

**Agreement Documents**

Show  entries

Search:

| Date | User | * Agreement Type | * Agreement Document Title | * Attach File  | Agreement Notes      | Agreement Version | Actions                            |
|------|------|------------------|----------------------------|--|----------------------|-------------------|------------------------------------|
|      |      | -- --            | <input type="text"/>       | <input type="button" value="Browse..."/> No file selected. | <input type="text"/> |                   | <input type="button" value="Add"/> |

Showing 0 to 0 of 0 entries


### Agreement Documents Tab Definitions


| Title                    | Description   |
|--------------------------|---|
| Date                     | System Generated. Date and time the document was uploaded.  |
| User                     | System Generated. The name of the user who uploaded the file.   |
| Agreement Type           | Type of Agreement Document that has been uploaded. Samples from the drop down list include Agent information, Checklist, or Email.  |
| Agreement Document Title | Allows staff to identify a file with a short title.   |
| Attach File              | Select <b>Browse</b> to search for a document on your local computer and upload it to OLE<br><br>Select <b>Download attachment</b> to open a document on your local computer. |
| Agreement Notes          | Users may add quick summaries or other notes about the document   |
| Agreement Version        | If the same named document was uploaded more than once, users may keep track of multiple versions.  |
| Action                   | Must choose <b>add</b> to attach the document to OLE or <b>Delete</b> to remove it.   |

### To upload Agreement Documents:

1. Select an **agreement type** from the drop down menu.
2. Enter a brief title for future search in the **Agreement Document Title** field.
3. Input any Notes about the document so that you will understand what it contains.

4. To select the document to upload, click on **Browse** to find your locally-saved file and select it for upload.

5. Click  to save the Agreement Document.

6. Click  at the bottom of the e-doc to save the License Request with the new Agreement Document.

### To download Agreement Documents for Review or Edit:

Click **Download Attachments** to review and save a local copy.

▼ Agreement Documents

Show 10 entries

Search:

| Date                   | User | Agreement Type | Agreement Document Title | Attach File   | Agreement Notes | Agreement Version | Actions                |
|------------------------|------|----------------|--------------------------|---|-----------------|-------------------|------------------------|
| 07/29/2014<br>09:37 AM | fred | Other          |                          | <a href="#">Browse...</a> No file selected.                             |                 |                   | <a href="#">Add</a>    |
|                        |      |                |                          | <a href="#">download attachment</a><br>Call number sorting overview.doc |                 |                   | <a href="#">Delete</a> |

Showing 1 to 1 of 1 entries

[Previous](#) [Next](#)


## Agreement Tab

As licensing investigations and negotiations workflows continue, staff may upload or link Agreements, or ONIX-PL format licenses. Users may use the Lookup to search for an existing Agreement to link to the License Request or create a new Agreement. The Agreement is an XML representation of the actual terms of the license itself.

### Note


Although Agreements are not available as part of 1.6, future releases should allow staff to either upload an ONIX-PL document directly or use a license editor GUI to record license terms as an Agreement.

▼ Agreement

Find/Link Agreement:  



Type Status Method

## Find/Link Agreement

Click on the Lookup  to search existing Agreements, and link to an existing Agreement for reference or future renewal or amendment. It is not possible to upload an Agreement in 1.6, so there are no Agreements to link to License Requests in this release. Users will also be able to create a new Agreement from this screen for this License Request in future releases.



## Agreement Search

|                  |  |
|------------------|--|
| Agreement Title: | <input type="text"/>   |
| Contract Number: | <input type="text"/>   |
| Licensee:        | <input type="text"/>  |
| Licensor:        | <input type="text"/>  |

## Process Overview

License Requests can be searched via the License Request menu selection.

1. Select the **Document Number** of the E-doc you wish to modify.
2. Add notes and/or agreement documents, or link to agreements as necessary.
3. Select the appropriate option for **Initiate Licensing Workflow**. See workflow information below.
4. Send ad hoc as necessary once the License Request status is en route (a workflow must be initiated).

### Warning

Known bug: The send ad hoc button is not working correctly. Rice developers are working to correct this error. To send ad hoc, users must add ad hoc recipients and **approve** the document. This will send the document to the ad hoc recipient and then move the document to the next person of the workflow.

Click  or  as appropriate.

## Business Rules

1. A License Request can link to none, one, or many Agreement Documents.
2. A License Request must have a License Request Type, an Agreement Method, a Current Location, and an Owner before submitting to a workflow.
3. A License Request can only have one Current Location.
4. A License Request can only have one current Owner.
5. A License Request can only have one current License Workflow.

## Routing

The routing of License Request e-docs will be based on data values in the License Request, and will be initiated via user selection of a value from the **Initiate License Workflow** drop-down.

## Workflows Overview

OLE will be pre-configured with some sample workflows and statuses to assist libraries in setting up initial Licensing processes.

Selected workflows, as defined below, will route the License Request to the selected Role to complete a desired action.

### Tip

Reminder: A Role can be a single or many users.

### Licensing Workflow Descriptions

| Workflow Name  | Workflow Description   |
|----------------|--|
| Manual (Blank) | N/A, Self= No routing or workflow selection required. License Request will not become final with custom doc status "Complete" until an actual workflow is selected and completed.  |
| Review Only    | This workflow allows owners to route License Request to OLE_Reviewer (role) to complete reviews as defined in local policies (external to OLE)   |
| Signatory Only | This workflow allows owners to route License Request to OLE_Signatory (role) to complete signatures of noted agreement Documents. This workflow requires ALL members of the signatory role to approve the License Request, indicating they have signed the document.     |
| Approval Only  | This workflow allows owners to route License Request to OLE_LicenseApprover (role) to approve the License Request.   |
| Full Approval  | This is full composite workflow (combining Signature workflow, university approval step, Review workflow, and Approval workflow), requiring all approvals and steps. Approval will be the last step, and based on Approved/Disapproved, complete the Licensing workflow. |
| Renewal*       | This workflow is a modification to Full Approvals, and could be customized locally to fit Local Renewal approval policy.   |
| Addendum*      | This workflow is a modification to Full Approvals, and could be customized locally to fit Local Addendum approval policy.  |

## Workflow Rules

1. As delivered, OLE Licensing workflows are optional, and are at the discretion of the owner of License Request to determine which workflow to initiate, based on knowledge of vendor and existing (external to OLE) policies.
2. Delivered OLE Licensing Workflows require that "Any" member of a Role defined in workflow must complete the Action for workflow and status to move forward, with the exception of "Signatory" workflows which require all Users defined in OLE\_Signatory to complete the action.
3. OLE will offer combined and single PeopleFlows defined and editable by adopting libraries, with ability to use different metadata to establish rules for routing or available routing.
4. KRMS rules engine will pull metadata from the License Request and tell the system how to update statuses of related and linked documents, and which PeopleFlow workflows are enabled for the License Request.
5. OLE will currently only support a single active workflow at one time (future OLE may include recall/replace workflow options, or options to edit and initiate multiple simultaneous or sub-workflows.)
6. Each individual workflow will update License Request Custom Document Status.

7. OLE will provide sample workflows, roles, routing and user interfaces to act as template for locally configurable roles, workflows. Using KRMS and PeopleFlow, sites should be able to modify, add to, or remove steps or options in Licensing workflows, including additional rules or metadata conditions into KRMS agenda(s).

## Note

Known bug: There is a bug being worked on in Rice that is preventing the “send adhoc” button to work. Users may send a license request only while approving a document.

## Statues & Workflow Definitions

| License Request Manual Selection | E-Doc Custom Status            | Description.   | Description of the Workflow   |
|----------------------------------|--------------------------------|--|---|
| License Needed                   | License Needed                 | Default custom doc status upon initiation.   | N/A (manual status change only).  |
| License Requested                | License Requested              | Manual custom doc status saved from "Initiate Licensing Workflow" selection.   | N/A (manual status change only).  |
| In Process                       | In Process                     | Manual custom doc status saved from "Initiate Licensing Workflow" selection.   | N/A (manual status change only).  |
| In Negotiation                   | In Negotiation                 | Manual custom doc status saved from "Initiate Licensing Workflow" selection.   | N/A (manual status change only).  |
| License Received                 | License Received               | Manual status derived from "Initiate Licensing Workflow" selection, submitted by OLE_Licenses for routing to OLE_LicenseManager.   | Upon Submit, this concludes licensing investigations by OLE-Licenses, and license request will route to "Owner" in OLE_LicenseManager role.                                     |
| Review Only                      | Pending Review                 | Status when "Review Only" workflow selected from "Initiate Licensing Workflow", and submitted.                                     | Initiate Licensing Workflow= Review Only. Status updates while pending outstanding review action by OLE-Reviewer.   |
| --                               | Review Complete                | Status when "Review only" workflow is completed by user approving License Request.   | Initiate Licensing Workflow= Review Only. Status updates when outstanding review action by OLE-Reviewer is completed.   |
| Signatory Only                   | Pending Signature              | Status when "Signature Only" is selected from "Initiate Licensing Workflow" and submitted.   | Initiate Licensing Workflow= Signature Only. Status updates while pending outstanding review action by OLE-Signatory.   |
| --                               | Signature Complete             | Status when "Signature Only" workflow is completed by OLE_Signatory and approved.  | Initiate Licensing Workflow=Signature Only. Status updates when outstanding signature action by OLE-Signatory is completed.   |
| <Current Location>               | Pending University             | Manual Status when University Approval step is required in Full Approval or Renewal workflows; routes to Owner/OLE_LicenseManager. | Initiate Licensing Workflow= Full Approval. When combined workflow hits University approval step e-doc routes to owner, and goes to Pending University status.                  |
| --                               | University processing complete | Status when Owner/OLE_LicenseManager approves License Request to complete University approval workflow step.                       | Initiate Licensing Workflow= Full Approval. When combined workflow hits University approval step (above) and Owner approves to indicate when university purchasing is complete. |
| Approval Only                    | Pending Approval               | Status when "Approval only" workflow selected from "Initiate Licensing Workflow" and submitted.                                    | Initiate Licensing Workflow= Approval Only. Status updates while pending outstanding Approval action by OLE-Licensing Approver.   |
| Full Approval                    | <varies>                       | Status will update based on current action pending or most recent action completed. "Full Approval" is a composite workflow,       | Initiate Licensing Workflow=Full Approval. Status updates when approval actions are taken.  |

|          |                     |   |   |
|----------|---------------------|---|---|
|          |                     | and sequentially processes all 3 primary workflows: Review Only, then Signatory Only, and finally Approval Only. It also includes a "University Approval step between Review and Signatory workflows. |   |
| Complete | Complete            | Status when "Approval Only" workflow is completed by OLE_LicensingApprover via "Approve" button.  | Initiate Licensing Workflow=Approval Only. Status updates when outstanding approval action by OLE_LicensingApprover is completed. Should report to Requisition. |
| Failed   | Negotiation Failed. | Status when "Approval only" workflow is completed by OLE_LicensingApprover role via "Disapprove" button.  | Initiate Licensing Workflow=Approval Only. Status updates when outstanding approval action by OLE_LicensingApprover is completed. Should report to Requisition. |
| --       | <exception>         | Something fails in workflow, License Request returns to Owner. Owner can re-select workflow and Submit again.   |   |

## Initiating Workflow

To select and initiate workflows, authorized users are able to select from drop-down selections (as defined above and below) and click on "Submit" at bottom of License Request to initiate the workflow request.

### Overview

|                              |                |                       |       |
|------------------------------|----------------|-----------------------|-------|
| Initiate Licensing Workflow: | License Needed | Owner/Assignee:       | frank |
| Current Location:            | Publisher      | License Request Type: | New   |
| Agreement Method:            | SERU           |                       |       |

Manual changes to Status/Initiate Licensing Workflow will also update the status of the License Request that will be seen by anyone who views the License Request, or sees it listed in Search Results or Action Lists, to assist in managing staff expectations and assignments across multiple License Requests (status will tell them where each License Request is in progress).

## Workflow Options

### Phase I:

Description: Selection staff believes title requested will require a License/Agreement.

Action(s): Staff member clicks 'start new license' button on the appropriate E-Resource :

1. System auto-routes to Action List of all members of OLE\_Licenses.
2. Custom Doc Status= License Needed.

### Phase II:

Description: Investigations, gathering documentation

Action(s): **OLE-Licenses** role fills in missing data on License Request, communicates with Vendor/ Provider, and uploads Agreement Documents, or creates/links draft Agreement/ONIX-PL.

3. Workflow/Status Options:

- License Needed. License Request “save”. No routing, License Request Custom doc status is updated.
- License Requested. License Request “save”. No routing, License Request Custom doc status is updated.
- In Process, or In Negotiation. License Request “save”. No routing, License Request Custom doc status is updated.
- License Received. Member of OLE\_Licenses fills in required metadata, changes “Owner” to a member of OLE\_LicenseManager, and “Submits” License Request. License Request removed from OLE\_Licenses Action List and routed to the selected Owner in OLE\_LicenseManager role.


### Phase III:

Description: Negotiations & Pre-Contracting

Action (s): Specific user in **OLE\_LicenseManager** now is “Owner” of License Request and is responsible in OLE for completing all licensing and negotiations.

4. Permitted user for editing: Any user in role OLE\_Licenses, OLE\_LicenseManager, OLE\_LicenseReviewer, or OLE\_LicenseConfiguration.
5. Can select any statuses in “Initiate Licensing Workflow” and Save License Request in order to update License Request custom doc status to describe repeating steps (i.e., negotiation process and therefore statuses may go back and forth).
6. Additional Workflow options:
  - Review Only: Initiate a review only workflow by selecting “Review Only” and “Submit”. License Request will Route to/appear in Action List of OLE\_Reviewer. OLE\_Reviewer (any user available in role to complete action) can review license request or linked Agreement or Agreement Documents, upload or replace new versions of Agreement Documents- including local Checklists. OLE\_Reviewer can continue to modify via “Save”, and only “Approve” when all Reviews complete. License Request will route back to Owner for final approval and completion.
  - Signatory Only: Initiate a signatory only workflow by selecting “Signatory Only” and “Submit”. License Request will Route to/appear in Action List of OLE\_Signatory. OLE\_Signatory (all users defined in role to complete action) can review license request or linked Agreement or Agreement Documents; and, download, and upload signed documents. OLE\_Signatory can continue to modify via “Save”, and only “Approve” when all required documents signed, uploaded and reviews complete. License Request will route back to Owner.
  - Approval Only: Initiate Approval step by selecting “Approval Only” and “Submit”. License Request will Route to/appear in Action List of OLE\_LicensingApprover. OLE\_LicensingApprover (any user available in role to complete action) can review license request or linked Agreement or Agreement Documents. OLE\_LicensingApprover can continue to modify via “Save”, and only “Approve” or “Disapprove” when review is complete. This will complete the License Request workflow.
  - Full Approval: Full Approval workflow combines a sequence of above- first routing to OLE\_Reviewer. When Approved system routes to OLE\_Signatory. When Approved, routes to OLE\_LicensingApprover. If Disapproved, status will go to “Negotiation Failed.” If License Request Approved, then workflow is complete and status goes to “Complete”.
  - Complete: Any licensing workflow (Signatory only, Approval only, Review only, etc.) is completed

- Negotiation Failed. Any licensing workflow (Signatory only, Approval only, Review only, etc.) is disapproved at any approval step in the workflow.



**Note**

To learn more about workflows, Action Lists, and Ad Hoc Routing, see [OLE Workflow Overview and Key Concepts](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

# Manage Checklist

Select/Acquire > 
 Licensing Admin > 
 Manage Checklist > 
   
CheckList Lookup > 
   
CheckList?

Checklists contain the list of local institutions’ contractual requirements, and can be downloaded for use with individual License Requests. The basic checklists will contain action lists, compliancy checks, or internal policies for different types or Agreements. Users may attach locally-downloaded and filled-in copies to specific License Requests in 1.6.

The document can be initiated and edited only by members of the OLE-LIC OLE\_LicenseConfiguration role.

**Note**

To upload completed Checklists to License Request negotiations, see [Agreement Documents Tab](#).

# Document Layout

**CheckList?**

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 3792  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 09:44 AM 07/29/2014 |

\* Indicates required field

**Document Overview**

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

**Add/Edit/Delete Check List**

|                        |  |
|------------------------|--|
| * CheckList Name:      | <input type="text"/>                                       |
| CheckList Description: | <input type="text"/>                                       |
| File Name:             |  |
| * Attach File:         | <input type="button" value="Browse..."/> No file selected. |
| Active Indicator:      | <input type="checkbox"/>                                   |

[Ad Hoc Recipients](#)  
[Route Log](#)



The Manage Checklist document includes the **Add/Edit/Delete Checklist** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit/Delete Check List Tab Definitions

| Title                 | Description  |
|-----------------------|--|
| CheckList Name        | Required. A user-provided short name for the checklist, and easy search and retrieval in future. |
| CheckList Description | Detailed description that may explain when, where to use this checklist versus another. Purpose. |
| File Name             | Name of the file associated with this checklist.   |
| Attach File           | Browse to select checklist to upload.  |
| Active Indicator      | Indicates whether this checklist is active or inactive. Remove the check mark to deactivate.     |

## Process Overview

Checklist maintenance and the Checklist Maintenance e-doc can be undertaken to:


- Create/Upload new checklists

Enter the required fields.

Attach a file from your local computer.



Ad Hoc route the document as needed.



- Download & utilize local copy of checklist

Search for the checklist you wish to use.

Click on the **checklist name** to download the file.

- Delete a checklist

Search for the checklist you wish to delete.


Click **delete** in the actions column.

- Activate/Re-activate a checklist

Search for the checklist you wish to activate/re-activate.

Click **edit** in the actions column.

Check the **Active Indicator** box.


Click  .

- Overlay/Replace a checklist

Search for the checklist you wish to activate/re-activate.

Click **edit** in the actions column.

Browse for a new file to attach.

Click  .

---

# Chapter 9. Vendor



On the **Select/Acquire** tab, the Vendor submenu provides access for users to create vendors and search for multiple OLE records.

## Vendors



The Vendor (PVEN) document allows users to create and maintain a Vendor table to track businesses or other entities your institution has done or plans to do business with. Each record in this table maintains all information pertinent to a vendor, including tax ID, addresses, contacts and other details required for the management of your institution's procurement process.. Vendors created using this document are available for use on various purchasing documents (such as Requisition, Purchase Order, and Disbursement Voucher documents).

Vendors have many different attributes which may in some cases determine how and when they may be used.

There are three situations where you may choose to use this menu:

- To add a new vendor ('parent Vendor record')
- To create a new division to an existing vendor ('child Vendor record')
- To edit information about an existing vendor or division

## Special Navigation Features

Wildcards are particularly helpful for searching vendors: \*ybp\*, harr\*.

### Note

To learn more about searching, see [Searching OLE](#) on the *Guide to OLE Basic Functionality and Key Concepts* on the [Guide to OLE Basic Functionality and Key Concepts](#).

To create and edit Vendor documents please log in as someone assigned to one of the following roles: OLE-SELECT Acquisitions-AQ3, Acquisitions-AQ4, Acquisitions-AQ5, OLE-Invoicing, OLE\_Prepayment, OLE\_ACQ-MGR, OLE\_Acquisitions, OLE\_ACQ-Mgr-serials, OLE\_Acquisitions-serials, OLE\_License\_Mgr, OLE\_ERMS and OLE SYS User.

### Note

Note: When creating a NEW vendor, if logged in as member of OLE\_Acquisitions-AQ3 or AQ4, the new vendor e-doc will be processed, *but* stops at approval. The OLE ACQ-mgr role may create and blanket approve a new vendor.


## Foreign Vendor


If the Vendor is Foreign, then additional fields are required, such as **Currency Type** shown in the tab below, and **Is this a foreign vendor** in the **Vendor** main tab. These data values will tie into currency conversion on requisitions, purchase orders and payment requests, as well as financial accounting with university systems.

## Create Division

The Vendor document offers a unique option from the Vendor Detail Lookup screen, called **Create Division**. This option is available only for 'parent' vendors (that is, vendors for which the **Vendor Parent Indicator** on the Vendor tab is set to 'Yes').

The **Create Division** option allows you to group entities under the same corporate office with the same Tax ID ('parent vendor'). You might use this feature to add information about the separate divisions or branches, without having to duplicate the corporate information. A division has a different name from the parent.

**Vendor Lookup** 

|  |  |
|--|--|
| <b>Vendor Name:</b>  | <input type="text"/>   |
| <b>Tax Number:</b>   | <input type="text"/>   |
| <b>Vendor #:</b>   | <input type="text"/>   |
| <b>Active Indicator:</b>   | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Both                 |
| <b>State:</b>  | <input type="text"/>   |
| <b>Supplier Diversity:</b>   | <input type="text"/>  |
| <input type="button" value="search"/> <input type="button" value="clear"/> <input type="button" value="cancel"/> |  |

68 items retrieved, displaying all items.

| Actions  | Vendor Name                    | Search Alias | Vendor # | Active Indicator | Vendor Type | State        | Commodity Codes |                |
|--|--------------------------------|--------------|----------|------------------|-------------|--------------|-----------------|----------------|
| <a href="#">edit</a> <a href="#">create</a><br><a href="#">division</a>                      | ACCOUNTING CONSULTANTS         |              | 2005-0   | Yes              | PO          | INDIANA      |                 | vendorSupplier |
| <a href="#">edit</a> <a href="#">create</a><br><a href="#">division</a>                      | ALEPH-BET BOOKS                | ABB          | 1000-0   | Yes              | PO          | NEW YORK     |                 | vendorSupplier |
| <a href="#">edit</a> <a href="#">create</a><br><a href="#">division</a>                      | Back Up Withholding, DV Vendor |              | 4107-0   | Yes              | DV          | NEW YORK     |                 | vendorSupplier |
| <a href="#">edit</a> <a href="#">create</a><br><a href="#">division</a>                      | Back-Up Withholding PO Vendor  |              | 4108-0   | Yes              | PO          | PENNSYLVANIA |                 | vendorSupplier |
| <a href="#">edit</a> <a href="#">create</a><br><a href="#">division</a> <a href="#">shop</a> | Barnes & Noble.com LLC         |              | 4005-0   | Yes              | PO          | ALASKA       |                 | vendorSupplier |

The **create division** link is available only for the 'parent' vendors. When you click the **create division link**, a new Vendor document is initiated and the information from the **Corporate Information** section of the **Vendor** tab is copied from its Corporate Vendor and remains display-only.


This is an inherited function from KFS. Divisions must be used for full Customer Relationship Management (CRM) type functions. However, if you want to account for a library organization's specific Vendor account number without creating a division, you may enter the **customer number** and the **Organization Code** for the **Account Number Owner** on the **Acquisition Unit Vendor Accounts** tab. You may also add specific vendor discounts associated with the library organization's customer number, as well as **Standard Delivery Carrier** and carrier's standard interval of service (expressed as days/hours).

## 'Collections'

In the Vendor document, many tabs allow you to enter multiple sets of information ('Collections') for the tab. For example, you may add multiple addresses, contacts, phone numbers, etc. for a single vendor.

To add additional sets of information, complete the tab again and click .

When a set of information is added it is collapsed but may be viewed by clicking  individually.



## Required Fields

In the Vendor document, not all the tabs are required for the creation of the Vendor record. For example, not all the vendors have supplier diversity requirement or multiple phone numbers. Nonetheless the required fields within these tabs are noted with an asterisk in the event that you decide to complete the information.

## Document Layout (for Create New Vendor & Create Division)

The Vendor document has various tabs including the **Vendor**, **Transmission Format**, **Address**, **Contact**, **Supplier Diversity**, **Shipping Special Conditions**, **Vendor Commodity Codes**, **Search Alias**, **Vendor Phone Number**, **Acquisitions Unit Vendor Accounts**, and **Contracts** tabs.

The Vendor document is broken into two images below:

# Vendor

|                 |                                  |                                     |
|-----------------|----------------------------------|-------------------------------------|
| <b>Vendor</b> ? | <b>Doc Nbr:</b> 4842             | <b>Status:</b> INITIATED            |
|                 | <b>Initiator:</b> ole-quickstart | <b>Created:</b> 02:38 PM 04/01/2014 |

[expand all](#) | [collapse all](#)  
\* required field

## Document Overview [hide](#)

|   |  |
|---|--|
| <b>* Description:</b> <input type="text"/>                | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

## Vendor [hide](#)

### New General Information

|  |
|--|
| <b>Vendor #:</b> <input type="text"/>          |
| <b>Vendor Linking Id:</b> <input type="text"/> |
| <b>Vendor Parent Indicator:</b> Yes            |
| <b>Vendor Name:</b> <input type="text"/>       |
| <b>Vendor Last Name:</b> <input type="text"/>  |
| <b>Vendor First Name:</b> <input type="text"/> |

### Corporate Information

|  |
|--|
| <b>* Vendor Type:</b> <input type="text"/>   |
| <b>* Is this a foreign vendor:</b> No  |
| <b>Tax Number:</b> <input type="text"/>  |
| <b>Tax Number Type:</b> <input type="radio"/> FEIN <input type="radio"/> SSN <input checked="" type="radio"/> NONE |
| <b>* Ownership Type:</b> <input type="text"/>  |
| <b>Ownership Type Category:</b> <input type="text"/>   |
| <b>W9 Received:</b> <input type="text"/>   |
| <b>W-BBEN Received:</b> <input type="text"/>   |
| <b>Backup Withholding Begin Date:</b> <input type="text"/>   |
| <b>Backup Withholding End Date:</b> <input type="text"/>   |
| <b>Debarred:</b> <input type="text"/>  |

### Detail Information

|  |
|--|
| <b>* Currency Type:</b> <input type="text"/>                 |
| <b>Payment Terms:</b> <input type="text"/>                   |
| <b>* Payment Method:</b> <input type="text"/>                |
| <b>Pre-Payment:</b> <input type="text"/>                     |
| <b>Credit Card:</b> <input type="text"/>                     |
| <b>Taxable Indicator:</b> <input type="checkbox"/>           |
| <b>Minimum Order Amount:</b> <input type="text"/>            |
| <b>Shipping Title:</b> <input type="text"/>                  |
| <b>Shipping Payment Terms:</b> <input type="text"/>          |
| <b>DUNS Number:</b> <input type="text"/>                     |
| <b>Vendor URL:</b> <input type="text"/>                      |
| <b>Confirmation:</b> <input type="text"/>                    |
| <b>Sold To Vendor Number:</b> <input type="text"/>           |
| <b>Sold To Vendor Name:</b> <input type="text"/>             |
| <b>Restricted:</b> <input type="text"/>                      |
| <b>Restricted Date:</b> <input type="text"/>                 |
| <b>Restricted Person Name:</b> <input type="text"/>          |
| <b>Restricted By Principal Name:</b> <input type="text"/>    |
| <b>Restricted Reason:</b> <input type="text"/>               |
| <b>Remit Name:</b> <input type="text"/>                      |
| <b>Active Indicator:</b> <input checked="" type="checkbox"/> |
| <b>Inactive Reason:</b> <input type="text"/>                 |
| <b>Claim Interval:</b> <input type="text"/>                  |

## Transmission Format [hide](#)

### New TransmissionFormat

|  |
|--|
| <b>* Transmission Format:</b> <input type="text"/>               |
| <b>* Preferred Transmission Format:</b> <input type="checkbox"/> |
| <b>* Transmission Type:</b> <input type="text"/>                 |
| <b>Connection Address:</b> <input type="text"/>                  |
| <b>User Name:</b> <input type="text"/>                           |
| <b>Password:</b> <input type="text"/>                            |
| <b>Active Indicator:</b> <input checked="" type="checkbox"/>     |

## Address [hide](#)

### New Address

|  |
|--|
| <b>* Address Type:</b> <input type="text"/>                  |
| <b>* Address 1:</b> <input type="text"/>                     |
| <b>Address 2:</b> <input type="text"/>                       |
| <b>* City:</b> <input type="text"/>                          |
| <b>State:</b> <input type="text"/>                           |
| <b>Postal Code:</b> <input type="text"/>                     |
| <b>Province:</b> <input type="text"/>                        |
| <b>* Country:</b> <input type="text"/>                       |
| <b>Attention:</b> <input type="text"/>                       |
| <b>URL:</b> <input type="text"/>                             |
| <b>Vendor Fax Number:</b> <input type="text"/>               |
| <b>Email Address:</b> <input type="text"/>                   |
| <b>Set as Default Address:</b> No                            |
| <b>Address Note:</b> <input type="text"/>                    |
| <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

### Contact [show](#)

### Supplier Diversity [show](#)

### Shipping Special Conditions [show](#)

### Vendor Commodity Codes [show](#)

### Search Alias [show](#)

### Vendor Phone Number [show](#)

## Vendor Tab

The **Vendor** tab collects fundamental information about a vendor such as the name, tax status and details. It is composed of three sections: **General Information**, **Corporate Information** and **Detail Information** sections.

| Vendor                           |  |
|----------------------------------|--|
| ▼ hide                           |  |
| <b>New</b>                       |  |
| <b>General Information</b>       |  |
| Vendor #:                        |  |
| Vendor Linking Id:               |  |
| Vendor Parent Indicator:         | Yes  |
| Vendor Name:                     |  |
| Vendor Last Name:                |  |
| Vendor First Name:               |  |
| <b>Corporate Information</b>     |  |
| * Vendor Type:                   |  |
| * Is this a foreign vendor:      | No   |
| Tax Number:                      |  |
| Tax Number Type:                 | <input type="radio"/> FEIN <input type="radio"/> SSN <input checked="" type="radio"/> NONE |
| * Ownership Type:                |  |
| Ownership Type Category:         |  |
| W9 Received:                     |  |
| W-BBEN Received:                 |  |
| Backup Withholding Begin Date:   |  |
| Backup Withholding End Date:     |  |
| Debarred:                        |  |
| <b>Detail Information</b>        |  |
| * Currency Type:                 |  |
| Payment Terms:                   |  |
| * Payment Method:                |  |
| Pre-Payment:                     |  |
| Credit Card:                     |  |
| Taxable Indicator:               | <input type="checkbox"/>   |
| Minimum Order Amount:            |  |
| Shipping Title:                  |  |
| Shipping Payment Terms:          |  |
| DUNS Number:                     |  |
| Vendor URL:                      |  |
| Confirmation:                    |  |
| Sold To Vendor Number:           |  |
| Sold To Vendor Name:             |  |
| Restricted:                      |  |
| Restricted Date:                 |  |
| Restricted Person Name:          |  |
| Restricted By Principal Name:    | -  |
| Restricted Reason:               |  |
| Remit Name:                      |  |
| Active Indicator:                | <input checked="" type="checkbox"/>  |
| Inactive Reason:                 |  |
| Claim Interval:                  |  |
| <b>Transmission Format</b>       |  |
| ▼ hide                           |  |
| <b>New TransmissionFormat</b>    |  |
| * Transmission Format:           |  |
| * Preferred Transmission Format: | <input type="checkbox"/>   |
| * Transmission Type:             |  |
| Connection Address:              |  |
| User Name:                       |  |
| Password:                        |  |
| Active Indicator:                | <input checked="" type="checkbox"/>  |
| add                              |  |

### General Information Section

General information includes the Vendor Name and a system-assigned Vendor Number. This number is assigned when the document is approved.

## Vendor

| New                             |  |
|---------------------------------|--|
| General Information             |  |
| <b>Vendor #:</b>                | <input style="width: 90%;" type="text"/> |
| <b>Vendor Linking Id:</b>       | <input style="width: 90%;" type="text"/> |
| <b>Vendor Parent Indicator:</b> | Yes                                      |
| <b>Vendor Name:</b>             | <input style="width: 90%;" type="text"/> |
| <b>Vendor Last Name:</b>        | <input style="width: 90%;" type="text"/> |
| <b>Vendor First Name:</b>       | <input style="width: 90%;" type="text"/> |

### General Information section definition

| Title                   | Description  |
|-------------------------|--|
| Vendor Number           | Display-only. A unique, system-generated number that identifies this vendor, assigned at the time the document is approved.  |
| Vendor Linking ID       | Locally defined. An identification to link OLE to your university's accounts payable systems   |
| Vendor Parent Indicator | Display only. Indicates whether the vendor is a parent or child record.  |
| Vendor Name             | Required if <b>Vendor Last Name</b> and <b>Vendor First Name</b> fields are blank. Enter the vendor name that is not a first and last name. If the vendor should be identified by a first and last name, leave this field blank. |
| Vendor Last Name        | Required if <b>Vendor Name</b> field is blank. Enter the vendor last name. If the vendor should be identified by a company name or title, leave this field blank and use the <b>Vendor Name</b> field.                           |
| Vendor First Name       | Required if <b>Vendor Name</b> field is blank. Enter the vendor first name. If the vendor should be identified by a company name or title, leave this field blank and use the <b>Vendor Name</b> field.                          |

### Note

Either the vendor name or vendor first name and last name are required to identify the vendor.

## Corporate Information





The **Corporate Information** section includes the vendor tax information, such as tax number, ownership type, which tax forms are on file and any special withholdings or debarred information.

| Corporate Information                 |  |
|---------------------------------------|--|
| <b>* Vendor Type:</b>                 | <input style="width: 90%;" type="text"/>         |
| <b>* Is this a foreign vendor:</b>    | No <input type="button" value="v"/>              |
| <b>Tax Number:</b>                    | <input style="width: 90%;" type="text"/>         |
| <b>Tax Number Type:</b>               | <input type="radio"/> FEIN <input type="radio"/> |
| <b>* Ownership Type:</b>              | <input style="width: 90%;" type="text"/>         |
| <b>Ownership Type Category:</b>       | <input style="width: 90%;" type="text"/>         |
| <b>W9 Received:</b>                   | <input type="button" value="v"/>                 |
| <b>W-8BEN Received:</b>               | <input type="button" value="v"/>                 |
| <b>Backup Withholding Begin Date:</b> | <input style="width: 90%;" type="text"/>         |
| <b>Backup Withholding End Date:</b>   | <input style="width: 90%;" type="text"/>         |
| <b>Debarred:</b>                      | <input type="button" value="v"/>                 |

### Corporate Information section definition



## Vendor

| Title                         | Description   |
|-------------------------------|---|
| Vendor Type                   | Required. Select the appropriate vendor type from the <b>Vendor Type</b> list or select if from the Vendor Type lookup  . Examples include 'Disbursement Voucher' and 'Purchase Order'. A vendor's type determines on which OLE documents it may be used. Different vendor types are used on different documents             |
| Is this a Foreign Vendor?     | Required. Select 'Yes' from the list if the vendor should be identified as foreign. Select 'No' if the vendor is not identified as foreign.   |
| Tax Number                    | Required for non-foreign vendors. Enter the vendor's tax ID number or SSN.  |
| Tax Number Type               | Required. Select the <b>Tax Number Type</b> option that describes the tax number entered in the Tax Number field. If no Tax Number was entered, select 'None'.  |
| Ownership Type                | Required. Select the appropriate type from the <b>Ownership Type</b> list, or search for it from the <b>Owner Type</b> lookup  . Examples include 'Corporation,' 'Non-Profit,' and 'Individual/Sole Proprietor'. The ownership type is found on the tax document (W9, W8Ben for example) submitted by the vendor.            |
| Ownership Category            | Optional. Select the appropriate category from the <b>Ownership Category</b> list, or search for it from the <b>Owner Category</b> lookup  . The ownership category more specifically identifies the vendor, often indicating the type of services this vendor provides. Examples might include Government or 'Corporation'. |
| W9 Received                   | Optional. Select 'Yes' or 'No' from the list to indicate if a W9 has been received for this vendor. Certain types of vendors may be required to have a W9 on file before they may be approved for use.  |
| W-8BEN Received?              | Optional. Select 'Yes' or 'No' from the list to indicate if a W-8BEN has been received for this vendor. Certain types of foreign vendors may be required to have a W-8BEN on file before they may be approved for use.  |
| Backup Withholding Begin Date | Optional. Enter the effective date for backup or select it from the calendar  , if the vendor is subject to backup withholdings.   |
| Backup Withholding End Date   | Optional. Enter the date to discontinue backup withholding or select it from the calendar  , if the vendor is subject to backup withholdings.  |
| Debarred                      | Optional. Select 'Yes' or 'No' from the list to indicate whether or not this vendor has been debarred. This designation indicates that an institution has been barred from doing business with this vendor by the state or federal government.  |



### Detail Information Section

The **Detail Information** section contains additional data about the vendor including payment and shipping terms and whether or not they are restricted or inactive and why.

| Detail Information            |                                     |
|-------------------------------|-------------------------------------|
| * Currency Type:              | <input type="text"/>                |
| Payment Terms:                | <input type="text"/>                |
| * Payment Method:             | <input type="text"/>                |
| Pre-Payment:                  | <input type="text"/>                |
| Credit Card:                  | <input type="text"/>                |
| Taxable Indicator:            | <input type="checkbox"/>            |
| Minimum Order Amount:         | <input type="text"/>                |
| Shipping Title:               | <input type="text"/>                |
| Shipping Payment Terms:       | <input type="text"/>                |
| DUNS Number:                  | <input type="text"/>                |
| Vendor URL:                   | <input type="text"/>                |
| Confirmation:                 | <input type="text"/>                |
| Sold To Vendor Number:        | <input type="text"/>                |
| Sold To Vendor Name:          | <input type="text"/>                |
| Restricted:                   | <input type="text"/>                |
| Restricted Date:              | <input type="text"/>                |
| Restricted Person Name:       | <input type="text"/>                |
| Restricted By Principal Name: | -                                   |
| Restricted Reason:            | <input type="text"/>                |
| Remit Name:                   | <input type="text"/>                |
| Active Indicator:             | <input checked="" type="checkbox"/> |
| Inactive Reason:              | <input type="text"/>                |
| Claim Interval:               | <input type="text"/>                |

**Detail Information section definition**

| Title                  | Description  |
|------------------------|--|
| Currency Type          | Required. Currency type of the vendor. Select the appropriate currency type from <b>Currency Type</b> list or select it the from the <b>Currency Type</b> lookup .   |
| Payment Terms          | Optional. Select from the Payment Terms list or select it from the <b>Payment Term Type</b> lookup . Payment terms include the number of days a payment is due and whether a discount is available for prompt payment.   |
| Payment Method         | Required. Payment method of the vendor. Select the appropriate method from <b>Payment Method</b> list or select it the from the <b>Payment Method</b> lookup .   |
| Pre-Payment            | Optional. Select 'Yes' or 'No' from the list to indicate whether or not this vendor accepts pre-payments.  |
| Credit Card            | Optional. Select 'Yes' or 'No' from the list to indicate whether or not this vendor accepts credit card payments.  |
| Minimum Order Amount   | Optional. Enter an amount if the vendor requires a minimum dollar amount for orders.   |
| Shipping Title         | Optional. Select a title from the <b>Shipping Title</b> list or select it from the <b>Shipping Title</b> lookup . The shipping title determines when ownership of the product takes effect. For example destination indicates that ownership takes effect when the product arrives at the delivery location. |
| Shipping Payment Terms | Optional. Select the terms from the <b>Shipping Payment Terms</b> list or select it from the <b>Shipping Payment Terms</b> lookup . This determines whether the institution pays for shipping charges.   |
| DUNS Number            | Optional. Enter the nine-digit vendor Data Universal Numbering System (DUNS) number if available. The DUNS number is a unique identifier for businesses that register with Dun and Bradstreet.   |
| Vendor URL             | Optional. Enter the URL for the vendor's website.  |
| Confirmation           | Optional. Select 'Yes' to indicate that this vendor needs a printed or faxed copy of a PO if the order has been phoned in. Select 'No' if an additional confirmation copy of the PO is not required by the vendor.   |


|                        |   |
|------------------------|---|
| Sold To Vendor Number  | Enter the number of the vendor that this vendor was sold to or search for the buyer from the <b>Vendor Detail</b> lookup  .  |
| Sold To Vendor Name    | Display-only. Automatically displayed when the <b>Sold To Vendor</b> is entered.  |
| Restricted             | Optional. Select 'Yes' or 'No' from the list to indicate whether or not the use of this vendor is restricted. A restricted vendor is ineligible for APOs.   |
| Restricted Date        | Display-only. Automatically displayed by the system when 'Yes' is selected in the <b>Restricted</b> field.  |
| Restricted Person Name | Optional. The system automatically displays the name of the document initiator when 'Yes' is selected for Restricted.   |
| Restricted Reason      | Required if Restricted is set to 'Yes. Enter a text description indicating why this vendor is restricted.   |
| Remit Name             | Optional. This field is for information purposes only and does not carry forward to payments requests or disbursement vouchers.   |
| Active Indicator       | Required. Select the check box if the vendor is active. Clear the check box if it is inactive.  |
| Inactive Reason        | Optional. If inactivating a currently active vendor, select a reason from the <b>Inactive Reason</b> list or select it from the <b>Vendor Inactive Reason</b> lookup  . Examples might include 'Sold' or 'Out of Business. |
| Claim Interval         | Optional. Enter the number of days that, following the approval of the PO, an item can be claimed. Titles will appear in the Receiving and Claiming Queue after the interval of days has past.  |

## Transmission Format Tab



The **Transmission Format** tab allows users to choose how purchase orders will be sent to vendors. Transmission formats could be EDI or PDF files while the transmission type could be set to FTP, Email, Mail, etc.

Be sure to select at least one **Preferred Transmission Format** on the **Transmission format** tab.

After entering the new transmission format information, click  to add it to the document.



### Transmission Format tab definition

| Title                         | Description  |
|-------------------------------|--|
| Transmission Format           | Required. Transmission format of the vendor. Select the appropriate currency type from the <b>Transmission Format</b> list or select from the <b>Transmission Format</b> lookup  .        |
| Preferred Transmission Format | Indicate whether or not the vendor transmission format/type is the preferred one or not. Required. Select the check box if the Transmission Format is the preferred format. Clear the check box if it is not the preferred format.   |
| Transmission Type             | Required. Transmission Type of the Transmission Format. Select the appropriate currency type from the <b>Transmission Type</b> list or select from the <b>Transmission Type</b> lookup  . |

## Note

Depending on the **Transmission Type** selected (Email, Fax, or Mail), you must have corresponding address information on an Address Tab with the **Address Type** set as Purchase Order. For example, if the Transmission Type selected is email, you must add an email address to the Address tab with the **Address Type** set as Purchase Order.

|                    |   |
|--------------------|---|
| Connection Address | Optional. Address of the transmission type.   |
| User Name          | Optional. User Name of the transmission type.   |
| Password           | Optional. Transmission Type password.   |
| Active Indicator   | Required. Select the check box if the Transmission Format is active. Clear the check box if it is inactive. |

## Address Tab

The **Address** tab collects address information for a vendor. Different types of addresses may be entered, such as one for mailing purchase orders and another for remittance of payments. Vendors of a particular type may be required to have at least one address of a certain type (such as at least one 'remit to' address). Every vendor must have one default address.

After entering an address, click  to add it to the document.




## Note


For more information about adding multiple addresses, see ['Collections'](#).

Address ▼ hide


---

**New Address**



|                                |  |
|--------------------------------|--|
| <b>* Address Type:</b>         | <input type="text"/>    |
| <b>* Address 1:</b>            | <input type="text"/>   |
| <b>Address 2:</b>              | <input type="text"/>   |
| <b>* City:</b>                 | <input type="text"/>   |
| <b>State:</b>                  | <input type="text"/>    |
| <b>Postal Code:</b>            | <input type="text"/>   |
| <b>Province:</b>               | <input type="text"/>   |
| <b>* Country:</b>              | <input type="text"/>  |
| <b>Attention:</b>              | <input type="text"/>   |
| <b>URL:</b>                    | <input type="text"/>   |
| <b>Vendor Fax Number:</b>      | <input type="text"/>   |
| <b>Email Address:</b>          | <input type="text"/>   |
| <b>Set as Default Address:</b> | No <input type="button" value="v"/>  |
| <b>Address Note:</b>           | <div style="border: 1px solid gray; height: 30px; width: 100%;"></div>                                     |
| <b>Active Indicator:</b>       | <input checked="" type="checkbox"/>  |



### Address tab definition

| Title        | Description   |
|--------------|---|
| Address Type | Required. Select an address type from the <b>Address Type</b> list or search for it from the <b>Address Type</b> lookup  . |
| Address 1    | Required. Enter the first line of the address information.  |
| Address 2    | Optional. If necessary, enter the second line of the address information.   |
| City         | Required. Enter the city name for this address.   |

## Vendor

|                        |  |
|------------------------|--|
| State                  | Optional. Select the state from the <b>State</b> list or select it from the <b>State Code</b> lookup  . State may be required under certain circumstances (such as when entering a US address). |
| Postal Code            | Optional. Enter the postal code for this address. Postal code may be required under certain circumstances (such as when entering a US address).  |
| Province               | Optional. Enter the province for this address.   |
| Country                | Required. Select a country from the <b>Country</b> list or select it from the <b>Country</b> lookup  .   |
| Attention              | Optional. Enter to whose attention it should be directed to, if you want this address to have an attention line.   |
| URL                    | Optional. Enter a URL you want to associate with this vendor address.  |
| Vendor Fax Number      | Optional. Enter the vendor fax number you want to associate with this address.   |
| Email Address          | Optional. Enter the vendor email address you want to associate with this address.  |
| Set as Default Address | Required. Select 'Yes' or 'No' from the list to indicate if this address should be used as the default for this vendor or not. Every vendor must have one default address.   |
| Address Note           | Optional. Enter additional information for the vendor's address.   |
| Active Indicator       | Required. Select the check box if the address is active. Clear the check box if it is inactive.  |



## Contact Tab

The **Contact** tab collects contact information for a vendor. Different types of contacts may be entered, such as sales, technical and customer service representatives.

**Contact** ▼ hide




---

**New Contact**

|                          |  |
|--------------------------|--|
| <b>* Contact Type:</b>   | <input type="text"/>    |
| <b>* Name:</b>           | <input type="text"/>   |
| <b>Email Address:</b>    | <input type="text"/>   |
| <b>Address 1:</b>        | <input type="text"/>   |
| <b>Address 2:</b>        | <input type="text"/>   |
| <b>City:</b>             | <input type="text"/>   |
| <b>State:</b>            | <input type="text"/> ▼   |
| <b>Postal Code:</b>      | <input type="text"/>   |
| <b>Province:</b>         | <input type="text"/>   |
| <b>Country:</b>          | <input type="text"/> ▼  |
| <b>Attention:</b>        | <input type="text"/>   |
| <b>Comments:</b>         | <input type="text"/>   |
| <b>Active Indicator:</b> | <input checked="" type="checkbox"/>  |

add

**Contact tab definition**

| Title            | Description  |
|------------------|--|
| Contact Type     | Required. Select contact type from the <b>Contact Type</b> list or select it from the <b>Contact Type</b> lookup  . |
| Name             | Required. Enter the name of the contact.   |
| Email Address    | Optional. Enter the email address for this contact.  |
| Address 1        | Optional. Enter the first line of the address information for this contact.  |
| Address 2        | Optional. Enter the second line of the address information for this contact.   |
| City             | Optional. Enter the city name for this contact.  |
| State            | Optional. Select the state from the <b>State</b> list or select it from the <b>State Code</b> lookup  .              |
| Postal Code      | Optional. Enter the postal code for this contact.  |
| Province         | Optional. Enter the province name for this contact.  |
| Country          | Optional. Select the country from the <b>Country</b> list or select it from the <b>Country</b> lookup  .            |
| Attention        | Optional. Enter to whose attention it should be directed to, if you want this address to have an attention line.   |
| Comments         | Optional. Enter any additional comments about this contact.  |
| Active Indicator | Required. Select the check box if the contact is active. Clear the check box if it is inactive.  |


After entering a contact, click  to add it to the document.


**Note**

For more information about adding multiple contacts, see '[Collections](#)'.

**Supplier Diversity Tab**

The **Supplier Diversity** tab is used to indicate if any recognized supplier diversity categories apply to this vendor. The Small Business Administration has defined supplier diversity categories which may be based on size (small business), ownership (woman or minority owned), and/or geographical location (local).


**Supplier Diversity definition**

| Title              | Description   |
|--------------------|---|
| Supplier Diversity | Required when the tab is used. Select the supplier diversity type from the Supplier Diversity list or select it from the <b>Supplier Diversity</b> lookup  . |
| Active Indicator   | Required. Select the check box if the supplier diversity type is active. Clear the check box if it is inactive.   |

After selecting a supplier diversity type, click  to add it to the document.

## Note

For more information about adding multiple supplier diversity types, see ['Collections'](#).

## Shipping Special Conditions Tab

The **Shipping Special Conditions** tab is used to indicate whether Accounts Payable is allowed to pay for additional freight charged when the vendor invoices for goods or services. Examples might include 'Express,' or 'Insured.'

### Shipping Special Conditions tab definition

| Title                       | Description  |
|-----------------------------|--|
| Shipping Special Conditions | Required. Select the type from the <b>Shipping Special Conditions Type</b> list or select it from the <b>Shipping Special Condition</b> lookup |
| Active Indicator            | Required. Select the check box if the shipping special conditions type is active. Clear the check box if it is inactive.                       |

After selecting a shipping special condition, click to add it to the document.

## Note

For more information about adding multiple shipping special condition types, see ['Collections'](#).

## Vendor Commodity Codes Tab

The **Vendor Commodity Codes** tab is used to assign commodity codes to this vendor. A commodity code may be added only by a Purchasing Department staff member.


The Purchasing Department assigns commodity codes to vendors in order to track spending by category. A vendor may be assigned multiple commodity codes. For example, a local company that both prints and designs documents might have two different commodity codes, one for printing and one for design.

## Note

For information about adding commodity codes, see [Commodity Code](#).

**Vendor Commodity Codes tab definition**

| Title                       | Description   |
|-----------------------------|---|
| Commodity Code              | Optional. Enter the commodity code.   |
| Commodity Default Indicator | Optional. Select the check box if this commodity code is to be used as the default for this vendor. This commodity code is used on APOs where an institution has indicated that the commodity code is required on POs but not on requisitions. Clear the check box if this commodity code is not to be used as the default. |
| Active Indicator            | Optional. Select the check box if this commodity code is active for this vendor. Clear the check box if it is inactive for this vendor.   |


After entering a commodity code, click  to add it to the document.

**Note**


For more information about adding multiple commodity codes, see ['Collections'](#).

**Search Alias Tab**

The **Search Alias** tab is used to define other names that may be used when searching for this vendor. Search aliases can be used in future lookups as abbreviated forms of long vendor names, or to denote external vendor codes or standard address numbers (SAN). Alias types include Abbreviation, Vendor Code, etc.



**Search Alias tab definition**

| Title             | Description  |
|-------------------|--|
| Search Alias Name | Required. Enter the alternate name that may be used to search for this vendor.   |
| Alias Type        | Optional. Identify the search alias type or select the type from the <b>Alias Type</b> lookup  . |
| Active Indicator  | Required. Select the check box if the search alias name is active. Clear the check box if it is inactive.  |

After entering a search alias, click  to add it to the document.

**Note**

For more information about adding multiple aliases, see ['Collections'](#).

**Vendor Phone Number Tab**


The **Vendor Phone Number** tab collects phone numbers for this vendor. It may be used to define various types of phone numbers. Examples of different phone number types include 'Toll Free,' 'Mobile,' and 'Purchase Order.'




Vendor Phone Number ▼ hide

---

**New Phone Numbers**

|                          |  |
|--------------------------|--|
| <b>* Phone Type:</b>     | <input type="text"/>  |
| <b>* Phone Number:</b>   | <input type="text"/>   |
| <b>Extension:</b>        | <input type="text"/>   |
| <b>Active Indicator:</b> | <input checked="" type="checkbox"/>  |

### Vendor Phone Number tab definition

| Title            | Description   |
|------------------|---|
| Phone Type       | Required. Select the phone type from the <b>Phone Type</b> list or select it from the <b>Phone Type</b> lookup  .  |
| Phone Number     | Required. Enter the phone number.<br><br><b>Tip</b><br><br>Foreign vendors will accept foreign phone numbers (for example (12) 34 567 1234, (345) 123-1234, 91 522 6565, 91-522-6565) however the <b>Is this a foreign vendor?</b> field must be marked as "yes". |
| Extension        | Optional. Enter the extension for the phone number.   |
| Active Indicator | Required. Select the check box if the vendor phone number is active. Clear the check box if it is inactive.   |

After entering a phone number, click  to add it to the document.

### Note

For more information about adding multiple phone numbers, see ['Collections'](#).

## Acquisition Unit Vendor Accounts Tab

The **Acquisition Unit Vendor Account** tab collects information about numbers the vendor uses to identify your institution. Multiple customer numbers may exist for the same vendor and they are specific to a chart and organization.

This is where libraries can record local account information for different departments purchasing authority within the same vendor e-doc.

▼ hide

---

**Acquisition Unit Vendor Accounts**

**New Acquisition Unit Vendor Accounts**

|  |                                     |
|--|-------------------------------------|
| * Acquisition Unit's Vendor account / Vendor Info Customer # : | <input type="text"/>                |
| * Chart Code:  | <input type="text"/>                |
| * Account Number Owner (Organization Code):                    | <input type="text"/> 🔍              |
| Discount:  | <input type="text"/>                |
| Discount Type:   | <input type="text"/> ▼              |
| Standard Delivery Carrier:                                     | <input type="text"/> 🔍              |
| Standard Delivery Carrier Interval:                            | <input type="text"/>                |
| Active Indicator:  | <input checked="" type="checkbox"/> |
| <input type="button" value="add"/>                             |                                     |

**Acquisition Unit Vendor Accounts tab definition**

| Title  | Description  |
|--|--|
| Acquisition Unit's Vendor account / Vendor Info Customer # | Required. Enter the number this vendor uses to identify your institution or organization as a customer.  |
| Chart Code   | Required. Select the chart this customer number should be associated with from the <b>Chart Code</b> list or select it from the <b>Chart</b> lookup 🔍. |
| Account Number Owner (Organization Code)                   | Optional. Enter an organization code to associate with this customer number or select it from the <b>Organization Code</b> lookup 🔍.                   |
| Discount   | Optional. Enter the value of the discount.   |
| Discount Type  | Optional. Select the type of discount.   |
| Standard Delivery Carrier                                  | Optional. Enter the Delivery Carrier or select it from the <b>Carrier</b> lookup 🔍.  |
| Standard Delivery Carrier Interval                         | Optional. Enter the days from order date to delivery; used as default claim interval in POs  |
| Active Indicator   | Required. Select the check box if the customer number is active. Clear the check box if it is inactive.  |

After entering a phone number, click  to add it to the document.

**Contracts Tab**

The **Contracts** tab collects information about contracts your institution has with this vendor. It includes information such as who manages the contract for your institution, when it begins and ends, any special payment or shipping terms that may specifically apply to the vendor. The **Contracts** tab is viewable only by the members of the OLE-PURAP Purchasing Processor role.

Contracts ▼ hide

**New Contract**

|                        |                                     |
|------------------------|-------------------------------------|
| * Contract Name:       | <input type="text"/>                |
| * Description:         | <input type="text"/>                |
| * Campus:              | <input type="text"/>                |
| * Begin Date:          | <input type="text"/>                |
| * End Date:            | <input type="text"/>                |
| * Contract Manager:    | <input type="text"/>                |
| * PO Cost Source:      | <input type="text"/>                |
| * B2B Contract:        | No <input type="checkbox"/>         |
| * Payment Terms:       | <input type="text"/>                |
| Shipping Terms:        | <input type="text"/>                |
| Shipping Title:        | <input type="text"/>                |
| Extension Option Date: | <input type="text"/>                |
| Default APO Limit:     | <input type="text"/>                |
| Active Indicator:      | <input checked="" type="checkbox"/> |

### Contracts tab definition

| Title                 | Description  |
|-----------------------|--|
| Contract Name         | Required. Enter the name used to identify this vendor contract.  |
| Description           | Required. Enter a text description that describes the contract.  |
| Campus                | Required. Select what institution campus this contract is associated with from the Campus list or select it from the <b>Campus</b> lookup .  |
| Begin Date            | Required. Enter the effective date of the contract or select it from the calendar .  |
| End Date              | Required. Enter the expiration date of the contract or select it from the calendar .   |
| Contract Manager      | Required. Select the name of the person at your institution who manages this contract from the <b>Contract Manager</b> list or search for it from the <b>Contract Manager</b> lookup . |
| PO Cost Source        | Required. Select a cost source for this contract from the <b>PO Cost Source</b> list or search for it from the <b>Purchase Order Cost Source</b> lookup .                              |
| B2B Contract          | Select the business-to-business contract (yes, no) from the list   |
| Payment Terms         | Required. Select the payment terms for this contract from the <b>Payment Terms</b> list or search for it from the <b>Payment Term Type</b> lookup .                                    |
| Shipping Terms        | Optional. Select the shipping terms for this contract from the <b>Shipping Terms</b> list or search for it from the <b>Shipping Payment Terms</b> lookup .                             |
| Shipping Title        | Optional. Select a shipping title for this contract from the <b>Shipping Title</b> list or search for it from the <b>Shipping Title</b> lookup .                                       |
| Extension Option Date | Optional. Enter the date up until the contract may be extended or select it from the calendar .  |
| Default APO Limit     | Optional. Enter the upper dollar amount for which automatic purchase orders (APOs) under this contract may be created.   |
| Active Indicator      | Required. Select the check box if the contract is active. Clear the check box if it is inactive.   |

After entering a contract, click  to add it to the document.

### Note

For more information about adding multiple contracts, see ['Collections'](#).

## Process Overview

### Business Rules


- Staff with appropriate levels of security can add, modify or delete data in the vendor record.
- Either **Vendor Name** or **Vendor Last Name** and Vendor First Name fields must be filled.
- If **Vendor Name** field is entered, **Vendor First Name** and Vendor **Last Name** fields must be blank.
- If **Vendor First Name** and **Vendor Last Name** fields have been entered, the **Vendor Name** field must be blank.
- Tax number must be 9-digits and cannot be all zeros.
- The first three digits of an SSN cannot be '000' or '666.
- The middle two digits of an SSN cannot be '00.
- The last four digits of an SSN cannot be '0000.
- The first two digits of a FEIN cannot be '00.
- The vendor's Tax Number must be unique unless it is a division of a parent vendor.
- Vendors of type 'Purchase Order' must have an address of the type 'Purchase Order.
- Vendors of type 'Disbursement Voucher' must have an address of the type 'Remit.
- A vendor must have one and only one address marked as a default address.
- If a country for an address is 'United States' then state and zip code are required.
- Phone and fax numbers must be formatted as ###-###-####.
- If the **Category Allowed Indicator** for a specific ownership type is 'N' (No) then vendor category must be left blank.
- If the **SSN Allowed Indicator** for this ownership type is 'N' (No) then the tax number type must not be SSN.
- If the **FEIN Allowed Indicator** for this ownership type is 'N' (No) then the tax number type must not be FEIN.
- Contract begin date must be earlier than contract end date.

### Note

Note: In many of the tabs, at least one address or contact etc. must have **Active Indicator** checked. Otherwise when the user tries to submit the Vendor e-doc, the system will display an error message. If you input any information on the other tabs, then their local tab requirements are noted with asterisks as well.

### Routing

- The document does not formally route.



## Vendors Search



OLE offers a customized document search related to purchase orders. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

### Maintenance Links:

- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link

will go to a maintenance document for editing the current record. The 'copy' link

will go to a new maintenance document but copy over attributes over the current record.

**Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.

**Note**

For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

**Note**

For information about Document lookup fields that are specific to the vendor record, see “Document Layout” under [Vendor](#).

---

# Chapter 10. Electronic Resources: Standard Transactional Documents



On the Select/Acquire tab, the Acquisition submenu provides access for users to search and edit payment requests, create general error corrections and disbursement vouchers, and search and edit E-Resources.

## E-Resource



While OLE has adopted functionality from the Quali Financial System for acquiring print materials that includes placing orders, receiving orders, claiming orders, and paying for orders, acquiring electronic materials and tracking their life cycle has required additional interfaces and electronic documents.

In 1.0, initial development included the E-Resource Record and its associated maintenance documents. The E-Resource Record provides a place to store and view information about an electronic resource acquisition, including the title(s) involved and the content provider. Within the OLE user interface, the E-Resource Record presents a single, unified view of all information related to acquisition of an individual electronic resource or group of electronic resources, including titles, payment, licensing, administrative, and contact information.

E-resource acquisition requires the collection and storage of life cycle management data that is not part of the requisition or purchase order and lacks a home in most current systems. Long-term management of e-resources also requires the ability to view or link to related data from one coherent “place.” There is no eDoc that currently meets these needs. Therefore, we are defining a new type of record to handle e-resources.

Future releases will include a platform record to support electronic resource administration, full GOKb integration, workflow tools to support initial activation of access to electronic resources, alerts to help track the workflows, and enhanced abilities to create purchase orders that accurately link expenditures to electronic resources.

## Getting Started

On the **Select/Acquire** tab, the **Electronic Resources** submenu allows users to create, search, and maintain E-Resource records.


An E-Resource Record is a tool for collecting and storing life cycle management data for electronic resources, including the title(s) involved, acquisitions and licensing information, and workflow status. In the 1.6 release, the E-Resource Record is the starting point for OLE's licensing workflow. In later releases, users will also be able to kick off trial workflows from this document.

### Note

The E-Resource Record will continue to be developed and modified in future releases, a large development effort is scheduled for the 2.0 release.

## Document Layout

Because of the quantity of metadata that the E-Resource holds, the record contains a left-pane navigation bar.





The navigation bar includes:

### **E-Resource Navigation Descriptions**

| Tab Name        | Description   |
|-----------------|---|
| Main            | Displays the primary data elements and includes tabs for acquisitions, selection and access.  |
| Instances       | Users can manage the relationship between the E-Resource Record and OLE Instances and/or OLE E-Instances. In future releases, users will be able to import and manage data from GOKb  |
| Purchase Orders | Displays and links to any purchase orders associated with an E-instance / Instance related to this E-Resource in 1.6. Also included at the top of the purchase order list is the sum of all payments for all purchase order line items linked to that E-Resource per fiscal year. |
| Invoices        | Displays any invoices for any purchase orders associated with this E-Resource (see above).  |
| Licenses        | Displays license information from any License Requests an E-Resource Record is linked to. Users may also start a new License Request from this tab.   |
| Event Log       | Allows staff to store correspondence between libraries and publishers, vendors, etc. as well as notes about external activities. Some system-generated events are added automatically.  |

### **Tip**

Click **save** when you have completed your work in one tab before moving on to the next. Prepopulated fields will be filled and you will not risk losing anything.

# Main M

Estimated Price:  Statistical Code:

Description:

Fund:

Accounting Lines

## Subscription

|                                  |                                     |                              |  |
|----------------------------------|-------------------------------------|------------------------------|--|
| Subscription Status:             | <input type="text"/>                | Cancellation Candidate?:     | <input type="checkbox"/>                   |
| Initial Subscription Start Date: | <input type="text"/>                | cancellationDecisionDate:    | <input type="text"/>                       |
| Current Subscription Start Date: | <input type="text"/>                | Cancellation Effective Date: | <input type="text"/>                       |
| Current Subscription End Date:   | <input type="text"/>                | Cancellation Reason:         | <input type="text"/>                       |
| Renewal Alert Enabled?:          | <input checked="" type="checkbox"/> | Notice Period in Days:       | <input type="text" value="90"/>            |
|                                  |                                     | Recipient:                   | <input type="text" value="olequickstart"/> |

## Selection

Requestor

Selector

Requestor/Selector Comment

Priority:

## Access

|                         |   |                           |                      |
|-------------------------|---|---------------------------|----------------------|
| Access Status:          | <input type="text"/>  | Type of Access:           | <input type="text"/> |
| Authentication Type:    | <input type="text"/>  | No. of Simultaneous User: | <input type="text"/> |
| Access Location:        | <input type="text" value="Main Campus"/><br><input type="text" value="Low Campus"/><br><input type="text" value="High Campus"/> | Technical Requirements:   | <input type="text"/> |
| Access Document Number: | <input type="text"/>  |                           |                      |

## Alerts

Alert Selector:  Role:  Group:  Person:  Note:  Alert Date:

## Note

Public Display Note:

Note

Ad Hoc Recipients

Route Log

The E-Resource Record Main menu includes the **Overview**, **Acquisitions**, **Selection**, and **Access** tabs, in addition to the standard tabs.

## Note

For information about the **standard tabs**, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Overview Tab

The E-Resource Record Main menu contains a custom tab called the **Overview** that contains basic information about the E-Resource. The name of the E-Resource, Publisher, Platform and Vendor information as well as identifying information are noted here.

▼ **Overview**

|              |  |                    |            |                  |  |
|--------------|--|--------------------|------------|------------------|--|
| * Name:      | <input type="text"/>   | * Status:          | In-Process | OLE Identifier:  |  |
| Publisher:   | <input type="text"/>   | Status Date:       | 2015-09-02 | ISBN/ISSNs:      |  |
| Vendor Name: | Type * for all vendors, other letters for matching vendors<br><input type="text"/> | Platform Provider: |            | GOKb Identifier: |  |

## Overview Tab Definitions

| Title             | Description   |
|-------------------|---|
| Name              | Required. The name of the E-Resource. Used also for searching.  |
| Publisher         | Record the name of the publisher of the E-Resource. In a future release, this will be linked to an Organization record.   |
| Platform Provider | Display-only. The platform provider for the E-Resource. This is display only because it is based on the Platform(s) used by the E-instance(s) that are associated with this E-Resource. |
| Vendor Name       | The name of the vendor. This is linked to a Vendor record in OLE.   |
| OLE Identifier    | Display only. Identifies the E-Resource within OLE.   |
| ISBN/ISSNs        | Display only. If the E-Resource Record has only one title, the subfield \$a of the first ISBN/ISSN number from the record will display here.  |
| GOKb Identifier   | Display only. In a future release, for E-Resources imported from GOKb, this field will display the link to the GOKb interface.  |
| Status            | Current status of the E-Resource Record.  |
| Status Date       | Display only. Date at which the status was last updated.  |



## Workflow Status Tab

The **Workflow Status** tab is used in the 1.6 release to display the status of a License Request created from the E-Resource, In future releases, it will also display the status of a linked trial, purchase, or access/activation.

The checkbox in the Needed? column is used to indicate whether a trial or license negotiation will be needed to acquire this electronic resource. It is for informational purposes only.



Electronic Resources: Standard  
Transactional Documents

|                  |   |
|------------------|---|
| Format           | Required. Defines the format(s) of the e-resource (i.e. electronic, print) for reporting and management. Select the format from the drop down and click  .   |
| Content Type     | Required. Defines the type(s) of content included in the E-Resource (i.e. text, images) for reporting and management. Select the Content Type from the drop down and click  .  |
| Payment Type     | Type of payment for the E-Resource. Examples may include free, paid, includes print, etc..  |
| Package Type     | Indicates the type of the package in GOKb. For example, locally negotiated or consortial package. In a future release, this will be imported from GOKb.   |
| Breakable        | Indicates whether individual titles that are part of the E-Resource can be canceled.  |
| Estimated Price  | The estimated price of the E-Resource used for reference. Once the Purchase Order exists, the estimated price will reflect the official price.  |
| Description      | Text field to allow staff to describe the E-Resource being purchased.   |
| Order Type       | Indicates the type of order, for example subscription or standing. In a future release, this will be used to populate Purchase Orders created for this E-Resource.  |
| Package Scope    | Scope of the E-Resource. For example, front file or back file. In a future release, this will be imported from GOKb.  |
| Fixed Title List | Indicates whether an E-Resource is static (fixed) or has titles added/removed over time (not fixed).  |
| Statistical Code | Select the Statistical Code from the drop down list. This is a custom local field to be used for reporting.   |
| Fund             | This field is meant to display the accounting information from Purchase Orders and Invoices. However in 1.6, the lookup will display the Vendor Reference Number.<br><br><b>Note</b><br><br>The bug has been documented and further coding is planned for 2.0. For more information, see <a href="#">OLE-4682</a> |

## Selection Tab






The **Selection** tab gives information about who has requested the E-Resource.

### ▼ Selection

|                                   |  |   |
|-----------------------------------|--|---|
| <b>Requestor</b>                  | <input type="text"/>  |  |
| <b>Selector</b>                   | <input type="text"/>  |  |
| <b>Requestor/Selector Comment</b> | <input type="text"/>   |  |
| <b>Priority:</b>                  | <input type="text" value="1"/>   |   |

### Selection Tab Definitions

## Electronic Resources: Standard Transactional Documents

| Title                      | Description  |
|----------------------------|--|
| Requester                  | The patron requesting the E-Resource. Enter a valid patron or search for them from the lookup  and click  .      |
| Selector                   | The librarian requesting the E-Resource. Enter a valid OLE user or search for them from the lookup  and click  . |
| Requester/Selector Comment | Enter any patron or staff notes about the request and click  .  |
| Priority                   | Select a value from the drop down to assign a priority value to the request for purchase.  |

### Access Tab

The **Access** tab describes the type of access and requirements for the E-Resource.


#### ▼ Access

|                                |   |                                  |                      |
|--------------------------------|---|----------------------------------|----------------------|
| <b>Access Status:</b>          | <input type="text"/>  | <b>Type of Access:</b>           | <input type="text"/> |
| <b>Authentication Type:</b>    | <input type="text"/>  | <b>No. of Simultaneous User:</b> | <input type="text"/> |
| <b>Access Location:</b>        | <input type="text"/> <ul style="list-style-type: none"> <li>Main Campus</li> <li>Low Campus</li> <li>High Campus</li> </ul> | <b>Technical Requirements:</b>   | <input type="text"/> |
| <b>Access Document Number:</b> | <input type="text"/>  |                                  |                      |

### Access Tab Definitions

| Title                     | Description   |
|---------------------------|---|
| Type of Access            | Select the type of access available for the E-Resource from the drop down. For example, site-wide or limited access.                            |
| Access Location           | Select all of the locations that have access to the E-Resource from the list. Press shift+click or shift+arrow keys to select multiple options. |
| Authentication Type       | Select the type of authentication needed to access the E-Resource from the drop down. For example, IP range or Shibboleth                       |
| No. of Simultaneous Users | Enter the number of simultaneous users allowed to have access the E-Resource at the same time, if there is a limit.                             |
| Technical Requirements    | Enter additional notes about technical restrictions/requirements.   |

### Note Tab

The **Note** tab allows staff to record multiple special notes about the E-Resource. For example breaches or computer usage requirements. After typing the note, click  to add a note in the **Note** subtab.

In the Public Display Note field, staff may record a note that should be displayed to all public users for all titles in the E-Resource.

▼ Note

Public Display Note:

Note

## Instances Menu

From the **Instances** menu staff can view and update the OLE Instances linked to the E-Resource. In a later release, staff will also be able to manage the relationship between the E-Resource Record and data imported from GOKb.

Save Add OLE E-Holdings Create Child E-Resource Delete Related Instances

▼ Overview

|              |                              |                    |            |                  |    |
|--------------|------------------------------|--------------------|------------|------------------|----|
| Name:        | Japanese literature database | Status:            | Active     | OLE Identifier:  | 51 |
| Publisher:   |                              | Status Date:       | 2015-08-19 | ISBN/ISSNs:      |    |
| Vendor Name: | ALEPH-BET BOOKS              | Platform Provider: |            | GOKb Identifier: |    |

Default Coverage: Edit

Default Perpetual Access: Edit

▼ E-Holdings Details

There are currently no Instances linked to the E-Resource Record.


## Overview Tab

The **Overview** tab maintains the same information as the **Main Menu's Overview** tab.

### Note

See the [Main Menu Overview tab](#) to review the Overview tab.

Users may set **Default Coverage** dates all E-instances that are associated with the E-Resource by clicking



. A **Coverage** window will open. Enter the coverage information and click

**Coverage**

Start Date:   Start Volume:  Start Issue:  End Date:   End Volume:  End Issue:

save close

Users may set **Default Perpetual Access** dates for All E-instances that are associated with the E-Resource

by clicking Edit. A **Perpetual Access** window will open. Enter the perpetual access dates and click



**PerpetualAccess**  
Start Date:  Start Volume:  Start Issue:  End Date:  End Volume:  End Issue:   
save close

## OLE Instances Tab

In this section, staff may also link a pre-existing OLE Instance/E-Instance to this E-Resource or create a new OLE Instance/E-Instance that is linked to this E-Resource.

1.

Click the  button.

A pop-up box with three options will appear.

2. Choose from the options: Link to an existing instance, Create a new Instance for an existing bib, or Create a new bib and Instance.

Link to existing E-Holdings  
 Create new E-Holdings (existing bib)  
 Create new E-Holdings (new bib)  
Close

- Select **Link to existing Instance** to link a pre-existing OLE Instance.

The E-Resource Workbench will open in a new tab, allowing you to search for the desired bibliographic record.



# Electronic Resources: Standard Transactional Documents

## EResource Workbench View

Document Type:  Bib

▼ Search Conditions:

Note - Search conditions are applied in the order they appear. e.g. ((Condition 1 and Condition 2) or Condition 3) and Condition 4). The following special characters @, #, %, \$, /, -, /, (, ), {, }, <, >, :, ;, ^, ^, are ignored in search text.

Search For:  All of these In Doc Type: Bibliographic In Field: ANY AND OR NOT Add

Search Clear New Search

▼ Search Results:

Show 10 entries

| Title  | Author                          | Publisher         | Pub Date            |   |
|--|---------------------------------|-------------------|---------------------|---|
| <input type="checkbox"/> Miyazaki Hayao no shigoto   |                                 | NHK Entāpuraizu,  | 2009.               | <a href="#">View</a><br><a href="#">Bib</a> |
| <input type="checkbox"/> Mogi geka kakuron /   | Mogi, Kuranosuke.               | Nanzandō Shoten,  | Shōwa 23 [1948]     | <a href="#">View</a><br><a href="#">Bib</a> |
| <input type="checkbox"/> Nō o ikasu benkyōhō : kiseki no "kyōka gakushū" = Brain & study / | Mogi, Ken'ichirō, 1962- author. | PHP Kenkyūjo, ... | 2007-, 2008, ©2007, | <a href="#">View</a><br><a href="#">Bib</a> |

Showing 1 to 3 of 3 entries Previous Next


▼ Narrow Search

Remove filter: Japanese Remove

Author: more

- Mogi, Ken'ichirō, 1962- author. (1)
- Mogi, Kuranosuke. (1)
- NHK Entāpuraizu. (1)
- Nihon Hōsō Kyōkai. (1)
- Nihon Hōsō Shuppan Kyōkai. (1)

- a. Select the checkbox next to the desired title. A pop-up will appear that will give you the option to specify whether you are linking to a Holdings or EHoldings. Select the radio button next to your choice.



- b. In the next pop-up window, select the appropriate record you would like to link to the E-Resource and click **Link to EResource**.

Holdings  EHoldings

| Title  | Location | Call Number |                      |                      |
|--|----------|-------------|----------------------|----------------------|
| <input type="checkbox"/> Miyazaki Hayao no shigoto[videorecording] /kikaku, sakusei Nihon Hōsō Shuppan Kyōkai. | LEHIGH   |             | <a href="#">View</a> | <a href="#">Edit</a> |

Showing 1 to 1 of 1 entries Previous Next

Link to E-Resource Close

- c. Click **save** on the E-Resource Instances menu page.

Instances will appear in the Instance Details tab (see below).

- Select **Create new Instance (existing bib)** to link to a new E-instance for an existing bibliographic record.

## Electronic Resources: Standard Transactional Documents

- The E-Resource Workbench will open in a new tab, allowing you to search for the desired bibliographic record (see above).
- Select the **Create new EInstance** link to the right of the desired bib record.

### EResource Workbench View

Document Type:  Bib

▼ Search Conditions:

Note -  
Search conditions are applied in the order they appear, e.g. (( Condition 1 and Condition 2 ) or Condition 3) and Condition 4).  
The following special characters @, #, %, \$, /, -, !, (, ), {, }, <, >, :, ;, ", ', ~, ^, \* are ignored in search text.

Search For:  In Doc Type:  In Field:    AND  OR  NOT

▼ Search Results: Show 10 entries

| Title  | Author                                  | Publisher                        | Pub Date            | View                 | Create                               |
|--|---|----------------------------------|---------------------|----------------------|--------------------------------------|
| Dokumento kōteiseki : kansens bakuhatsu, zentō satsushobun kara fukkō, shinsai e / | Miyazaki Nichinichi Shinbunsha, author. | Nō-san-gyoson Bunka Kyōkai, . .  | 2011., 2012, ©2011, | <a href="#">View</a> | <a href="#">Create New EInstance</a> |
| Fukushima Genpatsu Jiko : Tōden terebi kaigi 49-jikan no kiroku /                  |   | Kabushiki Kaisha Iwanami Shoten, | 2013.               | <a href="#">View</a> | <a href="#">Create New EInstance</a> |
| Fukushima Genpatsu Jiko talmu rain 2011-2012 /                                     |   | Iwanami Shoten,                  | 2013.               | <a href="#">View</a> | <a href="#">Create New EInstance</a> |
| Gendai Chūgoku "kunitori monogatari" : kakushite "hannichi" wa tsuzuku /           | Miyazaki, Masahiro.                     | Shōgakukan,                      | 2012.               | <a href="#">View</a> | <a href="#">Create New EInstance</a> |

▼ Narrow Search

Author [more](#)

- Bungei Shunjū, Kabushiki Kaisha. (1)
- Fukushima Genpatsu Jiko Kiroku Chimu editor. (1)
- Fukushima Genpatsu Jiko Kiroku Chimu, editor. (1)
- Kimura, Hideaki, 1968- (1)
- Kimura, Hideaki, 1968- author. (1)

Format

- Book (7)
- Video (1)

- This will open the Editor to a blank new E-Instance record. Fill out the details and click **Save**.

### Note

For more information about the [E-Instance Editor](#), see the relevant section in the [OLE Guide to Describe](#).

- Return to the E-Resource Instances menu page and click **Save**.

Instances will appear in the Instance Details tab (see below).

- Select **Create New Instance (new bib)** to link to a complete new bibliographic record with new instance.

- This will open the Bib Editor. Create a new bibliographic record and click **Submit**.

### Note

For more information about the [Bibliographic Editor](#), see the relevant section in the [OLE Guide to Describe](#).

- Populate the automatically created E-Holdings for the title and click **Save**. Additionally, you could add a new Holdings and Item to the bibliographic record if desired and click **Save**.

- Return to the E-Resource Instances menu page and click **Save**.

- Instances will appear in the Instance Details tab (see below).

## Tip

Important : As of 1.6, you **MUST** click “save” on the Instances menu of the E-Resource before the link to an Instance or E-instance is actually saved.

The Instance Details tab shows a table listed of all instance (print or electronic) that have been linked to this E-Resource. Multiple instance from a single bib can be linked to the same E-Resource. To unlink a specific instance, simply click the **Remove** button next to it.

### ▼ E-Holdings Details

Show  entries [csv](#) [xml](#) [xls](#)

| Title   | EResource Name               | ISBN/ISSN                | Holdings | URL | Public Note | Publisher                | Access Status | Subscription Status | Platform           | Manage gokb                 | Actions                |
|---|------------------------------|--------------------------|----------|-----|-------------|--------------------------|---------------|---------------------|--------------------|-----------------------------|------------------------|
| <a href="#">Fukushima Genpatsu Jilko :Tōden terebi kaigi 49-jikan no kiroku /Fukushima Genpatsu Jilko Kiroku Chimu hen ; Miyazaki Tomomi, Kimura Hideaki.</a> | Japanese literature database | 9784000246866,4000246860 |          |     |             |                          | active        | Active              | Rich'sTestPlatform | <a href="#">Manage gokb</a> | <a href="#">Remove</a> |
| <a href="#">Miyazaki Hayao no shigoto[videorecording] /kikaku, sakusei Nihon Hōsō Shuppan Kyōkai.</a>   | Japanese literature database |                          |          |     |             | Tōkyō : NHK Entāpuraizu, |               | Active              |                    | <a href="#">Manage gokb</a> | <a href="#">Remove</a> |

Showing 1 to 2 of 2 entries [First](#) [Previous](#) [1](#) [Next](#) [Last](#)

## Purchase Orders Menu

From the **Purchase Orders** menu, staff are able to view and access any Purchase Orders for any Instances or E-Instances that are linked to the E-Resource. In future releases, users will also be able to see any Purchase Orders created for the E-Resource itself.

### ▼ Overview

|              |            |                    |                  |   |
|--------------|------------|--------------------|------------------|---|
| Name:        | testing    | Publisher:         | OLE Identifier:  | 3 |
| Status:      | In-Process | Platform Provider: | ISBN/ISSNs:      |   |
| Status Date: | 2014-07-07 | Vendor Name:       | GOKb Identifier: |   |

### ▼ PO details

Show  entries [csv](#) [xml](#) [xls](#)

| PO Number                  | Title  | Paid Amount CurrentFY | Paid Amount PreviousFY | Paid Amount Two Years PreviousFY | Purpose |
|----------------------------|--|-----------------------|------------------------|----------------------------------|---------|
| 1257                       | CALENDARS AND YEARS; II : ASTRONOMY AND TIME IN THE ANCIENT AND MEDIEVAL WORLD |                       |                        |                                  |         |
| Sum of Payments (all POs): |  | 0                     | 0                      | 0                                |         |

Showing 1 to 1 of 1 entries [First](#) [Previous](#) [1](#) [Next](#) [Last](#)

## Overview Tab

The **Overview** tab maintains the same information as the **Main** menu's **Overview** tab.

## Note

See the [Main Overview tab](#) to review the Overview tab.

## PO Details Tab

The **PO Details** tab displays the PO information as it exists from any linked Instance. Click the linked **PO Number** to view the Purchase Order.

### Note

To learn more about creating and modifying Purchase Orders, see [Purchase Orders](#).

## Invoices Menu

From the **Invoices** menu, staff can view Invoices for any Purchase Orders related to this E-Resource. These will display here.

### ▼ Overview

|              |            |                    |  |                  |   |
|--------------|------------|--------------------|--|------------------|---|
| Name:        | testing    | Publisher:         |  | OLE Identifier:  | 3 |
| Status:      | In-Process | Platform Provider: |  | ISBN/ISSNs:      |   |
| Status Date: | 2014-07-07 | Vendor Name:       |  | GOKb Identifier: |   |

### ▼ Invoice Details

| Invoice Date | Invoice Number | Vendor               | Amount | Note | Fund Code(invoice) | Invoice Status                   | Paid Date | Date Check Cleared | Check Number |
|--------------|----------------|----------------------|--------|------|--------------------|----------------------------------|-----------|--------------------|--------------|
| 07/07/2014   | 7956           | YBP Library Services | 43.33  |      | 53                 | Awaiting Fiscal Officer Approval |           |                    |              |
| 07/07/2014   | 7956           | YBP Library Services | 31.50  |      | 53                 | Awaiting Fiscal Officer Approval |           |                    |              |

## Overview Tab

The **Overview** tab maintains the same information as the **Main** menu's **Overview** tab.

### Note

See the [Main Overview tab](#) to review the Overview tab.

## Invoice Details Tab

The **Invoice Details** tab displays the Invoice information as it exists when any linked purchase orders are added to an Invoice. Click the linked **Invoice Number** to view the Invoice document.

### Note

To learn more about creating and modifying Invoices, see [Invoice](#).

## Licenses Menu

From the **Licenses** menu staff can view and create licenses to link to the E-Resource. Click **Start New License** to create a License Request.

Start New License

▼ Overview

|              |            |                    |                  |   |
|--------------|------------|--------------------|------------------|---|
| Name:        | testing    | Publisher:         | OLE Identifier:  | 3 |
| Status:      | In-Process | Platform Provider: | ISBN/ISSNs:      |   |
| Status Date: | 2014-07-07 | Vendor Name:       | GOKb Identifier: |   |

▼ Licenses

| Document Id | Licensor | License Request Status | License Request Last Modified Date | License Title  | Attachments    | License Start Date | License End Date |
|-------------|----------|------------------------|------------------------------------|--|----------------|--------------------|------------------|
| 8074        |          | License Needed         | 07/07/2014 04:42 PM                | <a href="#">LicenseNeeded-REQS_[date:2014-07-07]</a> | No Attachments |                    |                  |

## Overview Tab

The **Overview** tab maintains the same information as the **Main** menu's **Overview** tab.

### Note

See the [Main Overview tab](#) to review the Overview tab.

Start New License

Below the Overview tab, staff may start a new license request. Click the button to create the License Request document. This will create an entry for the license in the Licenses tab below. It is possible to create multiple License Requests for a single E-Resource.

### Note

For more on working with License Request documents, see [License Request](#).

## Licenses Tab

Once a License Request has been started, its summary information will appear in this tab. As of 1.6, this includes Status of the License Request, Last Modified Date, License Request Title, and information about any Attachments. Click on the **License Title** to open and view or edit the License Request.

▼ Licenses

| Document Id | Licensor | License Request Status | License Request Last Modified Date | License Title  | Attachments    | License Start Date | License End Date |
|-------------|----------|------------------------|------------------------------------|--|----------------|--------------------|------------------|
| 8074        |          | License Needed         | 07/07/2014 04:42 PM                | <a href="#">LicenseNeeded-REQS_[date:2014-07-07]</a> | No Attachments |                    |                  |

The Status for the first created open License Request will also display in the Workflows tab of the Main Menu for the E-Resource.

## ▼ Workflow Status

WorkFlow Name Needed? Status

Trial:

License:  License Needed

### Note

This is a bug. In future releases, the status will display the most recently created open License Request.

## Event Log Menu

The **Event Log** menu is available to store the correspondence between librarians and publishers, vendors, and others. Libraries may also use the Event Log to record an audit trail of changes made to the E-Resource Record or events that took place outside of OLE.

### ▼ Overview

|              |            |                    |                  |   |
|--------------|------------|--------------------|------------------|---|
| Name:        | testing    | Publisher:         | OLE Identifier:  | 3 |
| Status:      | In-Process | Platform Provider: | ISBN/ISSNs:      |   |
| Status Date: | 2014-07-07 | Vendor Name:       | GOKb Identifier: |   |

### ▼ Event Log

add

|      |            |   |                              |
|------|------------|---|------------------------------|
| Type | Event Date | * User: ole-quickstart <input type="text"/> | * Note: <input type="text"/> |
|------|------------|---|------------------------------|

Show 10 entries

Search:

| Type   | Event Date          | User           | Note   | Actions                               |
|--------|---------------------|----------------|--|---------------------------------------|
| System | 07/07/2014 04:13 PM | ole-quickstart | status is In-Process   | <input type="button" value="delete"/> |
| System | 07/07/2014 04:31 PM | ole-quickstart | 1000 glass beads :innovation & imagination in contemporary glass beadmaking / (Instance Id :who-139) was removed | <input type="button" value="delete"/> |
| System | 07/07/2014 04:31 PM | ole-quickstart | 500 beaded objects :new dimensions in contemporary beadwork / (Instance Id :who-140) was removed                 | <input type="button" value="delete"/> |

Showing 1 to 3 of 3 entries



## Overview Tab

The **Overview** tab maintains the same information as the **Main** menu's **Overview** tab.

### Note

See the [Main Overview tab](#) to review the Overview tab.


## Event Log Tab


The **Event Log** tab captures certain types of automated entries for E-Resources, such as a change in status. Users can also manually add entries to capture external communications, notes, or to summarize any actions external to OLE (such as with Vendor/Provider, University Legal, University Purchasing, etc.). You may add an event by filling out the required fields and clicking . Users with appropriate permissions may also delete an entry from the Event Log by clicking .

Many events can be recorded in the event log. You may display 10, 25, 50, or 100 entries at one time. Additionally, you may search for events from the search bar.

▼ **Event Log**




**add**

|      |            |  |         |
|------|------------|--|---------|
| Type | Event Date | * User: ole-quickstart  | * Note: |
|------|------------|--|---------|



Show  entries


Search:

| Type   | Event Date          | User           | Note   | Actions  |
|--------|---------------------|----------------|--|--|
| System | 07/07/2014 04:13 PM | ole-quickstart | status is In-Process   |   |
| System | 07/07/2014 04:31 PM | ole-quickstart | 1000 glass beads :innovation & imagination in contemporary glass beadmaking / (Instance Id :who-139) was removed |   |
| System | 07/07/2014 04:31 PM | ole-quickstart | 500 beaded objects :new dimensions in contemporary beadwork / (Instance Id :who-140) was removed                 |  |

Showing 1 to 3 of 3 entries


[Previous](#) [Next](#)

### Event Log tab Definitions

| Title      | Description   |
|------------|---|
| Type       | System generated. The event type value will be 'system' when the request is initiated, 'user' if a line was added manually by user; 'file' if an Agreement doc was added; 'agreement' if a linked Agreement document was edited or added; 'location' if a location change occurred; 'status' if a license status change occurred. |
| Event Date | System generated. Logs the date for the event log line item.  |
| User       | Required. Logs the user id of the person associated with the event log change. Defaults to current user but can be modified by entering a name or searching from the lookup    |
| Note       | Required; may be manually added or system generated. Users may input information to provide audit trail information. System also records what events have occurred.   |

## Process Overview

1. Select **E-Resource** from the **Select/Acquire** Menu.
2. To create the E-Resource, fill in data in the required fields: Name, Status, Material Type, Content Type and Format.
- 3.

Enter additional information and click .

4. From this point the E-Resource acquisition process is non-linear. Four different workflows may be set in motion in any sequence. Each of these workflows can be started from a related menu page on the E-Resource; the status of the related workflows are intended to display in the Workflows tab of the Main menu of the E-Resource.

- Trials (in a future release)
- Licensing


### Note

For more on creating license requests and their workflows, see [below](#)


- Purchasing through a Requisition and Purchase Order (in a future release)
  - Activating patron access (in a future release)
5. In addition, the E-Resource Record has its own locally configurable workflow. As the E-Resource Record is passed through each approval in the local workflow, the document is editable for staff with appropriate permissions to add or modify as necessary.

6.



To start the local workflow for the E-Resource, click . The document will route to the Action List of the first user or group in the local workflow.

7. Once that workflow step has been completed, the appropriate user will click



to move the document to the next approver.

## Business Rules

- E-Resource must have required fields specified in Data Requirements worksheet in order to be saved.
- A License Request will be linked to an E-Resource, not a Requisition (this is a change from 0.8).
- An Instance or E-Instance may only be linked to one E-Resource.
- As part of workflow, E-Resource Records remain in the Action List of the “owning group” until passed to the next owning group, a locally defined sequence. Whenever an E-Resource’s workflow has been completed by the last defined owning group it no longer appears in any group’s Action List.

## Routing

The E-Resource document is initiated by a member of OLE-SELECT Collection Management, OLE\_E-Resource, OLE\_Head, OLE\_Acquisitions-select, or OLE\_Selector roles. Once the E-Resource is submitted to the workflow, it will route for approval:

- First to a member of the OLE\_Acquisitions-select.
- Next to a member of the OLE\_Cataloger.



## E-Resource Search



# Search E-Resource Records

OLE offers a customized document search for E-Resources. Once you have opened the **E-Resource Search**, perform a search to find the record you wish to modify.

### Note

For information about **Search By** fields that are specific to E-Resources, see the E-Resource's [“Document Layout”](#).

## Process Overview

### Search E-Resource Records

You may select your desired search fields using the **Search by** drop-down and enter search term(s) in the Search Criteria boxes. Searches across multiple fields can be combined using Boolean operators as needed. You may also filter by dates and statuses using the box on the right side of the screen. Search results appear below the **Search** boxes. The **Add Search Criteria** button can be used if you need to use more than 3 search criteria.

### Note

As of 1.6, the search is performing a begins with search. You may use the ‘\*’ character as a wildcard before and / or after any search term(s) you enter. See [Using Special Characters in search](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

## Electronic Resources: Standard Transactional Documents

### Search E-Resource Records

Search Criteria:

AND  OR  NOT

Search Criteria:

AND  OR  NOT

Search Criteria:

AND  OR  NOT

**Filters**

Status Date(mm/dd/yy):

Begin:  End:

**Status**

In-Process  Trial  Ordered  Invoiced  Active  Canceled

Results will be sorted by E-Resource Record Name. You may display 10, 25, 50, or 100 E-Resource Record entries at one time. Additionally, you may further refine your search from the search bar above the results.

Click a **Doc ID** to open an E-Resource record.

---

# Chapter 11. Import




On the Select/Acquire tab, the Import submenu provides access for users to view load reports. Users may import batch records from the **Batch Process** interface on the **Admin** tab.

## Note

To learn more about the [Batch Process](#) interface, see the [OLE Guide to System Administration Functions](#) on the [OLE Documentation Portal](#).

## Load Reports



Load Reports provide users with access to information about the loads performed within OLE. The reports give information about how many successes and/or fails were counted and links to the purchase orders and bibliographic records that may have been created.

## Getting Started

OLE offers a customized document search related to load reports. The search screen contains the standard search fields along with special fields that are unique to this type of e-doc. Click the Document Id to open a Load Report.

## Note

For information about performing a search for one or more load reports, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#)

## Document Layout

The following displays an example of a successful load.

# Import

|  |  |                                  |  |
|--|--|----------------------------------|--|
| <b>Acquisition Batch Upload</b> <span>?</span> |  | <b>Doc Nbr:</b> 3654             | <b>Status:</b> SAVED                     |
|  |  | <b>Initiator:</b> ole-quickstart | <b>Date Of Load:</b> 10:01 PM 07/28/2014 |
|  |  | <b>Load Id:</b> 1001             |  |

[expand all](#) [collapse all](#)  
\* required field

**Document Overview** hide

**Document Overview**

\* **Description:** YBP\_Firm\_ingest\_oq\_072814

**Organization Document Number:**

**Explanation:**

---

**Load Summary** hide

**Name Of Load Profile:** YBP

**User ID:** ole-quickstart

**Counts:** TOTAL: 5 -- SUCCESS: 0 -- FAILED: 5

**Name Of File:** InvSample6601.mrc

**No. Of POs Created:** 0

**No. Of Bibs Created:** 0

**Description:** YBP order test w/bib overlay bp 072814

**Date Of Load:** 07/28/2014 10:01 PM

---

**Notes and Attachments (0)** show

**Ad Hoc Recipients** show

**Route Log** show

If there were problems with the load, an additional tab, **Load Failure Details** will display the errors and the files will be available to you in the **Notes and Attachments** tab.

The following displays an example of a failed load.

|   |  |                                |  |
|---|--|--------------------------------|--|
| <b>Acquisitions Batch Upload</b> <span>?</span> |  | <b>Doc Nbr:</b> 3543           | <b>Status:</b> SAVED                     |
|   |  | <b>Initiator:</b> ole-khuntley | <b>Date Of Load:</b> 04:13 PM 02/14/2013 |
|   |  | <b>Load Id:</b> 1003           |  |

[expand all](#) [collapse all](#)  
\* required field

**Document Overview** hide

**Document Overview**

\* **Description:** YBP\_Firm\_ingest\_kyh\_021413

**Organization Document Number:**

**Explanation:**

---

**Load Summary** hide

**Name Of Load Profile:** YBP

**User ID:** ole-khuntley

**Counts:** TOTAL: 6 -- SUCCESS: 0 -- FAILED: 6

**Name Of File:** ole37dups.mrc , ole37.edi

**No. Of POs Created:** 0

**No. Of Bibs Created:** 0

**Description:**

**Date Of Load:** 02/14/2013 04:13 PM

---

**Load Failure Details** hide

| ISBN:         | TITLE:   | Error Id:      |
|---------------|--|----------------|
| 9781845192457 | SUFFERING SAINTS : JANSENISTS AND CONVULSIONNAIRES IN FRANCE, 1640-1799. | ISBN_DUP_FOUND |
| 9781933002408 | VICTIMS RETURN : SURVIVORS OF THE GULAG AFTER STALIN.                    | ISBN_DUP_FOUND |

---

**Notes and Attachments (2)** hide

|             | Posted Timestamp    | Author            | * Note Text          | Attached File   | Actions                               |
|-------------|---------------------|-------------------|----------------------|---|---------------------------------------|
| <b>add:</b> |                     |                   | <input type="text"/> | <input type="text"/> <input type="button" value="Browse..."/> | <input type="button" value="add"/>    |
| 1           | 02/14/2013 04:13 PM | HUNTLEY, KEISHA Y | Failure Edi File     | 1003_ed_err.xml (8 KB, application/octet-stream)              | <input type="button" value="delete"/> |
| 2           | 02/14/2013 04:13 PM | HUNTLEY, KEISHA Y | Failure Bib File     | 1003_bib_err.xml (2 KB, application/octet-stream)             | <input type="button" value="delete"/> |

---

**Ad Hoc Recipients** show

**Route Log** show

## Load Summary Tab

### Load Summary tab definition

| Title                | Description   |
|----------------------|---|
| Name of Load Profile | Reports the name of the Load Profile used during the import process             |
| User ID              | Reports who was logged in and performed the import                              |
| Counts               | Reports the total amount of records imported along with the successes and fails |
| Name of File         | Lists the MARC and EDI files processed during the import                        |
| No of POs Created    | Reports the amount of Purchase Orders created                                   |
| No of Bibs Created   | Reports the amount of Bibliographic Records created                             |
| List of All POs      | Links to the list of the Purchase Orders created                                |
| List of All Bibs     | Links to the list of the Bibliographic Records created                          |
| Description          | Presents the description that was input on the Staff Upload page                |
| Date of Load         | System generated time stamp of when the import occurred                         |

## Load Failure Details

The import profile guides the processing of records during the import process. If the logic contained in the import profile reaches an exception point based on the match logic, the record will fail to be processed. OLE will display details about each failed record detected in the file under the tab **Load Failure Details**.


| Load Failure Details <span style="float: right;">▼ hide</span> |  |                |
|--|--|----------------|
| ISBN:  | TITLE:   | Error Id:      |
| 9781845192457  | SUFFERING SAINTS : JANSENISTS AND CONVULSIONNAIRES IN FRANCE, 1640-1799. | ISBN_DUP_FOUND |
| 9781933002408  | VICTIMS RETURN : SURVIVORS OF THE GULAG AFTER STALIN.                    | ISBN_DUP_FOUND |

### Load Failure Details tab definition



| Title    | Description   |
|----------|---|
| ISBN     | The ISBN number associated with the error record.         |
| Title    | The title of the record associated with the error record. |
| Error Id | Gives a description of the error that occurred.           |

## Notes and Attachments Tab

If any of the files have failed during the import process, the files will be attached under the **Notes and Attachments** tab.

| Notes and Attachments (1) <span style="float: right;">▼ hide</span> |                     |                   |                        |  |                                       |
|---|---------------------|-------------------|------------------------|--|---------------------------------------|
| Notes and Attachments   |                     |                   |                        |  |                                       |
|   | Posted Timestamp    | Author            | * Note Text            | Attached File  | Actions                               |
| add:  |                     |                   |                        | <input type="text"/> <input type="button" value="Browse..."/><br><input type="button" value="CANCEL"/>                                     | <input type="button" value="add"/>    |
| 1   | 01/08/2013 10:19 AM | HUNTLEY, KEISHA Y | Extra Edi Records File |  1014_edt_err.xml<br>(3 KB, application/octet-stream) | <input type="button" value="delete"/> |

**Notes and Attachments tab definition**

|                  |   |
|------------------|---|
| Title            | Description   |
| Posted Timestamp | Display only. The date and time the error record was loaded.  |
| Author           | Display only. The name of the person who loaded the record into OLE   |
| Note Text        | A brief description as to why the file could not be imported.   |
| Attached File    |  <p>Click  to download the file. Edit and re-load as appropriate.</p> <p><b>Note</b></p> <p>You will need to use the <b>Staff Upload</b> interface to re-load records. Adding new files as a <b>Notes and Attachments</b> file will not load items into the DocStore.</p> |

## Process Overview

1. From the **Load Summary Lookup** page, optionally enter details about the file import and click the **search** button. The system displays the search results in the same window or browser tab, below the search fields.

### Note

To learn more about searching, see [Searching OLE](#) on the [Guide to OLE Basic Functionality and Key Concepts](#)

2. Select the appropriate document listed under the **Document Id** to open the **Acquisitions Batch Upload**.

The **Load Summary** contains details about each load.

3. To view the purchase order, click the link **List of All POs** on the **Load Summary** tab. You may view and edit purchase orders from this list.

### Note

To learn more about purchase orders, see [Purchase Order](#).

4. To view the bibliographic records, click the link **List of All Bibs** on the **Load Summary** tab. You may view and edit the bibliographic records from this list.

### Note

To learn more about bibliographic records, see the [Editor](#) section in the [Guide to Describe – DocStore and Editors](#). This and other OLE user guides are available for download from the [OLE Documentation Portal](#).

5. Review the **Notes and Attachments** tab for failed file uploads.

6. Review the **Route Log** tab.

### Note

For more information about the Route Log, see [Route Log](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

# Invoice Load Details

Select/Acquire

> Import > Invoice Load Details >


# Invoice Load Details

Invoice Load Details provide users with access to information about the invoices loaded within OLE.

## Document Layout

OLE offers a customized document search related to invoice loads. Users may search by **Vendor**, **File Name**, and/or **Date Uploaded/Ingested**.

### Invoice Load Details

|                         |  |
|-------------------------|--|
| Vendor:                 | <input type="text"/>   |
| FileName:               | <input type="text"/>   |
| Date Uploaded/Ingested: | <input type="text"/>  |

---

# Chapter 12. All Acquisitions Records (Searches)



On the **Select/Acquire** menu, the All Acquisition Records submenu provides access for users to search all acquisition records from one convenient search.

## Acquisitions Search



OLE offers a general search for acquisition e-docs. The search screen contains the standard acquisition and bibliographic search fields.

Using the bibliographic search fields will result in acquisition documents pertaining to that title.

## Lookup Help

### Specifying search criteria:

- Most fields will be uppercased for search.
- Dates should be specified as MM/dd/yyyy.
- Some fields have magnifying glass button for a sub lookup on that field.
- Wildcards allowed on strings are \* and % match any number of characters, while using a ? will match any one character
- Logical operators allowed include && (And) as well as | (Or) to join multiple search criteria
- Range operators allowed on numerics and dates are >,<,>=,<=, or ..

All operators except .. should be before date value. Operator .. should separate date values.

### Result Table:

- Each result field has link on header for sorting. Click once to sort ascending, and click again to sort descending.
- Some row fields have links to inquiry. The inquiry will be presented in a new window.
- Click the return value link to select a row and return the key value to the previous page.  
Select 'return with no value' or click the cancel button if you wish to return without returning a value.

### Maintenance Links:



- The 'create new' link on the upper left corner of the lookup screen will go to a maintenance document for creating a new record for this lookup type.
- For each result row the action column displays edit and copy links. The 'edit' link will go to a maintenance document for editing the current record. The 'copy' link will go to a new maintenance document but copy over attributes over the current record.

**Export Functionality:**

- At the end of each result set, there are links for exporting the data to a different format.
- Click 'csv' to export the data as a comma delimited file, 'spreadsheet' to export the data as a spreadsheet, or 'xml' to export the data as xml.

**Note**


For information about performing a search for requisitions, see [Performing Searches on Financial Docs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

# Chapter 13. Reports



Order, Paying, Receiving, and E-Resource maintenance e-docs as well as general ledger entry and available balances lookups are available via the Purchasing/Accounts Payable submenu on the **Select/Acquire** menu tab.

## Available Balances




### Note


For general information about entering lookup criteria, interpreting dollar accumulators, drilling down into inquiries to see more detail, and including or excluding pending entries, see [GL Inquiries: Basic Information](#).







The Available Balances inquiry displays the cumulative balances for an account by object code. The drilldown pattern is as follows:

7. General Ledger Balance
8. GL Entry Lookup
9. E-Doc

## Lookup Criteria

Fill in at least Fiscal Year, Chart Code and Account Number. Use the lookup icon  as necessary to select the criteria. Select the desired **Consolidation** and **Included Pending Entry** options.

Available Balances Lookup 

|                               |  |
|-------------------------------|--|
| * Fiscal Year:                | 2009                  |
| * Chart Code:                 | BL                    |
| * Account Number:             | 1031400               |
| Sub-Account Number:           | <input type="text"/>  |
| Object Code:                  | <input type="text"/>  |
| Sub-Object Code:              | <input type="text"/>  |
| Consolidation Option:         | <input checked="" type="radio"/> Consolidation <input type="radio"/> Detail                                |
| Include Pending Ledger Entry: | <input checked="" type="radio"/> No <input type="radio"/> Approved <input type="radio"/> All               |

## Search Results

The search results will show the amount of money that has been budgeted for this account broken down by Object Codes. To see further details including Actuals and Encumbrance Amounts, select **All** on the **Include Pending Ledger Entry** field and click the **search** button again. You may drill into the amount column to view the details that make up the total amount.

4 items retrieved, displaying all items.

| Fiscal Year          | Chart Code         | Account Number          | Budget Amount | Actuals Amount       | Encumbrance Amount   | Variance  |
|----------------------|--------------------|-------------------------|---------------|----------------------|----------------------|-----------|
| <a href="#">2012</a> | <a href="#">BL</a> | <a href="#">2947489</a> | 20,000.00     | <a href="#">0.00</a> | <a href="#">0.00</a> | 20,000.00 |
| <a href="#">2012</a> | <a href="#">BL</a> | <a href="#">2947489</a> | 20,000.00     | <a href="#">0.00</a> | <a href="#">0.00</a> | 20,000.00 |
| <a href="#">2012</a> | <a href="#">BL</a> | <a href="#">2947489</a> | 20,000.00     | <a href="#">0.00</a> | <a href="#">0.00</a> | 20,000.00 |
| <a href="#">2012</a> | <a href="#">BL</a> | <a href="#">2947489</a> | 20,000.00     | <a href="#">0.00</a> | <a href="#">0.00</a> | 20,000.00 |

Export options: [CSV](#) | [spreadsheet](#) | [XML](#)

Each underlined piece of information in the results grid is an active URL which when clicked can provide you further details about each piece of information. For example clicking on the Actuals amount gives you a monthly breakdown of payment requests that have been processed.

For more information on drilldowns, see [above](#).

## Query Available Account Balances: Requisition (Purchase Order, Payment Request) Line Item

Available Balance details can also be accessed from the Requisitions page by clicking on the **bal inquiry** button *after you have added an accounting line*:

From the **Balance Inquiry Report Menu**, select **Available Balances**:

### Balance Inquiry Report Menu

To return to the requisition, click the **cancel** button on each screen.

## Cash Balances

### Note

For general information about entering lookup criteria, interpreting dollar accumulators, drilling down into inquiries to see more detail, and including or excluding pending entries, see [GL Inquiries: Basic Information](#).


The Cash Balances inquiry displays the beginning, year-to-date, and available cash balances for an account and/or sub-account. It provides a bottom line snapshot of your account. The report was designed for those accounts that produce income/revenue through sales and services, and cash accounts. In most cases, fiscal officers of auxiliary or service accounts or non-budgeted accounts are concerned with their cash balances. However, fiscal officers of general fund accounts and some budgeted accounts might not need to use the Cash Balances inquiry.


Choosing the **Consolidation** option aggregates the amounts by Sub-Account and Sub-Object Code. The Detail option returns balances for each Sub-Account and Sub-Object Code. The Include Pending Ledger Entry option provides the user with the ability to include all cash pending entries, no pending cash entries, or only those pending cash entries that are fully approved. Cancelled and disapproved pending entries are not pulled into the balance inquiry results. There are no drilldown hyperlinks available in this inquiry.





### Note

The Cash Balances inquiry should not be confused with the Available Balances inquiry that compares actual transactions and encumbrances to budget amounts.

## Lookup Criteria

Fill in at least Fiscal Year, Chart Code and Account Number. Use the lookup icon  as necessary to select the criteria. Select the desired **Consolidation** and **Included Pending Ledger Entry** options.

**Cash Balance Lookup** 


|                               |  |
|-------------------------------|--|
| * Fiscal Year:                | 2014                                 |
| * Chart Code:                 | <input type="text"/>                |
| * Account Number:             | <input type="text"/>               |
| Sub-Account Number:           | <input type="text"/>                |
| Consolidation Option:         | <input checked="" type="radio"/> Consolidation <input type="radio"/> Detail <input type="radio"/> Exclude Sub-Accounts |
| Include Pending Ledger Entry: | <input checked="" type="radio"/> No <input type="radio"/> Approved <input type="radio"/> All                           |

## Search Results

| Fiscal Year | Chart Code | Account Number | Sub-Account Number | Object Code | Sub-Object Code | Beginning Balance Line Amount | Contracts Grants Beginning Balance Amount | Account Line Annual Balance Amount | Available Cash Balance |
|-------------|------------|----------------|--------------------|-------------|-----------------|-------------------------------|---|------------------------------------|------------------------|
| 2014        | BL         | 2947491        | *ALL*              | 8000        | *ALL*           | 0.00                          | 0.00                                      | (12.00)                            | (12.00)                |
| 2014        | BL         | 2947490        | *ALL*              | 8000        | *ALL*           | 0.00                          | 0.00                                      | (40.00)                            | (40.00)                |
| 2014        | BL         | 2947487        | *ALL*              | 8000        | *ALL*           | 0.00                          | 0.00                                      | (54.00)                            | (54.00)                |
| 2014        | BL         | 2947497        | *ALL*              | 8000        | *ALL*           | 0.00                          | 0.00                                      | (50.00)                            | (50.00)                |
| 2014        | BL         | PUDFP01        | *ALL*              | 8000        | *ALL*           | 0.00                          | 0.00                                      | (100.00)                           | (100.00)               |
| 2014        | BL         | 2224623        | *ALL*              | 8000        | *ALL*           | 0.00                          | 0.00                                      | (60.00)                            | (60.00)                |

Export options: CSV | spreadsheet | XML

## Organization Review



### Note

For information about other KIM concepts and functions, see [Basic KIM Concepts](#) of the [Guide to OLE System Administration](#).

The Organization Review document offers a simple interface to feed member and delegate information into two KIM roles related to workflow routing.

The two roles affected by this document are:

- Accounting Reviewer: Establishes optional workflow action requests for documents based on chart, organization, document type, dollar amount and accounting override code.
- Organization Reviewer: Establishes optional workflow action requests for documents based on chart, organization and document type.

These roles are quite similar, with Accounting Reviewer generally being used for document types that include accounting lines and organization reviewer being used for document types that do not. The Organization Review document is designed to assist users in selecting the appropriate role(s) for a given document type or group of document types that need to receive workflow requests.

This interface enables institutions to more easily allow role members to assign themselves to these roles. Note that these roles may also be assigned via the Role or Person document as discussed elsewhere in this section.

### Note

Unlike other KIM documents, the Organization Review document is found on the **Select/Acquire** tab. Because it represents a workflow modification that most OLE users are permitted to make.

## Document Layout

|  |  |   |                                     |
|--|--|---|-------------------------------------|
| <b>Organization Review Role</b> <span style="float:right">?</span> |  | <b>Doc Nbr:</b> 5198                                    | <b>Status:</b> INITIATED            |
|  |  | <b>Initiator:</b> ole-quickstart                        | <b>Created:</b> 03:24 PM 03/17/2014 |
|  |  | <a href="#">expand all</a> <a href="#">collapse all</a> | * required field                    |

|  |  |
|--|--|
| <b>Document Overview</b> <span style="float:right">▼ hide</span> |  |
| <b>* Description:</b> <input type="text"/>                       | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/>        |  |

|  |   |
|--|---|
| <b>Organization Review</b> <span style="float:right">▼ hide</span> |   |
| <b>Old</b>   | <b>New</b>  |
| <b>Chart Code:</b> UA - UNIV ADMIN                                 | <b>Chart Code:</b> UA - UNIV ADMIN                |
| <b>Organization Code:</b> UA                                       | <b>Organization Code:</b> UA                      |
| <b>Document Type:</b> OLE_BA                                       | <b>Document Type:</b> OLE_BA                      |
| <b>Review Types:</b> Organization Accounting Only                  | <b>Review Types:</b> Organization Accounting Only |

|  |  |
|--|--|
| <b>Assignee / Delegation</b> <span style="float:right">▼ hide</span> |  |
| <b>Old</b>   | <b>New</b>   |
| <b>From Amount:</b> <input type="text"/>                             | <b>From Amount:</b> <input type="text"/>                   |
| <b>To Amount:</b> <input type="text"/>                               | <b>To Amount:</b> <input type="text"/>                     |
| <b>Accounting Line Override Code:</b> <input type="text"/>           | <b>Accounting Line Override Code:</b> <input type="text"/> |
| <b>Principal Name:</b> -   | <b>Principal Name:</b> -                                   |
| <b>Namespace:</b> OLE-SYS - Financial System                         | <b>Namespace:</b> OLE-SYS - Financial System               |
| <b>Role Name:</b> University Administration Budget Manager           | <b>Role Name:</b> University Administration Budget Manager |
| <b>Group Namespace:</b> <input type="text"/>                         | <b>Group Namespace:</b> <input type="text"/>               |
| <b>Group Name:</b> <input type="text"/>                              | <b>Group Name:</b> <input type="text"/>                    |
| <b>Action Type Code:</b> <input type="text"/>                        | <b>* Action Type Code:</b> <input type="text"/>            |
| <b>Priority Number:</b> <input type="text"/>                         | <b>Priority Number:</b> <input type="text"/>               |
| <b>Action Policy Code:</b> <input type="text"/>                      | <b>* Action Policy Code:</b> <input type="text"/>          |
| <b>Force Action:</b> No  | <b>Force Action:</b> <input type="checkbox"/>              |
| <b>Active From Date:</b> <input type="text"/>                        | <b>Active From Date:</b> <input type="text"/>              |
| <b>Active To Date:</b> <input type="text"/>                          | <b>Active To Date:</b> <input type="text"/>                |

|  |
|--|
| <b>Notes and Attachments (0)</b> <span style="float:right">▶ show</span> |
| <b>Ad Hoc Recipients</b> <span style="float:right">▶ show</span>         |
| <b>Route Log</b> <span style="float:right">▶ show</span>                 |



The Organization Review document includes the **Organization Review** and **Assignee / Delegation** tabs.

## Organization Review Tab

The **Organization Review** tab identifies the chart and organization for which the user is establishing optional workflow action requests. It also defines the document type for which these requests are generated. Review types determine whether this document creates a membership in the Accounting Reviewer role, the Organization Review role or both.

| Organization Review                               |  | hide  |  |
|---|--|---|--|
| Old   |  | New   |  |
| <b>Chart Code:</b> UA - UNIV ADMIN                |  | <b>Chart Code:</b> UA - UNIV ADMIN                |  |
| <b>Organization Code:</b> UA                      |  | <b>Organization Code:</b> UA                      |  |
| <b>Document Type:</b> OLE_BA                      |  | <b>Document Type:</b> OLE_BA                      |  |
| <b>Review Types:</b> Organization Accounting Only |  | <b>Review Types:</b> Organization Accounting Only |  |

### Organization Review tab definition

| Title             | Description   |
|-------------------|---|
| Chart Code        | Required. Select the chart associated with the organization for which you want to establish additional workflow action requests.  |
| Organization Code | Required. Enter the organization code identifying the organization for which you want to establish additional workflow action requests or use the <b>Organization</b> lookup  to select a value.   |
| Document Type     | Required. Use the <b>Document Type</b> lookup  to search for and select the document type for which you want to establish additional workflow action requests. Note that you may select a parent document type to establish workflow routing for all document types that answer to that parent in the document heirarchy.   |
| Review Types      | <p>Required but may be display-only. This value determines whether the document adds member information to the accounting reviewer role ('Organization Accounting Only'), the organization reviewer role ('Organization Only'), or both.</p> <p>After you select a document type, this system updates this field with a default value based on the following rules:</p> <p>If the document type selected has a route node associated with the organization reviewer or accounting reviewer role, then review type is selected based on this value and cannot be edited.</p> <p>If the document type selected is 'OLE' (the OLE document at the top of the hierarchy), the Review Type value defaults to 'both' but can be edited.</p> <p>If the closest parent document type is 'OLET' (the OLE document to which all transactional documents answer), the Review Type value defaults to 'Organization Accounting Only' and cannot be edited.</p> <p>If the closest parent document type is 'OLEM' (the OLE document to which all complex maintenance documents answer), the Review Type value defaults to 'Organization Only' and cannot be edited.</p> <p>If the closest parent document type is 'FSSM' (the OLE document to which all simple maintenance document answer), the document returns an error. These documents do not route for approval.</p> |




## Assignee/Delegation Tab

The **Assignee/Delegation** tab records any additional qualifying values needed for adding users to the Accounting Reviewer role and defines the person, group or role that should be assigned as a member or a delegate. This tab also collects detailed information about the type of workflow request to be generated and how workflow should handle that request.

For more information about delegating via the Organization Review document, see [Delegation](#).

| Assignee / Delegation          |  | hide                           |  |
|--------------------------------|--|--------------------------------|--|
| Old                            |  | New                            |  |
| From Amount:                   |  | From Amount:                   | <input type="text"/>                     |
| To Amount:                     |  | To Amount:                     | <input type="text"/>                     |
| Accounting Line Override Code: |  | Accounting Line Override Code: | <input type="text"/>                     |
| Principal Name:                | -  | Principal Name:                | -  |
| Namespace:                     | OLE-SYS - Financial System               | Namespace:                     | OLE-SYS - Financial System               |
| Role Name:                     | University Administration Budget Manager | Role Name:                     | University Administration Budget Manager |
| Group Namespace:               |  | Group Namespace:               |  |
| Group Name:                    |  | Group Name:                    |  |
| Action Type Code:              |  | * Action Type Code:            | <input type="text"/>                     |
| Priority Number:               |  | Priority Number:               | <input type="text"/>                     |
| Action Policy Code:            |  | * Action Policy Code:          | <input type="text"/>                     |
| Force Action:                  | No                                       | Force Action:                  | <input type="checkbox"/>                 |
| Active From Date:              |  | Active From Date:              | <input type="text"/>                     |
| Active To Date:                |  | Active To Date:                | <input type="text"/>                     |

### Assignee/Delegation tab definition

| Title                         | Description   |
|-------------------------------|---|
| From Amount                   | <p>Optional. This field is available only if the Review Type value is either 'Organization Accounting Only' or 'Both'.</p> <p>Enter a minimum dollar amount for transactional documents below which you do not want to generate action requests. If you do not want to establish a minimum dollar amount, leave this field blank.</p>   |
| To Amount                     | <p>Optional. This field is available only if the Review Type value is either 'Organization Accounting Only' or 'Both'.</p> <p>Enter a maximum dollar amount for transactional documents above which you do not want to generate action requests. If you do not want to establish a maximum dollar amount, leave this field blank.</p>   |
| Accounting Line Override Code | <p>Optional. Note that this field is available only if the Review Type value is either 'Organization Accounting Only' or 'Both.'</p> <p>If you want action requests to be generated only when a transactional document includes an accounting line with a particular override code, select that override code here. If you want action requests to be generated whether or not an override code is present, leave this field blank.</p> |
| Principal Name                | <p>Optional. Enter the principal name of the person who is to receive these workflow action requests or use the Person lookup  to select a value.</p> <p><b>Note</b></p> <p>You must choose a principal name, role and/or group to receive this workflow request. You may not leave all these fields blank.</p>                                    |
| Namespace                     | <p>Optional. To generate workflow action requests to a particular role, select the namespace associated with that role.</p>   |
| Role Name                     | <p>Optional. Enter the name of the role that is to receive these workflow action requests or use the Role lookup  to select a value.</p> <p><b>Note</b></p> <p>You must choose a principal name, role and/or group to receive this workflow request. You may not leave all these fields blank.</p>   |
| Group Namespace               | <p>Optional. If you want to generate workflow action requests to a particular group, select the namespace associated with that group.</p>   |
| Group Name                    | <p>Optional. Enter the name of the group that is to receive these workflow action requests or use the Group lookup  to select a value.</p>   |



|                    |   |
|--------------------|---|
|                    | <p><b>Note</b></p> <p>You must choose a principal name, role and/or group to receive this workflow request. You may not leave all these fields blank.</p>   |
| Action Type Code   | <p>required. Select the type of workflow action request that is to be generated. Choices include:</p> <p>Approve</p> <p>FYI</p> <p>Acknowledge</p>  |
| Priority Number    | <p>Optional. Enter a priority number between 1 and 11. If multiple action requests are generated for this chart, organization and document type, requests with lower priorities are generated before those with higher priorities.</p>  |
| Action Policy Code | <p>Required. This value determines what happens if multiple members of a role or group receive the same action request and one of them takes the requested action. For example, if a role has a group with three members assigned, all of these members receive the action request defined here; this code determines what the system does when one of them takes action on the document.</p> <p>A value of 'FIRST' indicates that the first member to take action on the document automatically clears all requests for this responsibility that may be in other group members' action lists.</p> <p>A value of 'ALL' indicates that each group member must take individual action to clear his or her requests.</p> <p><b>Note</b></p> <p>This value impacts only a single action request. It has no impact on other requests that might be generated by workflow for the same chart, organization and document type.</p> |
| Force Action       | <p>Check the box to indicate that the assignee must take the action for this request even if the user has already previously taken action on this document. Leaving the box unchecked allows a request to be immediately fulfilled if the assignee has previously taken action on this specific document.</p>   |
| Active From Date   | <p>Optional. To begin generating these requests on a specific date, enter that date here. If no date is provided, the requests will be eligible for creation as soon as the Organization Review document is processed or final.</p>   |
| Active To Date     | <p>Optional. To stop generating these requests on a specific day, enter that date here. If no date is provided the requests will be generated indefinitely.</p>   |

## Delegation

Users may use the Organization Review document to establish a delegate for a current member of the Organization Reviewer or Organization Accounting Reviewer role. Delegates inherit all responsibilities of the role member they're associated with.

To create a delegate:

1. To create a delegate, use the **Organization Review** lookup  to find the member you want to create a delegate for.
2. Click the **create delegation** link.

Organization Review Lookup ?

|  |  |
|--|--|
| Document Type:   | <input type="text"/>   |
| Chart Code:  | <input type="text"/>   |
| Organization Code:   | <input type="text"/>   |
| Principal Name:  | <input type="text"/>   |
| Namespace:   | <input type="text"/>   |
| Role Name:   | <input type="text"/>   |
| Group Namespace:   | <input type="text"/>   |
| Group Name:  | <input type="text"/>   |
| Delegate:  | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Both |
| Active Indicator:  | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Both |
| <input type="button" value="search"/> <input type="button" value="clear"/> <input type="button" value="cancel"/> |  |

23 Items retrieved, displaying all items.

| Actions   | Inquiry                          | Role Namespace Code | Role Name           | Chart Code | Organization Code | Document Type | Member Type Code | Member Namespace | Member Name                              | Action Type Code | Priority Number | From Amount |
|---|----------------------------------|---------------------|---------------------|------------|-------------------|---------------|------------------|------------------|--|------------------|-----------------|-------------|
| <a href="#">edit</a> <a href="#">copy</a> <a href="#">create</a> <a href="#">delegation</a> | <a href="#">View Role Member</a> | OLE-SYS             | Accounting Reviewer | UA         | UA                | OLE_BA        | Role             | OLE-SYS          | University Administration Budget Manager |                  |                 |             |
| <a href="#">edit</a> <a href="#">copy</a> <a href="#">create</a> <a href="#">delegation</a> | <a href="#">View Role Member</a> | OLE-SYS             | Accounting Reviewer | BL         | PSY               | OLE_TF        | Principal        |                  | CHANCE, IVY F                            | APPROVE          | 1               |             |
| <a href="#">edit</a> <a href="#">copy</a> <a href="#">create</a> <a href="#">delegation</a> | <a href="#">View Role Member</a> | OLE-SYS             | Accounting Reviewer | BL         | PHYS              | OLE_REQS      | Principal        |                  | FORE, HOMER X                            | ACKNOWLEDGE      | 1               | 1,000.00    |

The system creates a new Organization Review document that copies all the fields in the **Organization Review** tab from the selected member role and renders them uneditable.

| Old  | New  |
|--|--|
| Chart Code: UA - UNIV ADMIN                | Chart Code: UA - UNIV ADMIN                |
| Organization Code: UA                      | Organization Code: UA                      |
| Document Type: OLE_BA                      | Document Type: OLE_BA                      |
| Review Types: Organization Accounting Only | Review Types: Organization Accounting Only |

All values on the **Assignee / Delegation** tab are also copied. These values may be edited.

| Old   | New   |
|---|---|
| From Amount:  | From Amount:  |
| To Amount:  | To Amount:  |
| Accounting Line Override Code:                      | Accounting Line Override Code:                      |
| Principal Name: -                                   | Principal Name: -                                   |
| Namespace: OLE-SYS - Financial System               | Namespace: OLE-SYS - Financial System               |
| Role Name: University Administration Budget Manager | Role Name: University Administration Budget Manager |
| Group Namespace:                                    | Group Namespace:                                    |
| Group Name:   | Group Name:   |
| Action Type Code:                                   | * Action Type Code:                                 |
| Priority Number:                                    | Priority Number:                                    |
| Action Policy Code:                                 | * Action Policy Code:                               |
| Force Action: No                                    | Force Action: <input type="checkbox"/>              |
| Active From Date:                                   | Active From Date:                                   |
| Active To Date:                                     | Active To Date:                                     |

## Process Overview

### Business Rules

- Exactly one of the following groups of fields must be completed on the **Assignee / Delegation** tab:
  - Principal Name**


- **Namespace and Role Name**
- **Group Namespace and Group**
- When delegating an Accounting Reviewer role, the values for the **From Amount** and **To Amount** must fall within the range established for the role member whose responsibility is being delegated.

## Routing

The Organization Review documenty uses organization review routing. It routes based on the chart and organization on the document.


---

# Chapter 14. Others: Additional Select/ Acquire Standard Transactional Documents



On the Select/Acquire tab, the Other submenu provides access for users to search and edit payment requests, create general error corrections and disbursement vouchers, and search and edit E-Resources.

## Disbursement Voucher



The Disbursement Voucher (DV) document is used to issue payments to vendors using clearing/deposit accounts. The DV is used for recording the Advance Deposits or Prepayments to vendors, when titles or POs are unknown.

Making Prepay/Deposit Account arrangements work is a multi-step process and involves more than just the use of the Disbursement Voucher:

1. A unique account(s) must be created for the initial payment.
2. The initial payment is made via a Disbursement Voucher.
3. As the actual material is received, requisitions and POs are created using regular accounts and object codes.
4. Invoices are created with payment method type “deposit”.
5. Regular accounting lines are completed. Due to the payment method type “deposit” an additional accounting line is available to allow for special accounting to occur.

Others: Additional Select/Acquire  
Standard Transactional Documents

6. In the additional accounting line (off-setting account), the user lists the original account and object code used on the DV ( the one created in step 1 and used in step 2). Instead of OLE creating the normal (behind the screens) accounting offset, the user manually defines what to use. Via this manual entry the deposit account(s) is reduced by the amount of the invoice being created. As this process continues eventually the deposit account(s) will have a zero or negative balance, or the predefined deposit account period ends. The balance in the deposit account(s) is the amount to be settled with the vendor.
7. A person is assigned the role to monitor, approve and control deposit account activity.

## Document Layout

The DV document has several unique tabs—**Payment Information, Accounting Lines, Contact Information, Special Handling, Foreign Draft, and Pre-Disbursement Processor Status**—in addition to the standard financial transaction tabs.

### Note

For more information about the standard tabs, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

|   |                                  |                                     |
|---|----------------------------------|-------------------------------------|
| <b>Disbursement Voucher</b> ?   | <b>Doc Nbr:</b> 3770             | <b>Status:</b> INITIATED            |
|   | <b>Initiator:</b> ole-quickstart | <b>Created:</b> 01:48 PM 03/27/2014 |
| <input type="button" value="expand all"/> <input type="button" value="collapse all"/> |                                  | * required field                    |

**Document Overview** ▼ hide

|   |  |
|---|--|
| <b>* Description:</b> <input type="text"/>                | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

**Financial Document Detail**

|  |   |
|--|---|
| <b>* Bank Code:</b> TEST<br><small>FIRST NATIONAL TEST BANK OF KUALI</small> | <b>Total Amount:</b> <input type="text"/> |
|--|---|

**Payment Information** ▼ hide

|   |   |
|---|---|
| <b>Vendor Alias Name:</b> <input type="text"/> <input type="button" value="select vendor"/> |   |
| <b>* Payee ID:</b> <input type="text"/>   |   |
| <b>* Payee Name:</b> <input type="text"/>   |   |
| <b>* Address 1:</b> <input type="text"/>  | <b>Address 2:</b> <input type="text"/>        |
| <b>* City:</b> <input type="text"/>   | <b>State:</b> <input type="text"/>            |
| <b>Country:</b> <input type="text"/>  | <b>Postal Code:</b> <input type="text"/>      |
| <b>* Invoiced Amount:</b> 0.00  | <b>* Invoice Date:</b> 03/28/2014             |
| <b>Other Considerations:</b> <input type="checkbox"/> Check Enclosure                       | <b>* Invoice Number:</b> <input type="text"/> |
| <b>* Payment Method:</b> <input type="text"/>   |   |

**Accounting Lines** ▼ hide

| Source | * Chart | * Account Number     | Sub-Account          | * Object             | Sub-Object           | Project              | Org Ref Id           | * Dollar \$ | * Percent | Actions                            |
|--------|---------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------|------------------------------------|
| add:   | ▼       | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | 0.00        |           | <input type="button" value="add"/> |

**Contact Information** ▼ hide

|  |                      |
|--|----------------------|
| <b>* Contact Name:</b> quickstart, ole | <input type="text"/> |
| <b>* Phone Number:</b>                 | <input type="text"/> |
| <b>Email Address:</b>                  | test@email.edu       |
| <b>Campus Code:</b>                    | BL - BLOOMINGTON     |

**Special Handling** ▶ show

**Foreign Draft** ▶ show

**Pre-Disbursement Processor Status** ▶ show

**General Ledger Pending Entries** ▶ show

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show





In addition to the **Document Overview** and **Accounting Lines** tabs, **Payment Information** is always required.

- The **Payment Information** tab contains information regarding the payee, invoice information and payment method.

## Payment Information Tab

The **Payment Information** tab contains important information such as the vendor lookup, invoiced amount, invoice date, invoice number, payment method, and check enclosure. This section must be completed for every DV document.

### Payment Information tab definition

| Title               | Description   |
|---------------------|---|
| Vendor Alias Name   | If you know the vendor's alias, enter the code in the box and click  . This will prepopulate the Vendor address and information.  |
| Payee ID            | Required. Retrieve the payee ID from the <b>Payee Lookup</b>  .  |
| Payee Name          | Display-only. After you select the payee ID from the <b>Payee lookup</b>  , the system automatically fills in the name.  |
| Address 1           | Required. The first line of address to which the check should be mailed. The system fills in this information automatically but you may change it.  |
| Address 2           | Optional. Enter the second line of the address to which the check should be mailed.   |
| City                | Required. Enter the city to which the check should be mailed.   |
| State               | Required for US. Enter the state to which the check should be mailed.   |
| Country             | Optional. Select the payee's country from the <b>Country</b> list.  |
| Postal Code         | Required for US. Enter the postal code to which the check should be mailed.   |
| Invoiced Amount     | Required. Enter the total amount due from the vendor's invoice.   |
| Invoice Date        | Required. Enter the invoice date from the vendor's invoice. The date can also be selected from the calendar  .   |
| Other Consideration | Optional. <b>Check Enclosure</b> : Refers to any documents related to the DV document that must accompany the check when it is mailed to the payee. Selecting the check box properly indicates that there is a form or other attachment that must accompany the check.                    |
| Invoice Number      | Enter the invoice number from the vendor's invoice  |
| Payment Method      | Required. Select the method in which the payment should be made from the <b>Payment Method</b> list.<br><br><b>Deposit</b> : This selection indicates the payment is for a Deposit Account. (This should not be used for DV documents. It should only be used on Invoice Type Documents.) |

**Check:** This selection indicates a paper check in US dollars is to be issued.

**Credit Card:** This selection indicates the payment is to be charged to a procurement card.

**Foreign Draft:** This selection indicates that the payment is to be made in a foreign currency.

**Wire Transfer:** This selection indicates you wish to have the disbursement wired to the recipient.

The payee ID is required on the **Payment Information** tab. This identifies the person or business the disbursement is paid to. Payees must exist in the system in order to be selected on the disbursement voucher. OLE uses the Vendor table and the Customer Profiles setup in Pre-Disbursement Processor module for reference. If the payee already exists in the system, you can identify it by searching for it by using the **Payee** lookup.

## Accounting Lines Tab

The **Accounting Lines** tab contains the accounting information.

| Source | * Chart | * Account Number | Sub-Account | * Object | Sub-Object | Project | Org Ref Id | * Dollar \$ | * Percent | Actions |
|--------|---------|------------------|-------------|----------|------------|---------|------------|-------------|-----------|---------|
| add:   |         |                  |             |          |            |         |            | 0.00        |           | add     |

Add the applicable Chart, the special account set up for this payment, object code is always 8410 (or your local prepaid expense). Enter the dollar amount of the deposit payment from the vendor's invoice and click **add**.

## Note

For more information about the filling in accounting lines, see [OLE Financial Documents Accounting Lines Tab](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

## Contact Information Tab

The **Contact Information** tab is an optional tab that contains information only. When the DV document is first initiated, the **Contact Name** and the **Campus Code** default to those of the initiator's.

|                           |                  |
|---------------------------|------------------|
| * <b>Contact Name:</b>    | HUNTLEY,KEISHA Y |
| * <b>Phone:</b>           |                  |
| <b>Email Address:</b>     |                  |
| <b>Campus Code:</b>       | BL               |
| * <b>Check Stub Text:</b> |                  |

The Contact for a DV is typically the initiator, thus the contact information is typically the name, phone, and email address of the initiator.

### Contact Information tab definition

| Title         | Description   |
|---------------|---|
| Contact Name  | Required. This field is pre-filled with the name of the document initiator but may be edited.                   |
| Phone         | Required. Enter the contact person's phone number (including area code)   |
| Email Address | Required. Enter the contact person's email address  |
| Campus Code   | Display-only. The code of the campus associated with the document's initiator, derived from the user's profile. |

### Note

If you want to include information that only other OLE users can view, add a note or attachment to the document. For more information about the **Notes and Attachments** tab, see [Notes and Attachments Tab](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

## Special Handling Tab

### Warning

This tab still exists from KFS. It is no longer valid in OLE.


## Foreign Draft Tab

### Warning

This tab still exists from KFS. It is no longer valid in OLE.

## Pre-Disbursement Processor Status Tab

The **Pre-Disbursement Processor Status** tab displays information from the Pre-Disbursement Processor (PDP) so you can track the payment status and the status date.



| Disbursement Voucher Pre-Disbursement Processor Status |            |
|--|------------|
| <b>Pre-Disbursement Processor Status:</b>              | Canceled   |
| <b>PDP Extraction Date:</b>                            | 12/06/2007 |
| <b>PDP Paid Date:</b>                                  |            |
| <b>PDP Cancellation Date:</b>                          | 12/06/2007 |

### Pre-Disbursement Processor Status tab definition

| Title                             | Description   |
|-----------------------------------|---|
| Pre-Disbursement Processor Status | Display-only. Displays the payment processing status from the Pre-Disbursement Processor (PDP).       |
| PDP Extract Date                  | Display-only. The date when the disbursement voucher was extracted for payment processing by the PDP. |
| PDP Paid Date                     | Display-only. The date when the payment was disbursed by PDP.   |
| PDP Cancellation Date             | Display-only. The date when the payment was canceled within PDP.                                      |

## Process Overview

### Business Rules

- DV Payee cannot be the same as the initiator.



- DV Payee must be active.
- Check amount cannot be negative.
- There must be at least one accounting line.
- Account lines total must not be negative. Total of accounting lines must match the vendor invoiced amount.
- DVs with Account-Funds designated as Clearing/Deposit or other Payment method to denote deposit, must be routed for approval- no automatic approvals.
- Only a Disbursement Voucher may use Accounts of “Fund Group, Sub-Fund Group” – Clearing or Deposit. These forms of accounts will be restricted for use with prepayments. REQ, PO (versions), INV are prohibited from using this Account Type.

## Routing

The DV document must route through a series of approvals before the disbursement is actually made based on the rules set up by the institution. Due to its unique nature, the DV document has some special routing issues which are explained below:

- The DV document first routes to the fiscal officer for each account in the **Accounting Lines** tab.
- After it has been approved by all required fiscal officers, the document routes, as specified by the institution's rule, to the organization review routing level.
- After the document has been approved by all organizational approvers, the DV document goes through any special routing as required by business rules surrounding the attributes of the transaction and the payee.

The document status becomes 'FINAL' when the required approvals are obtained and the transaction is processed by the institution defined process, which might include the Pre-Disbursement Processor.

### DV routing

| Condition          | Special Routing   |
|--------------------|---|
| Initiator's Campus | Final approval by members of OLE-FP Disbursement Manager role for the appropriate campus. Campus is based on the campus associated with the initiator's OLE-SYS User role |

## The process for making a Deposit payment or prepayment to a vendor including initiating a DV Document.

### Before creating the DV

1. Create a unique Account with a sub-fund group code of CLRREV and assign the vendor to the account in “Vendor for Deposit Account”. The account does not need to be set up with a fund/budget before it can be used on the DV. The DV will create the fund balance.

### Note

The account does not need to be set up with a fund/budget before it can be used on the DV. The DV will create the fund balance.

2. Object Code 8410-prepaid expense will need to be set up if there isn't one:

▼ hide

|                                |                                |
|--------------------------------|--------------------------------|
| <b>Fiscal Year:</b>            | <u>2014</u>                    |
| <b>Chart Code:</b>             | <u>BL *- * BLOOMINGTON</u>     |
| <b>Object Code:</b>            | <u>8410</u>                    |
| <b>Object Code Name:</b>       | <u>PREPAID EXPENSE-AUX</u>     |
| <b>Object Code Short Name:</b> | <u>PPD EXP AUX</u>             |
| <b>Reports to Chart Code:</b>  | <u>IU *- * INDIANA UNIV</u>    |
| <b>Reports To Object Code:</b> | <u>8410 *- * PREPAID EXPEN</u> |
| <b>Object Type Code:</b>       | <u>AS *- * ASSET</u>           |
| <b>Level Code:</b>             | <u>OASS</u>                    |
| <b>Object Sub-Type Code:</b>   | <u>NA *- * NOT APPLICABLE</u>  |
| <b>Active Indicator:</b>       | <u>Yes</u>                     |

close

3. Cache will need to be cleared:

Login as Admin.

Go to **Admin** Tab > Monitoring > Service Bus > Cache Admin

Click Cache Admin

Check:

- coreServiceDistributedCacheManager
- kewDistributedCacheManager
- kimDistributedCacheManager
- krmsDistributed Cache Manager (DO NOT SELECT)
- locationDistributedCacheManager
- ole.core.DistributedCacheManager

Click Flush and close Cache Admin.

Sign back in as normal user.

#### Prepare a DV

4. On the **Select/Acquire** tab, under **Other**, select Disbursement Voucher.

A blank Disbursement Voucher document with a new document ID appears.

5. Complete the **Payment Information** tab.

6. Complete the **Accounting Lines** tab.

Enter the chart code for the account set up in Step 1 above. Enter the Account and use Object code 8410 - prepaid expense. Click the **ADD** button.

7. Complete the remaining tabs as required.

8. Click .

9. Appropriate fiscal officers and organization reviewers approve the document.

### Note

For more information about how to approve a document, see [Workflow Action Buttons](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

10. The deposit account will now have a 'fund' showing the amount of the deposit payment.


### Prepare Requisitions and Invoices

11. As the material is received create requisitions and invoices in OLE. When creating invoices use payment method "deposit". After adding the PO, click the details button on the current items tab. An additional accounting line will be available.

12. Enter chart code, the deposit account, object code 8410 and add the amount matching the regular accounting line.

As invoices are processed the amount in the deposit fund will decrease. The approver will need to monitor the fund balances to resolve variances and settle the account(s) as all deposit account funds are exhausted or the deposit period ends, whichever is defined as the end by the terms of the deposit agreement.

## Distribution of Income and Expense



>  >

Distribution of Income and Expense >

**Distribution Of Income And Exp**

Use the DI document to distribute the income or expense assets and liabilities from a holding account to one or more appropriate account(s) when one account has incurred expenses or received income on behalf of one or more other accounts. It can also be used to move income, expenses, assets and liabilities to other sub-accounts, object codes, or sub-object codes. Fiscal officers and support staff, department, responsibility center, and campus administration staff are typical users of the DI documents.

### Note

Distribution of Income and Expense continues to be reviewed for OLE use.

## Document Layout

The DI document has only the standard financial transaction document tabs and does not have any unique tabs of its own.



## Routing

Fiscal Officers for all **From** and **To** accounts must approve the DI document. Additional approvals may be established within the institution's review hierarchy or designated through Ad Hoc routing. The document status becomes 'FINAL' when the required approvals are obtained and the transaction is posted to the G/L during the next G/L batch process.

## Initiating a Distribution of Income and Expenses Document

1. Select **Distribution of Income and Expense** from the **Others** submenu.

A blank DI document with a new Document ID appears

2. Complete the standard tabs.

In the **Accounting Lines** tab, transactions are entered in the **From** and **To** sections. Entries in the **From** section are reductions to the account and entries in the **To** section are increases to the account. Expense object codes in the **From** section are credited while income object codes are debited. In the **To** section, the opposite is true.

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines** tabs, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

3. Click .

4. Review the **General Ledger Pending Entries** tab

The pending entries include the offset generated lines to cash or fund balance object codes.



5. Appropriate fiscal officers and organization reviewers approve the document.

### Note

For information about the **Route Log** tab, see [Route Log](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

For more information about how to approve a document, see [Workflow Action Buttons](#).

## Donor Annual Stewardship Report



Annual Stewa

Donor records in OLE are not coordinated with the accounting strings on purchase order or invoice line items. This gives OLE libraries flexibility to track donors regardless of whether they have money associated with them or not.

OLE does have a simplified system of financial tracking connected to donor records, though. This is facilitated by adding Donor Amounts to the Donor record. This is purely for tracking purposes: all budgeting and payment functions are still done using the accounting system and invoices.

Donor Amounts only relate to the current fiscal year. At the beginning of each fiscal year, sites using this feature must go into each donor code and add any allocation for the new year.

If you add an amount to a Donor record, and then assign that Donor to PO line items, there are two screens that give you tracking information about encumbrances and expenditures:

- Donor Encumbered Report (Described [Below](#))
- Annual Stewardship Report

This lookup is available from the **Select & Acquire** tab, **Others** submenu. Though it's called "annual", it can actually be run for any selected time period. The report may be run as often as desired. It does not include any financial tracking, only bibliographic information.

#### Annual Stewardship Report

| Donor Code | Title  | Author | Imprint | Location       | Prefix+Callnumber | Enumeration | Chronology | Copy | Item Status |
|------------|--|--------|---------|----------------|-------------------|-------------|------------|------|-------------|
| BRNO       | Radical tendencies in the Reformation : divergent perspectives /             |        |         | LSC:PSV/3P     | BR452.C4 T22      |             |            |      | AVAILABLE   |
| BRNO       | The sources of Swiss anabaptism : the Grebel letters and related documents / |        |         | B-CEDRW/CE-REF |                   |             |            | 2    | ONORDER     |

This example shows that between 1/1/14 and 6/30/14, the two listed titles were ordered using the donor code BRNO. Since the "status" field was left blank, all titles ordered in that time period are shown. The result set could be limited, though, by choosing a specific status (received, paid, both received and paid).

In future releases, this report will be enhanced with additional bibliographic data, and with hyperlinks from the results to the relevant records.

## Donor Encumbered Report



If you add an amount to a Donor record, and then assign that Donor to PO line items, there are two screens that give you tracking information about encumbrances and expenditures:

- Donor Encumbered Report

- Annual Stewardship Report

For additional information about donor reports, see [Donor Annual Stewardship Report](#)

This “report” is actually a lookup screen, and is accessed from the **Select & Acquire** tab, **Others** submenu. This lookup looks at encumbrances and expenditures on PO line items associated with a given donor record.

| Donor Code | Donor Note            | Donor Amount | Encumbered Amount | Expensed Amount |
|------------|-----------------------|--------------|-------------------|-----------------|
| BRNO       | Philip Morrison Burno | \$500.00     | \$56.75           | \$0.00          |

This example shows the donor code BRNO has received \$500 so far this fiscal year. In May 2014, books totaling \$56.75 were ordered on PO line items with the BRNO donor code. However, no invoices were paid in May using line items with this donor code.

In future releases, this report will be enhanced with additional bibliographic data, and with hyperlinks from the results to the relevant records.

## General Ledger Introduction

The General Ledger (GL) contains numerous processes that ensure that OLE runs correctly. For users processing e-doc transactions, the most apparent of these processes are the generation of offsets and the posting of transactions to the balance tables. Other important General Ledger processes are less apparent to users. These processes ensure that transaction data are valid, that capitalization entries are created, and that indirect cost recovery and cost share transfers occur. OLE also offers related features such as sufficient funds checking and flexible offsets for institutions that want to utilize this functionality.

OLE will apply encumbrances and expenses to the General Ledger as a result of OLE implemented functionality for encumbrances, expenses, budget adjustments and transfers of funds. Real-time GL posting is made available, with certain GL entries updating their status through nightly “batch jobs”.

### Note

We continue to reconcile university financial integrations and OLE’s use of Budget vs. Actual (cash) balances in our coding efforts.

### Requisition

- No GL entries for this form of “pre-order”

### Purchase Order, Purchase Order Amendment, other forms of PO

Others: Additional Select/Acquire  
Standard Transactional Documents

- A final, “approved” Purchase Order will apply an encumbrance to the General Ledger as “pending”. During nightly batch jobs, the pending entry goes to “final”. Pending GL entries will be visible on the PO’s General Ledger Pending Entries tab, and be reflected in balance inquiries when “pending” or “all” transactions included.
- Sample: pending GL entry from approved PO with default (OLE Sample Data/object code 9892- RESV OUTSTANDING ORDR EXTRNL ENCUMBRNCES, Credit offset to the purchase order Debit) Offset- not yet processed through nightly batch job

| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| 1     | 2012        | BL    | 2947482        | .....       | 7112   | ...        | .....   | OLE PO   | EX           | EE        | 179.00 | D   |
| 2     | 2012        | BL    | 2947482        | .....       | 9892   | ...        | .....   | OLE PO   | EX           | FB        | 179.00 | C   |

- Sample: PO that has processed to nightly batch job- no pending GL entries

| Seq #   | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|---|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| There are currently no General Ledger Pending Entries associated with this Transaction Processing document. |             |       |                |             |        |            |         |          |              |           |        |     |

**Payment Request**

- As PREQ’s are payments to vendors, any PREQ created with accounting lines will post to the GL as “pending” whether it has completed workflow or not (unlike PO which must be final/approved).
- PREQ will reverse the encumbrance, as noted on the e-Doc, and apply the expense immediately.
- Nightly batch jobs will take approved PREQ’s to final status, and also apply liabilities to the balance sheet.
- Sample, PREQ with relieved encumbrance:

| Encumbrance excluding freight & s/h | Total Encumbrance Amount Relieved | TotalPaidAmount |
|-------------------------------------|-----------------------------------|-----------------|
| 179.00                              | 179.00                            | 179.00          |

- Sample: General Ledger Pending entries on approved PREQ (encumbrance and initial offset from PO are reversed. Expense applied with offset to Acct Payable/liability object code 9041):

| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| 1     | 2012        | BL    | 2947482        | .....       | 7112   | ...        | .....   | OLE PREQ | EX           | EE        | 179.00 | C   |
| 2     | 2012        | BL    | 2947482        | .....       | 9892   | ...        | .....   | OLE PREQ | EX           | FB        | 179.00 | D   |
| 3     | 2012        | BL    | 2947482        | .....       | 7112   | ...        | .....   | OLE PREQ | AC           | EE        | 179.00 | D   |
| 4     | 2012        | BL    | 2947482        | .....       | 9041   | ...        | .....   | OLE PREQ | AC           | LI        | 179.00 | C   |



For all of the above transactions (Requisition to Purchase Order to Receiving to Payment Request), a user can see how the transactions post to the general ledger during the course of one day, i.e. if all docs created in same day, but including filter **All** on balance inquiry searches.

## Tip


OLE is cloud-based, allowing users to have multiple browser windows open. If a user wants to query multiple Account-Objects for available balances, while having a transaction open in another window- that user could jump through multiple queries or details in one window, then just copy/paste preferred Chart, Account, Object codes into the Accounting lines of an open transactional document in another window- Requisition, Purchase Order, Payment Request, Transfer of Funds etc.









# GL Inquiries: Basic Information


## Entering Lookup Criteria

After you select the desired inquiry, you are taken to the lookup criteria screen. The lookup criteria may display some default values, which you may change. To view all General Ledger balances on a specific account you need to enter just the chart and the account number. You can be more specific by including additional criteria. To view specific sub-accounts, object codes or sub-object codes you may enter these criteria. On some of the inquiry screens the balance type may be changed to view something other than actual balances. For example, to view budget transactions, you can change the balance type to either 'CB' (current budget), 'BB' (base budget), or 'MB' (monthly budget which may not be available on all accounts).

The following is an example of the lookup criteria screen for the General Ledger Balance Lookup.

**General Ledger Balance Lookup** 

|                               |  |
|-------------------------------|--|
| * Fiscal Year:                | 2010                  |
| * Chart Code:                 | <input type="text"/>  |
| * Account Number:             | <input type="text"/>  |
| Sub-Account Number:           | <input type="text"/>  |
| Object Code:                  | <input type="text"/>  |
| Sub-Object Code:              | <input type="text"/>  |
| Balance Type Code:            | AC                    |
| Object Type Code:             | <input type="text"/>  |
| Consolidation Option:         | <input checked="" type="radio"/> Consolidation <input type="radio"/> Detail                                |
| Amount View Option:           | <input checked="" type="radio"/> Monthly <input type="radio"/> Accumulate                                  |
| Include Pending Ledger Entry: | <input checked="" type="radio"/> No <input type="radio"/> Approved <input type="radio"/> All               |

Click  when you have entered all necessary criteria and are ready to retrieve the balances.

## Meaning of Dollar Accumulators

The inquiries contain various dollar accumulators. The following describes the meaning of each of the amounts displayed in the inquiry results, and which inquiries contain the bucket type.

### Dollar Accumulator definition

| Column Title                              | Description   |
|---|---|
| Account Line Annual Balance Amount        | The total amount of activity in this account for this balance type across all periods of the selected fiscal year. Appears in Cash Balances inquiry and the General Ledger Balance inquiry.                     |
| Actual Amount                             | The total of all actual activity for a given balance line of the selected fiscal year. Appears in Available Balances inquiry and Balances by Consolidation inquiry.   |
| Available Cash Balance                    | The total of the beginning balance and the year-to-date balance. Appears in the Cash Balances inquiry.  |
| Beginning Balance Line Amount             | The amount in this account for this balance type and object code at the beginning of the selected fiscal year. Appears in the General Ledger Balance inquiry.   |
| [Month] Balance Amount                    | The total of all activity for a given accounting period. These fields are labeled as the month to which they refer (July, August, September, etc.).   |
| Budget Amount                             | The current budget amount in this account for the selected fiscal year. Appears in Available Balances inquiry and Balances by Consolidation inquiry.  |
| Closed Amount                             | The amount of the encumbrance that has been closed. Appears in the Open Encumbrances inquiry.   |
| Contracts Grants Beginning Balance Amount | The cumulative amount in this account for this balance type and object code that was carried forward from the previous fiscal year. Appears in the Cash Balance inquiry and the General Ledger Balance inquiry. |
| Encumbrances Amount                       | The total of all encumbrance activity for a given account for the selected fiscal year. Appears in Available Balances inquiry and Balances by Consolidation inquiry.  |
| Ledger Entry Amount                       | The dollar amount associated with a particular ledger entry. Appears in General Ledger Entry inquiry and Pending General Ledger Entry inquiry.  |
| Open Amount                               | The amount of the original encumbrance. Subtracting the Closed Amount from the Open Amounts gives the amount of the encumbrance that is still outstanding. Appears in the Open Encumbrances inquiry.            |
| Variance                                  | The difference between the available budget and the actual amounts, plus encumbrances for an object code or category. Appears in Available Balances inquiry and Balances by Consolidation inquiry.              |

## Drilldowns

The various inquiries display their initial balances at different levels of aggregation. You may drill down into detail when there is the **Drill Down** link available, or if the amount or other attribute (e-doc, for example) is a hyperlink. The following illustrations show the types of drilldowns available in the inquiries.

You may drill down to the next level from the **Drill Down** link.

| <u>Sub-Account Number</u> | <u>Reporting Sort Code</u> | <u>Consolidation Code</u> | <u>Lookup By Level</u>     | <u>Budget Amount</u> |
|---------------------------|----------------------------|---------------------------|----------------------------|----------------------|
| *ALL*                     | A                          | <a href="#">OTRE</a>      | <a href="#">Drill Down</a> | 0.00                 |
| *ALL*                     | B                          | <a href="#">TRVL</a>      | <a href="#">Drill Down</a> | 0.00                 |

..

You may drill down to the entries that make up the total from the amount link.

| Chart Code | Account Number | Sub-Account Number | Object Code | Sub-Object Code | Balance Type Code |
|------------|----------------|--------------------|-------------|-----------------|-------------------|
| BL         | 1031400        | *ALL*              | 8000        | *ALL*           | AC                |

|           |          |          |  |
|-----------|----------|----------|--|
| July      | 0.00     | October  |  |
| August    | 0.00     | November |  |
| September | 1,365.55 | December |  |

You may drill down to the actual e-doc from the **document Number** link.

| Fiscal Period | Document Type Code | Origin Code | Document Number        | Transaction Ledger Entry Description | Transaction Ledger Entry Amount | Debit Credit Code |
|---------------|--------------------|-------------|------------------------|--------------------------------------|---------------------------------|-------------------|
| 03            | CR                 | 01          | <a href="#">311498</a> | CR                                   | 250.55                          | C                 |

Drill down to pending entry

| Budget Amount                | Actuals Amount       | Encumbrance Amount   | Variance     | See Pending Entry          |
|------------------------------|----------------------|----------------------|--------------|----------------------------|
| <a href="#">3,836,113.00</a> | <a href="#">0.00</a> | <a href="#">0.00</a> | 3,836,113.00 | <a href="#">Drill Down</a> |
| <a href="#">29,000.00</a>    | <a href="#">0.00</a> | <a href="#">0.00</a> | 29,000.00    | <a href="#">Drill Down</a> |

## Include or Exclude Pending Entries, Unapproved Entries, and GL Entries

Balance inquiries allow you to choose to include or exclude pending ledger entries. These entries have been generated by OLE documents that have not yet been posted through the GL accounting cycle. After a financial processing e-doc is saved, it generates pending ledger entries. These entries are considered pending until the document is disapproved (at which point they are removed) or the document is fully approved and the entries are posted to the General Ledger.

You can choose to exclude pending ledger entries (the default behavior), include all pending ledger entries, or include only those entries associated with documents that have been approved (documents that have reached 'Processed' or 'Final' workflow status).

### Note

**Including all pending ledger entries in an inquiry can generate misleading results.** Note that choosing to include all pending ledger entries in a balance inquiry can generate misleading results because saved documents may contain incomplete or unbalanced accounting entries. Choosing to view all pending ledger entries should be done with the understanding that unapproved entries may change drastically prior to actually posting or they may not post at all.


Refer to the following chart to identify the inquiry that applies to your analysis.

### Inquiry Drilldown Patterns

Others: Additional Select/Acquire  
Standard Transactional Documents

|                    | By Consolidation                                   | By Level | By Object | GL Balance | GL Entry Lookup | By e-doc |
|--------------------|--|----------|-----------|------------|-----------------|----------|
| Available Balances |  |          |           | a          | a               | a        |
| Cash Balances      | Lists cash balances only (no drilldown)            |          |           |            |                 |          |
| GL Balances        |  |          |           | a          | a               | a        |
| GL Entry           |  |          |           |            | a               | a        |
| GL Pending Entry   |  |          |           |            | a               | a        |
| Open Encumbrances  | Lists open encumbrance amounts only (no drilldown) |          |           |            |                 |          |

## General Error Correction



As an option, the General Error Correction (GEC) document is used to correct inappropriate or erroneous accounting string data for General Ledger entries generated from other financial transactions.

By consistently referring to the details of each transaction being corrected, the GEC preserves and maintains the audit trail. Fiscal officers and support staff, department and responsibility center are typical users of the GEC.

## Document Layout

The GEC document only has the standard financial transaction document tabs and does not have any unique tabs of its own

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines** tabs, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

General Error Correction ?
Doc Nbr: 3704    Status: INITIATED

Initiator: ale-khuntley
Created: 09:36 AM 05/16/2013

expand all   collapse all   \* required field

Document Overview ▼ hide

**Document Overview**

\* Description:     Explanation:

Organization Document Number:

**Financial Document Detail**

Total Amount:

Accounting Lines ▼ hide
hide detail

**Accounting Lines** ? import lines

| From | * Chart                 | * Account Number     | Sub-Account          | * Object             | Sub-Object           | Project              | Org Ref Id           | * Amount | Actions |
|------|-------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------|---------|
| add: | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | 0.00     | add     |
|      | * Reference Origin Code | * Reference Number   | Line Description     |                      |                      |                      |                      |          |         |
|      | <input type="text"/>    | <input type="text"/> | <input type="text"/> |                      |                      |                      |                      |          |         |

| To   | * Chart                 | * Account Number     | Sub-Account          | * Object             | Sub-Object           | Project              | Org Ref Id           | * Amount | Actions |
|------|-------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------|---------|
| add: | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | 0.00     | add     |
|      | * Reference Origin Code | * Reference Number   | Line Description     |                      |                      |                      |                      |          |         |
|      | <input type="text"/>    | <input type="text"/> | <input type="text"/> |                      |                      |                      |                      |          |         |

General Ledger Pending Entries ▶ show

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

submit   save   blanket approve   close   cancel   copy

## Note

The Year-End General Correction (YEGE) document is available only during the fiscal year-end close.

## Process Overview

### Business Rules

- Debits must equal credits.
- OLE automatically generates cash offset entries as defined by the information entered into the document.


The following object sub-types are prohibited on this document:

#### Restricted object sub type in the GEC document

| Sub-Type | Description                | Restrictions                                      |
|----------|----------------------------|---|
| BU       | Budget Only Object Codes   | Use Budget Adjustments (BA) document.             |
| CA       | Cash                       | Use Journal Voucher (JV) document.                |
| FB       | Fund Balance               | Use Journal Voucher (JV) document.                |
| FR       | Fringe Benefits            | Use Benefits Expense Transfer document.           |
| HW       | Hourly Wages               | Use Salary Expense Transfer document.             |
| LD       | Loss on Disposal of Assets | Use CAMS Documents.                               |
| MT       | Mandatory Transfers        | Use Transfer of Funds (TF) document.              |
| OP       | Other Provisions           | Use Auxiliary Voucher (AV) document.              |
| SA       | Salaries and Wages         | Use Salary Expense Transfer document.             |
| TF       | Transfer of Funds          | Use Transfer of Funds (TF) document.              |
| TN       | Transfer - Generic         | Use Transfer of Funds (TF) document.              |
| WO       | Write-Off Expense          | Use Distribution of Income/Expense (DI) document. |

## Routing

Fiscal Officers for all accounts must approve the GEC document. Additional approvals may be established within the institution's review hierarchy or set up through Ad Hoc routing. The document status becomes 'FINAL' when the required approvals are obtained and the transaction is posted to the G/L during the next G/L batch process.



## Initiating a GEC Document

1. Select General Error Correction from the **Others** submenu on the **Select/Acquire** tab.

A blank GEC document with a new document ID appears.

2. Complete the standard tabs.

- The **Accounting Lines** tab of the GEC document varies slightly from other types of financial transaction documents:
- The **Ref Number** is a required field on the GEC document. This field identifies the reference number of the document being corrected.
- The **Line Desc** box is optional and can be used to enter a description specific to that line of the GEC. If left blank, the description from the **Document Overview** tab passes to the G/L for that line of the transaction.
- The **Ref Origin Code** is a required field. This code identifies the system that created the transaction being corrected.

## Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Lines**, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

3. Click  .

4. Review the **General Ledger Pending Entries** tab.

This document automatically generates cash offset entries to cash or fund balance object codes.

5. Review the **Route Log** tab.

The document is routed to the fiscal officer for each account used in the Accounting Lines. The Route Status shows 'ENROUTE'.

## Note

For information about the Route Log tab, see [Route Log](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

6. Appropriate fiscal officers and organization reviewers approve the document.

## Note

For more information about how to approve a document, see [Workflow Action Buttons](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

## Example

Supplies were charged to an incorrect account. Use the **From** section to move the expense (credit expense) from the incorrect account and the **To** section to charge expense to the correct account (debit expense). The correct expense is debited and the incorrect expense is credited. The GEC document allows users to easily make corrections to documents previously submitted and approved.

Others: Additional Select/Acquire  
Standard Transactional Documents

**General Error Correction** [?]

Doc Nbr: 3256    Status: SAVED  
Initiator: khuntley    Created: 06:27 PM 08/16/2009

Document was successfully saved. expand all collapse all \* required field

Document Overview hide

**Document Overview**

\* Description: correct expense account    Explanation: correct department coding on disbursement

Org. Doc. #:    Total Amount: 550.00

Accounting Lines hide

**Accounting Lines** [?] hide detail

| From          | * Chart           | * Account Number   | Sub-Account | * Object                     | Sub-Object | Project | Org Ref Id | * Amount | Actions   |
|---------------|-------------------|--|-------------|------------------------------|------------|---------|------------|----------|---|
| add:          |                   |  |             |                              |            |         |            | 0.00     | <span>import lines</span>                       |
|               |                   |  |             |                              |            |         |            |          | <span>add</span>                                |
| 1             | BL<br>BLOOMINGTON | 1031420<br>CENTER FOR ANIMAL BEHAVIOR                          |             | 5000<br>SUPPLIES AND EXPENSE |            |         |            | 550.00   | <span>bal inquiry</span><br><span>delete</span> |
|               |                   |  |             |                              |            |         |            |          | <span>add</span>                                |
|               |                   |  |             |                              |            |         |            |          | <span>bal inquiry</span><br><span>delete</span> |
| Total: 550.00 |                   |  |             |                              |            |         |            |          |   |
| To            |                   |  |             |                              |            |         |            | 0.00     | <span>import lines</span>                       |
| add:          |                   |  |             |                              |            |         |            |          | <span>add</span>                                |
| 1             | BL<br>BLOOMINGTON | 2231404<br>* Account Expired Override<br>XXXXXX-RIP-PSYCHOLOGY |             | 5000<br>SUPPLIES AND EXPENSE |            |         |            | 550.00   | <span>bal inquiry</span><br><span>delete</span> |
|               |                   |  |             |                              |            |         |            |          | <span>add</span>                                |
|               |                   |  |             |                              |            |         |            |          | <span>bal inquiry</span><br><span>delete</span> |
| Total: 550.00 |                   |  |             |                              |            |         |            |          |   |

Capital Edit show

General Ledger Pending Entries hide

**General Ledger Pending Entries** [?]

| Seq # | Fiscal Year | Chart | Account Number | Sub-Account | Object | Sub-Object | Project | Doc Type | Balance Type | Obj. Type | Amount | D/C |
|-------|-------------|-------|----------------|-------------|--------|------------|---------|----------|--------------|-----------|--------|-----|
| 1     | 2010        | BL    | 1031420        | ----        | 5000   | ---        | -----   | GEC      | AC           | EX        | 550.00 | C   |
| 2     | 2010        | BL    | 1031420        | ----        | 8000   | ---        | -----   | GEC      | AC           | AS        | 550.00 | D   |
| 3     | 2010        | BL    | 2231404        | ----        | 5000   | ---        | -----   | GEC      | AC           | EX        | 550.00 | D   |
| 4     | 2010        | BL    | 2231404        | ----        | 8000   | ---        | -----   | GEC      | AC           | AS        | 550.00 | C   |

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

submit save reload blanket approve close cancel copy

## General Ledger Correction Process

Select/Acquire

> Others >

General Ledger Correction Process

> General Ledger Correction Proc


If an error is encountered during any part of the validation process, the associated document (s) are not posted. Instead, error records are placed in the ScrBErr file (For more information about this file and other files generated by the GL batch processes, see [Accounting Cycle Files](#).) This file can be retrieved using a GL Correction Process document. This process allows for the manual correction of errors so the associated documents may be re-posted in a future batch cycle.

## Accounting Cycle Files

The GL Correction Process document allows functional users to view accounting cycle files in the Origin Entry Group list.



Others: Additional Select/Acquire  
Standard Transactional Documents



The following table describes these files based on the names displayed in the Origin Entry Group list.

**Accounting cycle file descriptions**

| File Name   | Description   |
|---|---|
| balance_forwards                                    | Year-end entries to populate assets, liabilities, fund balance, and inception-to-date balances for the new fiscal year. Includes open and expired accounts.   |
| balance_forwards_closed                             | Year-end entries to populate asset, liability, fund balance, and inception-to-date balances for the new fiscal year. Closed accounts only.  |
| close_nominal_activity                              | Year-end entries to close income and expense to fund balance in the fiscal year ending.   |
| encumbrance_forward                                 | Year-end entries to bring forward outstanding encumbrances to the new fiscal year.  |
| expaccts  | Expired and closed accounts identified during data validation in 'Scrubber.'  |
| glbackup  | Backup of all files from the Origin Entry directory that will be fed into 'Scrubber' for processing. Examples: GLCP, e-docs, PDP, etc.  |
| glcp_output   | Error correction and file uploads processed by the General Ledger Correction Process for input into the accounting cycle.   |
| glentry_coll  | Valid entries from the 'Collector' (which shares 'Scrubber' validation and 'Demerger' logic). Notification of entries with errors was sent back to the submitting unit for re-processing.   |
| glentry_entp  | Entries processed via the Enterprise Feed Upload link in OLE. Entries have not yet passed 'Scrubber' validation.  |
| glentry_ole   | Pending ledger entries from GL e-docs. Created by the Nightly Out batch job.  |
| glentry_pdp   | Entries from check and ACH disbursements, cancels, and cancel-and-issues processed by the Pre-Disbursement Processor.   |
| icrerrs   | Errors found in the ICRPoster that did not update the ledgers.  |
| icrtrans  | All indirect cost recovery (ICR) entries generated from eligible posted transactions.   |
| org_reversion_pre_closing,<br>org_reversion_closing | Year-end entries to revert and carry forward current budget according to the established reversion rules.   |
| posterrs  | Errors found in the 'Main Poster' that did not update the ledgers.  |
| scrber1   | Error-only transactions identified by 'Scrubber' (pre-'Demerger').  |
| scrber2   | Error transactions identified by 'Scrubber' plus valid transactions for the same document type, origin code, and document number pulled by the 'Demerger.' These entries are not passed on to the 'Main Poster.' This is the most common file used for GLCP for error correction. |
| scrbout1  | Valid-only entries from 'Scrubber' (pre-'Demerger').  |
| scrbout2  | Valid entries from the 'Demerger' after pulling entries for any documents with errors that will be passed on to the 'Main Poster.'  |
| sorticr   | Sorted icrtrans file for input into the ICR poster.   |
| sortpost  | Sorted scrbout2 file for input into the 'Main Poster.'  |

---

|           |  |
|-----------|--|
| sortscrib | Sorted backup data used for validation in 'Scrubber.'                            |
| Workers   | Errors found in the 'Reversal Poster' that did not update the ledgers.           |
| Workfile  | All automated reversal entries selected for processing by the 'Reversal Poster.' |

---

## General Ledger Entry



### Note

For general information about entering lookup criteria, interpreting dollar accumulators, drilling down into inquiries to see more detail, and including or excluding pending entries, see [GL Inquiries: Basic Information](#).


The General Ledger Entry inquiry displays the individual transactions that make up the balance in an account. It is the same inquiry that can be displayed by drilling down into the General Ledger Balance report, but instead of drilling down from the General Ledger Balance screen you can go directly to this report by selecting it from the main Balance Inquires menu.

The drilldown pattern of this inquiry is as follows:

7. General Ledger Entry
8. E-Doc

## Lookup Criteria

Fill in at least **Fiscal Year**, **Chart Code**, **Account Number**, and **Fiscal Period** or **Fiscal Year** and **Document Number**. The lookup criteria default to the current fiscal year, balance type of 'AC'(actuals), and the current fiscal period.

Use the lookup icon  as necessary to select the criteria. Select the desired **Pending Ledger Entry Approved Indicator** option. The Pending General Ledger inquiry offers two alternatives for including the pending ledger entries: the ability to include all pending entries by selecting **All** or only those pending entries that are fully approved by selecting **Approved**. Cancelled and disapproved pending entries are not pulled into the balance inquiry results.

**General Ledger Entry Lookup** ?

|  |  |                                      |  |
|--|--|--------------------------------------|--|
| <b>Fiscal Year:</b>                      | 2010   | <b>Document Type:</b>                |  |
| <b>Chart Code:</b>                       |  | <b>Origin Code:</b>                  |  |
| <b>Account Number:</b>                   |  | <b>Document Number:</b>              |  |
| <b>Sub-Account Number:</b>               |  | <b>Organization Document Number:</b> |  |
| <b>Object Code:</b>                      |  | <b>Project Code:</b>                 |  |
| <b>Sub-Object Code:</b>                  |  | <b>Organization Reference Id:</b>    |  |
| <b>Balance Type Code:</b>                | AC   | <b>Reference Document Type Code:</b> |  |
| <b>Object Type Code:</b>                 |  | <b>Reference Origin Code:</b>        |  |
| <b>Fiscal Period:</b>                    | 04   | <b>Reference Document Number:</b>    |  |
| <b>Pending Entry Approved Indicator:</b> | <input checked="" type="radio"/> No <input type="radio"/> Approved <input type="radio"/> All |                                      |  |

search clear cancel

## Search Results


The inquiry results list the transactions that meet your lookup criteria. From here you can drill down into the e-doc that created the transaction.

| Fiscal Year | Chart Code | Account Number | Sub-Account Number | Object Code | Sub-Object Code | Balance Type Code | Object Type Code | Fiscal Period | Document Type | Origin Code | Document Number | Transaction Ledger Entry Description | Transaction Ledger Entry Amount | Debit Credit Code | Transaction Date | Organization Document Number | Project Code | Organization Reference Id | Reference Document Type Code | Reference Origin Code | Reference Document Number | Pending Entry Approved Indicator |
|-------------|------------|----------------|--------------------|-------------|-----------------|-------------------|------------------|---------------|---------------|-------------|-----------------|--------------------------------------|---------------------------------|-------------------|------------------|------------------------------|--------------|---------------------------|------------------------------|-----------------------|---------------------------|----------------------------------|
| 2009        | BL         | 1031400        | .....              | 4055        | ...             | AC                | EX               | 02            | GEC           | 02          | AQ1461304       | Description Hidden                   | 1,500.00                        | C                 | 08/19/2003       |                              | .....        |                           |                              |                       |                           |                                  |

## E-Doc Drilldown

Clicking the document number link from the General Ledger Entry inquiry results allows you to open the underlying e-doc which makes up the transaction. You may view, copy or perform error correction once the document is open, within the constraints of your existing OLE role(s). Note that no link will be displayed if the document originates from a system other than OLE.

## Pre-Encumbrance



The Pre-Encumbrance (PE) document may be used in OLE as a “Reserve Option” on a single or group of accounting lines- Account/Objects. An Account could be setup at the beginning of the year, with a Budget allocated to the Account-Object code. Either through Restricted Status or Sufficient Fund check options, or the use of the Pre-Encumbrance, an account could be temporarily restricted, allow spending up to a \$/ % limit, or be “pre-encumbered” without requiring a Purchase Order or Payment Request.

The Pre-Encumbrance (PE) document allows you to add encumbrances using an e-doc instead of relying on information from some system outside OLE. These transactions are for the use of the fiscal officers to earmark funds for which unofficial commitments have already been made, setting aside amounts for future anticipated expenses that might not otherwise be encumbered. The document can also be used to disencumber open encumbrances created with the PE document.

## Document Layout

A PE document has its own unique tab called **Pre-Encumbrance Details** in addition to the standard financial transaction tabs.

## Note

For more information about the standard tabs, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

Pre-Encumbrance ? Doc Nbr: 6259 Status: INITIATED  
Initiator: ple-quickstart Created: 01:44 PM 02/28/2014  
expand all collapse all \* required field

Document Overview hide

**Document Overview**

\* Description:  ? Explanation:

Organization Document Number:

Financial Document Detail Total Amount:

Pre-Encumbrance Details hide

**Pre-Encumbrance Details**

Reversal Date:  ?

Accounting Lines hide

**Accounting Lines** hide detail

| Encumbrance                        |  | * Chart                            | * Account Number | Sub-Account | * Object | Sub-Object | Project | Org Ref Id | * Amount | Actions                            |  |
|------------------------------------|--|------------------------------------|------------------|-------------|----------|------------|---------|------------|----------|------------------------------------|--|
| add:                               |  |                                    |                  |             |          |            |         |            | 0.00     | <input type="button" value="add"/> |  |
| Line Description                   |  |                                    |                  |             |          |            |         |            |          |                                    |  |
| <input type="text"/>               |  |                                    |                  |             |          |            |         |            |          |                                    |  |
| <input type="button" value="add"/> |  |                                    |                  |             |          |            |         |            |          |                                    |  |
| Disencumbrance                     |  | * Chart                            | * Account Number | Sub-Account | * Object | Sub-Object | Project | Org Ref Id | * Amount | Actions                            |  |
| add:                               |  |                                    |                  |             |          |            |         |            | 0.00     | <input type="button" value="add"/> |  |
|                                    |  | * Reference Number                 |                  |             |          |            |         |            |          |                                    |  |
|                                    |  | <input type="text"/>               |                  |             |          |            |         |            |          |                                    |  |
|                                    |  | <input type="button" value="add"/> |                  |             |          |            |         |            |          |                                    |  |

General Ledger Pending Entries show

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

## Pre-Encumbrance Details Tab

The **Pre-Encumbrance Details** tab contains an optional **Reversal Date** field date. When entering an encumbrance, a reversal date may be entered to indicate when the system should automatically reverse the encumbrance. This date must not be earlier than the current date.

Encumbrances entered on a PE document without a reversal date must be reversed manually by processing another PE document and entering one or more accounting lines in the **Disencumbrance** section of the document.

**Pre-Encumbrance Details** hide

**Pre-Encumbrance Details**

**Reversal Date:**

|               |  |
|---------------|--|
| Title         | Description  |
| Reversal Date | Optional. Enter the date when the system should automatically reverse the encumbrance. The date must not be earlier than the current date. |

## Process Overview

## Business Rules

- There must be at least one accounting line in the document.
- Unlike other documents with more than one side, there is no relationship between the **Encumbrance** and **Disencumbrance** sections of accounting lines. Hence, there are no totals in the **Accounting Lines** tab of the document.
- Only object codes with an object type code of Expenditure Not Expense (EE) or Expense Expenditure (EX) are allowed on this document.
- Negative amounts are not allowed. Encumbrances and disencumbrances are both recorded as positive amounts.
- OLE automatically generates offset entries, as defined by information entered into the document.

### Tip

If you are using the Sufficient Funds checking feature of OLE, remember that encumbrances are taken into account in the sufficient funds calculation.

## Routing

The PE document routes based on the account numbers used on the document as follows:

- The fiscal officer for each account must approve.
- Organization review routing occurs for the organization that owns each account.
- Sub-fund routing occurs based on the sub-fund of each account.

The document status becomes 'FINAL' when the required approvals are obtained and the transaction is posted to the G/L during the next G/L batch process.

## Initiating a PE Document

1. Select Pre-Encumbrance from the **Others** submenu on the **Select/Acquire** tab.

A blank PE document with a new document ID appears.

2. Complete the standard tabs. Complete the **Accounting Lines** tab as follows:

- Complete the **Accounting Lines** tab by entering information into the **Encumbrance** section, **Disencumbrance** section, or both.
- *Encumbrance Section:* Accounting lines entered on the **Encumbrance** side of the document generate new encumbrances on the specified accounts.
- *Disencumbrance Section:* Accounting lines entered on the **Disencumbrance** section of the document reverse existing encumbrances on the specified accounts.
- Lines on the **Disencumbrance** section require a **Ref Number** which identifies the document number of the previous pre-encumbrance that needs to be removed. Disencumbrances entered in the PE document would only be used to remove an encumbrance previously established with a PE document.

## Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Linestabs**, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

Complete the **Pre-Encumbrance Details** tab.

3. Click .

4. Review the **General Ledger Pending Entries** tab.

The pending entries include offset generation lines to a pre-defined reserve for Encumbrances object code.

5. Review the **Route Log** tab.

## Note

For information about the Route Log tab, see [Route Log](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

For more information about how to approve a document, see [Workflow Action Buttons](#).

# Year End E-Docs

On the **Select/Acquire** tab, the **Others** submenu provides access to year-end versions of the following financial documents:

- Budget Adjustment (YEBA)
- Distribution of Income/Expense (YEDI)
- General Error Correction (YEGEC)

## Note

This documentation does not provide a separate section for each individual year end e-doc because these e-docs are similar to each other and are similar to their regular e-doc counterparts. General information about the year-end e-docs is provided below. For information about business rules for each e-doc, see the section on its regular counterpart.

The Year-End documents are used to record transactions that occurred during a fiscal year, but were not recorded prior to the end of the final accounting period for that fiscal year. The standard versions of the OLE financial documents post the transaction to the current fiscal year and period during which the document is approved. The Year-End documents are posted to whatever fiscal period of the previous fiscal year is currently open to receive transactions (period 12 or 13 depending on the institution's posting schedule). fiscal officers and support staff, department, responsibility center, and campus administration staff are typical users of the Year-End documents.

The Year-End documents are used primarily in the period between the end of a fiscal year and the end of the closing period for that fiscal year. An OLE Superuser (likely a central administrator at the institution)

determines when these documents become available and for how long they are active. In most cases they are available for only a brief window of time following the end of an institution's fiscal year, prior to final closing of that fiscal year.

## Year End E-Doc Business Rules

Year-End documents inherit all the business rules of their regular document. For example, a Year-End Distribution of Income and Expense document uses the same business rules as the regular Distribution of Income and Expense document.

### Note

For more information about the non year-end documents, see the help documentation for the associated e-doc type.

## Year End E-Doc Routing

- Year-End documents route differently from their regular counterpart documents. Most notably they skip the fiscal officer level of routing and go directly to Org Review. The Year-End documents route as follows:
- Organization review routing occurs for the organization that owns each account. See note below.
- Sub-fund routing occurs based on the sub-fund of each account.
- The document status becomes 'FINAL' when the required approvals are obtained and the transaction is posted to the G/L during the next G/L batch process.

## Initiating a Year-End Document

1. Select the desired year-end document from the **Others** menu group on the **Select/Acquire** taab.
2. Log into OLE as necessary.

A blank Year-End document with a new document ID appears.

3. Complete the standard tabs and the other tabs specific to the document type.

### Note

For information about the standard tabs such as **Document Overview**, **Notes and Attachments**, **Ad Hoc Recipients**, **Route Log**, and **Accounting Linestabs**, see [Standard Tabs](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

4. Click  .
5. Review the **General Ledger Pending Entries** tab.

Year-End documents generate General Ledger entries (including offsets) in the same way their regular counterpart documents do, but all these entries are posted to the open accounting period of the prior fiscal year, most often accounting period 13.

6. Review the **Route Log** tab.

The document is routed to Org Review for each account used in the Accounting Lines. The Route Status shows 'ENROUTE.'

**Note**

For more information about the Route Log, see [Route Log](#) on the *Guide to OLE Basic Functionality and Key Concepts*.

7. Appropriate organization reviewers must approve the document.


**Note**

For more information about how to approve a document see [Workflow Action Buttons](#) on the *Guide to OLE Basic Functionality and Key Concepts*.



---

# Chapter 15. Standard COA E-Docs



The **Chart of Accounts** submenu on the **Maintenance** tab offers access to several Chart of Accounts e-docs that allow users to update reference tables that provide key structure for the tracking and storage of financial data.

## Managing COA Documents

Kuali OLE relies on a variety of Chart of Accounts (COA) tables to function. These tables define the attributes and values used by the system to validate transactions. They also control the often complex relationships between elements in the Chart of Accounts that must be leveraged for internal and external reporting. For example, tables store basic information such as the sub-fund groups to which new accounts may be assigned and the calendar month that correlates to the first month of your institution's fiscal year. This type of flexibility is one of the features that make OLE a highly configurable application.

A note on language:

| OLE/KFS Calls it:             | Libraries more often call it (or it equates to): |
|-------------------------------|--|
| Account                       | Fund   |
| Object Code                   | Material type and/or order type and/or subject   |
| Organization code             | school, program, division,                       |
| Budget at Account-Object Code | Allocations                                      |

This section presents information and instructions for viewing records in the COA tables and using e-docs to maintain these tables.

### Note

OLE also delivers a feature to add extension tables if your institution wants or needs to record additional Chart of Accounts attributes that are not part of the base system. OLE extended attributes may be free text fields or may have an associated reference table to supply valid values. The data dictionary can be configured by your technical staff in the following manner:

- An extended attribute displays on the associated e-doc
- An extended attribute can be made required or optional
- An extended attribute can be available as search criteria and/or in the search results in a lookup.

For more information about extended attributes, see [Extended Attributes](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Initiating Chart of Account Structures

Libraries must set up a parent (university) chart, organization, object code and account first. This must be done by directly inserting the data into the database and not from the OLE user interface.

See:

- [OLE Demonstration Library - Chart of Accounts and GL](#) on the wiki for a demonstration of how KFS sets up budgets and Charts of Accounts as well as a Configuration Workbook template that is used to assist KFS users in their set up.
- [Populating a Chart of Accounts](#) (requires KIS credentials, see [Getting Started with OLE](#))

In the OLE Test and Demo environments, OLE users are welcome to begin creating a new Chart, Organizations, and CoA structures to test a setup, but are encouraged to default to the OLE “IU-University Chart” as the parent of any new structures (primary object codes defined).


## Creating Funds: OLE Chart of Accounts

Chart of Accounts (COA) is the set of controlling tables that define financial information, such as the codes and coding structures within OLE, including attributes like Accounts, Organizations, and Object Codes. The COA module exists primarily to support and validate entries into the General Ledger (G/L).OLE is leveraging the coding, processing and structures of the KFS Chart of Accounts, which includes:

- Fiscal Year, Accounting Period
- Charts
- Account, Fund Group, Sub-Fund Group, Account Global; Account Delegate
  - New: Sufficient Funds checking
- Sub-Account, Financial Reporting Code
- Object Codes, Object Global, Sub-Objects, Sub-Object Global, Object Level/Consolidation
- Organizations, Responsibility Center, Organization Review
- Project Codes
- Chart of Accounts Maintenance Documents (Attributes/Controlled Value Lists)

A Chart is the primary or parent structure, to which 1:N (Many) Organizations belong. Accounts and Object belong to a single Chart. Budgets are then applied to combined Account-Object structures. Accounts may have sub-accounts, and Object may have sub-objects for further division and reporting.

In OLE Library sample Chart, Organization, Account, Object and Budget (using Chart “BL”):



## Global COA Documents

Some COA documents (Account, Object Code, and Sub-Object Code) allow you to assign identical values to multiple 'objects' on a single document known as a global document.

To initiate a global document, select the desired document from the **Chart of Accounts** menu group on the **Maintenance** tab and enter the appropriate data.

|                |                     |                              |
|----------------|---------------------|------------------------------|
| Account Global | Doc Nbr: 3879       | Status: INITIATED            |
|                | Initiator: khuntley | Created: 04:49 PM 07/19/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview [hide](#)

**Document Overview**

\* Description:

Org. Doc. #:

Explanation:

---

Global Account Maintenance [hide](#)

**New**

Fiscal Officer Principal Name:

Account Supervisor Principal Name:

Account Manager Principal Name:

Organization Code:

Sub-Fund Group Code:

Account Expiration Date:

Account Postal Code:

Account City Name:

Account State Code:

Account Street Address:

Continuation Chart Of Accounts Code:

Continuation Account Number:

Income Stream Chart Of Accounts Code:

Income Stream Account Number:

CFDA Number:

Higher Education Function Code:

Account Sufficient Funds Code:

TP Sufficient Funds Check:

---

Edit List of Accounts [hide](#)

**New Account** [Look Up / Add Multiple Account Lines](#)

\* Chart Code:

\* Account Number:

Account Name:

[add](#)

---

Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

[submit](#) [save](#) [blanket approve](#) [close](#) [cancel](#)

## Note

For more information about a specific global document, see the subsection for that e-doc.

## Edit List of xxx Tab

The global documents include the **Edit List of xxx** (where xxx is an attribute name) tab which allows you to add the attributes you want to modify. This can be done by looking up attributes to include on your document and using the **Look Up / Add Multiple xxx** lookup or by adding the values manually one at a time. At least one item must be selected on the **Edit List of xxx** tab.

## Note


For more information about a specific global document, see the subsection for that e-doc.

## Note

It is important to note that *all global documents do not behave in exactly the same way*. For accounts and organization reversion, the global document can only *update* accounts and organization reversion rules. For object and sub-object codes, the global document allows you to *create new and update* codes. The Account Delegate Global document is unique in that it

deactivates all existing delegation for accounts on the document and replaces it with the delegation on the document.

# Account



The Account document is used to create new accounts or to edit or copy existing accounts. An account is used to identify a pool of funds assigned to a specific university organizational entity for a specific purpose. Accounts are the fundamental building blocks of OLE Financial Transactions. Financial Transactions are always associated with one or more accounts. Accounts and Objects are assigned budgets, and provide the financial framework for budgeting, balance inquiries, and encumbering funds for Purchase Orders, or paying vendors via Payment Requests.

An account has many different attributes associated with it that often determine how OLE allows you to use that account in transactions. It also has attributes associated with it that aid in reporting or drive special processes, such as indirect cost calculation.

The Account document comes with a global document option where you may make certain changes to a group of accounts at once. . Key attributes for OLE Accounts are: Stewardship Requirement, Legacy Fund Code, Fund Group & Sub-Fund group. Each can be used in the future for queries, extracts and reporting as additional “sorts”. The feature of the Account Global document is explained in the section following the Account document.

The Account document has six account specific tabs: **Account Maintenance**, **Account Responsibility**, **Guidelines and Purpose**, **Account Description**, **Stewardship Requirements**, and **Legacy Fund Codes** tabs which group related attributes together.

# Document Layout

|   |                                |                                     |
|---|--------------------------------|-------------------------------------|
| <b>Account</b> <span style="font-size: small;">?</span> | <b>Doc Nbr:</b> 3350           | <b>Status:</b> INITIATED            |
|   | <b>Initiator:</b> ole-khuntley | <b>Created:</b> 10:32 AM 05/27/2013 |

expand all collapse all  
\* required field

**Document Overview** ▼ hide

|   |  |
|---|--|
| <b>* Description:</b> <input type="text"/>                | <b>Explanation:</b> <input style="width: 95%;" type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

**Account Maintenance** ▼ hide

**New**

|  |
|--|
| <b>* Chart Code:</b> <input type="text"/>                                |
| <b>* Account Number:</b> <input type="text"/>                            |
| <b>* Account Name:</b> <input type="text"/>                              |
| <b>* Organization Code:</b> <input type="text"/>                         |
| <b>Campus Code:</b> <input type="text"/>                                 |
| <b>* Account Effective Date:</b> <input type="text" value="05/27/2013"/> |
| <b>Account Expiration Date:</b> <input type="text"/>                     |
| <b>Account Postal Code:</b> <input type="text"/>                         |
| <b>Account City Name:</b> <input type="text"/>                           |
| <b>Account State Code:</b> <input type="text"/>                          |
| <b>Account Street Address:</b> <input type="text"/>                      |
| <b>Account Off Campus Indicator:</b> <input type="checkbox"/>            |
| <b>Closed?:</b> <input type="checkbox"/>                                 |
| <b>Account Type Code:</b> <input type="text"/>                           |
| <b>* Sub-Fund Group Code:</b> <input type="text"/>                       |
| <b>Vendor For Deposit Account:</b> <input type="text"/>                  |
| <b>* University Account Number:</b> <input type="text"/>                 |
| <b>* Account Restricted Status Code:</b> <input type="text"/>            |
| <b>Account Restricted Status Date:</b> <input type="text"/>              |
| <b>Endowment Chart Of Accounts Code:</b> <input type="text"/>            |
| <b>Endowment Account Number:</b> <input type="text"/>                    |

**Account Responsibility** ▼ hide

**New**

|  |
|--|
| <b>* Fiscal Officer Principal Name:</b> <input type="text"/>       |
| <b>Account Supervisor Principal Name:</b> <input type="text"/>     |
| <b>Account Manager Principal Name:</b> <input type="text"/>        |
| <b>Continuation Chart Of Accounts Code:</b> <input type="text"/>   |
| <b>Continuation Account Number:</b> <input type="text"/>           |
| <b>Income Stream Chart Of Accounts Code:</b> <input type="text"/>  |
| <b>Income Stream Account Number:</b> <input type="text"/>          |
| <b>Object Presence Control Indicator:</b> <input type="checkbox"/> |

**Guidelines And Purpose** ▼ hide

**New**






|   |
|---|
| <b>* Account Expense Guideline Text:</b> <input style="width: 95%; height: 30px;" type="text"/> |
| <b>Account Income Guideline Text:</b> <input style="width: 95%; height: 30px;" type="text"/>    |
| <b>Account Purpose Text:</b> <input style="width: 95%; height: 30px;" type="text"/>             |

## Account Maintenance Tab


The fields on this tab define the various account attributes which are used in the application of business rules for transactions using the account, reporting options, approval routing, etc.

### Account Maintenance tab definition

| Title             | Description   |
|-------------------|---|
| Chart Code        | <p>Required. Enter the code or search for it from the <b>Chart</b> lookup . Uniquely identifies a single chart of accounts. The COA is the set of controlling tables that define financial information, such as the codes and coding structures within Quali Financial System (OLE), including attributes like Accounts, Organizations, and Object Codes. The COA module exists primarily to support and validate entries into the General Ledger (G/L).</p> <p><b>Note</b></p> <p>Though each Account is associated with one Chart, you can allow your accounts to be used by multiple charts, by setting the system's ACCOUNTS_CAN_CROSS_CHARTS_IND parameter to Y.</p> |
| Account Number    | <p>Required. Enter the unique number to identify a pool of funds assigned to a specific institution entity for a specific function.</p> <p><b>Note</b></p> <p>You may restrict the account prefix by the use of the PREFIXES parameter. For example, you may configure the parameter to reject account numbers beginning with '3' or with '00.</p>  |
| Account Name      | Required. Enter the familiar title of a specific account  |
| Organization Code | <p>Required. Enter the number for the owner of the account, or search for it from the <b>Organization</b> lookup . Represents a unique identifier assigned to units within an institution.</p>  |
| Campus Code       | <p>Required. Select the physical campus on which the account is located from the <b>Campus</b> list, or search for it from the lookup .</p>   |


|                                |  |
|--------------------------------|--|
|                                | Represents the physical location of the account.   |
| Account Effective Date         | Required. Enter the date when the account became effective.<br><br><b>Note</b><br><br>An account may be used on financial transactions before its effective date.  |
| Account Expiration Date        | Optional. Enter the date when the account expires. Business rules on transactions may prevent the use of expired accounts, or provide warnings when an expired account is being used.<br><br>Must be equal to or greater than the current date and cannot be before the Account Effective Date. If it is not blank, the continuation Chart of Accounts code and continuation account number are required.  |
| Account Postal Code            | Required. Enter the postal code assigned by the US Postal Service for the city where the account is managed, or search for it from the <b>Postal Code</b> lookup  .   |
| Account City Name              | Required. Enter the city where the account is managed.   |
| Account State Code             | Required. Enter the code for the state where the account is managed, or search for it from the <b>State</b> lookup  .   |
| Account Street Address         | Required. Enter the street address where the account is managed.   |
| Account Off Campus Indicator   | Optional. Select the check box if the account activities occur off-campus; clear the check box if they do not.   |
| Closed?                        | Optional. Select the check box if the account is closed; clear the check box if it is open.<br><br>Closing an account is more permanent than expiring - no transactions can use a closed account and a closed account can only be re-opened by a system supervisor.  |
| Account Type Code              | Required. Select from the <b>Account Type</b> list or search for it from the lookup  . Examples used to categorize accounts for reporting purposes might include 'Fee Remissions Accounts' or 'Equipment Accounts.'<br><br>A code that categorizes or groups accounts for reporting purposes.   |
| Sub-Fund Group Code            | Required. Enter the code which relates an account to a fund, or search for it from the <b>Sub-Fund Group</b> lookup  . Examples are continuing education accounts, scholarships and fellowships, and general funds.<br><br>A designation of an account specific to fund accounting.   |
| Vendor for Deposit Account     | Enter the vendor associated with the Deposit Account, or search for it from the <b>Vendor</b> lookup  . This field is NOT allowed unless Sub Fund Group selected equals "Clearing/Revolving" or "Deposit", and then it is required.   |
| University Account #           | University Account Number associated with the Library Account. Ensures financial data is matched correctly to the University Account in the enterprise-wide financial system.  |
| Account Restricted Status Code | Required. Select the account restricted status code from the <b>Account Restricted Status</b> list. This code indicates whether funds in the account are:<br><br>T = Temporarily restricted R = Restricted U = Unrestricted<br><br>Restricted (R) and Temporarily Restricted (T) statuses will prevent staff from using accounts to purchase or pay for library materials.<br><br>If it is 'T,' then an account restricted status date is required. If the sub-fund associated with the account has a restricted status code, then that number pre-fills the field, in which case it is not editable. If the code on the sub-fund is blank, the <b>Restricted Status Code</b> field on the Account document must be completed. |
| Account Restricted Status Date | Optional. Enter the date if the accounts restricted status code above is 'T.' This date signifies when the funds are targeted to become unrestricted.<br><br>If the Account Restricted Status Code is T (Temporarily Restricted), then this field becomes required and the date signifies when the funds are targeted to become unrestricted.  |







|                                  |  |
|----------------------------------|--|
| Endowment Chart of Accounts Code | Optional. Select the Chart of Account code from the <b>Chart</b> list for the account designated to receive income generated from an endowment account or for the guarantee account for an underwrite for Contracts and Grants accounts.   |
| Endowment Account Number         | Optional. Enter the account designated to receive income generated from an endowment account or the guarantee account for an underwrite for Contracts and Grants accounts, or search for it from the <b>Account</b> lookup  . |




## Account Responsibility Tab

The fields on this tab define the individuals responsible for the account as well as continuation account information and Sufficient Funds parameters.



### Account Responsibility tab definition

| Title                               | Description   |
|-------------------------------------|---|
| Fiscal Officer Principal Name       | Required. Enter the name of the fiscal officer, or search for it from the lookup  .<br><br>The Fiscal Officer is a person who is trained and hired for the purpose of providing fiscal, policy, and internal control management of all funds in a unit. They are responsible for ensuring that processes and related controls have been established to achieve the mission and objectives of their organization(s).  |
| Account Supervisor Principal Name   | Optional. Enter the name of the account supervisor, or search for it from the lookup  . The supervisor oversees the management of the account at a higher-level than the fiscal officer, but rarely receives any direct requests for action from OLE. The account supervisor cannot be the same as the fiscal officer or the account manager.<br><br>The Account Supervisor will be the leader of the organization in which the account resides. In an academic unit this would probably be the Dean, in an administrative unit it would be the Vice President.  |
| Account Manager Principal Name      | Optional. Enter the name of the account manager, or search for it from the lookup  . The account manager has the responsibility for ensuring that funds are spent and managed according to the goals, objectives and mission of the organization, to ensure that the funds are being spent according to a budgeted plan and that the allocation of expenditures is appropriate to the function identified for the account.<br><br>The Account Manager is the person who through their actions, their position, or the budgeting process of the Dean or Vice President has direct responsibility for how funds are spent and managed. Examples would be a principal investigator who received a grant or contract, an academic person who received internal research funds from the Dean, or a Director of a non-academic department. |
| Continuation Chart of Accounts Code | Optional unless the account has an expiration date, in which case it is required. Enter the chart code for the continuation account, or search for it from the <b>Chart</b> lookup  . The field is required if the account has an expiration date.   |


|                                      |  |
|--------------------------------------|--|
| Continuation Account Number          | Optional unless the account has an expiration date, in which case it is required. Enter the account that accepts transactions which are being processed on the account after the account expiration date, or search for it from the <b>Account</b> lookup  .  |
| Income Stream Chart of Accounts Code | Optional. Select the Chart of Accounts for the income stream account from the <b>Chart</b> list, or search for it from the <b>Chart</b> lookup  . Parameters control when the income stream chart of accounts code and income stream account number are required.   |
| Income Stream Account Number         | Optional. Enter the account which has been designated to receive any offset entries from the account in order to balance responsibility center activity from the <b>Account</b> list or search for it from the lookup  .<br><br>The account designated to receive general fund income as part of the budget process for institutional funds, or the account designated to receive income from the sponsoring agency on contract and grant funds. When Budget Adjustments that involve accounts with different income stream accounts are made, OLE can be configured to create an automated Transfer of Funds transaction to properly adjust cash between those income stream accounts. |
| Object Presence Control Indicator    | Optional. Select the check box to indicate that the account uses object presence control. Clear the check box if it does not. Object presence control requires that an object code be budgeted for the account before it can be used on an actual or encumbrance transaction.<br><br>If checked, requires that an Object Code be budgeted for the account before it can be used on an actual or encumbrance transaction.   |
| Threshold Percentage                 | Optional. Enter the percent variance to be used to compare the amount encumbered on the order to the amount invoiced by the vendor. If the difference between these two amounts is greater than the percent entered in this field a warning will appear on the invoice when it is submitted. This warning can be overwritten.  |
| Threshold Amount                     | Optional. Enter the amount variance to be used to compare the amount encumbered on the order to the amount invoiced by the vendor. If the difference between these two amounts is greater than the amount entered in this field a warning will appear on the invoice when it is submitted. This warning can be overwritten.  |

## Tip

Both Threshold Percentage and Threshold Amount can be used if the user wants to see over a certain Threshold Percentage variance but only if it's over a certain Threshold Amount. (Example: User wants to see anything over a 10% variance, but only if it's over \$100.)

## Guidelines and Purpose Tab

The fields in the **Guidelines and Purpose** tab collect text description that provide details relating to the type of expenses that should be charged to the account, the source of its income, and the account's overall purpose.



Guidelines And Purpose hide

New

\* Account Expense Guideline Text:

\* Account Income Guideline Text:

\* Account Purpose Text:

### Guidelines and Purpose tab definition

| Title                          | Description   |
|--------------------------------|---|
| Account Expense Guideline Text | Required unless the account expiration date is before the current date. Enter the text describing the type of expenditures that take place in the account. It should also explicitly state those expenditures that are not allowed in the account.          |
| Account Income Guideline Text  | Required unless the account expiration date is before the current date. Enter the text describing the types of income (source of funds) that take place in the account. It should also explicitly state those revenues that are not allowed in the account. |
| Account Purpose Text           | Required. Enter the text describing the overall purpose of the account and the function it supports.  |

## Account Description Tab

The **Account Description** tab contains optional information relating to the physical location of the account.

### Account Description tab definition

| Title                             | Description  |
|-----------------------------------|--|
| Campus Description                | Optional. Enter additional campus description if desired on the account.       |
| Organization Description          | Optional. Enter additional organization description if desired on the account. |
| Responsibility Center Description | Optional. Enter responsibility center description if desired on the account.   |

## Stewardship Requirements Tab

Stewardship Requirements have been added as metadata to be used in future workflows and routing (think: book plating, donors, etc.) This tab is repeatable- do not forget to use the **add** button to commit new Stewardship Requirements to the Account.

### Account Stewardship Requirements tab description

| Title            | Description                                  |
|------------------|--|
| Stewardship Type | Identify the type of stewardship.            |
| Stewardship Note | Note related to the stewardship requirement. |

## Legacy Fund Codes Tab

Legacy Fund Codes are added to assist libraries with migrating from legacy systems and combined fund code strings (which had fiscal year, account, and object information). This tab is repeatable- do not forget to use the **add** button to commit new Legacy Fund Codes to the Account.

**Legacy Fund Codes tab description**

| <i>Title</i>          | <i>Description</i>                             |
|-----------------------|--|
| Legacy Fund Code      | Uniquely identifies legacy systems' fund codes |
| Legacy Fund Code Note | Note related to the legacy fund code           |

**Sufficient Funds Check tab**

Sufficient funds checking is an option that can be used to stop the processing of e-doc transactions when an account does not have a balance large enough to cover expense transactions.

Sufficient funds checking can be established on an account-by-account basis. If the **Transaction Process Sufficient Funds Check** option on an account is checked and the **Account Sufficient Funds Code** is set to a value other than 'N' (no checking), then the account is checked for sufficient funds by OLE.

Sufficient Fund Check (SFC) operates differently on encumbrances vs. expenditures:

Encumbrances check against Free Balances (Budget - invoices (liabilities) [pending included] - expenditures [pending included] - encumbrances [pending included]), occurs when encumbrances is pending (when requisition created/accts and costs assigned)

Expenditures check against Cash Balance (Budget - expenditures [pending included]) - when Payment Request created (pending).

The sufficientFundsAccountUpdateJob, which can be scheduled or run on demand, evaluates the pending ledger entries to determine whether or not they affect sufficient funds.

**Note**

For more information about how to run this batch job, see [Schedule](#) in the [OLE Guide to System Administration Functions](#). This and other OLE user guides are available for download from [OLE Documentation Portal](#).

**Sufficient Funds Check tab description**

| Title   | Description  |
|---|--|
| Account Sufficient Funds Code                 | Required. Select the code that indicates what level the account is going to be checked for sufficient funds in the transaction processing environment from the <b>Account Sufficient Funds</b> list. The choices are: A = Account C = Consolidation L = Level O = Object Code H = Cash N = No Checking   |
| Transaction Processing Sufficient Funds Check | Optional. Select the check box if sufficient funds check should be performed on the account.   |
| Encumbrance / Expense Method                  | Identifies the type of encumbrance or expense, i.e., "over" or "under".  |
| Encumber / Expense Constraint Type            | Coded selection choice of # (for Amount) or % (for Percentage).  |
| Encumbrance Amount                            | Enter a value to be checked when encumbering the account on purchase orders.   |
| Expense Amount                                | Enter a value to be checked when paying the account on payment requests.   |
| Notification Type                             | When the sufficient fund amount has been reached, you may select what will occur: <ul style="list-style-type: none"> <li>• <b>Block user:</b> Transaction cannot go through</li> <li>• <b>Warning:</b> User gets warning message: "Account #xxxxx, has SFC (type) checking, and (accounting line) exceeds available balance thresholds."</li> <li>• <b>Routing:</b> Route to the identified Fiscal Officer on Account for Approval.</li> <li>• <b>Notifications:</b> Transactions occur, but Fiscal Officer is notified of threshold being exceeded (to take corrective action, moving budgets etc.).</li> </ul> |

**Process Overview**

**Business Rules**

The Employee Type for the Financial-AQ4, Financial-AQ5, Accounting-AQ4 Fiscal Officer, Account Supervisor, and Account Manager must be 'P (Professional)' and the Employee Status must be 'A (Active).

The following rules apply to closing an account:


- You must select an account active indicator: closed.
- Account expiration date must be the current date or earlier
- A continuation account number must be provided.
- Only fully-approved Accounts (like other OLE documents) will display in Account Lookup inquiries or future Available balance inquiries.
- The account must meet all the following criteria:
  - expires on or before the current date
  - has no budget balance
  - has no pending ledger entries
  - has no open encumbrances
  - has no asset, liability, or fund balances other than the fund balance object code defined for this account's chart and the process of closing income and expense into fund balance must take the fund balance to zero.

- Only a system supervisor user can reopen a closed account.


## Routing

The document routes to the fiscal officer for the account indicated on the document. If the document edits an existing account and includes a change to the value of the **Fiscal Officer** field, the document routes first to the current fiscal officer and then to the newly designated fiscal officer.

- The document routes to the Org Reviewer based on the organization assigned to the account.
- The document routes to the Chart Manager based on the chart assigned to the account.
- Accounts route to the University Chart Manager for final approval.
- As an OLE User, the Account Supervisor receives an FYI copy of the document.



## Account Global



## Note

For general information about accessing and working with global documents, see [Global COA E-Docs](#).

The Account Global document is used to assign identical attributes to multiple accounts on a single document. This could be used at initial implementations, or when needing to apply attributes for future reporting and extract. The same rules and options apply to Account Global documents as to Account e-docs, but with some restrictions on fields, and more routing/workflow.

## Document Layout

The Account Global document contains the **Global Account Maintenance** screen and **Edit List of Accounts** tab.

|                               |  |  |                            |
|-------------------------------|--|--|----------------------------|
| Account Global <span>?</span> |  | Doc Nbr: 3616  | Status: INITIATED          |
|                               |  | Initiator: ole-khuntley  | Created: 08:43 AM 08/21/20 |
|                               |  | <input type="button" value="expand all"/> <input type="button" value="collapse all"/><br><small>* required field</small> |                            |

Document Overview hide

**Document Overview**

\* Description:

Organization Document Number:

Explanation:

Global Account Maintenance hide

**New**

Fiscal Officer Principal Name:

Account Supervisor Principal Name:

Account Manager Principal Name:

Organization Code:

Sub-Fund Group Code:

Account Expiration Date:

Account Postal Code:

Account City Name:

Account State Code:

Account Street Address:

Continuation Chart Of Accounts Code:

Continuation Account Number:

Income Stream Chart Of Accounts Code:

Income Stream Account Number:

Account Sufficient Funds Code:

Transaction Processing Sufficient Funds Check:

Edit List of Accounts hide

**New Account** Look Up/Add Multiple Account Lines

\* Chart Code:

\* Account Number:

Account Name:

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

## Global Account Maintenance Tab

The **Global Account Maintenance** tab works the same as the **Edit Account Maintenance** tab of the Account document except that it contains only the fields that can be modified from this tab. There are no required fields in this tab. Instead, you only need to complete the fields that you want to update on the selected accounts. If an account attribute is to remain as is, leave that field blank.



| Global Account Maintenance                     |                          |
|--|--------------------------|
| New  |                          |
| Fiscal Officer Principal Name:                 | <input type="text"/> 🔍   |
| Account Supervisor Principal Name:             | <input type="text"/> 🔍   |
| Account Manager Principal Name:                | <input type="text"/> 🔍   |
| Organization Code:                             | <input type="text"/> 🔍   |
| Sub-Fund Group Code:                           | <input type="text"/> 🔍   |
| Account Expiration Date:                       | <input type="text"/> 📅   |
| Account Postal Code:                           | <input type="text"/> 🔍   |
| Account City Name:                             | <input type="text"/>     |
| Account State Code:                            | <input type="text"/> 🔍   |
| Account Street Address:                        | <input type="text"/>     |
| Continuation Chart Of Accounts Code:           | <input type="text"/> ▼ 🔍 |
| Continuation Account Number:                   | <input type="text"/> 🔍   |
| Income Stream Chart Of Accounts Code:          | <input type="text"/> ▼ 🔍 |
| Income Stream Account Number:                  | <input type="text"/> 🔍   |
| Account Sufficient Funds Code:                 | <input type="text"/> ▼ 🔍 |
| Transaction Processing Sufficient Funds Check: | <input type="checkbox"/> |

## Note

For more information about how to complete the **Global Account Maintenance** tab, see [Account](#).

## Edit List of Accounts Tab

There are two ways to populate the accounts that you want to update globally in the **Edit List of Accounts** tab. One is by manually entering or selecting one object code at a time from the normal **Account** lookup 🔍, the other is by using a special multiple value lookup called the **Look Up / Add Multiple Account Lines** 🔍 to return multiple values.

## Note

For more information about the two types of lookup, see [Field Lookup](#) and [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Process Overview

### Business Rules


The Account Global document is subject to the same business rules as the Account document. In addition, at least one account must be selected on the **Edit List of Accounts** tab.

## Note

For the information about the Account document business rules, see [Account](#).




## Routing

The Account Global document routes to the Chart Manager for every chart represented in the accounts being modified, and then to the University Chart Manager.



## Initiating an Account Global Document



### Using Look Up / Add Multiple Account Lines

1. Complete the **Global Account Maintenance** tab.
2. To add multiple accounts to the **Edit List of Accounts** tab, click the **Look Up / Add Multiple Account Lines** lookup .
3. Enter the desired search criteria to search for the accounts you want to include and click .
4. After the result is returned, select check boxes to make your account selection and click .

The selected accounts are returned to the **Edit List of Accounts** tab.


5. Click .

## Adding One Account at a Time


6. Complete the **Global Account Maintenance** tab.
7. To add one account at a time, enter the values or use the **Account** lookup .
8. Enter the desired search criteria to search for the accounts you want to include and then click .

### Note

For information about how to retrieve a document, see [Using Doc Search to Find a Document](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

9. Click  to add the account to the list.

## Chart



The Chart document is used to define the valid charts that make up the high-level structure of the OLE Chart of Accounts. It also indicates who has management responsibilities for each chart and which object codes are used for system-generated accounting lines for the chart.

Accounts and object codes are specific to each chart. These are represented in OLE by a two character code. OLE sample data shows “IU” as the University Chart Code, with “BL” as the sample chart relating to our sample Campus Code “BL” and sample budgets, organization, and account structures (including object codes).

# Document Layout

Chart 7

|                                  |                                     |
|----------------------------------|-------------------------------------|
| <b>Doc Nbr:</b> 6632             | <b>Status:</b> INITIATED            |
| <b>Initiator:</b> ole-quickstart | <b>Created:</b> 04:30 PM 02/28/2014 |

[expand all](#) | [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

|   |  |
|---|--|
| <b>* Description:</b> <input style="width: 95%;" type="text"/>                | <b>Explanation:</b> <input style="width: 95%;" type="text"/> |
| <b>Organization Document Number:</b> <input style="width: 95%;" type="text"/> |  |

Edit Chart ▼ hide

| Old  | New  |
|--|--|
| <b>Chart Code:</b> BA  | <b>Chart Code:</b> BA  |
| <b>Chart Manager Principal Name:</b> ole-ruffner, - RUFFNER, ROMEO K | <b>* Chart Manager Principal Name:</b> ole-ruffner                 |
| <b>Chart Manager Name:</b> RUFFNER, ROMEO K                          | <b>Chart Manager Name:</b> RUFFNER, ROMEO K                        |
| <b>Chart Description:</b> BLOOMINGTON AUX                            | <b>* Chart Description:</b> BLOOMINGTON AUX                        |
| <b>Chart Active Indicator:</b> Yes                                   | <b>Chart Active Indicator:</b> <input checked="" type="checkbox"/> |
| <b>Cash Object Code:</b> 8000  | <b>Cash Object Code:</b> 8000                                      |
| <b>Accounts Payable Object Code:</b> 9041                            | <b>Accounts Payable Object Code:</b> 9041                          |
| <b>Income Budget Elimination Object Code:</b> 1209                   | <b>Income Budget Elimination Object Code:</b> 1209                 |
| <b>Expense Budget Elimination Object Code:</b> 1209                  | <b>Expense Budget Elimination Object Code:</b> 1209                |
| <b>Reports To Chart of Accounts Code:</b> BL                         | <b>* Reports To Chart of Accounts Code:</b> BL                     |
| <b>Accounts Receivable Object Code:</b> 8118                         | <b>Accounts Receivable Object Code:</b> 8118                       |
| <b>Internal Encumbrances Object Code:</b> 9891                       | <b>Internal Encumbrances Object Code:</b> 9891                     |
| <b>External Encumbrances Object Code:</b> 9892                       | <b>External Encumbrances Object Code:</b> 9892                     |
| <b>Pre Encumbrances Object Code:</b> 9890                            | <b>Pre Encumbrances Object Code:</b> 9890                          |
| <b>Indirect Cost Recovery Income Object Code:</b> 1803               | <b>Indirect Cost Recovery Income Object Code:</b> 1803             |
| <b>Indirect Cost Recovery Expense Object Code:</b> 5500              | <b>Indirect Cost Recovery Expense Object Code:</b> 5500            |
| <b>Fund Balance Object Code:</b> 9899                                | <b>Fund Balance Object Code:</b> 9899                              |

Notes and Attachments (0) ▶ show









Ad Hoc Recipients ▶ show

Route Log ▶ show

The Chart document includes the **Edit Chart** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Chart tab definition

| Title                                  | Description  |
|--|--|
| Chart Code                             | A unique identifying code assigned to a chart  |
| Chart Manager Principal Name           | Required. The principal name of the manager responsible for a specific chart. Existing principal names may be retrieved from the lookup . When a person is assigned as the Chart Manager, they will also be assigned to the role Chart Manager (OLE37). To avoid any errors, assign only one person to each chart. To reassign a chart to a new Manager, remove the person from OLE37 first. |
| Chart Manager Name                     | The employee name matching the principal's name.   |
| Chart Description                      | Required. The descriptive name of the chart.   |
| Chart Active Indicator                 | Indicates whether this chart code is active or inactive. Remove the check mark to deactivate a chart code.   |
| Cash Object Code                       | The default object code that represents cash on the chart. Existing cash object codes may be retrieved from the lookup .   |
| Accounts Payable Object Code           | The default object code for accounts payable entries on the chart. Existing accounts payable object codes may be retrieved from the lookup .   |
| Income Budget Elimination Object Code  | The default object code for income on system-generated Transfer of Funds documents, such as those generated by a Budget Adjustment document between two accounts with different income stream accounts. Existing income object codes may be retrieved from the lookup .  |
| Expense Budget Elimination Object Code | The default object code for expense on system-generated Transfer of Funds documents (similar to the <b>Income Budget Elimination Object Code</b> field described above). Existing expense object codes may be retrieved from the lookup .  |

|  |  |
|--|--|
| Reports to Chart of Accounts Code          | Required. A chart to which the chart reports in the Chart of Accounts hierarchy. Existing Chart of Accounts codes may be retrieved from the lookup  .             |
| Accounts Receivable Object Code            | The default object code for accounts receivable entries on the chart. Existing accounts receivable object codes may be retrieved from the lookup  .               |
| Internal Encumbrance Object Code           | The default object code to offset internal encumbrances on the chart. Existing object codes may be retrieved from the lookup  .                                 |
| External Encumbrance Object Code           | The default object code to offset external encumbrances on the chart. Existing object codes may be retrieved from the lookup  .                                 |
| Pre-Encumbrance Object Code                | The default object code to offset encumbrances created via the Pre Encumbrance document on the chart. Existing object codes may be retrieved from the lookup  . |
| Indirect Cost Recovery Income Object Code  | The default object code for indirect cost income entries on the chart. Existing object codes may be retrieved from the lookup  .                                |
| Indirect Cost Recovery Expense Object Code | The default object code for indirect cost expense entries on the chart. Existing object codes may be retrieved from the lookup  .                               |
| Fund Balance Object Code                   | The default object code for fund balance entries on the chart. Existing fund balance object codes may be retrieved from the lookup  .                           |

**Note**

The object codes on the Chart of Accounts table are optional because object codes have chart as part of their primary key. Completion of the object code fields is vital to the system performing properly, and these fields should be completed immediately after object codes are set up for the new chart.

**Note**

In the demo and test environments; it is NOT recommended to edit existing Chart structures in OLE sample data, however users can add notes, change the description, or **copy** to create a new Chart based on an existing chart. **Lookups** can be used to search for valid Object Codes (but please do not change object codes on the IU or BL Charts).


**Implementation Information**

The chart code is the first thing to create when populating your chart of accounts. You must have at least one Chart in OLE. It is recommended that if you only have one Chart, that chart should report to itself.

Associated documents of a chart: Requisition, Purchase Order, Account and Object Code

A chart requires a Chart Manager. As stated in the descriptions above, when a person is assigned as the Chart Manager, they will also be assigned to the role Chart Manager (OLE37). To avoid any errors, assign only one person as the manager for each chart. To assign a new Chart Manager, remove the person from OLE37 first.

# Object Code



The Object Code document is used to establish new object codes or to copy or edit existing object codes. Object codes are a four character codes that represent all income, expense, asset, liability and fund balance classifications that are assigned to transactions and help identify the nature of the transaction. Examples of object codes might include travel expenditures, student fee income, accounts receivable, and invoices payable. Object codes are specific to a chart and a fiscal year and contain several attributes throughout OLE for financial reporting at the detail and consolidated levels.

Use of Object Codes in OLE sample data is based on typical reporting or budgeting requirements-monograph, serial, electronic.

All Object Codes must Report to an Object code, have an Object Type Code, Level Code, and Object Sub-Type Code. In OLE, we are using “EE” Object code to represent “Expenditure not Expense”. The Object Level code is used to maintain an attribute of the object code that is used to group similar object codes into categories for reporting. Object sub-types are used in financial rules and OLE Parameters to limit how and where an object code may be used (types of transactions, etc.).

The Object Code document comes with a global document option where you can create a group of new object codes or update the existing object codes all at once.

## Note

For more information about the global document see [Object Code Global](#).

From the Lookup screen, enter any search criteria, such as Fiscal Year= 2012, Chart= BL, and Object Code = 71\* to view existing sample Library Object codes, to **edit** or **copy** them, or **create new**.

## Document Layout

The Object Code document includes the **Edit Object Code** tab.

|             |                        |                              |
|-------------|------------------------|------------------------------|
| Object Code | Doc Nbr: 3951          | Status: INITIATED            |
|             | Initiator: ole-khuntev | Created: 01:24 PM 08/14/2012 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

---

**Document Overview**

\* Description:

Organization Document Number:

Explanation:

---

Edit Object Code ▼ hide

| Old                                     | New   |
|---|---|
| Fiscal Year: 2013                       | Fiscal Year: 2013   |
| Chart Code: BA - BLOOMINGTON AUX        | Chart Code: BA - BLOOMINGTON AUX                                  |
| Object Code: 0110                       | Object Code: 0110   |
| Object Code Name: BALANCE FORWARD       | * Object Code Name: <input type="text" value="BALANCE FORWARD"/>  |
| Object Code Short Name: BAL FORWARD     | * Object Code Short Name: <input type="text" value="BAL FORWAR"/> |
| Reports to Chart Code: BL - BLOOMINGTON | Reports to Chart Code: BL - BLOOMINGTON                           |
| Reports To Object Code: 0110            | * Reports To Object Code: <input type="text" value="0110"/>       |
| Object Type Code: IN                    | * Object Type Code: <input type="text" value="IN"/>               |
| Level Code: BCAS                        | * Level Code: <input type="text" value="BCAS"/>                   |
| Object Sub-Type Code: BU                | * Object Sub-Type Code: <input type="text" value="BU"/>           |
| Active Indicator: Yes                   | Active Indicator: <input checked="" type="checkbox"/>             |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show





## Edit Object Code Tab

Edit Object Code ▼ hide

| Old                                     | New   |
|---|---|
| Fiscal Year: 2013                       | Fiscal Year: 2013   |
| Chart Code: BA - BLOOMINGTON AUX        | Chart Code: BA - BLOOMINGTON AUX                                  |
| Object Code: 0110                       | Object Code: 0110   |
| Object Code Name: BALANCE FORWARD       | * Object Code Name: <input type="text" value="BALANCE FORWARD"/>  |
| Object Code Short Name: BAL FORWARD     | * Object Code Short Name: <input type="text" value="BAL FORWAR"/> |
| Reports to Chart Code: BL - BLOOMINGTON | Reports to Chart Code: BL - BLOOMINGTON                           |
| Reports To Object Code: 0110            | * Reports To Object Code: <input type="text" value="0110"/>       |
| Object Type Code: IN                    | * Object Type Code: <input type="text" value="IN"/>               |
| Level Code: BCAS                        | * Level Code: <input type="text" value="BCAS"/>                   |
| Object Sub-Type Code: BU                | * Object Sub-Type Code: <input type="text" value="BU"/>           |
| Active Indicator: Yes                   | Active Indicator: <input checked="" type="checkbox"/>             |

### Edit Object Code tab definition

|             |  |
|-------------|--|
| Title       | Description  |
| Fiscal Year | Required. Enter the fiscal year of the object code or search for it from the <b>Fiscal Year</b> lookup  .  |
|             | <p><b>Note</b></p> <p>OLE is set up so the Object Code table is based on fiscal year therefore each year can have a different set of object codes.</p> |
| Chart Code  | Required. From the <b>Chart</b> list select the chart to which the object code belongs, or search for it from the lookup  .                            |

|                        |  |
|------------------------|--|
| Object Code            | Required. Enter the code to identify the object code which must be unique within the chart and fiscal year to which it belongs.  |
| Object Code Name       | Required. Enter the long descriptive name of the object code which appears on the <b>Accounting Lines</b> tab in financial documents as well as in searches and reports.   |
| Object Code Short Name | Required. Enter the shortened version of the object code name for use in reporting where space is limited.   |
| Reports to Chart Code  | Display-only. The value automatically defaults to the <b>Reports to Chart of Accounts Code</b> value associated with the <b>Reports to Object Code's Chart Code</b> value once it is entered.  |
| Reports to Object Code | Required. Enter the object code that the object code reports to in the next higher chart, or search for it from the <b>Object Code</b> lookup  . For example, the object code for book sales in an auxiliary chart might report to the object code for sales and services in the campus chart |
| Object Type Code       | Required. Enter the code or search for it from the <b>Object Type</b> lookup  . This is used to identify an object code as income, expense, asset, liability or fund balance. Multiple values exist for income and expense to support GL functionality.   |
| Level Code             | Required. Enter the code or search for it from the <b>Level</b> lookup  . This is the summary code for a given range of detailed object code classifications and identifies the level to which the object code belongs.   |
| Object Sub-Type Code   | Required. Enter the code or search for it from the <b>Object Sub-Type</b> lookup  . This is the designation assigned to similar groups of object codes. Sub-types are often leveraged in OLE to apply business rules or to help with reporting.   |
| Active Indicator       | Optional. Select the check box if the object code is active and can be used on financial documents. Clear the check box if it is inactive.   |

## Process Overview

### Business Rules

- If the **Reports to Chart Code** value is not the highest chart level, the reports to object code, fiscal year, and chart code combination must exist in the Object Code Table.
- If the **Reports to Chart Code** value is at the highest level, then the object code must report to itself as an additional rule.


### Note

**Institutional Reporting:** OLE provides for various fields available for institutional reporting. You can, for example, define a top level chart that consolidates activity for reporting purpose. After the top level chart is defined, the Statement of Net Assets and Statement of Revenues, Expenses and Changes in Net Assets can be designed, using 'Reports To' chart and object code and the sub-totals by the object code levels and consolidations on the top chart. Or, you may design responsibility center reports using the organization roll-up of accounts. For more information about the capabilities of the organization within the Chart of Accounts, refer to [Organization](#).

### Routing

The Object Code document routes to the Chart Manager for the chart associated with the object code followed by routing to the University Chart Manager.





## Implementation Information

You must have at least one object code for each of the following Object Type Codes: EX, AS, FB, and IN. For an example of minimal use object codes in OLE, see the Chicago tab of the [CA\\_OBJECT\\_CODE\\_T spreadsheet](#).

## Object Code Global

Maintenance
>  
Chart of Accounts > 
 **ACCOUNT** > 
 Object Code Global > 
 Object Code Global

## Note

For general information about accessing and working with global documents, see [Global COA E-Docs](#).

The object code global document is used to assign identical attributes to the same object code across multiple charts on a single document. The document can be initiated only by members of the OLE-SELECT Accounting-AQ4 role.

## Document Layout

The Object Code Global document has two unique tabs: **Global Object Code Maintenance** and **Edit Multiple Year and Chart** tabs.

|                                   |   |                              |                              |
|-----------------------------------|---|------------------------------|------------------------------|
| Object Code Global <span>?</span> | Backdoor Id <b>ole-lmeraz</b> is in use | Doc Nbr: 3952                | Status: INITIATED            |
|                                   |   | Initiator: <u>ole-lmeraz</u> | Created: 01:40 PM 08/14/2012 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* Description:

Organization Document Number:

Explanation:

Global Object Code Maintenance hide

**New**

\* Object Code:

\* Object Code Name:

\* Object Code Short Name:

\* Reports To Object Code:

\* Object Type Code:

\* Level Code:

\* Object Sub-Type Code:

Active Indicator:

Edit Multiple Year and Chart hide

**New Year and Chart** Look Up/Add Multiple Chart Lines

Fiscal Year:

Chart Code:

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show



## Global Object Code Maintenance Tab

The **Global Object Code Maintenance** tab works the same as the **Edit Object Code** tab of the Object Code document and it contains all the attributes that are not specific to a year or chart that can be modified on this document. The required fields on the Global Object Code document are the same as on the Object Code document. Global object can both create new and update existing records. If you are changing certain attributes using this document and the other attributes are to remain as is, leave the field blank.

## Note

For more information about how to complete the **Global Object Code Maintenance** tab, see [Object Code](#).

## Edit Multiple Year and Chart Tab

There are two ways to populate the object codes that you want to update globally in the **Edit Multiple Year and Chart** tab. One is by manually entering or selecting one object code at a time from the normal Object Code lookup , the other is by using a special multiple value lookup called the **Look Up / Add Multiple Object Code Lines**  to return multiple values.


## Process Overview

### Business Rules

The Global Object Code document is subject to the same business rules as the Object Code document. In addition, at least one account must be selected on the **Edit Multiple Year and Chart** tab.





### Routing

- Only members of the OLE-SELECT Accounting-AQ4 role may initiate the document.
- The Global Object Code document routes to the Chart Manager for every Chart represented in the accounts being modified, and then to the University Chart Manager.





## Initiating a Global Object Code document

### Using Look Up / Add Multiple Object Code Lines



10. Complete the **Global Object Code** document. To add multiple object codes to the **Edit Multiple Year and Chart** tab, click the **Look Up / Add Multiple Object Code Lines** lookup .
11. Enter the desired search criteria to search for the object codes you want to include and click .
12. After the result is returned, select check boxes to make your object code selection and click .
13. Click .

## Adding One Object Code at a Time


14. Complete the **Global Object Code** document. To add one object code at a time, enter the values or use the **Object Code** lookup .
15. Search for an object code and click the **return value**  link associated with the object code you want to select.

### Note

For information about field lookup and multiple value lookup, see [Field Lookup](#) and [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

16. Click  to add the object code to the list.
17. Click .

## Organization



The Organization document defines the entities representing units at many different levels within the institution (for example, a department, responsibility center, campus). Organizations inside OLE can be used to denote Fiscal responsibility, and may be fiscal or physical organizations. There can be related organizations in a hierarchy under a single Chart. Accounts and objects belong to a single chart or organization. Organizations could be a specific library building, a department that has a budget, or by subject, depending on how adopting libraries wish to use Organizations for identifying structures, and then later use Object Codes for reporting on “like” materials or allocations.

The document collects important identifying information about an Organization and defines its place in the organization hierarchy. Organization is an important part of the Chart of Accounts and the organization hierarchy is frequently leveraged by OLE for use in Workflow and reporting.

Organizations are required in setting up accounts and objects

See list in [Appendix](#) of related library sample Organizations, such as LACQ- Library Acquisitions, or SOC- Sociology (each of these has related CoA structures and budgets), or **create new**.

To **edit** or **copy** an existing Organization, simply click on that option.

### Note

Please do NOT change “Chart” code on existing library sample organizations in OLE's test environments.

# Document Layout

The Organization document includes the **Edit Organization Code** tab.

|   |  |                                  |                                     |
|---|--|----------------------------------|-------------------------------------|
| <b>Organization</b>   |  | <b>Doc Nbr:</b> 7202             | <b>Status:</b> INITIATED            |
|   |  | <b>Initiator:</b> ole-quickstart | <b>Created:</b> 04:03 PM 07/30/2014 |
| <input type="button" value="expand all"/> <input type="button" value="collapse all"/> <span style="font-size: small;">* required field</span> |  |                                  |                                     |

Document Overview ▼ hide

---

**Document Overview**

\* **Description:**

**Organization Document Number:**  **Explanation:**

---

**Edit Organization Code** ▼ hide

| Old   | New  |
|---|--|
| <b>Chart Code:</b> BL   | <b>Chart Code:</b> BL  |
| <b>Organization Code:</b> FAL   | <b>Organization Code:</b> FAL  |
| <b>Organization Name:</b> FINE ARTS LIBRARY                             | * <b>Organization Name:</b> FINE ARTS LIBRARY                          |
| <b>Organization Manager UserID:</b> OLE1896903531                       | <b>Organization Manager UserID:</b> OLE1896903531                      |
| <b>Organization Manager Principal Name:</b> ole-thhiggs - HIGGS, TORY H | <b>Organization Manager Principal Name:</b> ole-thhiggs  HIGGS, TORY H |
| <b>Responsibility Center Code:</b> 68                                   | <b>Responsibility Center Code:</b> 68                                  |
| <b>Organization Physical Campus Code:</b> BL                            | <b>Organization Physical Campus Code:</b> BL                           |
| <b>Organization Type Code:</b> O - OTHER ORGANIZATIONS                  | * <b>Organization Type Code:</b> O - OTHER ORGANIZATIONS               |
| <b>Organization Default Account Number:</b> 1047400                     | <b>Organization Default Account Number:</b> 1047400                    |
| <b>Organization Address Line 1:</b> 1320 E. 10TH ST.                    | <b>Organization Address Line 1:</b> 1320 E. 10TH ST.                   |
| <b>Organization Address Line 2:</b>                                     | <b>Organization Address Line 2:</b>                                    |
| <b>Organization City Name:</b> BLOOMINGTON                              | <b>Organization City Name:</b> BLOOMINGTON                             |
| <b>Organization State/Province Code:</b> IN                             | <b>Organization State/Province Code:</b> IN                            |
| <b>Organization Postal Code:</b> 47405                                  | <b>Organization Postal Code:</b> 47405                                 |
| <b>Organization Country Code:</b> United States                         | <b>Organization Country Code:</b> United States                        |
| <b>Organization Begin Date:</b> 05/07/1999                              | * <b>Organization Begin Date:</b> 05/07/1999                           |
| <b>Organization End Date:</b>   | <b>Organization End Date:</b>  |
| <b>Reports to Chart Code:</b> BL  | * <b>Reports to Chart Code:</b> BL                                     |
| <b>Reports to Organization:</b> LCL                                     | * <b>Reports to Organization:</b> LCL                                  |
| <b>Active Indicator:</b> Yes  | <b>Active Indicator:</b> <input checked="" type="checkbox"/>           |

---





**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

## Edit Organization tab definition

| Title                               | Description   |
|-------------------------------------|---|
| Chart Code                          | Required. Enter the chart code to which the organization belongs, or search for it from the <b>Chart</b> lookup .   |
| Organization Code                   | Required. Enter the code to identify the organization. It must be unique within the chart to which it belongs.  |
| Organization Name                   | Required. Enter the long descriptive name of the organization.  |
| Organization Manager                | Required. Enter the user ID of the manager responsible for the organization or search for it from the <b>UserID</b> lookup .  |
| Responsibility Center Code          | Required. Enter the responsibility center code to which the organization belongs or search for it from the <b>Responsibility Center</b> lookup .  |
| Organization Physical Campus Code   | Required. Enter the campus code which represents the physical location of the organization, or search for it from the <b>Campus</b> lookup .  |
| Organization Type                   | Required. Select the type of organization from the <b>Organization Type</b> list or search for it from the lookup . Examples might include: C = Campus R = Responsibility center U = University chart organization O = Other organizations N = Not official |
| Organization Default Account Number | Required. Enter the primary account used for any account reference for an organization, or search for it from the <b>Account</b> lookup .   |

|                                  |   |
|----------------------------------|---|
| Organization Address 1           | Required. Enter the street address where correspondence can be sent to the organization.  |
| Organization Address 2           | Optional. Enter the second line of the street address where correspondence can be sent to the organization.   |
| Organization City Name           | Display-only. Displays the city where correspondence can be sent to the organization.   |
| Organization State/Province Code | Display-only. Displays the state where correspondence can be sent to the organization.  |
| Organization Postal Code         | Required. Enter the zip code assigned by the US Postal Service which relates to the city where the organization is located, or search for it from the <b>Postal Code</b> lookup  . |
| Organization Country Code        | Required. Enter the country where correspondence can be sent to the organization, or search for it from the <b>Country</b> lookup  .   |
| Organization Begin Date          | Required. Enter the date when the organization began operations as a new unit. For a new organization this defaults to today's date.  |
| Organization End Date            | Optional. Enter the date when the organization was dissolved.   |
| Reports to Chart                 | Required. Enter the chart code associated with the organization to which the organization reports in the hierarchy, or search for it from the <b>Chart</b> lookup  .                 |
| Reports to Organization          | Required. Enter the code designating the organization within the hierarchy to which the organization reports, or search for it from the <b>Organization</b> lookup  .                |
| Active Indicator                 | Optional. Select the check box if the organization code is active and can be used on OLE documents. Clear the check box if it is inactive.  |


## Process Overview

### Business Rules

- Chart must be set up in advance
- When creating a new organization with the organization type code ('C: Campus' or 'U: University'), the default account number is not required, since an organization is required to create an account.
- The organization cannot report to itself unless it has an organization type code of 'U'.
- **Reports to Chart and Organization** must follow a path that ends at the known root chart and organization represented by the organization with a type of 'U'.
- When creating a new organization the **Organization Begin Date** must be greater than or equal to today's date.
- When creating a new organization the document may not be blanket approved, except by the OLE-SYS Manager.
- An organization cannot be inactive while there are active accounts or active organizations that report to it.
- If an organization is made inactive, the **Organization End Date** is required.

### Routing

The Organization document routes to Org Review based on the organization on the document. It also routes to the Chart Manager for the chart associated with the organization followed by routing to the University Chart Manager.



## Implementation Information

You must have one and only one Organization with an Organization type = U. This organization will be your top level organization - it must report to itself. Without this organization, with Organization type U, you will not be able to assign a person to the role of manager (OLE44) or others.

Organization is also associated with the Organization Reversion document.



# Project Code



The Project Code document is used to define an optional part of the accounting string that allows you to assign an identifier to particular transactions that might span multiple accounts. Because Project Code is not specific to an account it can be used to track project activity that is shared across multiple accounts within an organization or even across multiple organizations.



The use of this code allows individuals to run reports using the code and to get a listing of all revenues and expenditures that have been assigned to the project.

## Document Layout

The Project Code document includes the **Edit Project Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Project Code tab definition

| Title                          | Description   |
|--------------------------------|---|
| Project Code                   | Required. Enter the unique code to identify a project.  |
| Project Name                   | Required. Enter the long descriptive name. The name appears on the <b>Accounting Lines</b> tab in financial documents as well as in searches and reports. |
| Project Manager Principal Name | Required. Enter the user ID of the person responsible for the project or search for it from the lookup  |
| Project manager Name           | The employee name matching the principal's name   |
| Chart Code                     | Required. Enter the chart code associated with the organization assigned to the project code, or search for it from the <b>Chart</b> lookup               |

|                                       |   |
|---------------------------------------|---|
| Organization Code                     | Required. Enter the organization code associated with the project code, or search for it from the <b>Organization</b> lookup  .<br><br><b>Tip</b><br><br>While project code is assigned to a chart and organization code, it can be used in conjunction with accounts from other charts and organizations. |
| Project Description                   | Required. Enter the text description describing the purpose of the project Code.  |
| Income Budget Elimination Object Code | The default object code for income on system-generated Transfer of Funds documents, such as those generated by a Budget Adjustment document between two accounts with different income stream accounts. Existing income object codes may be retrieved from the lookup  .                                   |
| Active Indicator                      | Optional. Select the check box if the project code is active. Clear the check box if it is inactive.  |

## Process Overview


## Business Rules

The project code is unique across all charts and therefore can be used across, fund groups and account numbers.

## Routing

The Project Code document routes for Org Review based on the organization associated with the project.

## Sub-Account



The Sub-Account document is used to define an optional part of the accounting string that allows tracking of financial activity within a particular account at a finer level of detail. Instead of associating budget, actuals and encumbrances with an account, you can specify a sub-account within that account to apply these entries. Sub-accounts are often used to help track expenses when several different activities may be funded by the same account. Sub-accounts can also be related to each other, across accounts, via Financial Reporting codes.

For example, a large organization may have money in a general account that is used by several different areas of that organization. The organization might segregate the budgets for each of the areas into Sub-accounts such as 'Marketing,' 'Research,' and 'Recruitment. When expenses are applied to the account they can be applied to the sub-account level, allowing direct comparisons between the budget and the actual income and expenditures of these smaller categories. Because all of the activity is still within a single account, it is still easy to report on the finances of the overall account.

Sub-accounts take on most of the attributes of the account to which it reports, including Fiscal Officer, account supervisor, fund group, and function code.

Sub-accounts allow you to take advantage of the Financial Reporting Code. This is an optional sub-account attribute that can be defined by a particular organization and retrieved from the OLE via decision support queries.

## Document Layout

The Sub-Account document includes the **Edit Sub-Account Code**, and **Edit Financial Reporting Code** tabs.



The screenshot displays the 'Sub-Account' document interface. At the top, there is a header bar with the following information: 'Sub-Account' with a help icon, 'Doc Nbr: 3956', 'Status: INITIATED', and 'Initiator: ole-khuntley'. A 'Created' timestamp of '02:17 PM 08/14/2012' is also present. Below the header are two buttons: 'expand all' and 'collapse all', followed by a note '\* required field'. The main content area is divided into several tabs: 'Document Overview', 'Edit Sub-Account Code', 'Edit Financial Reporting Code', 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log'. The 'Document Overview' tab is active, showing fields for '\* Description:', 'Organization Document Number:', and 'Explanation:'. The 'Edit Sub-Account Code' tab is also visible, showing a comparison between 'Old' and 'New' values for 'Chart Code', 'Account Number', 'Sub-Account Number', 'Sub-Account Name', and 'Active Indicator'. The 'Edit Financial Reporting Code' tab shows fields for 'Financial Reporting Chart Code', 'Financial Reporting Org Code', and 'Financial Reporting Code'. At the bottom of the interface are buttons for 'submit', 'save', 'blanket approve', 'close', and 'cancel'.

## Edit Sub-Account Code Tab

If you are not establishing a Cost Share sub-account or using the Financial Reporting Code, the **Edit Sub-Account Code** and the **Document Overview** tabs are the only required tabs on the document.

This screenshot shows the 'Edit Sub-Account Code' tab in detail. It features a table with two columns: 'Old' and 'New'. The 'Old' column contains the following data: 'Chart Code: BA', 'Account Number: 9020224', 'Sub-Account Number: 05551', 'Sub-Account Name: 20005551', and 'Active Indicator: Yes'. The 'New' column contains: 'Chart Code: BA', 'Account Number: 9020224', 'Sub-Account Number: 05551', '\* Sub-Account Name: 20005551' (with an input field), and 'Active Indicator: '. A 'hide' button is located at the top right of the tab.

### Edit Sub-Account Code tab definition




| Title          | Description  |
|----------------|--|
| Chart Code     | Required. Enter the chart code associated with the account associated with the sub-account, or search for it from the <b>UserID</b> lookup  .   |
| Account Number | Required. Enter the account number on which you want to create the sub-account or search for it from the <b>Account</b> lookup  . If you want to use the same sub-account code on several accounts, you need to process an additional document for each additional account on which you want to use that sub-account. |

|                    |  |
|--------------------|--|
| Sub-Account Number | Required. Enter the code to define the sub-account. This is the code to be entered in the sub-account field of the <b>Accounting Lines</b> tab of financial documents. |
| Sub-Account Name   | Required. Enter the long descriptive name. This name appears on the <b>Accounting Lines</b> tab in financial documents as well as in searches and reports.             |
| Active Indicator   | Optional. Select the check box if the sub-account is active. Clear the check box if it is inactive.  |

## Edit Financial Reporting Code Tab

This **Financial Reporting Code** tab is optional but can be used to associate this sub-account with a Financial Reporting Code. The associated reporting code could then be retrieved via decision support tools.

### Edit Financial Reporting Code tab definition

| Title                          | Description  |
|--------------------------------|--|
| Financial Reporting Chart Code | Optional. Enter the chart code associated with the organization that owns the assigned financial reporting code, or search for it from the <b>Chart</b> lookup  .   |
| Financial Reporting Org Code   | Optional. Enter the code for the organization that owns the assigned financial reporting code, or search for it from the <b>Org Code</b> lookup  .  |
| Financial Reporting Code       | Optional. Enter the reporting code assigned to the Sub-Account, or search for it from the <b>Financial Reporting Code</b> lookup  . Financial reporting codes are specific to a chart and organization. |


## Process Overview

### Business Rules


- Takes on most of the attributes of the account to which it reports – fiscal officer, account supervisor; fund group and function code
- If sub-account type code is 'CS,' then the fields **Cost Sharing Chart of Accounts Code** and **Cost Sharing Account Number** in the **Edit CG Cost Sharing** tab are required.
- If sub-account type code is 'EX' and the Account associated with the Sub-Account is a Contracts and Grants account, then all fields in the **Edit CG ICR** tab are required.
- If any field in the **Financial Reporting Code** tab is completed, all fields become required.

### Routing

- The Sub-Account document routes to the Fiscal Officer associated with the account on the document.
- The Sub-Account document routes to Org Review based on the organization that owns the account associated with the document.



## Sub-Object Code



The Sub-Object document is used to define an optional part of the accounting string that allows you to create finer distinctions within a particular object code on an account.

Sub-object codes are specific to an account and a fiscal year and take on most of the attributes of the object code to which they report, including object code type and sub-type.

# Document Layout

The Sub-Object Code document contains the **Edit Sub Object Code** tab.

The screenshot shows the 'Sub-Object Code' document interface. At the top, there is a header bar with 'Sub-Object Code' and a help icon. To the right, it displays 'Doc Nbr: 3295', 'Status: INITIATED', 'Initiator: khuntlev', and 'Created: 09:33 PM 10/25/2009'. Below this is a 'Document Overview' section with fields for '\* Description:', 'Org. Doc. #:', and 'Explanation:'. The main section is the 'Edit Sub Object Code' tab, which is split into 'Old' and 'New' columns. The 'Old' column shows fields for University Fiscal Year (2010), Chart Code (BA), Account Number (6044900), Object Code (1466), Sub-Object Code (001), Sub-Object Code Name (employee parking decal), Sub-Object Code Short Name (employ park), and Active Indicator (Yes). The 'New' column shows similar fields, with the Sub-Object Code Name field containing an asterisk and the Sub-Object Code Short Name field containing an asterisk. Below the 'Edit Sub Object Code' tab are sections for 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log', each with a 'show' button. At the bottom, there are buttons for 'submit', 'save', 'blanket approve', 'close', and 'cancel'.

## Edit Sub Object Code Tab

This is a close-up view of the 'Edit Sub Object Code' tab. It shows the 'Old' and 'New' columns side-by-side. The 'Old' column contains the following fields: University Fiscal Year (2010), Chart Code (BA), Account Number (6044900), Object Code (1466), Sub-Object Code (001), Sub-Object Code Name (employee parking decal), Sub-Object Code Short Name (employ park), and Active Indicator (Yes). The 'New' column contains: University Fiscal Year (2010), Chart Code (BA), Account Number (6044900), Object Code (1466), Sub-Object Code (001), \* Sub-Object Code Name (employee parking decal), \* Sub-Object Code Short Name (employ park), and Active Indicator (checked). The asterisks indicate required fields.

### Edit Sub Object Code tab definition

| Title                | Description  |
|----------------------|--|
| Fiscal Year          | Required. Enter the fiscal year when you want to use the sub-object code, or search for it from the <b>Fiscal Year</b> lookup  |
| Chart Code           | Required. Enter the chart code to which the sub-object code belongs, or select it from the <b>Chart</b> lookup   |
| Account Number       | Required. Enter the account number on which you want to use the sub-object code, or select it from the <b>Account</b> lookup . If you want to use the same sub-object code on several accounts, you need to process an additional document for each additional account on which you want to use that code. |
| Object Code          | Required. Enter the object code to which the sub-object code belongs, or select it from the <b>Object Code</b> lookup . The sub-object code has its own name and code, but otherwise inherits all attributes of the object code to which it belongs.   |
| Sub-Object Code      | Required. Enter the code to define the sub-object. This is the code that should be entered in the sub-object field of the <b>Accounting Lines</b> tab on financial transaction documents.  |
| Sub-Object Code Name | Required. Enter the long descriptive name of the sub-object code. This name appears on the <b>Accounting Lines</b> tab in financial transaction documents as well as in searches and reports.  |

|                            |   |
|----------------------------|---|
| Sub-Object Code Short Name | Required. Enter the shortened version of the sub-object code name used in reporting where space is limited. |
| Active Indicator           | Optional. Select the check box if the sub-object code is active. Clear the check box if it is inactive.     |


## Process Overview

### Business Rules

- The object code associated with the sub-object code must be active.
- Expired accounts are allowed, however, if the account is expired OLE offers to replace it with the continuation account.

### Routing

- The Sub-Object document routes to the Fiscal Officer or Primary Delegate associated with the account on the document.
- The Sub-Object document also routes to Org Review based on the organization that owns the account associated with the document.



## Sub-Object Code Global



### Note

For general information about accessing and working with global documents, see [Global COA E-Docs](#).

The Sub-Object Code Global document is used to assign identical attributes to multiple sub-object codes on a single document.



# Document Layout

The Sub-Object Code Global document has three unique tabs: **Edit Global Sub Object Code**, **Edit Object Codes**, and **Edit Accounts**. These tabs contain all of the modifiable sub-object code attributes that are not specific to object codes and account numbers.

The screenshot displays the 'Sub-Object Code Global' document interface. At the top, it shows document metadata: Doc Nbr: 3296, Status: INITIATED, Initiator: khuntley, and Created: 09:34 PM 10/25/2009. The interface is divided into several sections:

- Document Overview:** Contains fields for \* Description, Org. Doc. #, and Explanation.
- Edit Global Sub Object Code:** Features a 'New' section with fields for \* Fiscal Year (2010), \* Chart Code, \* Sub-Object Code, \* Sub-Object Code Name, \* Sub Object Code Short Name, and Active Indicator (checked).
- Edit Object Codes:** Includes a 'New Object Code' section with fields for \* Fiscal Year (2010), Chart Code, and \* Object Code, along with a 'Look Up/Add Multiple Object Code Lines' search button and an 'add' button.
- Edit Accounts:** Includes a 'New Account' section with fields for Chart Code, \* Account Number, and Account Name, along with a 'Look Up/Add Multiple Account Lines' search button and an 'add' button.
- Notes and Attachments (0):** A section with a 'show' button.
- Ad Hoc Recipients:** A section with a 'show' button.
- Route Log:** A section with a 'show' button.

At the bottom of the interface, there are buttons for submit, save, blanket approve, close, and cancel.

## Edit Global Sub Object Code Tab

The **Edit Global Sub Object Code** tab works much the same as the **Edit Sub Object Code** tab of the Sub-Object Code document works. All of the fields on this tab are required. The Sub Object Code Global document can both create new and update existing records.



This close-up screenshot shows the 'Edit Global Sub Object Code' tab, specifically the 'New' section. The fields and their values are as follows:


- \* Fiscal Year: 2010
- \* Chart Code: (dropdown menu)
- \* Sub-Object Code: (text input)
- \* Sub-Object Code Name: (text input)
- \* Sub Object Code Short Name: (text input)
- Active Indicator:

### Note



For more information about how to complete the **Edit Global Sub Object Code** tab, see [Sub-Object Code](#).


## Edit Object Code Tab

In the **Edit Account** tab, specify the chart and object codes that the sub-object code belongs to. There are two ways to populate the object codes in the **Edit Object** tab. One is by manually entering or selecting one object code at a time from the normal **Object Code** lookup , the other is by using a special multiple value lookup called the **Look Up / Add Multiple Object Code Lines**  to return multiple values.



## Edit Account Tab

In the **Edit Account** tab, specify the chart and account that the sub-object code belongs to. There are two ways to populate the accounts that you want to select in the **Edit Account** tab. One is by manually entering or selecting one account at a time from the normal **Account** lookup , the other is by using a special multiple value lookup called the **Look Up / Add Multiple Account Lines**  to return multiple values.



### Note

For information about how to use the multiple value lookup, see [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).


## Process Overview

### Business Rules

The Global Sub-Object Code document is subject to the same business rules as the Sub-Object Code document. In addition, at least one account must be selected on the **Edit Accounts** tab and one object code must be selected on the **Edit Object Code** tab.




### Routing





The Global Sub-Object Code document routes to the Account Reviewer and Org Reviewer.










## Initiating a Global Sub-Object Code document

### Using Look Up / Add Multiple Account and Object Code Lines

18. Complete the **Edit Global Sub Object Code** tab.
19. To add multiple object codes to the **Edit Object Codes** tab, click **Look Up / Add Multiple Object Lines** lookup .
20. Enter the desired search criteria to search for the object codes you want to include and click .
21. After the result is returned, select check boxes to make your object code selection and click . The selected accounts are returned to the **Edit Object Codes** tab.

22. To add multiple accounts to the **Edit Accounts** tab, click the **Look Up / Add Multiple Account Lines** lookup .
23. Enter the desired search criteria to search for the accounts you want to include and click .
24. After the results are displayed, select check boxes to make your account selection and click . The selected accounts are returned to the **Edit Account** tab.
25. Click .


## Adding One Account and Object Code at a Time

26. Complete the **Edit Global Sub-Object Code** tab
27. To add one object code at a time, enter the values or use the **Object Code lookup** .
28. Search for an object code and click the  link associated with the object code you want to select.
29. Click  to add the object code to the list.
30. Repeat steps 2 through 4 until you have selected all of the object codes.
31. To add one account at a time, enter the values or use the **Account lookup** .
32. Search for an account and click the  link associated with the account you want to select.
33. Click  to add the object code to the list.
34. Repeat steps 2 through 4 until you have selected all of the accounts.
35. Click .

### Note

For information about field lookup and multiple value lookup, see [Field Lookup](#) and [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Responsibility Center



The **Responsibility Center** document maintains an attribute of organization. This table is used to assign an identifying code and description to a responsibility center, which is then associated with organizations to indicate where responsibility for that organization resides. Responsibility centers generally represent large

colleges or schools within an institution but can be established to represent any high-level organization required for reporting purposes.

## Document Layout

Responsibility Center ?

**Doc Nbr:** 3735      **Status:** INITIATED  
**Initiator:** ole-quickstart      **Created:** 02:33 PM 04/10/2014

[expand all](#)   [collapse all](#)  
 \* required field

---

**Document Overview** ▼ hide

**Document Overview**

\* **Description:**       **Explanation:**

**Organization Document Number:**

---

**Edit Responsibility Center** ▼ hide

| Old  | New  |
|--|--|
| <b>Responsibility Center Code:</b> 04              | <b>Responsibility Center Code:</b> 04                        |
| <b>Responsibility Center Name:</b> ARTS & SCIENCES | * <b>Responsibility Center Name:</b> ARTS & SCIENCES         |
| <b>Responsibility Center Short Name:</b> A&S       | * <b>Responsibility Center Short Name:</b> A&S               |
| <b>Active Indicator:</b> Yes                       | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

---

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show


The Responsibility Center document includes the **Edit Responsibility Center** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Responsibility Center tab definition

| Title                            | Description   |
|----------------------------------|---|
| Responsibility Center Code       | Required. The unique code that identifies a responsibility center   |
| Responsibility Center Name       | Required. The descriptive name of this responsibility center code.  |
| Responsibility Center Short Name | Required. An abbreviated name used in reporting where space is limited.                                       |
| Active Indicator                 | Optional. Select the check box if the responsibility center is active. Clear the check box if it is inactive. |


---

# Chapter 16. COA Attribute Maintenance E-Docs



On the **Maintenance** menu tab, the **Chart of Accounts** submenu provides access to numerous maintenance documents for your institution's charts.

## Account Type



The account type is an attribute of account that is used to categorize accounts for reporting.

## Document Layout

Account Type ?

Doc Nbr: 6862      Status: INITIATED  
 Initiator: ole-quickstart      Created: 09:28 AM 03/03/2014  
 expand all    collapse all  
 \* required field

Document Overview hide

Document Overview

\* Description:       Explanation:

Organization Document Number:

Edit Account Type hide

| Old                |                                      | New                |                                      |
|--------------------|--------------------------------------|--------------------|--------------------------------------|
| Account Type Code: | DP                                   | Account Type Code: | DP                                   |
| Account Type Name: | DISTINGUISHED PROFESSORSHIP ACCOUNTS | Account Type Name: | DISTINGUISHED PROFESSORSHIP ACCOUNTS |
| Active Indicator:  | Yes                                  | Active Indicator:  | <input checked="" type="checkbox"/>  |

Notes and Attachments (0) show

Ad Hoc Recipients show


Route Log show

The Account Type document includes the **Edit Account Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Account Type tab definition

| Title             | Description  |
|-------------------|--|
| Account Type Code | A two-digit code that identifies an account type   |
| Account Type Name | Required. A familiar title that describes an account type  |
| Active Indicator  | Indicates whether this account type is active or inactive. Remove the check mark to deactivate a code. |

## Accounting Period



The Accounting Period document is used to define the accounting year, its subdivisions and their attributes to be used throughout the Quali Financial System. Accounting periods usually correspond to calendar months but may include special processing periods, such as a period 'thirteen' for processing year-end closing transactions. Accounting periods are the periods to which financial transactions of any type are posted.

## Document Layout

Accounting Period ?

Doc Nbr: 6864      Status: INITIATED  
 Initiator: ole-quickstart      Created: 09:35 AM 03/03/2014  
 expand all    collapse all  
 \* required field

Document Overview hide

Document Overview

\* Description:       Explanation:

Organization Document Number:

Edit Accounting Period hide

| Old                                |            | New                                |                                     |
|------------------------------------|------------|------------------------------------|-------------------------------------|
| University Fiscal Year:            | 2014       | University Fiscal Year:            | 2014                                |
| University Fiscal Period Code:     | 01         | University Fiscal Period Code:     | 01                                  |
| University Fiscal Period Name:     | JULY 2013  | University Fiscal Period Name:     | JULY 2013                           |
| Active Indicator:                  | Yes        | Active Indicator:                  | <input checked="" type="checkbox"/> |
| Budget Rollover:                   | No         | Budget Rollover:                   | <input type="checkbox"/>            |
| University Fiscal Period End Date: | 07/31/2013 | University Fiscal Period End Date: | 07/31/2013                          |


Notes and Attachments (0) show

Ad Hoc Recipients show


Route Log show

The Accounting Period document includes the **Edit Accounting Period** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

**Edit Accounting Period tab definition**

| Title                             | Description  |
|-----------------------------------|--|
| University Fiscal Year            | The university fiscal year for the accounting period   |
| University Fiscal Period Code     | The university fiscal period within the designated university fiscal year  |
| University Fiscal Period Name     | Required. The familiar title for the designated university fiscal period code  |
| Active Indicator                  | Indicates whether this accounting period is active or inactive. Remove the check mark to deactivate a code.  |
| Budget Rollover                   | Indicates whether the sufficient funds process is in use that allows the promised budgetary funds to be carried over for the current fiscal year. Remove the check mark if the funds should not be carried over. |
| University Fiscal Period End Date | Required. The last day of the university fiscal period. This date may be retrieved from the <b>calendar</b>                   |

# Balance Type



The Balance Type document defines the different types of balances supported by the application. Common examples include actuals, current budget, and encumbrances. Posted transactions are assigned a balance type. These different types facilitate balance reporting and financial queries.

# Document Layout

The screenshot shows the 'Balance Type' document interface. At the top, it displays document metadata: Doc Nbr: 6869, Status: INITIATED, Initiator: ole-quickstart, and Created: 09:55 AM 03/03/2014. Below this is a 'Document Overview' section with fields for Description and Organization Document Number. The main area is divided into 'Old' and 'New' tabs for editing. The 'Old' tab shows fields for Balance Type Code (A2), Balance Type Name (A21 BALANCES - LABOR LEDGER ONLY), Short Name (A21 BALANCES), Offset Generation (Yes), Encumbrance (No), and Active Indicator (Yes). The 'New' tab shows similar fields, with Offset Generation (checked), Encumbrance (unchecked), and Active Indicator (checked). At the bottom, there are sections for 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log', each with a 'show' button.

The Balance Type document includes the **Edit Balance Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.


**Edit Balance Type tab definition**

| Title             | Description   |
|-------------------|---|
| Balance Type Code | Identifies the balance type for different uses in system processes. |
| Balance Type Name | Required. A descriptive title for this balance type code.           |



|                   |  |
|-------------------|--|
| Short Name        | Required. An abbreviated name for a specific balance type to be used where space is limited.   |
| Offset Generation | Optional. Indicates if offsets are to be generated automatically by the system for the balance type. Remove the check mark if there are no offset generated entries. |
| Encumbrance       | Optional. Indicates if the balance type represents an encumbrance. Remove the check mark if the balance type is not an encumbrance                                   |
| Active Indicator  | Indicates whether this balance type is active or inactive. Remove the check mark to deactivate a code.   |

## Basic Accounting Category




The basic accounting category code groups the object type codes into the basic accounting categories for reporting purposes.

### Note

For more details about the object type code, see [Object Type](#).

## Document Layout




The Basic Accounting Category document includes the **Edit Basic Accounting Category** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Basic Accounting Category Code tab definition

| Title                                 | Description  |
|---------------------------------------|--|
| Basic Accounting Category Code        | A code for the basic accounting category that groups the object type codes for reporting purposes.                 |
| Basic Accounting Category Description | Required. The name that describes a basic accounting category code   |
| Basic Accounting Category Short Name  | Required. An abbreviated name for a basic accounting category code to be used for reporting where space is limited |

|                               |  |
|-------------------------------|--|
| Financial Reporting Sort Code | Required. A financial reporting sort code to place fund groups in a particular sequence on reports                       |
| Active Indicator              | Indicates whether this basic accounting category code is active or inactive. Remove the check mark to deactivate a code. |

## Budget Aggregation Code



The Budget Aggregation Code document maintains the codes that indicate the level at which the object code may be aggregated for budgeting. The standard values are Object Code level ('O'), Consolidation Level ('C'), and Level ('L'). The code is referenced by the Object Code document.

## Document Layout

The Budget Aggregation Code document includes the **Edit Budget Aggregation Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Budget Aggregation Code tab definition

| Title                   | Description   |
|-------------------------|---|
| Budget Aggregation Code | A code that uniquely identifies the level at which the budget should be aggregated for object codes.              |
| Budget Aggregation Name | Required. A descriptive label for this budget aggregation code.   |
| Active Indicator        | Indicates whether this budget aggregation code is active or inactive. Remove the check mark to deactivate a code. |

## Fund Group




The Fund Group document is used to define the broadest category of funds and is used for reporting and business rules. Examples of fund groups include General Funds and Contracts and Grants Funds. Although fund group is the broadest category of funds, it is an attribute of a narrower group: sub-fund. For example, accounts have an assigned sub-fund and from that sub-fund a fund group is retrieved.

## Document Layout

The screenshot shows a web application interface for 'Fund Group' management. At the top, there is a header bar with fields for 'Doc Nbr: 3307', 'Status: INITIATED', 'Initiator: khuntlev', and 'Created: 03:43 PM 09/26/2009'. Below this is a 'Document Overview' tab with fields for '\* Description:', 'Org. Doc. #:', and 'Explanation:'. The main section is the 'Edit Fund Group Code' tab, which is split into 'Old' and 'New' columns. The 'Old' column shows existing data: Fund Group Code: CG, Fund Group Name: CONTRACT & GRANTS, Financial Reporting Sort Code: 04, Budget Adjustment Restriction Code: Fund, and Active Indicator: Yes. The 'New' column shows the same data with some fields highlighted for editing: Fund Group Code: CG, Fund Group Name: CONTRACT & GRANTS, Financial Reporting Sort Code: 04, Budget Adjustment Restriction Code: Fund (with a dropdown arrow), and Active Indicator: . Below the tabs are buttons for 'submit', 'save', 'blanket approve', 'close', and 'cancel'.

The Fund Group document includes the **Edit Fund Group Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Fund Group tab definition

| Title                              | Description  |
|------------------------------------|--|
| Fund Group Code                    | The code to uniquely identify a specific fund group.   |
| Fund Group Name                    | Required. The descriptive label of this specific fund group.   |
| Financial Reporting Sort Code      | Required. The code to place fund groups in a particular sequence on reports  |
| Budget Adjustment Restriction Code | Required. The code to define the level at which business rules on the budget adjustment document are checked. Existing budget adjustment restriction code may be retrieved from the lookup  and are:<br><b>F</b> = Fund <b>C</b> = Chart <b>O</b> = Organization <b>A</b> = Account |
| Active Indicator                   | Indicates whether this fund group code is active or inactive. Remove the check mark to deactivate a fund group code.   |

## Object Consolidation



The Object Consolidation document defines a general category of object codes for reporting. One object consolidation includes the object codes belonging to one or more object levels.

## Document Layout

|  |  |                            |                                     |
|--|--|----------------------------|-------------------------------------|
| <b>Object Consolidation</b> <span>?</span> |  | <b>Doc Nbr:</b> 3322       | <b>Status:</b> INITIATED            |
|  |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 04:47 PM 09/26/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

Object Consolidation ▼ hide

| Old   | New  |
|---|--|
| <b>Chart Code:</b> BA                           | <b>Chart Code:</b> BA  |
| <b>Consolidation Code:</b> CMPN                 | <b>Consolidation Code:</b> CMPN  |
| <b>Consolidation Object Short Name:</b> COMPENS | * <b>Consolidation Object Short Name:</b> <input type="text" value="COMPENS"/> |
| <b>Consolidation Object Name:</b> COMPENSATION  | * <b>Consolidation Object Name:</b> <input type="text" value="COMPENSATION"/>  |
| <b>Active Indicator:</b> Yes                    | <b>Active Indicator:</b> <input checked="" type="checkbox"/>                   |
| <b>Reporting Sort Code:</b> 07                  | * <b>Reporting Sort Code:</b> <input type="text" value="07"/>                  |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


submit save blanket approve close cancel

The Object Consolidation document includes the **Edit Object Consolidation** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Object Consolidation tab definition

| Title                           | Description  |
|---------------------------------|--|
| Chart Code                      | The chart code for the associated object consolidation.  |
| Consolidation Code              | A consolidation code associated with object codes assigned to a particular reporting group of object levels. |
| Consolidation Object Short Name | Required. An abbreviated name used in reporting where space is limited.                                      |
| Consolidation Object Name       | Required. A descriptive label of this specific object consolidation group.                                   |
| Active Indicator                | Indicates whether this object consolidation code is active or inactive. Remove the check mark to deactivate. |
| Reporting Sort Code             | Required. The code that determines the default sort sequence on reports.                                     |

## Object Level



The Object Level document is used to maintain an attribute of the object code that is used to group similar object codes into categories for reporting.

## Document Layout

|   |  |                            |                                     |
|---|--|----------------------------|-------------------------------------|
| <b>Object Level</b> <span style="border: 1px solid red; padding: 0 2px;">?</span> |  | <b>Doc Nbr:</b> 3323       | <b>Status:</b> INITIATED            |
|   |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 04:50 PM 09/26/2009 |

[expand all](#) [collapse all](#)  
\* required field

**Document Overview** ▼ hide

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

**Edit Object Level** ▼ hide

| Old   | New  |
|---|--|
| <b>Chart Code:</b> BA                         | <b>Chart Code:</b> BA  |
| <b>Level Code:</b> ACLI                       | <b>Level Code:</b> ACLI  |
| <b>Object Level Name:</b> ACCRUED LIABILITIES | <b>* Object Level Name:</b> <input type="text" value="ACCRUED LIABILITIES"/> |
| <b>Object Level:</b> ACCR LIAB                | <b>* Object Level:</b> <input type="text" value="ACCR LIAB"/>                |
| <b>Consolidation Code:</b> LIAB               | <b>* Consolidation Code:</b> <input type="text" value="LIAB"/>               |
| <b>Active Indicator:</b> Yes                  | <b>Active Indicator:</b> <input checked="" type="checkbox"/>                 |
| <b>Report Sort Code:</b> RK                   | <b>* Report Sort Code:</b> <input type="text" value="RK"/>                   |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

The Object Level document includes the **Edit Object Level** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Object Level tab definition

| Title              | Description   |
|--------------------|---|
| Chart Code         | The chart code for the associated object level  |
| Level Code         | The code assigned to a particular reporting level of object codes.  |
| Object Level Name  | Required. A descriptive label for this specific object level.   |
| Object Level       | Required. An abbreviated name for this level to be used in reporting where space is limited.  |
| Consolidation Code | Required. The consolidation object code associated with this object level code. Existing consolidation codes may be retrieved from the lookup |
| Active Indicator   | Indicates whether this object level code is active or inactive. Remove the check mark to deactivate this code.                                |
| Report Sort Code   | Required. The code that determines the default sort sequence on reports.  |

## Object Sub-Type



The Object Sub-Type document is used to further refine object type. Object sub-type can be used for reporting and in some instances for the establishment of business rules on e-docs (for example, a document might restrict the use of object codes belonging to a certain object sub-type).

## Document Layout

|                                |  |                            |                                     |
|--------------------------------|--|----------------------------|-------------------------------------|
| Object Sub-Type <span>?</span> |  | <b>Doc Nbr:</b> 3324       | <b>Status:</b> INITIATED            |
|                                |  | <b>Initiator:</b> khuntley | <b>Created:</b> 04:52 PM 09/26/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

|                       |  |                     |  |
|-----------------------|--|---------------------|--|
| <b>* Description:</b> |  | <b>Explanation:</b> |  |
| <b>Org. Doc. #:</b>   |  |                     |  |

Edit Object Sub-Type ▼ hide

| Old                          |                     | New                            |                                     |
|------------------------------|---------------------|--------------------------------|-------------------------------------|
| <b>Object Sub-Type Code:</b> | AR                  | <b>Object Sub-Type Code:</b>   | AR                                  |
| <b>Object Sub-Type Name:</b> | ACCOUNTS RECEIVABLE | <b>* Object Sub-Type Name:</b> | ACCOUNTS RECEIVABLE                 |
| <b>Active Indicator:</b>     | Yes                 | <b>Active Indicator:</b>       | <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


submit save blanket approve close cancel

The Object Sub-Type document includes the **Edit Object Sub-Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Object Sub Type tab definition

| Title                | Description   |
|----------------------|---|
| Object Sub-Type Code | The code assigned to a particular subdivision of an object type.  |
| Object Sub-Type Name | Required. A descriptive label for this specific object sub-type.  |
| Active Indicator     | Indicates whether this object sub type code is active or inactive. Remove the check mark to deactivate this code. |

## Object Type



The Object Type document defines the general use of an object code; such as income, asset, expense, or liability.

### Tip

When you are configuring the object types, it is important to cross-reference the Object Type table, the System Options table and the OBJECT\_TYPES parameters in the Parameter table.

# Document Layout

|               |                     |                              |
|---------------|---------------------|------------------------------|
| Object Type ? | Doc Nbr: 3325       | Status: INITIATED            |
|               | Initiator: khuntlev | Created: 04:54 PM 09/26/2009 |

[expand all](#) | [collapse all](#)  
 \* required field

Document Overview ▼ hide

|                |              |
|----------------|--------------|
| * Description: | Explanation: |
| Org. Doc. #:   |              |

Edit Object Type ▼ hide

| Old                                    | New   |
|--|---|
| Object Type Code: AS                   | Object Type Code: AS                                  |
| Object Type Name: ASSET                | * Object Type Name: ASSET                             |
| Object Type Debit Credit Code: Debit   | * Object Type Debit Credit Code: Debit                |
| ICR Selection Indicator: No            | ICR Selection Indicator: <input type="checkbox"/>     |
| Fund Balance Indicator: No             | Fund Balance Indicator: <input type="checkbox"/>      |
| Reporting Sort Code: C1                | * Reporting Sort Code: C1                             |
| Basic Accounting Category: AS - ASSETS | * Basic Accounting Category: AS - ASSETS              |
| Active Indicator: Yes                  | Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show


Ad Hoc Recipients ▶ show

Route Log ▶ show


submit save blanket approve close cancel

The Object Type document includes the **Edit Object Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Object Type tab definition

| Title                          | Description   |
|--------------------------------|---|
| Object Type Code               | The code assigned to a particular object type.  |
| Object Type Name               | Required. A descriptive label for this object type code.  |
| Object Type Debit Credit Code  | Required. The default accounting balance type of debit or credit for the object code that is retrieved from the list.   |
| ICR Selection Indicator        | The box is checked when the transactions with the object type are eligible for automated indirect cost calculation.   |
| Fund Balance Indicator         | The box is checked when the object type code is used in the fund balance.   |
| Reporting Sort Code            | Required. The code that determines the default sort sequence of object types on certain reports.  |
| Basic Accounting Category Code | Required. The basic accounting category code that groups object type codes for use in reporting and business processes throughout the system. Existing basic accounting category codes may be retrieved from the list or the lookup  . |
| Active Indicator               | Indicates whether this object type code is active or inactive. Remove the check mark to deactivate this code.   |

# Organization Type



The Organization Type document is used to categorize organizations for reporting purposes.


## Document Layout

The Organization Type document includes the **Edit Organization Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Organization Type tab definition

| Title                  | Description  |
|------------------------|--|
| Organization Type Code | The code that identifies an organization type.   |
| Organization Type Name | Required. The descriptive name for this organization type code.  |
| Active Indicator       | Indicates whether this restricted status code is active or inactive. Remove the check mark to deactivate this restrictive status code. |

## Restricted Status



The Restricted Status document is used to define whether the funds within an account are restricted, unrestricted, temporarily restricted or not applicable. Some OLE business rules refer to Restricted Status records when determining the validity of an e-doc transaction.

Restricted (R) and Temporarily Restricted (T) statuses will prevent staff from using accounts to purchase or pay for library materials.




## Document Layout

The Restricted Status document includes the **Edit Restricted Status** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Restricted Status tab definition

| Title                  | Description  |
|------------------------|--|
| Restricted Status Code | The unique code that identifies a particular restricted status.  |
| Restricted Status Name | Required. The descriptive name for this restricted status code.  |
| Active Indicator       | Indicates whether this restricted status code is active or inactive. Remove the check mark to deactivate this restrictive status code. |

## Stewardship Requirement



The Stewardship Requirement document is used to indicate the type of stewardship on an account e-document, for example some stewardship requirements are bookplates, annual reports for donors or departments.


## Document Layout

The Stewardship Requirement document includes the **Edit Stewardship Requirement** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Stewardship Type tab definition

| Title            | Description   |
|------------------|---|
| Stewardship Type | Identifies the type of stewardship, i.e., none, plating, reporting  |
| Active Indicator | Indicates whether this sub fund group type code is active or inactive. Remove the check mark to deactivate this code. |

## Sub-Fund Group



The Sub-Fund Group document defines the type, purpose or source of funds that are found in that account. Sub-fund group may be used for reporting purposes and for business rules on OLE e-docs.

# Document Layout

|                       |  |                            |                                     |
|-----------------------|--|----------------------------|-------------------------------------|
| <b>Sub-Fund Group</b> |  | <b>Doc Nbr:</b> 3336       | <b>Status:</b> INITIATED            |
|                       |  | <b>Initiator:</b> kagodfre | <b>Created:</b> 08:59 PM 09/26/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

Edit Sub-Fund Group ▼ hide

| Old   | New   |
|---|---|
| <b>Sub-Fund Group Code:</b> EXTAGY              | <b>Sub-Fund Group Code:</b> EXTAGY                                  |
| <b>Description:</b> EXTERNAL AGENCY FUNDS       | * <b>Description:</b> EXTERNAL AGENCY FUNDS                         |
| <b>Fund Group Code:</b> AF                      | * <b>Fund Group Code:</b> AF  |
| <b>Active Indicator:</b> Yes                    | <b>Active Indicator:</b> <input checked="" type="checkbox"/>        |
| <b>Sub-Fund Group Type Code:</b> N - NEITHER    | * <b>Sub-Fund Group Type Code:</b> N - NEITHER                      |
| <b>Default Account Restricted Status Code:</b>  | <b>Default Account Restricted Status Code:</b> <input type="text"/> |
| <b>Financial Reporting Sort Code:</b> 38        | * <b>Financial Reporting Sort Code:</b> 38                          |
| <b>Wage Indicator:</b> Yes                      | <b>Wage Indicator:</b> <input checked="" type="checkbox"/>          |
| <b>Budget Adjustment Restriction Code:</b> None | * <b>Budget Adjustment Restriction Code:</b> None                   |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show


Route Log ▶ show

The Sub-Fund Group document includes the **Edit Sub-Fund Group** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Sub-Fund Group tab definition

| Title                                  | Description   |
|--|---|
| Sub-Fund Group Code                    | The unique code that identifies a particular sub-fund group.  |
| Description                            | Required. The descriptive name for this sub-fund group code.  |
| Fund Group Code                        | Required. The larger fund group to which the sub-fund group is associated. Existing fund group codes may be retrieved from the lookup .   |
| Active Indicator                       | Indicates whether this sub fund group code is active or inactive. Remove the check mark to deactivate this code.  |
| Sub Fund Group Type Code               | Required. A code that identifies the sub-fund group type. Existing types may be retrieved from the list or from the lookup . Examples include: 'Auxiliary,' 'Internal Service Organizations,' or 'Neither.'   |
| Default Account Restricted Status Code | A unique code that identifies a particular restricted status for the default account. Existing restricted status codes may be retrieved from the list or from the lookup .  |
| Financial Reporting Sort Code          | Required. A code that designates the default sort sequence on reports.  |
| Wage Indicator                         | The box checked when the sub-fund group is one that is expected to pay compensation expenses.   |
| Budget Adjustment Restriction Code     | Required. The code that determines at what level OLE checks for restrictions when an account of the sub-fund group is used on a Budget Adjustment e-doc from the budget adjustment restriction code list. Values retrievable from the list include:<br><br>N = None S = Sub-Fund C = Chart O = Organization A = Account |

# Sub-Fund Group Type



The Sub-Fund Group Type document defines further categorization of sub-funds. Common sub-fund group types include 'Auxiliary,' 'Internal Service Organization,' or 'Neither.'

## Document Layout

|                                    |  |                     |                              |
|------------------------------------|--|---------------------|------------------------------|
| Sub-Fund Group Type <span>?</span> |  | Doc Nbr: 3337       | Status: INITIATED            |
|                                    |  | Initiator: kgaodfre | Created: 09:02 PM 09/26/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* Description:

Org. Doc. #:

Explanation:

---

Edit Sub-Fund Group Type hide

| Old  | New   |
|--|---|
| Sub-Fund Group Type Code: A                | Sub-Fund Group Type Code: A   |
| Sub-Fund Group Type Description: AUXILIARY | * Sub-Fund Group Type Description: <input type="text" value="AUXILIARY"/> |
| Active Indicator: Yes                      | Active Indicator: <input checked="" type="checkbox"/>                     |

Notes and Attachments (0) show

Ad Hoc Recipients show


Route Log show

The Sub-Fund Group Type document includes the **Edit Sub-Fund Group Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Sub Fund Group Type tab definition

| Title                           | Description   |
|---------------------------------|---|
| Sub-Fund Group Type Code        | A unique code that identifies the sub-fund group type.  |
| Sub-Fund Group Type Description | Required. The descriptive name for this sub-fund group type code.   |
| Active Indicator                | Indicates whether this sub fund group type code is active or inactive. Remove the check mark to deactivate this code. |

# Sufficient Funds Check Type



The Sufficient Funds Check Type is used to define the type of sufficient fund check performed on the Account e-document.


## Document Layout

The Sufficient Funds Check Type document includes the **Edit Sufficient Funds Check Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Sufficient Funds Check Type tab definition

| Title                       | Description  |
|-----------------------------|--|
| Sufficient Funds Check Type | Identifies the type of fund to check, i.e., "account", "object", "cash"  |
| Active Indicator            | Indicates whether this sufficient funds code is active or inactive. Remove the check mark to deactivate this code. |

## Sufficient Funds Code



The Sufficient Funds Code document defines the codes that indicate what level the account is checked for sufficient funds in the transaction processing environment. The values are pre-determined within the system. The name of the code may be edited or the code may be deactivated.

# Document Layout

|  |                            |                                     |
|--|----------------------------|-------------------------------------|
| Sufficient Funds Code <span style="color: red;">?</span> | <b>Doc Nbr:</b> 3338       | <b>Status:</b> INITIATED            |
|  | <b>Initiator:</b> kgaodfre | <b>Created:</b> 09:03 PM 09/26/2009 |

[expand all](#) | [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

---

Edit Sufficient Fund Code ▼ hide

| Old   | New  |
|---|--|
| <b>Account Sufficient Funds Code:</b> A       | <b>Account Sufficient Funds Code:</b> A                                      |
| <b>Account Sufficient Funds Name:</b> Account | * <b>Account Sufficient Funds Name:</b> <input type="text" value="Account"/> |
| <b>Active Indicator:</b> Yes                  | <b>Active Indicator:</b> <input checked="" type="checkbox"/>                 |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show


The Sufficient Funds Code document includes the **Edit Sufficient Funds Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Sufficient Funds Code tab definition

| Title                         | Description   |
|-------------------------------|---|
| Account Sufficient Funds Code | Display-only. A unique code that indicates what level the account is going to be checked for sufficient funds in the transaction processing environment. The values defined by the system are:<br><br>A = Account C = Consolidation H = Cash L = Level N = No Checking<br>O = Object Code |
| Account Sufficient Funds Name | Required. The descriptive name for the account sufficient funds code.   |
| Active Indicator              | Indicates whether this sufficient funds code is active or inactive. Remove the check mark to deactivate this code.  |

---

# Chapter 17. Vendor Attribute Maintenance E-Docs



The Maintenance Menu provides access to many vendor-related e-docs that allow you to update vendor attributes used by the Vendor document.

## Address Type



The Address Type document is used to establish codes used to categorize various types of vendor addresses. These types can be used to identify different addresses for different purposes, such as defining one address to which purchase orders should be sent and another address to which tax documents should be addressed.

# Document Layout

Address Type ?

|                            |                                     |
|----------------------------|-------------------------------------|
| <b>Doc Nbr:</b> 3245       | <b>Status:</b> INITIATED            |
| <b>Initiator:</b> khuntlev | <b>Created:</b> 01:18 PM 10/04/2009 |

expand all | collapse all  
\* required field

Document Overview
▼ hide

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

Edit Address Type
▼ hide

| Old   | New   |
|---|---|
| <b>Address Type Code:</b> PO                    | <b>Address Type Code:</b> PO                                  |
| <b>Address Type Description:</b> PURCHASE ORDER | <b>* Address Type Description:</b> PURCHASE ORDER             |
| <b>Default Indicator:</b> Yes                   | <b>Default Indicator:</b> <input checked="" type="checkbox"/> |
| <b>Active Indicator:</b> Yes                    | <b>Active Indicator:</b> <input checked="" type="checkbox"/>  |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

submit
save
blanket approve
close
cancel

The Address Type document includes the **Edit Address Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Address Type tab definition

| Title                    | Description   |
|--------------------------|---|
| Address Type Code        | The code to identify a type of vendor address.  |
| Address Type Description | Required. The familiar title of the vendor addresses type.  |
| Default Indicator        | Optional. Select the checkbox if an address of this type can be marked as the default address for a vendor. Clear the checkbox if it should not be used as a default. |
| Active Indicator         | Indicates whether this vendor address is active or inactive. Remove the check mark to deactivate.   |

# Campus

Maintenance

>

Vendor Admin

>

✔

Campus

>

Campus Parameter Lookup

>

Campus Parameter

The Campus document defines basic identifying attributes of a campus-level purchasing unit at your institution.



# Document Layout

Campus Parameter ?

Doc Nbr: 3246
Status: INITIATED

Initiator: khuntlev
Created: 01:22 PM 10/04/2009

expand all
collapse all
  
\* required field

Document Overview
▼ hide


---

**\* Description:**

**Org. Doc. #:**

**Explanation:**

Edit Campus Parameter
▼ hide


---

| Old  | New   |
|--|---|
| <b>Campus Code:</b> BL   | <b>Campus Code:</b> BL  |
| <b>Campus Purchasing Director Name:</b> SALLY SMITH                        | <b>Campus Purchasing Director Name:</b> <input type="text" value="SALLY SMITH"/>                        |
| <b>Campus Purchasing Director Title:</b> UNIVERSITY DIRECTOR OF PURCHASING | <b>Campus Purchasing Director Title:</b> <input type="text" value="UNIVERSITY DIRECTOR OF PURCHASING"/> |
| <b>Campus Accounts Payable Email Address:</b>                              | <b>Campus Accounts Payable Email Address:</b> <input type="text"/>                                      |
| <b>Purchasing Institution Name:</b> UNIVERSITY OF HIGHER ED                | <b>Purchasing Institution Name:</b> <input type="text" value="UNIVERSITY OF HIGHER ED"/>                |
| <b>Purchasing Department Name:</b> PURCHASING DEPARTMENT                   | <b>Purchasing Department Name:</b> <input type="text" value="PURCHASING DEPARTMENT"/>                   |
| <b>Address 1:</b> ONE MAIN STREET  | <b>Address 1:</b> <input type="text" value="ONE MAIN STREET"/>  |
| <b>Address 2:</b>  | <b>Address 2:</b> <input type="text"/>  |
| <b>City:</b> SOME CITY   | <b>City:</b> <input type="text" value="SOME CITY"/>   |
| <b>State:</b> ALASKA   | <b>State:</b> <input type="text" value="ALASKA"/>   |
| <b>Postal Code:</b> 99334  | <b>Postal Code:</b> <input type="text" value="99334"/>  |
| <b>Country:</b> UNITED STATES  | <b>Country:</b> <input type="text" value="UNITED STATES"/>  |
| <b>Active Indicator:</b> Yes   | <b>Active Indicator:</b> <input checked="" type="checkbox"/>  |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show


**Route Log** ▶ show

submit
save
blanket approve
close
cancel


The Campus Parameter document includes the **Edit Campus Parameter** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Campus Parameter tab definition

| Title                                 | Description  |
|---------------------------------------|--|
| Campus Code                           | The campus code for which the parameters are used.   |
| Campus Purchasing Director Name       | The name of the purchasing director associated with this campus.<br><br><b>Note</b><br><br>If the Director's name and title are supplied, they will also appear on the printed pdf version of the Purchase Order |
| Campus Purchasing Director Title      | The title of the purchasing director for this campus.<br><br><b>Note</b><br><br>If the Director's name and title are supplied, they will also appear on the printed pdf version of the Purchase Order            |
| Campus Accounts Payable Email Address | The accounts payable email address for this campus.  |
| Purchasing Institution Name           | The institution's name that is associated with this campus code.   |
| Purchasing Department Name            | The Purchasing Department name for this campus.  |
| Address 1                             | The first line of the address for this campus office.  |
| Address 2                             | The second line of the address for this campus office.   |
| City                                  | The city for this campus office.   |
| State                                 | The state for this campus office. Existing state codes may be retrieved from the list or from the lookup .   |

|                  |  |
|------------------|--|
| Postal Code      | The postal code for this campus office.  |
| Country          | The country for this campus office. Existing restricted status codes may be retrieved from the list or from the lookup  . |
| Active Indicator | Indicates whether this campus parameter is active or inactive. Remove the check mark to deactivate.  |

## Contact Type



The Contact Type document is used to establish various roles of the vendor contact, which may assist in determining how inquiries should be directed to the vendor. Examples of contact types include 'Accounts Receivable,' 'Sales Rep,' and 'Customer Service.'

## Document Layout

Contact Type ?

Doc Nbr: 3248

Status: INITIATED

Initiator: khuntlev

Created: 01:46 PM 10/04/2009

expand all collapse all  
\* required field

Document Overview
▼ hide

\* Description:

Explanation:

Org. Doc. #:

Edit Contact Type
▼ hide

| Old   | New   |
|---|---|
| Contact Type Code: SE                         | Contact Type Code: SE                                 |
| Contact Type Description: SERVICE/MAINTENANCE | * Contact Type Description: SERVICE/MAINTENANCE       |
| Active Indicator: Yes                         | Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0)
▶ show

Ad Hoc Recipients
▶ show

Route Log
▶ show

submit
save
blanket approve
close
cancel

The Contact Type document includes the **Edit Contact Type** tab. The system automatically enters data into both the **Old** and **New** sections of this tab. Selected data fields are available for editing.

### Edit Contact Type tab definition

| Title                           | Description   |
|---------------------------------|---|
| Vendor Contact Type Code        | The code used to identify a type of vendor contact.   |
| Vendor Contact Type Description | Required. The title of the contact type.  |
| Active Indicator                | Indicates whether this contact type is active or inactive. Remove the check mark to deactivate. |

# Contract Manager



The Contract Manager document is used to establish the list of individuals at the institution who are responsible for managing contracts for specific vendors. When associating a contract with a vendor in the Vendor document, a Contract Manager must be selected.

## Document Layout

|                           |  |                            |                                     |
|---------------------------|--|----------------------------|-------------------------------------|
| <b>Contract Manager</b> ? |  | <b>Doc Nbr:</b> 3249       | <b>Status:</b> INITIATED            |
|                           |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 01:50 PM 10/04/2009 |

[expand all](#)   [collapse all](#)  
 \* required field

**Document Overview** ▼ hide

---

**Document Overview**

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

---

**Edit Contract Manager** ▼ hide

| Old  | New   |
|--|---|
| <b>Contract Manager Code:</b> 10                           | <b>Contract Manager Code:</b> 10  |
| <b>Contract Manager Name:</b> WILLIE PARKE                 | <b>* Contract Manager Name:</b> <input type="text" value="WILLIE PARKE"/>                 |
| <b>Published Phone Number:</b> 555-555-5555                | <b>* Published Phone Number:</b> <input type="text" value="555-555-5555"/>                |
| <b>Published Fax Number:</b> 444-444-4444                  | <b>* Published Fax Number:</b> <input type="text" value="444-444-4444"/>                  |
| <b>Contract Manager Delegation Dollar Limit:</b> 15,000.00 | <b>* Contract Manager Delegation Dollar Limit:</b> <input type="text" value="15,000.00"/> |
| <b>Active Indicator:</b> Yes                               | <b>* Active Indicator:</b> <input checked="" type="checkbox"/>                            |

---

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

---

The Contract Manager document includes the **Edit Contract Manager** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Contract Manager tab definition

| Title                                    | Description  |
|--|--|
| Contract Manager Code                    | The code used to identify this contract manager.   |
| Contract Manager Name                    | Required. The contract manager's name.   |
| Published Phone Number                   | The published phone number of the contract manager, including area code.                                     |
| Published Fax Number                     | Required. The published fax number of the contract manager, including area code.                             |
| Contract Manager Delegation Dollar Limit | Required. The upper dollar amount for which this contract manager is allowed to delegate approval authority. |
| Active Indicator                         | Indicates whether this contract manager is active or inactive. Remove the check mark to deactivate.          |

# Cost Source

[Maintenance](#) > [Vendor Admin](#) > • [Cost Source](#) > [Cost Source Lookup](#) >  
[Cost Source](#)

The Cost Source document is used to establish codes that identify the method used to determine the pricing for a purchase order. Examples might include 'Quote', 'Estimate', 'Pricing Agreement', or the name of an affiliation that has negotiated a contract with one or more vendors.

## Document Layout

|                      |                            |                                     |
|----------------------|----------------------------|-------------------------------------|
| <b>Cost Source</b> ? | <b>Doc Nbr:</b> 3250       | <b>Status:</b> INITIATED            |
|                      | <b>Initiator:</b> khuntlev | <b>Created:</b> 01:59 PM 10/04/2009 |

[expand all](#)   [collapse all](#)  
 \* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

Edit Cost Source ▼ hide

| Old   | New   |
|---|---|
| <b>Cost Source Code:</b> COOP                         | <b>Cost Source Code:</b> COOP   |
| <b>Cost Source Description:</b> COOPERATIVE AGREEMENT | * <b>Cost Source Description:</b> COOPERATIVE AGREEMENT               |
| <b>Item Unit Price Lower Variance Percent:</b> 0      | * <b>Item Unit Price Lower Variance Percent:</b> <input type="text"/> |
| <b>Item Unit Price Upper Variance Percent:</b> 0      | * <b>Item Unit Price Upper Variance Percent:</b> <input type="text"/> |
| <b>Active Indicator:</b> Yes                          | <b>Active Indicator:</b> <input checked="" type="checkbox"/>          |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

The Cost Source document includes the **Edit Cost Source** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Cost Source tab definition

|  |   |
|--|---|
| Title                                  | Description   |
| Cost Source Code                       | The code used to identify this purchase order cost source.  |
| Cost Source Description                | Required. The familiar title of the purchase order cost source.                                     |
| Item Unit Price Lower Variance Percent | Required. Payment will not be made if the price variance is lower by this percentage.               |
| Item Unit Price Upper Variance Percent | Required. Payment will not be made if the price variance is higher by this percentage.              |
| Active Indicator                       | Indicates whether this cost source code is active or inactive. Remove the check mark to deactivate. |

# Payment Terms Type

[Maintenance](#) > [Vendor Admin](#) > • [Payment Terms Type](#) >  
[Payment Terms Type Lookup](#) > [Payment Terms Type](#)

The Payment Terms Type document is used to establish codes that define a vendor's payment terms, including the number of days in which a payment is due and if a discount is available for prompt payment.


## Document Layout

The Payment Terms Type document includes the **Edit Payment Term Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Payment Term Type tab definition

| Title                         | Description  |
|-------------------------------|--|
| Payment Terms Code            | Required. Enter the code used to identify this payment terms type.   |
| Payment Terms Description     | Required. Enter the familiar title of the payment terms.   |
| Payment Terms Percent         | Required. Enter the percentage discount to be applied if the payment is made by the discount date.   |
| Discount Due Number           | Required. Enter a number that reflects either the number of days or the date (day of the month) by which payment must be made to qualify for the discount percentage.                                |
| Discount Due Type Description | Required. Select 'Days' or 'Date' to indicate whether the number entered in the <b>Vendor Discount Due Number</b> field is a number of days or a date (defined here as a specific day of the month). |
| Net Due Number                | Required. Enter a number that reflects either the number of days or the date (day of the month) by which payment net is due.   |
| Net Due Type Description      | Required. Select 'Days' or 'Date' to indicate whether the number entered in the <b>Vendor Net Due Number</b> field is a number of days or a date (defined here as a specific day of the month).      |
| Active Indicator              | Optional. Select the check box if the payment term type is active. Clear the check box to inactivate the existing payment terms code.  |

# Phone Type



The Phone Type document is used to establish codes that identify various types of vendor phone or fax numbers. Sample phone types might be 'Phone,' 'Fax,' or 'Mobile.'

## Document Layout

|              |                     |                              |
|--------------|---------------------|------------------------------|
| Phone Type ? | Doc Nbr: 3254       | Status: INITIATED            |
|              | Initiator: khuntlev | Created: 02:17 PM 10/04/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview [hide](#)

**Document Overview**

\* Description:  Explanation:

Org. Doc. #:

**Edit Phone Type** [hide](#)

| Old                         | New   |
|-----------------------------|---|
| Phone Type Code: FX         | Phone Type Code: FX                                   |
| Phone Type Description: FAX | * Phone Type Description: FAX                         |
| Active Indicator: Yes       | Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

[submit](#) [save](#) [blanket approve](#) [close](#) [cancel](#)

The Phone Type document includes the **Edit Phone Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Phone Type tab definition

| Title                  | Description  |
|------------------------|--|
| Phone Type Code        | The code used to identify this phone type.   |
| Phone Type Description | Required. The familiar title of the phone type.  |
| Active Indicator       | Indicates whether this phone type code is active or inactive. Remove the check mark to deactivate. |

# Shipping Payment Terms



The Shipping Payment Terms document establishes codes that define the various terms that specify who is responsible for the payment of shipping charges for purchases from a vendor. Examples might include 'Institute Pays, Part of PO,' 'Paid by 3<sup>rd</sup> Party,' or 'Vendor Pays'.

# Document Layout

Shipping Payment Terms ?

|                   |          |                 |                     |
|-------------------|----------|-----------------|---------------------|
| <b>Doc Nbr:</b>   | 3255     | <b>Status:</b>  | INITIATED           |
| <b>Initiator:</b> | khuntley | <b>Created:</b> | 02:19 PM 10/04/2009 |

expand all | collapse all  
\* required field

Document Overview ▼ hide

**\* Description:**

**Org. Doc. #:**

**Explanation:**

Edit Shipping Payment Terms ▼ hide

| Old  | New  |
|--|--|
| <b>Shipping Payment Terms Code:</b> AL                             | <b>Shipping Payment Terms Code:</b> AL   |
| <b>Shipping Payment Terms Description:</b> VENDOR PAYS ("ALLOWED") | <b>* Shipping Payment Terms Description:</b> VENDOR PAYS ("ALLOWED")             |
| <b>Shipping Payment Terms Pay Indicator:</b> Yes                   | <b>Shipping Payment Terms Pay Indicator:</b> <input checked="" type="checkbox"/> |
| <b>Active Indicator:</b> Yes                                       | <b>Active Indicator:</b> <input checked="" type="checkbox"/>                     |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

submit
save
blanket approve
close
cancel

The Shipping Payment Terms document includes the **Edit Shipping Payment Terms** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Shipping Payment Terms tab definition

| Title                                | Description  |
|--------------------------------------|--|
| Shipping Payment Terms Code          | The code used to identify the shipping payment terms.  |
| Shipping Payment Terms Description   | Required. The title of the shipping payment terms.   |
| Shipping Payment Terms Pay Indicator | Indicates if it is permissible for the vendor to add shipping charges to an invoice. Remove check mark if shipping payment terms does not apply to payments. |
| Active Indicator                     | Indicates whether this shipping payment terms code is active or inactive. Remove the check mark to deactivate.   |

# Shipping Special Conditions

Maintenance

>

Vendor Admin

>

• Shipping Special Conditions

>

Shipping Special Conditions Lookup

>

Shipping Special Conditions

The Shipping Special Conditions document establishes various categories of commodities that require special shipping considerations. Examples might include 'Express' or 'Insured'.

## Document Layout

Shipping Special Conditions ?

|                            |                                     |
|----------------------------|-------------------------------------|
| <b>Doc Nbr:</b> 3256       | <b>Status:</b> INITIATED            |
| <b>Initiator:</b> khuntley | <b>Created:</b> 02:23 PM 10/04/2009 |

[expand all](#) | [collapse all](#)  
\* required field

Document Overview ▼ hide

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

Edit Shipping Special Condition ▼ hide

| Old   | New  |
|---|--|
| <b>Shipping Special Condition Code:</b> HA            | <b>Shipping Special Condition Code:</b> HA                   |
| <b>Shipping Special Condition Description:</b> HAZMAT | <b>* Shipping Special Condition Description:</b> HAZMAT      |
| <b>Active Indicator:</b> Yes                          | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


submit save blanket approve close cancel

The Shipping Special Conditions document includes the **Edit Shipping Special Condition** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Shipping Special Condition tab definition

| Title                                  | Description  |
|--|--|
| Shipping Special Condition Code        | The code used to identify the shipping special condition.  |
| Shipping Special Condition Description | Required. The familiar title of the shipping special condition.  |
| Active Indicator                       | Indicates whether this shipping special condition code is active or inactive. Remove the check mark to deactivate. |

## Shipping Title



The Shipping Title document establishes the codes that define the point at which shipping titles are transferred and the institution takes possession of a shipment. Examples might include 'Destination,' 'Origin (Vendor Location),' or 'Customs-US Port.'



## Document Layout

|                                      |  |                            |                                     |
|--------------------------------------|--|----------------------------|-------------------------------------|
| <b>Shipping Title</b> <span>?</span> |  | <b>Doc Nbr:</b> 3257       | <b>Status:</b> INITIATED            |
|                                      |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 02:26 PM 10/04/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

|  |  |
|--|--|
| <b>Document Overview</b>                   |  |
| * <b>Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

Edit Shipping Title ▼ hide

| Old   | New   |
|---|---|
| <b>Shipping Title Code:</b> CI                                | <b>Shipping Title Code:</b> CI                                  |
| <b>Shipping Title Description:</b> CUSTOMS-INTERNATIONAL PORT | * <b>Shipping Title Description:</b> CUSTOMS-INTERNATIONAL PORT |
| <b>Active Indicator:</b> Yes                                  | <b>Active Indicator:</b> <input checked="" type="checkbox"/>    |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

The Shipping Title document includes the **Edit Shipping Title** Tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Shipping Title tab definition

|                            |  |
|----------------------------|--|
| Title                      | Description  |
| Shipping Title Code        | The code used to identify this vendor shipping title.  |
| Shipping Title Description | Required. The familiar title of the vendor shipping title.   |
| Active Indicator           | Indicates whether this shipping title code is active or inactive. Remove the check mark to deactivate. |

## Supplier Diversity



Certain vendors may merit special consideration due to their size (small business), ownership (woman or minority owned), geographical location (local), or other factors. The Supplier Diversity document establishes the codes to identify the categories defined by the Small Business Administration.

## Document Layout

Supplier Diversity ?

Doc Nbr: 3258

Status: INITIATED

Initiator: khuntlev

Created: 02:29 PM 10/04/2009

expand all | collapse all  
\* required field

Document Overview
▼ hide

**Document Overview**

**\* Description:**

**Org. Doc. #:**

**Explanation:**

Edit Supplier Diversity
▼ hide

| Old   | New  |
|---|--|
| <b>Supplier Diversity Code:</b> DB              | <b>Supplier Diversity Code:</b> DB                           |
| <b>Supplier Diversity Description:</b> DISABLED | <b>* Supplier Diversity Description:</b> DISABLED            |
| <b>Active Indicator:</b> Yes                    | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

submit
save
blanket approve
close
cancel

The Supplier Diversity document includes the **Edit Supplier Diversity** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Supplier Diversity tab definition

| Title                          | Description  |
|--------------------------------|--|
| Supplier Diversity Code        | The code used to identify this supplier diversity type.  |
| Supplier Diversity Description | Required. The title of the supplier diversity code.  |
| Active Indicator               | Indicates whether this supplier diversity code is active or inactive. Remove the check mark to deactivate. |

## Vendor Inactive Reason

Maintenance

>

Vendor Admin

>

• Vendor Inactive Reason

>

Vendor Inactive Reason Lookup

>

Vendor Inactive Reason

The Vendor Inactive Reason document establishes codes that indicate why a vendor is being inactivated in the system. Examples of codes might include 'Out of Business' or 'Merged.'

## Document Layout

|  |  |                            |                                     |
|--|--|----------------------------|-------------------------------------|
| <b>Vendor Inactive Reason</b> <span>?</span> |  | <b>Doc Nbr:</b> 3259       | <b>Status:</b> INITIATED            |
|  |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 02:31 PM 10/04/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

▼ hide

| Old  | New  |
|--|--|
| <b>Vendor Inactive Reason Code:</b> OB                     | <b>Vendor Inactive Reason Code:</b> OB                       |
| <b>Vendor Inactive Reason Description:</b> OUT OF BUSINESS | <b>* Vendor Inactive Reason Description:</b> OUT OF BUSINESS |
| <b>Active Indicator:</b> Yes                               | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


submit save blanket approve close cancel

The Vendor Inactive Reason document includes the **Edit Vendor Inactive Reason** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Vendor Inactive Reason tab definition

| Title                              | Description  |
|------------------------------------|--|
| Vendor Inactive Reason Code        | The code used to identify this vendor inactive reason.   |
| Vendor Inactive Reason Description | Required. The familiar title of the vendor inactive reason code.   |
| Active Indicator                   | Indicates whether this vendor inactive reason code is active or inactive. Remove the check mark to deactivate. |

## Vendor Search Alias Type



The Vendor Search Alias Type document establishes codes that indicate what type of vendor alias is used on the Vendor document. Examples of codes might include 'Abbreviation' or 'External Vendor Code.'

## Document Layout

|                           |                         |                              |
|---------------------------|-------------------------|------------------------------|
| Alias Type <span>?</span> | Doc Nbr: 5007           | Status: INITIATED            |
|                           | Initiator: ole-khuntlev | Created: 11:43 AM 04/15/2013 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* Description:

Organization Document Number:

Explanation:

---

Edit Alias Type hide

| Old   | New   |
|---|---|
| Alias Type: Vendor Code                         | * Alias Type: Vendor Code                             |
| Definition: Library specific code for a vendor. | * Definition: Library specific code for a vendor.     |
| Active Indicator: Yes                           | Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

[submit](#) [save](#) [blanket approve](#) [close](#) [cancel](#)

The Vendor Alias Type document includes the **Edit Alias Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Alias Type tab definition

| Title            | Description   |
|------------------|---|
| Alias Type       | Required. The name of the alias type used to describe aliases.                                |
| Definition       | Required. The description of the alias type.  |
| Active Indicator | Indicates whether this alias type is active or inactive. Remove the check mark to deactivate. |

## Vendor Transmission Format

Maintenance > 
 Vendor Admin > 
 ✔ [Vendor Transmission Format](#) >

Transmission Format Lookup > 
 Vendor Transmission Format

The Vendor Transmission Format document establishes the file formats that a vendor will use to receive purchase orders. Examples of formats might include 'EDI' or 'PDF'.

## Document Layout

|  |  |                         |                                     |
|--|--|-------------------------|-------------------------------------|
| <b>Vendor Transmission Format</b> <span style="color: red;">Backdoor Id admin is in use</span> |  | <b>Doc Nbr:</b> 5802    | <b>Status:</b> INITIATED            |
|  |  | <b>Initiator:</b> admin | <b>Created:</b> 02:16 PM 03/15/2013 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

---

**Document Overview**

|   |  |
|---|--|
| <b>* Description:</b> <input type="text"/>                | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

Edit Vendor Transmission Format ▼ hide

| Old                                    | New  |
|--|--|
| <b>Vendor Transmission Format:</b> EDI | <b>* Vendor Transmission Format:</b> EDI                     |
| <b>Active Indicator:</b> Yes           | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


[submit](#) [save](#) [close](#) [cancel](#)

The Vendor Transmission Format document includes the **Edit Vendor Transmission Format** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Vendor Transmission Format tab definition

| Title                      | Description  |
|----------------------------|--|
| Vendor Transmission Format | Required. The name of the vendor transmission format.  |
| Active Indicator           | Indicates whether this vendor inactive reason code is active or inactive. Remove the check mark to deactivate. |

## Vendor Transmission Type



The Vendor Transmission Type document establishes how a purchase order will be sent to the vendor. Examples of transmission types might include 'FTP', 'Email', or 'Fax'.

# Document Layout

|  |  |                             |                                     |                      |                          |
|--|--|-----------------------------|-------------------------------------|----------------------|--------------------------|
| <b>Vendor Transmission Type</b> <span>?</span> |  | Backdoor Id admin is in use |                                     | <b>Doc Nbr:</b> 5803 | <b>Status:</b> INITIATED |
|  |  | <b>Initiator:</b> admin     | <b>Created:</b> 02:19 PM 03/15/2013 |                      |                          |

[expand all](#)   [collapse all](#)  
 \* required field

**Document Overview** ▼ hide

|   |  |
|---|--|
| <b>* Description:</b> <input type="text"/>                | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

**Edit Transmission Type** ▼ hide

| Old                           | New  |
|-------------------------------|--|
| <b>Transmission Type:</b> FTP | <b>* Transmission Type:</b> FTP                              |
| <b>Active Indicator:</b> Yes  | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

[submit](#)   [save](#)   [close](#)   [cancel](#)


The Vendor Transmission Type document includes the **Edit Vendor Transmission Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

## Edit Vendor Transmission Type tab definition

| Title             | Description  |
|-------------------|--|
| Transmission Type | Required. The familiar name of the transmission type.  |
| Active Indicator  | Indicates whether this vendor inactive reason code is active or inactive. Remove the check mark to deactivate. |


---

# Chapter 18. Lookup (Account Delegate) Maintenance E-Docs



Account delegate e-documents are available via the Lookup submenu on the **Maintenance** menu.

## Account Delegate



The Account Delegate document is used to establish new Account Delegates or to copy or edit existing Account Delegates. Account Delegates are OLE users that are authorized under certain circumstances to take workflow actions on a document in the place of an account's Fiscal Officer. An authorized delegate can take any action that is available to a Fiscal Officer, including the power to approve and disapprove transactions.

Account delegation is specific to an account and a document type and may also be limited based on the dollar amount of the document. Delegation only allows a user to approve in the Fiscal Officer's place, when a document is at the account routing level. If for example, a document is routed to an account's Fiscal Officer as part of Org Review Routing, the Delegate would not be authorized to approve that action request.

There are two types of delegates that can be established: primary and secondary.

Documents route directly to a Primary Delegate's action list. These documents do not appear in the Fiscal Officer's action list unless the Fiscal Officer applies a special filter to their action list allowing them to view the documents routed to the Primary Delegate.

Documents do not route directly to a Secondary Delegate's action list. Instead, the documents route to the Fiscal Officer's action list (or the Primary Delegate, if applicable) and the Secondary Delegate must apply a special filter to their action list to see and take action on these documents.

The Account Delegate document comes with a global document and model document options. The global document allows you to make certain changes to a group of accounts at once whereas the model option allows you to make a template for a group of global documents. The feature of the Account Delegate Global document and Account Delegate Model document are explained in the section following the Account Delegate document.

### Note

The Account Delegate Global document replaces all existing delegation for an account instead of updating the existing delegation.

## Document Layout

Account Delegate 7

Doc Nbr: 7274    Status: INITIATED  
Initiator: ole-quickstart    Created: 02:35 PM 03/03/2014

[expand all](#)    [collapse all](#)  
\* required field

Document Overview [hide](#)

---

**Document Overview**

\* Description:     Explanation:

Organization Document Number:

---

Edit Account Delegate [hide](#)

| Old   | New  |
|---|--|
| Chart Code: BA  | Chart Code: BA   |
| Account Number: 6044900   | Account Number: 6044900  |
| Document Type Name: OLE_AV  | Document Type Name: OLE_AV   |
| Account Delegate Principal Name: ole-mefenton, - FENTON, MARGARET R | Account Delegate Principal Name: ole-mefenton, - FENTON, MARGARET R            |
| Approval From This Amount:  | Approval From This Amount:   |
| Approval To This Amount:  | Approval To This Amount:   |
| Account Delegate Primary Route: Yes                                 | Account Delegate Primary Route: <input checked="" type="checkbox"/>            |
| Account Delegate Active: Yes  | Account Delegate Active: <input checked="" type="checkbox"/>                   |
| Account Delegate Start Date: 09/30/2004                             | Account Delegate Start Date: 03/03/2014 <input type="text"/> <a href="#">*</a> |

---





Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

The Billing Address document includes the **Edit Billing Address** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Billing Address tab definition

| Title                           | Description   |
|---------------------------------|---|
| Chart Code                      | Required. Enter the chart code associated with the account number for which authority is being delegated or search for it from the <b>Chart</b> lookup    |
| Account Number                  | Required. Enter the account number for which authority is being delegated or search for it from the <b>Account</b> lookup    |
| Document Type Code              | Required. Enter the document type code for OLE transaction for which authority is being delegated, or search for it from the <b>Document Type</b> lookup  . The higher on the document type hierarchy the code is, the more access the user will have. For example, you might enter OLET and OLEM to route all transactional and maintenance documents with an account number to a delegate. |
| Account Delegate Principal Name | Required. Enter the user ID of the person to which authority is being delegated, or search for it from the <b>Principal</b> lookup   |
| From Amount                     | Optional Enter the minimum dollar amount of a transaction for which the delegate is authorized. For example, if a delegate is established with a From amount of \$1,000 then a transaction for \$500 is not eligible for the delegate's action. Note that not all OLE documents have a dollar amount associated with them.  |
| To Amount                       | Optional. Enter the maximum dollar amount of a transaction for which the delegate is authorized. For example, if a delegate is established with a To amount of \$1,000, a transaction for \$1,500 is not eligible for the delegate's action. The value of zero in this field represents infinity.   |
| Account Primary Delegate Route  | Optional. Select the check box if the delegate is to be set as a primary delegate who receives documents directly in their workflow action list.<br><br><b>Note</b><br><br>If this check box is not selected, it indicates the delegate is secondary and has to use a filter in their workflow action list to see documents they are authorized to approve.   |
| Account Delegate Active         | Optional. Select the check box if the delegate is active and can take action on authorized documents. Clear the check box to inactivate an existing delegate.   |
| Account Delegate Start Date     | Required. Enter the date on which the delegation is to become effective.  |



## Note

If both **From Amount** and **To Amount** are set to '0.00,' then the delegate is authorized to take action on the designated documents(s) without any dollar limit.

## Process Overview

### Business Rules

- An Account Delegate document establishing a Primary Delegate cannot be submitted if a Primary Delegate already exists for the account and document type.
- Account Delegate Start Date must be greater than or equal to the current date.

### Routing

- Account Delegate documents routes for account level approval to the Fiscal Officer based on the account on the document.
- The Account Delegate document also routes for Org Review based on the organization associated with the account on the document and then for chart manager approval based on the chart assigned to the account.

## Account Delegate Global



## Note


For general information about accessing and working with global documents, see [Global COA E-Docs](#).

The Account Delegate Global document allows you to create delegates for multiple document types on one or more accounts on a single document. Unlike the other global documents, you may initiate it by entering information from scratch or by populating the document from a model you choose. Although the use of a model document is not a requirement, it is a convenient way of initiating the Account Delegate Global document when you have many delegates to define.

## Creating New Global from Scratch

1. From the **Lookup** submenu on the **Maintenance** Menu, choose **Account Delegate Global**.


The system displays the Account Delegate Global document

2. Enter values as appropriate and click .


## Creating New Global from Model

1. From the **Lookup** submenu on the **Maintenance** Menu, choose **Account Delegate Global from Model**.

The system displays the Account Delegate Global from Model Lookup.

2. Search for the model you want by entering search criteria and clicking .
3. When you find the appropriate model name, click the **return value** link.

The system displays the Account Delegate Global document populated with data from your selected model.



The screenshot shows the 'Edit Global Delegate' interface. At the top, there is a 'hide' button. Below it, the 'New Account Delegate' section contains several input fields: '\* Document Type Name', 'Account Delegate Primary Route', '\* Account Delegate Start Date' (with a date picker set to 03/03/2014), '\* Account Delegate Principal Name', 'Account Delegate User Name', 'Approval From This Amount', and 'Approval To This Amount'. An 'add' button is located below these fields. Below the 'add' button, there is a list of existing models. The first model is 'Account Delegate (OLE\_AA - Yes - ole-cbbeaure)', which is expanded to show its details: 'Document Type Name: OLE\_AA', 'Account Delegate Primary Route: [checked]', '\* Account Delegate Start Date: 03/22/2000', 'Account Delegate Principal Name: ole-cbbeaure', 'Account Delegate User Name: BEAUREGARD, CORNELIUS B', 'Approval From This Amount', and 'Approval To This Amount'. A 'delete' button is located below this model's details. Below the 'delete' button, there is another model entry: 'Account Delegate (OLE\_ACCT - No - ole-cbbeaure)'.

### Tip

**The Advantage of Using a Model as a Starting Point:** OLE allows you to add, edit and delete data on the Account Delegate Global document after the items have been populated from the model. Therefore, if you find a model that is close to what you want, you can use it as a starting point for your work.

## Document Layout

The Account Delegate Global document contains the **Edit Global Delegate** tab and **Edit List of Accounts** tab.

## Lookup (Account Delegate) Maintenance E-Docs

Account Delegate Global Lookup ? Doc Nbr: 7395 Status: INITIATED  
Initiator: ole-quickstart Created: 03:07 PM 03/03/2014  
expand all collapse all \* required field

Document Overview hide

**Document Overview**

\* Description:

Organization Document Number:  Explanation:

Edit Global Delegate hide

**New Account Delegate**

\* Document Type Name:

Account Delegate Primary Route:

\* Account Delegate Start Date: 03/03/2014

\* Account Delegate Principal Name:

Account Delegate User Name:

Approval From This Amount:

Approval To This Amount:

Edit List of Accounts hide

**New Account** Look Up/Add Multiple Account Lines

\* Chart Code:

\* Account Number:

Account Name:

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

## Edit Global Delegate Tab

The **Edit Global Delegate** tab works much as the **Edit Account Delegate** tab of the Account Delegate document works. This tab contains all the non-account attributes that can be modified on this document. The required fields on the Account Delegate Global document are the same as the required fields on the Account Delegate document.

### Tip

The Account Delegate Global document does not update existing records; it creates new records which replace any existing records. For example, if 1031400 account has a CREQ (AP Check Request) delegate, and a Account Delegate Global document is submitted for 1031400 that creates a delegate for TF (Transfer of Funds) and DV (Disbursement Voucher) but does not specify one for CREQ, the existing CREQ delegation becomes inactive.

Edit Global Delegate hide

**New Account Delegate**

\* Document Type Name:

Account Delegate Primary Route:

\* Account Delegate Start Date: 03/03/2014

\* Account Delegate Principal Name:

Account Delegate User Name:



Approval From This Amount:

Approval To This Amount:

### Note

For more information about how to complete the **Edit Global Delegate** tab, see [Account Delegate](#).

## Edit List of Accounts Tab

There are two ways to populate the accounts that you want to update globally in the **Edit List of Accounts** tab. One is by manually entering or selecting one account at a time from the normal **Account** lookup , the other is by using a special multiple value lookup called the **Look Up / Add Multiple Account Lines**  to return multiple values.

### Note

For information about how to use the multiple value lookup, see [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Process Overview



### Business Rules

- The Account Delegate Global document is subject to the same business rules as the Account Delegate document. In addition, at least one account must be selected on the **Edit List of Accounts** tab.



### Routing

- The Account Delegate Global document routes to the Chart Manager for every chart represented in the accounts being modified, and then to the University Chart Manager.

## Initiating an Account Delegate Global Document

1. Complete the **Edit Global Delegate** tab.
2. To add multiple accounts to the **Edit List of Accounts** tab, click the **Look Up / Add Multiple Account Lines** lookup .
3. Enter the desired search criteria to search for the accounts you want to include and click .
4. Once the result is returned, select check boxes to make your account selection and click . The selected accounts are returned to the **Edit List of Accounts** tab.
5. Click **submit**.

## Adding One Account at a Time


1. Complete the **Edit Global Delegate** tab.
2. To add one account at a time, enter the values or use the **Account** lookup .
3. Search for an account and click the [return value](#)  link associated with the account you want to select.

### Note

For information about field lookup and multiple value lookup, see [Field Lookup](#) and [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

4. Click  to add the account to the list.


## Account Delegate Global From Model



### Note

For information on the Account Delegate Global from Model function, see [Creating New Global From Model](#)

## Account Delegate Model



The Account Delegate Model document allows you to create a model for the Account Global documents so that you can define a common delegation structure for a group of accounts easily. After the models are created, you may use them from the **Create New Global from Model** menu option.

### Note

For information about the Create New Global from Model option, see [Creating New Global From Model](#).

## Document Layout

The Account Delegate Model document includes the **Edit Account Delegate Model** and the **Edit Delegates for Model** tabs. The former defines the name of the model and the latter defines the characteristics of the model.

## Lookup (Account Delegate) Maintenance E-Docs

Account Delegate Model 7
Doc Nbr: 7421    Status: INITIATED

Initiator: ole-quickstart
Created: 03/34 PM 03/03/2014

[expand all](#)    [collapse all](#)

**Document Overview** ▼ hide

|                               |              |
|-------------------------------|--------------|
| * Description:                | Explanation: |
| Organization Document Number: |              |

**Edit Account Delegate Model** ▼ hide

| Old                                  | New   |
|--------------------------------------|---|
| Chart Of Accounts Code: IN           | Chart Of Accounts Code: IN                            |
| Organization Code: MDCCO             | Organization Code: MDCCO                              |
| Account Delegate Model Name: BIOSNOE | Account Delegate Model Name: BIOSNOE                  |
| Active Indicator: Yes                | Active Indicator: <input checked="" type="checkbox"/> |

**Edit Delegates for Model** ▼ hide

**New Account Delegate Model Delegate**

\* Document Type Name:

Account Delegate Primary Route:

\* Account Delegate Start Date: 03/03/2014

Approval From This Amount:

Approval To This Amount:

\* Account Delegate Principal Name:

Active:

[add](#)

▼ hide Account Delegate Model Delegate ( OLE - No - ole-senava )

| Old  | New  |
|--|--|
| Document Type Name: OLE                                      | Document Type Name: OLE  |
| Account Delegate Primary Route: No                           | Account Delegate Primary Route: <input type="checkbox"/>       |
| Account Delegate Start Date: 04/16/1999                      | * Account Delegate Start Date: 04/16/1999 <input type="text"/> |
| Approval From This Amount:                                   | Approval From This Amount: <input type="text"/>                |
| Approval To This Amount:                                     | Approval To This Amount: <input type="text"/>                  |
| Account Delegate Principal Name: ole-senava - NAVA, SHELBY E | Account Delegate Principal Name: ole-senava - NAVA, SHELBY E   |
| Active: Yes  | Active: <input checked="" type="checkbox"/>                    |

[show](#) Account Delegate Model Delegate ( OLE\_A21 - Yes - ole-lwhumes )

[show](#) Account Delegate Model Delegate ( OLE\_A21C - Yes - ole-lwhumes )

[show](#) Account Delegate Model Delegate ( OLE\_A21R - Yes - ole-lwhumes )

Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

### Edit Account Delegate Model Tab

**Edit Account Delegate Model** ▼ hide




| Old                                  | New   |
|--------------------------------------|---|
| Chart Of Accounts Code: IN           | Chart Of Accounts Code: IN                            |
| Organization Code: MDCCO             | Organization Code: MDCCO                              |
| Account Delegate Model Name: BIOSNOE | Account Delegate Model Name: BIOSNOE                  |
| Active Indicator: Yes                | Active Indicator: <input checked="" type="checkbox"/> |

### Edit Account Delegate Model tab definition

| Title                       | Description  |
|-----------------------------|--|
| Chart of Accounts Code      | Required. Enter the Chart of Accounts code that the model is used for or search for it from the <b>Chart</b> lookup  .   |
| Organization Code           | Required. Enter the organization code that the model is used for or search for it from the <b>Organization</b> lookup  . |
| Account Delegate Model Name | Required. Enter the name of this model.  |
| Active Indicator            | Indicates whether this account delegate model is active or inactive. Remove the check mark to deactivate this type.      |

## Edit Delegates for Model Tab

### Edit Delegate for Model tab definition


| Title                          | Description  |
|--------------------------------|--|
| Document Type Code             | <p>Required. Enter the document type code for this delegation or search for it from the <b>Document Type Code</b> lookup .</p> <p><b>Tip</b></p> <p>Enter 'ALL' to establish the delegation for all document types that route to the Account level.</p>   |
| Account Delegate Primary Route | <p>Optional. Select the check box if it is a primary delegate. Clear the check box, if it is a secondary delegate.</p>   |
| Account Delegate Start Date    | <p>Required. Enter the date on which the delegation starts, or select it from the calendar .</p>   |
| Approval From This Amount      | <p>Optional. Enter the minimum range of the dollar amount for which this delegation is authorized. For example, if a delegate is established with a From amount of \$1,000 then a transaction for \$500 is not eligible for the delegate's action. Note that not all OLE documents have a dollar amount associated with them. The value of zero means that you do not have the minimum range defined for this delegation.</p> <p><b>Note</b></p> <p>Not all OLE financial documents have a dollar amount associated with them.</p> |
| Approval To This Amount        | <p>Optional. Enter the maximum range of the dollar amount for which this delegation is applied to. For example, if a delegate is established with a To amount of \$1,000 a transaction for \$1,500 is not eligible for the delegate's action. The value of '0' means that you do not have the maximum range defined for this delegation.</p> <p><b>Note</b></p> <p>Not all OLE financial documents have a dollar amount associated with them.</p>  |
| Account Delegate Primary Name  | <p>Required. Enter the User ID for the delegate, or search for it from <b>User</b> lookup .</p>   |
| Active Indicator               | <p>Indicates whether this account delegate model is active or inactive. Remove the check mark to deactivate this type.</p>   |

## Process Overview

### Routing



The Account Delegate Global Model document routes to Organization Review, Chart Manager, and University Chart Manager.

### Initiating an Account Delegate Model Document

1. Select **Account Delegate Model** from the **Lookup** submenu on the **Maintenance** men.
2. Click .
3. Complete the standard tabs such as **Document Overview**, **Notes and Attachments**, and **Ad Hoc Recipients** tabs.

#### Note

For information about the common financial transaction tabs such as **Document Overview**, **Notes and Attachments**, and **Ad Hoc Recipients**, **Route Log** tabs, see [Standard Tabs](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

4. Complete the **Edit Delegates for Model** tab and click . Repeat this step for as many delegates as necessary.
5. Click .



---

# Chapter 19. E-Acquisitions Maintenance Documents

**Maintenance**

>

- [Access Location](#)
- [Access Type](#)
- [Agreement DocType](#)
- [Agreement Method](#)
- [Agreement Status](#)
- [Agreement Type](#)
- [Authentication Type](#)
- [Content Type](#)
- [E-Resource Status](#)
- [License Request Current Location](#)
- [License Request Status](#)
- [License Request Type](#)
- [Licensing Requirement Code](#)
- [Material Type](#)
- [Package Scope](#)
- [Package Type](#)
- [Payment Type](#)
- [Request Priority](#)

**E-Resource Admin**

>

E-Acquisition maintenance e-docs are available via the Purchasing/Accounts Payable submenu on the **Maintenance** menu tab.

## Access Location

**Maintenance**

>

**E-Resource Admin**

>

[Access Location](#)

>

# Access Location Lookup

>

## Access Location

Access Location is used to describe parts or locations of an institution that access has been granted to for a particular E-Resource. Access Locations will be locally configured to be specific to each institution.

## Document Layout

### Access Location

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 5291           | Document Status:    | INITIATED           |
| Initiator Network Id: | ole-quickstart | Creation Timestamp: | 10:08 AM 04/15/2014 |

\* Indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Access Location

|                              | Old         | New                                      |
|------------------------------|-------------|--|
| Access Location Name:        | Main Campus | <input type="text" value="Main Campus"/> |
| Access Location Description: | Main Campus | <input type="text" value="Main Campus"/> |
| Active Indicator:            | true        | <input checked="" type="checkbox"/>      |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Access Location document includes the Add/Edit Access Location tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit Access Location Tab Definitions

| Title                       | Description   |
|-----------------------------|---|
| Access Location Name        | Required. Brief name that will display in the Access Location field of the E-Resource Record. |
| Access Location Description | Optional. Include a brief description.  |
| Active Indicator            | Indicates whether this status is active or inactive. Remove the check mark to deactivate.     |

## Access Type

Maintenance > 
 E-Resource Admin > 
 ✔ Access Type >

# Access Type Lookup

# Access Type

## Document Layout

### Access Type

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 5292           | Document Status:    | INITIATED           |
| Initiator Network Id: | ole-quickstart | Creation Timestamp: | 10:10 AM 04/15/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Access Type

|                          | Old       | New                                    |
|--------------------------|-----------|--|
| Access Type Name:        | site-wide | <input type="text" value="site-wide"/> |
| Access Type Description: | site-wide | <input type="text" value="site-wide"/> |
| Active Indicator:        | true      | <input checked="" type="checkbox"/>    |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Access Type document includes the Add/Edit Access Type tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit Access Type Tab Definitions

| Title                   | Description   |
|-------------------------|---|
| Access Type Name        | Required. Brief name that will display in the Access Type field of the E-Resource Record. |
| Access Type Description | Optional. Include a brief description.  |
| Active Indicator        | Indicates whether this status is active or inactive. Remove the check mark to deactivate. |


## Agreement Document Type

Maintenance

>

E-Resource Admin

>

 Agreement DocType

>

# Agreement DocType Lookup

## Agreement DocType

The Agreement DocType document is used to describe the type of Agreement Document that has been uploaded, allowing staff to easily identify the desired file out of possibly multiple files associated with an Agreement or License Request.

## Document Layout

### Agreement DocType<sup>?</sup>

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 3978  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:46 PM 07/25/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Agreement Doc Type

|                                 | Old               | New  |
|---------------------------------|-------------------|--|
| * Agreement DocType Name:       | Agent information | <input type="text" value="Agent information"/> |
| * AgreementDocType Description: | Agent information | <input type="text" value="Agent information"/> |
| Active Indicator:               | true              | <input checked="" type="checkbox"/>            |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Agreement Document Type document includes the **Add/Edit Agreement Doc Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit Agreement Document Type Tab Definitions

| Title                         | Description  |
|-------------------------------|--|
| Agreement DocType Name        | Required. Brief name of Agreement document to display (such as title list, rider, etc.).             |
| Agreement DocType Description | Required. Brief description of the Agreement document type.  |
| Active Indicator              | Indicates whether this Agreement DocType is active or inactive. Remove the check mark to deactivate. |

## Agreement Method




# Agreement Method Lookup >

## Agreement Method<sup>?</sup>

The Agreement Method document is used to store the form of the Agreement, and to inform locally-configurable business rules and workflows. This might contain negotiated, SERU, shrink-wrap, copyright, etc.

The Agreement Method is used in determining which workflows are valid for a specific License Request.

## Document Layout

**Agreement Method** 

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 3985  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:49 PM 07/25/2014 |

\* indicates required field

**Document Overview**

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

**Add/Edit Agreement Method**

|                                 | Old                | New   |
|---------------------------------|--------------------|---|
| * Agreement Method Name:        | Negotiated license | <input type="text" value="Negotiated license"/> |
| * Agreement Method Description: | Negotiated license | <input type="text" value="Negotiated license"/> |
| Active Indicator:               | true               | <input checked="" type="checkbox"/>             |

[Notes and Attachments \(0\)](#)  
[Ad Hoc Recipients](#)  
[Route Log](#)

The Agreement Method document includes the **Add/Edit Agreement Method** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit Agreement Method Tab Definitions

| Title                        | Description   |
|------------------------------|---|
| Agreement Method Name        | Required. Brief name for method (can use local or ONIX-PL suggested).                               |
| Agreement Method Description | Required. Brief description of the Agreement Method.  |
| Active Indicator             | Indicates whether this Agreement Method is active or inactive. Remove the check mark to deactivate. |

## Agreement Status



The Agreement Status document is used to communicate the current status of the Agreement (ONIX-PL.xml) in workflow or processing, such as: Active/Inactive, Draft, Final, or other status on Agreement.

## Document Layout

### Agreement Status

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 3991  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:53 PM 07/25/2014 |

\* Indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Agreement Status

|                                 | Old   | New                                 |
|---------------------------------|-------|-------------------------------------|
| * Agreement Status Name:        | Draft | <input type="text" value="Draft"/>  |
| * Agreement Status Description: | Draft | <input type="text" value="Draft"/>  |
| Active Indicator:               | true  | <input checked="" type="checkbox"/> |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Agreement Status document includes the **Add/Edit Agreement Status** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit License Request Type Tab Definitions

| Title                        | Description   |
|------------------------------|---|
| Agreement Status Name        | Required. Brief name to display.  |
| Agreement Status Description | Required. Brief description of the agreement status.  |
| Active Indicator             | Indicates whether this Agreement Status is active or inactive. Remove the check mark to deactivate. |

## Agreement Type

Maintenance > 
 E-Resource Admin > 
 ✔ Agreement Type >

# Agreement Type Lookup

## Agreement Type

The Agreement Type document is used to communicate the Types of Agreements, such as supplemental, trial, regular, addendum, etc.

The Agreement Type and Agreement Method will be used in determining which workflows are valid for a specific License Request.

## Document Layout

## Agreement Type<sup>®</sup>

|                             |   |
|-----------------------------|---|
| Document Number: 3996       | Document Status: INITIATED              |
| Initiator Network Id: admin | Creation Timestamp: 03:56 PM 07/25/2014 |

\* Indicates required field

### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

### Add/Edit Agreement Type

|                               | Old          | New                                       |
|-------------------------------|--------------|---|
| * Agreement Type Name:        | Supplemental | <input type="text" value="Supplemental"/> |
| * Agreement Type Description: | Supplemental | <input type="text" value="Supplemental"/> |
| Active Indicator:             | true         | <input type="text" value="true"/>         |

### Notes and Attachments (0)

### Ad Hoc Recipients

### Route Log

The Agreement Type document includes the **Add/Edit Agreement Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit License Request Type Tab Definitions

| Title                      | Description  |
|----------------------------|--|
| Agreement Type Name        | Required. Brief name for display.  |
| Agreement Type Description | Required. Brief description to explain use of Agreement Type.                                      |
| Active Indicator           | Indicates whether this license request is active or inactive. Remove the check mark to deactivate. |

## Authentication Type



# Authentication Type Lookup

## Authentication Type

Authentication Types are used to describe the authentication necessary for the E-Resource. Some examples may include IP address or User name and Password.

## Document Layout

### Authentication Type ?

|                                      |   |
|--------------------------------------|---|
| Document Number: 5294                | Document Status: INITIATED              |
| Initiator Network Id: ole-quickstart | Creation Timestamp: 10:14 AM 04/15/2014 |

\* indicates required field

#### Document Overview

|  |                                   |
|--|-----------------------------------|
| * Description: <input type="text"/>                | Explanation: <input type="text"/> |
| Organization Document Number: <input type="text"/> |                                   |

#### Add/Edit Authentication Type

|                                  | Old      | New                                   |
|----------------------------------|----------|---------------------------------------|
| Authentication Type Name:        | IP range | <input type="text" value="IP range"/> |
| Authentication Type Description: | IP range | <input type="text" value="IP range"/> |
| Active Indicator:                | true     | <input checked="" type="checkbox"/>   |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Authentication Type document includes the Add/Edit Authentication Type tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit Authentication Type Tab Definitions

| Title                           | Description   |
|---------------------------------|---|
| Authentication Type Name        | Required. Brief name that will display in the Authentication Type field of the Access tab on the E-Resource Record. |
| Authentication Type Description | Optional. Include a brief description.  |
| Active Indicator                | Indicates whether this status is active or inactive. Remove the check mark to deactivate.                           |

## Content Type



# Content Type Lookup

## Content Type



## Document Layout

### Content Type

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 4000  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 04:06 PM 07/25/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Content Type

|                           | Old    | New                                 |
|---------------------------|--------|-------------------------------------|
| * Content Type Name:      | Images | <input type="text" value="Images"/> |
| Content Type Description: | Images | <input type="text" value="Images"/> |
| Active Indicator:         | true   | <input checked="" type="checkbox"/> |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Content Type document includes the Add/Edit Content Type tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit Content Type Tab Definitions

| Title                    | Description  |
|--------------------------|--|
| Content Type Name        | Required. Brief name that will display in the Content Type field of the E-Resource Record. |
| Content Type Description | Optional. Include a brief description.   |
| Active Indicator         | Indicates whether this status is active or inactive. Remove the check mark to deactivate.  |

## E-Resource Status

Maintenance > 
 E-Resource Admin > 
 ✔ E-Resource Status >

# E-Resource Status Lookup >

## E-Resource Status

## Document Layout

### E-Resource Status

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 5297           | Document Status:    | INITIATED           |
| Initiator Network Id: | ole-quickstart | Creation Timestamp: | 10:23 AM 04/15/2014 |

\* Indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit E-Resource Status

|                                | Old                    | New   |
|--------------------------------|------------------------|---|
| E-Resource Status Name:        | In-Process             | <input type="text" value="In-Process"/>             |
| E-Resource Status Description: | Status of E-Res Record | <input type="text" value="Status of E-Res Record"/> |
| Active Indicator:              | true                   | <input checked="" type="checkbox"/>                 |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The E-Resource Status document includes the Add/Edit E-Resource Status tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit E-Resource Status Tab Definitions

| Title                         | Description   |
|-------------------------------|---|
| E-Resource Status Name        | Required. Brief name that will display in the E-Resource Status field of the E-Resource Record. |
| E-Resource Status Description | Optional. Include a brief description.  |
| Active Indicator              | Indicates whether this status is active or inactive. Remove the check mark to deactivate.       |

## License Request Current Location



# License Request Current Location

# License Request Current Location

The License Request Current Location is the secondary status field on a License Request; would most commonly be use to describe where the License Request is when it has been assigned outside of the OLE system. Current Locations allow licensing staff to search / report / filter License Requests in order to see how many licenses are waiting for signature, waiting for vendor, etc. It also provides a more complete summary of the current status of the license, ex: at Publisher, Copyright Office, Campus Purchasing, etc.

Current Location may be set manually at any time throughout system workflows.

## Document Layout

### License Request Current Location<sup>®</sup>

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 4007  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 04:33 PM 07/25/2014 |

\* Indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit License Request Current Location

|   | Old       | New                                    |
|---|-----------|--|
| * License Request Current Location Name:        | Publisher | <input type="text" value="Publisher"/> |
| * License Request Current Location Description: | Publisher | <input type="text" value="Publisher"/> |
| Active Indicator:                               | true      | <input checked="" type="checkbox"/>    |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The License Request Current Location document includes the **Add/Edit License Request Current Location** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit License Request Current Location Definitions

| Title  | Description  |
|--|--|
| License Request Current Location name        | Required. Brief name to appear in displays for the location.                       |
| License Request Current Location Description | Brief description for this licensing location value or its use. Required.          |
| Active Indicator.                            | Indicates whether this is active or inactive. Remove the check mark to deactivate. |

## License Request Status



# License Request Status Lookup

## License Request Status<sup>®</sup>

License Request Status is used to describe the status of the License Request as it moves through the workflow of requesting, negotiating, and documenting a license. Licensing staff use the License Request Status document on License Request to manually select and label the status of the license request for easier search, and management of Action Lists. Some statuses will NOT be available to the License Request, as they will be system-statuses only, such as at completion of a system-defined PeopleFlow/workflow step.

## Note

Only those License Request Statuses not associated with completion of system-configured workflows will be available for manual selection on the License Request e-doc.

## Document Layout

### License Request Status<sup>?</sup>

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 5161  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 02:26 PM 07/29/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit License Request Status

|                   | Old            | New   |
|-------------------|----------------|---|
| * Code:           | IN             | <input type="text" value="IN"/>             |
| * Name:           | In Negotiation | <input type="text" value="In Negotiation"/> |
| Description:      | In Negotiation | <input type="text" value="In Negotiation"/> |
| Active Indicator: | true           | <input checked="" type="checkbox"/>         |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The License Request Status document includes the **Add/Edit License Request Status** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit License Request Status Tab Definitions

| Title            | Description   |
|------------------|---|
| Code             | Required. Unique code for this status.  |
| Name             | Required. Brief name that will display anywhere status appears.                           |
| Description      | Optional. Include a brief description.  |
| Active Indicator | Indicates whether this status is active or inactive. Remove the check mark to deactivate. |

## License Request Type



# License Request Type Lookup

## License Request Type<sup>?</sup>

The License Request Type document is used to describe whether the request is a new request, a renewal, an amendment, or some of type of licensing change request.

The License Request Type will be used in configuring which workflows are valid for a specific License Request, along with Agreement Method and other metadata on the License Request.

## Document Layout

### License Request Type<sup>?</sup>

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 5173  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:12 PM 07/29/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit License Request Type

|                                     | Old  | New                                 |
|-------------------------------------|------|-------------------------------------|
| * License Request Type Name:        | New  | <input type="text" value="New"/>    |
| * License Request Type Description: | New  | <input type="text" value="New"/>    |
| Active Indicator:                   | true | <input checked="" type="checkbox"/> |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The License Request Type document includes the **Add/Edit License Request Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit License Request Type Tab Definitions

| Title                            | Description  |
|----------------------------------|--|
| License Request Type Name        | Required. Brief Name for display.  |
| License Request Type Description | Required. Brief description  |
| Active Indicator                 | Indicates whether this license request is active or inactive. Remove the check mark to deactivate. |

## Licensing Requirement



Licenses are initiated on the requisition when the “Licensing Requirement/Review” is checked. As licenses continue through their workflow, the “Licensing Requirement/Review Status” field on a requisition is automatically updated. The License Requirement document is used to inform the requisition of the workflow and status of the License Request.

## Document Layout

|   |  |                                |                                     |
|---|--|--------------------------------|-------------------------------------|
| <b>Licensing Requirement</b> <span>?</span> |  | <b>Doc Nbr:</b> 4116           | <b>Status:</b> INITIATED            |
|   |  | <b>Initiator:</b> ole-khuntley | <b>Created:</b> 02:45 PM 02/19/2013 |

[expand all](#)   [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* **Description:**

**Organization Document Number:**

**Explanation:**

Edit Order Type hide

| Old  | New  |
|--|--|
| <b>Licensing Requirement Code:</b> ILR                             | <b>Licensing Requirement Code:</b> ILR                             |
| <b>Licensing Requirement Description:</b> Initiate License Request | <b>Licensing Requirement Description:</b> Initiate License Request |
| <b>Active Indicator:</b> Yes                                       | <b>Active Indicator:</b> <input checked="" type="checkbox"/>       |

**Notes and Attachments (0)** show

**Ad Hoc Recipients** show

**Route Log** show

[submit](#)   [save](#)   [blanket approve](#)   [close](#)   [cancel](#)

The Licensing Requirement document includes the **Edit License Requirement** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Requisition Source tab definition

| Title                             | Description   |
|-----------------------------------|---|
| Licensing Requirement Code        | The code that identifies this source of licensing requirement.  |
| Licensing Requirement Description | Required. The description of this licensing requirement.  |
| Active Indicator                  | Indicates whether this licensing requirement code is active or inactive. Remove the check mark to deactivate this code. |

## Material Type

Maintenance > 
 E-Resource Admin > 
 ✔ [Material Type](#) >

# Material Type Lookup

# Material Type

## Document Layout

### Material Type

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 5175  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:17 PM 07/29/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Material Type

|                            | Old                     | New  |
|----------------------------|-------------------------|--|
| * Material Type Name:      | Journal                 | <input type="text" value="Journal"/>                 |
| Material Type Description: | Journal of the material | <input type="text" value="Journal of the material"/> |
| Active Indicator:          | true                    | <input checked="" type="checkbox"/>                  |

- ▶ Notes and Attachments (0)
- ▶ Ad Hoc Recipients
- ▶ Route Log

The Material Type document includes the Add/Edit Material Type tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit Material Type Tab Definitions

| Title                     | Description   |
|---------------------------|---|
| Material Type Name        | Required. Brief name that will display in the Material Type field of the E-Resource Record. |
| Material Type Description | Optional. Include a brief description.  |
| Active Indicator          | Indicates whether this status is active or inactive. Remove the check mark to deactivate.   |

## Package Scope

Maintenance > 
 E-Resource Admin > 
 ✔ Package Scope >

# Package Scope Lookup

# Package Scope

Access Location is used to describe parts or locations of an institution that access has been granted to for a particular E-Resource. Access Locations will be locally configured to be specific to each institution.

## Document Layout

### Package Scope

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 5176  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:22 PM 07/29/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Package Scope

|                            | Old        | New                                     |
|----------------------------|------------|---|
| * Package Scope Name:      | Front File | <input type="text" value="Front File"/> |
| Package Scope Description: | Front File | <input type="text" value="Front File"/> |
| Active Indicator:          | true       | <input checked="" type="checkbox"/>     |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Package Scope document includes the Add/Edit Package Scope tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit Package Scope Tab Definitions

| Title                     | Description   |
|---------------------------|---|
| Package Scope Name        | Required. Brief name that will display in the Package Scope field of the E-Resource Record. |
| Package Scope Description | Optional. Include a brief description.  |
| Active Indicator          | Indicates whether this status is active or inactive. Remove the check mark to deactivate.   |

## Package Type



# Package Type Lookup

## Package Type



## Document Layout

### Package Type

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 5178  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:32 PM 07/29/2014 |

\* indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Package Type

|                           | Old        | New                                     |
|---------------------------|------------|---|
| * Package Type Name:      | Consortial | <input type="text" value="Consortial"/> |
| Package Type Description: | Consortial | <input type="text" value="Consortial"/> |
| Active Indicator:         | true       | <input checked="" type="checkbox"/>     |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Package Type document includes the Add/Edit Package Type tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit Package Type Tab Definitions

| Title                    | Description  |
|--------------------------|--|
| Package Type Name        | Required. Brief name that will display in the Package Type field of the E-Resource Record. |
| Package Type Description | Optional. Include a brief description.   |
| Active Indicator         | Indicates whether this status is active or inactive. Remove the check mark to deactivate.  |

## Payment Type

Maintenance > 
 E-Resource Admin > 
 ✔ Payment Type >

# Payment Type Lookup

# Payment Type

## Document Layout

### Payment Type

|                       |       |                     |                     |
|-----------------------|-------|---------------------|---------------------|
| Document Number:      | 5179  | Document Status:    | INITIATED           |
| Initiator Network Id: | admin | Creation Timestamp: | 03:35 PM 07/29/2014 |

\* Indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Payment Type

|                           | Old               | New  |
|---------------------------|-------------------|--|
| * Payment Type Name:      | Free              | <input type="text" value="Free"/>              |
| Payment Type Description: | Free Payment Type | <input type="text" value="Free Payment Type"/> |
| Active Indicator:         | true              | <input checked="" type="checkbox"/>            |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Payment Type document includes the Add/Edit Payment Type tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

#### Add/Edit Payment Type Tab Definitions

| Title                    | Description  |
|--------------------------|--|
| Payment Type Name        | Required. Brief name that will display in the Payment Type field of the E-Resource Record. |
| Payment Type Description | Optional. Include a brief description.   |
| Active Indicator         | Indicates whether this status is active or inactive. Remove the check mark to deactivate.  |

## Request Priority



# Request Priority Lookup >

# RequestPriority >

# Document Layout

## RequestPriority

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 5300           | Document Status:    | INITIATED           |
| Initiator Network Id: | ole-quickstart | Creation Timestamp: | 10:28 AM 04/15/2014 |

\* indicates required field

### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

### Add/Edit RequestPriority

|                              | Old            | New   |
|------------------------------|----------------|---|
| RequestPriority Name:        | 1              | <input type="text" value="1"/>              |
| RequestPriority Description: | Least Priority | <input type="text" value="Least Priority"/> |
| Active Indicator:            | true           | <input checked="" type="checkbox"/>         |

### Notes and Attachments (0)

### Ad Hoc Recipients

### Route Log

The Request Priority document includes the Add/Edit Request Priority tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Add/Edit Request Priority Tab Definitions

| Title                        | Description  |
|------------------------------|--|
| Request Priority Name        | Required. Brief name that will display in the Request Priority field of the E-Resource Record. |
| Request Priority Description | Optional. Include a brief description.   |
| Active Indicator             | Indicates whether this status is active or inactive. Remove the check mark to deactivate.      |

# Chapter Main

[Delivery Required Date Reason](#)  
[Donor](#)  
[Exception Type](#)  
[⚠ Exchange Rates](#)  
[Invoice Sub Type](#)  
[Invoice Type](#)  
[Item Category](#)  
[Item Type](#)  
[Method of PO Transmission](#)  
[Note Type](#)  
[Order Type](#)  
[Payment Method](#)  
[Recurring Payment Type](#)  
[Request Source Type](#)  
[Sensitive Data](#)

# e Admin

## **CENTRAL TYPES & CODES**

[Electronic Invoice Item Mapping](#)  
[Format](#)  
[Funding Source](#)  
[Item Price Source](#)  
[Item Reason Added](#)

## **ORGANIZATION INFORMATION**

[Negative Payment Request Approval Limit](#)  
[Organization APO Limit](#)  
[Payment Request Auto Approve Exclusions](#)  
[Purchase Order Contract Language](#)  
[Purchase Order Item Status](#)  
[Purchase Order Vendor Choice](#)  
[Receiving Address](#)  
[Receiving Threshold](#)  
[Recurring Payment Frequency](#)  
[Requisition Source](#)  
[Room](#)


## **FINANCIAL TRANSACTION CONTROLS**

[Disbursement Voucher Payment Reason](#)  
[Fiscal Year Function Control](#)  
[Function Control Code](#)  
[Offset Definition](#)  
[Organization Reversion](#)  
[Organization Reversion Category](#)  
[Organization Reversion Global](#)  
[University Date](#)

>

Order, Paying, Receiving, and E-Resource maintenance e-docs as well as general ledger entry and available balances lookups are available via the Select/Acquire Admin submenu on the **Maintenance** menu.

## Bank



Even though a library's acquisition process does not require that the library actually do their own banking, at least one bank record is required to process invoices. Banks are also used to identify institutions to which deposits are made on Advance Deposit and Cash Management documents. In the PDP, they are used to identify institutions from which disbursements are made. This functionality was an inheritance from KFS and requires future refactoring.

The Bank document allows you to view and edit bank information currently in OLE, including the bank's routing number and account number. Using this screen, you may also add new banks to the system.

When the Flexible Banking Enhancement is in use, additional document types may require users to identify a bank.

Only users with the OLE-SYS Manager role may create Bank maintenance documents. These documents do not route for approval.

## Document Layout







The screenshot shows the 'Bank' document interface. At the top, it displays document metadata: Doc Nbr: 5413, Status: INITIATED, Initiator: ole-quickstart, and Created: 03:11 PM 03/12/2014. Below this is a 'Document Overview' section with fields for Description and Organization Document Number. The main part of the screen is the 'Edit Bank' tab, which is split into 'Old' and 'New' columns. Each column contains a list of bank-related fields such as Bank Code, Bank Name, Bank Short Name, Bank Routing Number, Bank Account Number, Bank Account Description, Cash Offset Chart Of Accounts, Cash Offset Account Number, Cash Offset Sub-Account Number, Cash Offset Sub-Object Code, Continuation Bank Code, Bank Deposit Indicator, Bank Disbursement Indicator, Bank ACH Indicator, Bank Check Indicator, and Active Indicator. Some fields in the 'New' column have small icons indicating they are required or have specific validation rules. At the bottom, there are sections for 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log', each with a 'show' button.

The Bank document includes the **Edit Bank** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Bank tab definition

| Title     | Description   |
|-----------|---|
| Bank Code | A unique ID number that identifies this bank in OLE.      |
| Bank Name | Required. The name of the bank associated with this code. |

Select & Acquire Admin  
Maintenance E-Docs


|                                |  |
|--------------------------------|--|
| Bank Short Name                | Required. An abbreviated name for the bank (up to 12 characters allowed).  |
| Bank Routing Number            | The routing number associated with this bank.  |
| Bank Account Number            | Required. The bank account number from which disbursements are to be drawn or deposits made.   |
| Bank Account Description       | A text description for this bank account.  |
| Cash Offset Chart of Accounts  | Optional. If using the Flexible Banking Enhancement, this is the Chart of Accounts code associated with the account to which cash offsets should post when OLE transactions are associated with this bank. Existing chart codes may be retrieved from the lookup  .   |
| Cash Offset Account Number     | Optional. If using the Flexible Banking Enhancement, this is the account number to which cash offsets should post when transactions are associated with this bank. Existing accounts may be retrieved from the lookup  .  |
| Cash Offset Sub-Account Number | Optional. If using the Flexible Banking Enhancement, this is the number of the sub-account to which cash offsets should post when transactions are associated with this bank. Existing sub-accounts may be retrieved from the lookup  .   |
| Cash Offset Object Code        | Optional. If using the Flexible Banking Enhancement, this is the object code that should be used for cash offsets that post when transactions are associated with this bank. Existing object codes may be retrieved from the lookup  .  |
| Cash Offset Sub-Object Code    | Optional. If using the Flexible Banking Enhancement, this is the sub-object code that should be used for cash offsets that post when transactions are associated with this bank. Existing sub-object codes may be retrieved from the lookup  .  |
| Continuation Bank Code         | Optional. A bank code to be used in place of an inactive bank code. Existing bank codes may be retrieved from the lookup <br><br>If OLE attempts to reference a Bank record that has an inactive bank code, the system uses bank information associated with the specified continuation bank code instead. |
| Bank Deposit Indicator         | Checked box indicates that this bank will be used for deposits.<br><br><b>Note</b><br><br>Note that a bank may be used for both deposits and disbursements.  |
| Bank Disbursement Indicator    | Checked box indicates that this bank will be used for disbursements.<br><br><b>Note</b><br><br>Note that a bank can be used for both deposits and disbursements.   |
| Bank ACH Indicator             | Checked box indicates that this bank will be used for ACH disbursements in the PDP.<br><br><b>Note</b><br><br>Note that a bank can be used for both ACH deposits and checks.   |
| Bank Check Indicator           | Checked box indicates that this bank will be used for check disbursements in the PDP.<br><br><b>Note</b><br><br>Note that a bank can be used for both ACH deposits and checks.   |
| Active Indicator               | Indicates whether this bank code is active or inactive. Remove the check mark to deactivate.   |

## Implementation Information

There's a parameter called "Default\_Bank\_By\_Document\_Type" which sets a default Bank for each document type. Make sure the bank values you have in this parameter actually exist in the FP\_BANK\_T table (the bank maintenance document). A default bank is provided with the bootstrap data. If you create a new default bank, the parameter values must match it.

The value for the Default\_Bank\_By\_Document\_Type parameter in OLE's demo system is OLE\_DV=TEST;OLE\_ND=TEST;OLE\_AD=TEST;OLE\_CMD=TEST;OLE\_PREQ=TEST;OLE\_PRQS=TEST;OLE\_CM The syntax for the value is "doctype=bank;" These values will not appear on the Invoice document, since its Bank Code field is an input box, but they do work within the code. Without the bank and the Default\_Bank\_By\_Document\_Type parameter correctly implemented, you will receive the message "Bank Code is a required field" when you create an Invoice.

## Billing Address



The Billing Address document defines the various addresses to which vendors should send invoices. Addresses are specific to a campus.

## Document Layout

The screenshot shows the 'Billing Address' document interface. At the top, there are document details: Doc Nbr: 3264, Status: INITIATED, Initiator: khuntley, and Created: 11:06 AM 10/10/2009. Below this is a 'Document Overview' section with fields for Description and Org. Doc. #. The main part of the screen is the 'Edit Billing Address' tab, which is split into 'Old' and 'New' sections. Each section contains fields for Billing Campus Code, Billing Name, Billing Line 1 Address, Billing Line 2 Address, Billing City Name, Billing State Code, Billing Postal Code, Billing Country Code, and Billing Phone Number. The 'Active Indicator' is a checkbox. At the bottom, there are buttons for 'submit', 'save', 'blanket approve', 'close', and 'cancel'. There are also links to 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log'.


The Billing Address document includes the **Edit Billing Address** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Billing Address tab definition

## Select & Acquire Admin Maintenance E-Docs

| Title                  | Description  |
|------------------------|--|
| Billing Campus Code    | The campus code associated with this billing address.  |
| Billing Name           | Required. The familiar title of the billing address.   |
| Billing Line 1 Address | Required. The first line of the address information for this billing address.                                      |
| Billing Line 2 Address | Optional. The second line of the address information for this billing address.                                     |
| Billing City Name      | Required. The city name associated with this billing address.  |
| Billing State Code     | The state associated with this billing address. Existing state codes may be retrieved from the list.               |
| Billing Postal Code    | The postal code associated with this billing address.  |
| Billing Country Code   | Required. The country associated with this billing address. Existing country codes may be retrieved from the list. |
| Billing Phone Number   | Required. The phone number, including area code for this billing address. (Formatted: xxx-xxx-xxxx)                |
| Active Indicator       | Indicates whether this billing address is active or inactive. Remove the check mark to deactivate.                 |

## Building



The Building document defines a unique identifier, a building location, and an alternate code for a building. The code is used to identify where library items should be delivered.

## Document Layout

Building ?

Doc Nbr: 4396      Status: INITIATED

Initiator: ole-quickstart      Created: 03:59 PM 03/10/2014

[expand all](#)   [collapse all](#)

\* required field

Document Overview ▼ hide

\* Description:

Organization Document Number:

Explanation:

Edit Building ▼ hide

| Old  | New   |
|--|---|
| Campus Code: BL                              | Campus Code: BL                                       |
| Building Code: BL011K                        | Building Code: BL011K                                 |
| Building Name: CRAFT                         | * Building Name: CRAFT                                |
| Building Street Address: 419 N Indiana Ave   | * Building Street Address: 419 N Indiana Ave          |
| Building Address City Name: Bloomington      | * Building Address City Name: Bloomington             |
| Building Address State Code: INDIANA         | * Building Address State Code: INDIANA                |
| Building Address Postal Code: 47408-3741     | * Building Address Postal Code: 47408-3741            |
| Building Address Country Code: United States | * Building Address Country Code: United States        |
| Alternate Building Code:                     | Alternate Building Code:                              |
| Active Indicator: Yes                        | Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

The Building document includes the **Edit Building** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Building tab definition

| Title | Description |
|-------|-------------|
|-------|-------------|



Select & Acquire Admin  
Maintenance E-Docs

|                               |   |
|-------------------------------|---|
| Campus Code                   | The campus code associated with this building.  |
| Building Code                 | Unique identifying code for a building.   |
| Building Name                 | Required. Familiar name for the building associated with this building code.                                |
| Building Street Address       | Required. Specific street address of the building associated with this building code.                       |
| Building Address City Name    | Required. The city name associated with this building.  |
| Building Address State Code   | The state associated with this building. Existing state codes may be retrieved from the list.               |
| Building Address Postal Code  | The postal code associated with this building.  |
| Building Address Country Code | Required. The country associated with this building. Existing country codes may be retrieved from the list. |
| Alternate Building Code       | Optional. An alternate identifier for the building.   |
| Active Indicator              | Indicates whether this building is active or inactive. Remove the check mark to deactivate.                 |

## Cancellation Reason

[Maintenance](#) > 
 [Select & Acquire Admin](#) > 
 [ORDER INFORMATION](#) > 
 [Cancellation Reason](#) >

# Cancellation Reason Lookup

## Cancellation Reason

When voiding a Purchase Order, the operator is presented with two fields to explain the reason for the cancellation. One of them is an optional free-text field, in which they can type whatever they want. The other is a required choice from a drop-down list, controlled by the **Cancellation Reason** maintenance document. Both notes are retained in the PO after cancellation, and also passed to the relevant item record in Docstore.

## Document Layout

**Cancellation Reason**

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 4694           | Document Status:    | INITIATED           |
| Initiator Network Id: | ole-quickstart | Creation Timestamp: | 08:49 AM 03/11/2014 |

\* indicates required field

▼ **Document Overview**

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

▼ **Add/Edit Cancellation Reason**

|                       |                          |
|-----------------------|--------------------------|
| * Cancel Reason Name: | <input type="text"/>     |
| * Cancel Reason Text: | <input type="text"/>     |
| Active Indicator:     | <input type="checkbox"/> |


[Notes and Attachments \(0\)](#)  
[Ad Hoc Recipients](#)  
[Route Log](#)

The Cancellation Reason document includes the **Add/Edit Cancellation Reason** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

**Add/Edit Cancellation Reason tab definition**

|                          |  |
|--------------------------|--|
| Title                    | Description  |
| Cancellation Reason Name | Required. The name of the reason for the cancellation.   |
| Cancellation Reason Text | Required. A description for the cancellation reason.   |
| Active Indicator         | Indicates whether this cancellation reason is active or inactive. Remove the check mark to deactivate. |

## Carrier



The Carrier document defines the possible freight carriers and shipping companies assigned to deliver goods.

## Document Layout

Carrier ? Doc Nbr: 3267 Status: INITIATED  
Initiator: khuntlev Created: 12:04 PM 10/10/2009

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* Description:  Explanation:

Org. Doc. #:

Edit Carrier hide

| Old                                      | New   |
|--|---|
| Carrier Code: ABF                        | Carrier Code: ABF                                     |
| Carrier Description: ABF FREIGHT SYSTEMS | * Carrier Description: ABF FREIGHT SYSTEMS            |
| Active Indicator: Yes                    | Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show


submit save blanket approve close cancel

The Carrier document includes the **Edit Carrier** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

**Edit Carrier tab definition**

|                     |  |
|---------------------|--|
| Title               | Description  |
| Carrier Code        | A unique code to identify a particular carrier.  |
| Carrier Description | Required. A description or name of the carrier.  |
| Active Indicator    | Indicates whether this carrier code is active or inactive. Remove the check mark to deactivate the code. |

# Currency Type



Currency Types allow for requisitions, purchase orders and invoices presented for payment in currencies other than the base currency to be processed and paid. It defines and triggers amounts to be changes to the base currency for vendors billing in a foreign currency. Currency Type is defined for each vendor on the Vendor tab, in the Detail Information section.

## Document Layout

The Currency Type document includes the **Edit Currency Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Currency Type tab definition

| Title                | Description   |      |                             |                               |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
|----------------------|---|------|-----------------------------|-------------------------------|----------|-------------------------------|-----|-----|---|-----------------------------|----------------------|-----|-----|---|----------------|-------------|-----|-----|---|--------------|---------|-----|-----|---|---------------|---------|
| Currency Type        | Required. The type of currency (i.e. US Dollar)   |      |                             |                               |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| Currency Country     | Required. The name of the country that uses the currency.   |      |                             |                               |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| Currency AlphaCode   | Required. The abbreviation of the Currency (i.e. USD)   |      |                             |                               |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| Currency NumericCode | Required. This is an International Standards Organization (ISO) numeric code assigned to each currency.<br><br><div data-bbox="878 1598 1425 1717" data-label="Complex-Block"> <p><b>Active codes</b> [viii]</p> <p>The following is a list of active codes of official ISO 4217 currency names.</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Num</th> <th>Unit</th> <th>Currency</th> <th>Locations using this currency</th> </tr> </thead> <tbody> <tr> <td>AED</td> <td>784</td> <td>2</td> <td>United Arab Emirates dirham</td> <td>United Arab Emirates</td> </tr> <tr> <td>AFN</td> <td>971</td> <td>2</td> <td>Afghan afghani</td> <td>Afghanistan</td> </tr> <tr> <td>ALL</td> <td>008</td> <td>2</td> <td>Albanian lek</td> <td>Albania</td> </tr> <tr> <td>AMD</td> <td>051</td> <td>2</td> <td>Armenian dram</td> <td>Armenia</td> </tr> </tbody> </table> </div> | Code | Num                         | Unit                          | Currency | Locations using this currency | AED | 784 | 2 | United Arab Emirates dirham | United Arab Emirates | AFN | 971 | 2 | Afghan afghani | Afghanistan | ALL | 008 | 2 | Albanian lek | Albania | AMD | 051 | 2 | Armenian dram | Armenia |
| Code                 | Num   | Unit | Currency                    | Locations using this currency |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| AED                  | 784   | 2    | United Arab Emirates dirham | United Arab Emirates          |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| AFN                  | 971   | 2    | Afghan afghani              | Afghanistan                   |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| ALL                  | 008   | 2    | Albanian lek                | Albania                       |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| AMD                  | 051   | 2    | Armenian dram               | Armenia                       |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| Currency MinorUnit   | Required. The number of 'sub' units (i.e. there are two positions for cents when using USD)   |      |                             |                               |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |
| Active Indicator     | Indicates whether this currency type is active or inactive. Remove the check mark to deactivate.  |      |                             |                               |          |                               |     |     |   |                             |                      |     |     |   |                |             |     |     |   |              |         |     |     |   |               |         |

# Delivery Required Date Reason

[Maintenance](#) > 
 [Select & Acquire Admin](#) > 
 ORDER INFORMATION > 
 [Delivery Required Date Reason](#) > 
 [Delivery Required Date Reason Lookup](#) > 
 [Delivery Required Date Reason](#)

The Delivery Required Date Reason document defines the reasons for requiring the delivery date in the Purchasing/AP module. Examples might include types of 'Must Receive' or 'Estimated Date'.

## Document Layout

The Delivery Required Date Reason document includes the **Edit Delivery Required Date Reason** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Delivery Required Date Reason tab definition

| Title                                     | Description   |
|---|---|
| Delivery Required Date Reason Code        | The code to identify this delivery required date reason from the <b>Reason Code</b> list.                                       |
| Delivery Required Date Reason Description | Required. The familiar title for this delivery required date reason.  |
| Active Indicator                          | Indicates whether this delivery required date reason code is active or inactive. Remove the check mark to deactivate this code. |

## Donor

[Maintenance](#) > 
 [Select & Acquire Admin](#) > 
 ORDER INFORMATION > 
 [Donor](#) > 
 **Donor Lookup** > 
 **Donor**

Donor codes allow for recognition of a donor. A donor could be:

- someone who has given money or materials to the library
- someone on whose behalf others have given money or materials
- someone the library wants to honor, regardless of a gift

on a purchase order line item, a Docstore item record, or both. Donors are an optional data element for both POs and Docstore items.

## Document Layout

### Donor

|                       |                |                     |                     |
|-----------------------|----------------|---------------------|---------------------|
| Document Number:      | 4704           | Document Status:    | INITIATED           |
| Initiator Network Id: | ole-quickstart | Creation Timestamp: | 09:09 AM 03/11/2014 |

\* Indicates required field

#### Document Overview

|                               |                      |              |                      |
|-------------------------------|----------------------|--------------|----------------------|
| * Description:                | <input type="text"/> | Explanation: | <input type="text"/> |
| Organization Document Number: | <input type="text"/> |              |                      |

#### Add/Edit Donor

|                       | Old                   | New  |
|-----------------------|-----------------------|--|
| Donor Code:           | BRNO                  | <input type="text" value="BRNO"/>                  |
| Donor Name:           |                       | <input type="text"/>                               |
| Donor Note:           | Philip Morrison Burno | <input type="text" value="Philip Morrison Burno"/> |
| Donor Public Display: | BRNO Public Display   | <input type="text" value="BRNO Public Display"/>   |
| Donor Amount:         |                       | <input type="text"/>                               |
| Bookplate URL:        |                       | <input type="text"/>                               |
| Donor public URL:     |                       | <input type="text"/>                               |
| Active Indicator:     | true                  | <input checked="" type="checkbox"/>                |

#### Notes and Attachments (0)

#### Ad Hoc Recipients

#### Route Log

The Donor document includes the **Add/Edit Donor** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

#### Add/Edit tab definition

| Title                | Description  |
|----------------------|--|
| Donor Code           | Required. A 10-character alias for this donor.   |
| Donor Name           | Required. The common name by which library staff know this donor.  |
| Donor Note           | Optional. Additional information for staff about this donor.   |
| Donor Public Display | Optional. Text to send to discovery layers for items associated with this donor.   |
| Donor Amount         | Optional. Amount of money given by or on behalf of this donor this fiscal year.  |
| Bookplate URL        | Optional. The web address of an image file, which serves as the virtual "bookplate" for items associated with this donor code. |
| Donor Public URL     | Optional. A URL for a public web page for this donor.  |
| Active Indicator     | Indicates whether this donor is active or inactive. Remove the check mark to deactivate.                                       |

## Exception Type



The Exception Type identifies types of exceptions when receiving resources. Some exceptions are received damaged, received the wrong edition, etc.


## Document Layout

The Exception Type document includes the **Edit Exception Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Exception Type tab definition

| Title            | Description   |
|------------------|---|
| Exception Type   | Required. A description or name of the exception type.  |
| Active Indicator | Indicates whether this exception type is active or inactive. Remove the check mark to deactivate this type. |

## Exchange Rate



Vendors issue invoices in their home currency. Exchange rates are used to convert these currencies into the base currency of the OLE user.

When vendors are set up in OLE the currency type they will use on their invoices is defined in the vendor record. Then when requisitions, purchase orders and invoices are entered, OLE knows what currency is

being used and converts the amount to the base currency of the OLE user. OLE uses the Exchange Rate to do this calculation. For example, they are used to convert Euros into United States Dollars.


## Document Layout

The Exchange Rate document includes the **Exchange Rate** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Exchange Rate tab definition

| Title                | Description  |
|----------------------|--|
| Currency Type        | Required. The Type of currency being defined.  |
| Exchange Rate        | Required. The exchange rate of the defined currency to the base currency.                        |
| Exchange Rate Date   | The effective date of the Exchange Rate.   |
| Exchange Rate Source | Where the exchange rate was obtained.  |
| Active Indicator     | Indicates whether this exchange rate is active or inactive. Remove the check mark to deactivate. |

## Invoice Sub Type



The Invoice Sub Type document identifies the subtype of an invoice on a payment request and may impact workflow.


## Document Layout

The Invoice Sub Type document includes the **Edit Invoice Sub Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Invoice Type tab definition

| Title                        | Description   |
|------------------------------|---|
| Invoice Sub Type             | Required. A description or name of the invoice subtype.   |
| Invoice Sub Type Description | A description or name of the invoice subtype.   |
| Active Indicator             | Indicates whether this invoice subtype is active or inactive. Remove the check mark to deactivate this subtype. |

## Invoice Type



The Invoice Type document identifies the type of invoice on a payment request and may impact workflow.



## Document Layout

The Invoice Type document includes the **Edit Invoice Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Invoice Type tab definition

| Title                    | Description   |
|--------------------------|---|
| Invoice Type             | Required. A description or name of the invoice type.  |
| Invoice Type Description | A description or name of the invoice type.  |
| Active Indicator         | Indicates whether this invoice type is active or inactive. Remove the check mark to deactivate this type. |

## Item Category

The Category document defines the possible groupings used to manage the selection and acquisition of titles on requisitions and purchase orders.


## Document Layout

The Category document includes the **Edit Category** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Category tab definition

| Title            | Description  |
|------------------|--|
| Category         | Required. A description or name of the category.   |
| Active Indicator | Indicates whether this category is active or inactive. Remove the check mark to deactivate the code. |

## Item Type



The Item Type document defines the different descriptive categories that can be applied to requisition or purchase order line items. Examples might include Item, Service, State Tax, or Shipping and Handling.

## Document Layout

Item Type ? Doc Nbr: 3273 Status: INITIATED  
Initiator: khuntley Created: 12:20 PM 10/10/2009

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* Description:  Explanation:

Org. Doc. #:

Edit Item Type hide

| Old                                      |             | New                                      |                                     |
|--|-------------|--|-------------------------------------|
| Item Type Code:                          | FDTX        | Item Type Code:                          | FDTX                                |
| Item Type Description:                   | Federal Tax | * Item Type Description:                 | Federal Tax                         |
| Quantity Based General Ledger Indicator: | No          | Quantity Based General Ledger Indicator: | <input type="checkbox"/>            |
| Additional Charge Indicator:             | Yes         | Additional Charge Indicator:             | <input checked="" type="checkbox"/> |
| Taxable Indicator:                       | Yes         | Taxable Indicator:                       | <input checked="" type="checkbox"/> |
| Active Indicator:                        | Yes         | Active Indicator:                        | <input checked="" type="checkbox"/> |

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show


[submit](#) [save](#) [blanket approve](#) [close](#) [cancel](#)

The document includes the **Edit Item Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Item Type tab definition

| Title                                   | Description   |
|---|---|
| Item Type Code                          | The code to identify this item type.  |
| Item Type Description                   | Required. The familiar title of this item type.   |
| Quantity Based General Ledger Indicator | Required. An indicator that the Dollar Total is calculated from the Item quantity times dollar amount rather than a reference to a dollar amount. |
| Additional Charge Indicator             | Required. Used when additional charges are allowed.   |
| Taxable Indicator                       | Used when the item is taxable.  |
| Active Indicator                        | Indicates whether this item type code is active or inactive. Remove the check mark to deactivate this code.                                       |

## Method of PO Transmission



The Purchase Order Transmission Method document defines methods for transmitting purchase orders to vendors.

## Document Layout

|                                    |  |                            |                                     |
|------------------------------------|--|----------------------------|-------------------------------------|
| <b>Method of PO Transmission</b> ? |  | <b>Doc Nbr:</b> 3275       | <b>Status:</b> INITIATED            |
|                                    |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 12:24 PM 10/10/2009 |

[expand all](#) | [collapse all](#)  
 \* required field

Document Overview ▼ hide

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

Edit Method of PO Transmission ▼ hide

| Old  | New  |
|--|--|
| <b>Method of PO Transmission Code:</b> NOPR            | <b>Method of PO Transmission Code:</b> NOPR                  |
| <b>Method of PO Transmission Description:</b> NO PRINT | <b>* Method of PO Transmission Description:</b> NO PRINT     |
| <b>Active Indicator:</b> Yes                           | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


[submit](#) | [save](#) | [blanket approve](#) | [close](#) | [cancel](#)

The Purchase Order Transmission Method document includes the **Edit PO Transmission Method** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit PO Transmission Method tab definition

| Title                                 | Description   |
|---------------------------------------|---|
| Method of PO Transmission Code        | The code to identify this purchase order transmission method.   |
| Method of PO Transmission Description | Required. The familiar title of this purchase order transmission method.  |
| Active Indicator                      | Indicates whether this method of PO transmission code is active or inactive. Remove the check mark to deactivate this code. |

## Note Type



The Note Type document identifies the types of notes, e.g., Receipt Note, Special Conditions Note, or Special Processing Instruction Note that may be associated with Purchasing and Accounts Payable documents.

## Document Layout

The Note Type document includes the **Edit Note Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Note Type tab definition

|                  |  |
|------------------|--|
| Title            | Description  |
| Note Type        | Required. A description or name of the note type.  |
| Active Indicator | Indicates whether this note type parameter is active or inactive. Remove the check mark to deactivate. |

## Order Type

Order Type identifies the type of order which affects workflow e.g., Firm, Standing, Subscription, etc. Order types were defined primarily to be used for two purposes: (1) to identify POs that would be open indefinitely and against which you would receive and/or pay repeatedly over time (really any order type that was NOT “firm/fixed”); and (2) to allow for different rules to be applied to different order types when defining rules for FY close/rollover.

## Document Layout

Order Type Doc Nbr: 4093 Status: INITIATED  
Initiator: ole-khuntley Created: 02:43 PM 08/17/2012

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* Description:

Organization Document Number:

Explanation:

Edit Order Type ▼ hide

| Old  | New  |
|--|--|
| <p><b>Order Type:</b> Firm, Fixed</p> <p><b>Description:</b> Firm orders are commitments from a library to purchase a quantity of a title from a provider. Once all quantities are resolved on a firm order (received &amp; paid for, or cancelled) the order is considered complete and that no further relationship continues with a provider with regards to that firm order.</p> <p><b>Active Indicator:</b> Yes</p> | <p>* <b>Order Type:</b> Firm, Fixed</p> <p><b>Description:</b> Firm orders are commitments from a library to purchase a quantity of a title from a provider. Once all quantities are resolved on a firm order (received &amp; paid for, or cancelled) the order is considered complete and that no further relationship continues with a provider with regards to that firm order.</p> <p><b>Active Indicator:</b> <input checked="" type="checkbox"/></p> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

The Order Type document includes the **Edit Order Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Order Type tab definition

| Title            | Description   |
|------------------|---|
| Order Type       | Required. A name of the order type.   |
| Description      | A description of the order type.  |
| Active Indicator | Indicates whether this order type is active or inactive. Remove the check mark to deactivate. |

## Payment Method

Maintenance >

Select & Acquire Admin >

ORDER INFORMATION >

Payment Method >

Payment Method Lookup >

OLE Payment Method Document

Payment method identifies the method of payment for invoicing e.g., check, cash, wire transfer, etc.

## Document Layout

The Payment Method document includes the **Edit Payment Method** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Payment Method tab definition

| Title                      | Description   |
|----------------------------|---|
| Payment Method             | Required. A name of the payment method.   |
| Payment Method Description | A description of the payment method.  |
| Active Indicator           | Indicates whether this payment method is active or inactive. Remove the check mark to deactivate. |

## Recurring Payment Type

This Recurring Payment Type document defines different types of recurring payments that can be established for a purchase order. Examples might include 'Fixed Schedule, Fixed Payment' or 'Fixed Schedule, Variable Amount'.

## Document Layout

|                                 |  |                            |                                     |
|---------------------------------|--|----------------------------|-------------------------------------|
| <b>Recurring Payment Type</b> ? |  | <b>Doc Nbr:</b> 3296       | <b>Status:</b> INITIATED            |
|                                 |  | <b>Initiator:</b> khuntley | <b>Created:</b> 01:34 PM 10/10/2009 |

expand all | collapse all  
\* required field

Document Overview ▼ hide

|  |  |
|--|--|
| <b>* Description:</b> <input type="text"/> | <b>Explanation:</b> <input type="text"/> |
| <b>Org. Doc. #:</b> <input type="text"/>   |  |

Edit Recurring Payment Type ▼ hide

| Old   | New   |
|---|---|
| <b>Recurring Payment Type Code:</b> FIXD                                | <b>Recurring Payment Type Code:</b> FIXD                                  |
| <b>Recurring Payment Type Description:</b> FIXED SCHEDULE, FIXED AMOUNT | <b>* Recurring Payment Type Description:</b> FIXED SCHEDULE, FIXED AMOUNT |
| <b>Active Indicator:</b> Yes  | <b>Active Indicator:</b> <input checked="" type="checkbox"/>              |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


submit   save   blanket approve   close   cancel

The Recurring Payment Type document includes the **Edit Recurring Payment Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Recurring Payment Type tab definition

| Title                              | Description  |
|------------------------------------|--|
| Recurring Payment Type Code        | The code to identify this recurring payment type.  |
| Recurring Payment Type Description | Required. The description of this recurring payment type.  |
| Active Indicator                   | Indicates whether this recurring payment type code is active or inactive. Remove the check mark to deactivate this code. |

## Request Source Type



The Request Source Type document identifies the source of the request e.g., WorldCat, Amazon etc.



## Document Layout

The Request Source Type document includes the **Edit Request Source Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Request Source Type tab definition

| Title               | Description  |
|---------------------|--|
| Request Source Type | Required. The description or name of this request source type.   |
| Active Indicator    | Indicates whether this request source type is active or inactive. Remove the check mark to deactivate. |

## Sensitive Data



The Sensitive Data document indicates why a Purchase Order document might be restricted from viewing. When a user wants to restrict a document from view because it contains sensitive data, he/she must select a reason why the data is sensitive. After a reason is specified, only authorized staff members may view the document.

## Document Layout

The Sensitive Data document includes the **Edit Sensitive Data** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Sensitive Data tab definition

| Title                      | Description  |
|----------------------------|--|
| Sensitive Data Code        | A unique code to identify a particular type of sensitive data.   |
| Sensitive Data Description | Required. A description of this type of sensitive data.  |
| Active Indicator           | Indicates whether this sensitive data code is active or inactive. Remove the check mark to deactivate this code. |

## Electronic Invoice Item Mapping

The Electronic Invoice Item Mapping document specifies unique mapping of additional items per vendor if the business need exists. OLE follows cXML standards in that five item types are defined (Item, Special Handling, Shipping, and Discount). Each vendor invoice is mapped according to the Electronic Invoice Item Mapping Code table via the electronic invoicing batch job.

## Document Layout

The Electronic Invoice Item Mapping document includes the **Edit Electronic Invoice Item Mapping** tab.

Select & Acquire Admin  
Maintenance E-Docs

|  |                            |                                     |
|--|----------------------------|-------------------------------------|
| <b>Electronic Invoice Item Mapping</b> ? | <b>Doc Nbr:</b> 3270       | <b>Status:</b> INITIATED            |
|  | <b>Initiator:</b> khuntley | <b>Created:</b> 12:12 PM 10/10/2009 |

[expand all](#)   [collapse all](#)  
 \* required field

Document Overview ▼ hide

---

**Document Overview**

\* **Description:**       **Explanation:**

**Org. Doc. #:**

---

Edit Electronic Invoice Item Mapping ▼ hide

---

**New**

\* **Invoice Item Type Code:**

**Item Type Code:**  🔍

**Vendor Header Identifier:**

**Vendor Detail Identifier:**

---

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


---

[submit](#)   [save](#)   [blanket approve](#)   [close](#)   [cancel](#)

**Edit Electronic Invoice Item Mapping tab definition**

| Title                    | Description  |
|--------------------------|--|
| Invoice Item Type Code   | Required. The field name on the vendor invoice to compare the value.   |
| Item Type Code           | The item code in OLE to which the invoice item type code will map to.<br>Existing item type codes may be retrieved from the lookup 🔍.  |
| Vendor Header Identifier | Optional. The segment of the vendor number that precedes the dash. For example, for vendor number 1000-0, the vendor header identifier is 1000.  |
| Vendor Detail Identifier | Required if the <b>Vendor Header Identifier</b> field is completed. The segment of the vendor number that follows the dash. For example, for vendor number 1000-0, the detail identifier is 0. |

# Format



The Format Type is the type of material of a title, e.g., a printed book, e-book, DVD, map, serial, CD, kit, etc.

## Document Layout

The Format Type document includes the **Edit Format Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Format Type tab definition

| Title            | Description  |
|------------------|--|
| Format Type      | Required. A description or name of the format type.  |
| Active Indicator | Indicates whether this format type is active or inactive. Remove the check mark to deactivate this type. |

## Funding Source



The Funding Source document defines the different fund sources that are available to choose from for purchasing documents.

## Document Layout

|                         |                            |                                     |
|-------------------------|----------------------------|-------------------------------------|
| <b>Funding Source</b> ? | <b>Doc Nbr:</b> 3271       | <b>Status:</b> INITIATED            |
|                         | <b>Initiator:</b> khuntlev | <b>Created:</b> 12:16 PM 10/10/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

---

Edit Funding Source ▼ hide

| Old  | New  |
|--|--|
| <b>Funding Source Code:</b> INST                       | <b>Funding Source Code:</b> INST                             |
| <b>Funding Source Description:</b> INSTITUTION ACCOUNT | * <b>Funding Source Description:</b> INSTITUTION ACCOUNT     |
| <b>Active Indicator:</b> Yes                           | <b>Active Indicator:</b> <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

submit save blanket approve close cancel

The Funding Source document includes the **Edit Funding Source** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Funding Source tab definition

| Title                      | Description  |
|----------------------------|--|
| Funding Source Code        | The code to identify this funding source.  |
| Funding Source Description | Required. The familiar title of this funding source.   |
| Active Indicator           | Indicates whether this funding source code is active or inactive. Remove the check mark to deactivate this code. |

## Item Price Source

**Maintenance** >

---

**Select & Acquire Admin** > **CENTRAL TYPES & CODES** >

✔ [Item Price Source](#) > **Item Price Source Lookup** > **Item Price Source**

The Item Price Source document identifies the source of the item price for titles on requisitions and purchase orders.


## Document Layout

The Item Price Source document includes the **Edit Item Price Source** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Item Price Source tab definition

| Title             | Description  |
|-------------------|--|
| Item Price Source | Required. A description or name of the item price source.  |
| Active Indicator  | Indicates whether this item price source is active or inactive. Remove the check mark to deactivate this source. |

## Item Reason Added



The Item Reason Added document defines possible options to list on a receiving ticket as reasons for why an item was received that was not on the original purchase order.

## Document Layout

|                            |  |                            |                                     |
|----------------------------|--|----------------------------|-------------------------------------|
| <b>Item Reason Added</b> ? |  | <b>Doc Nbr:</b> 3272       | <b>Status:</b> INITIATED            |
|                            |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 12:18 PM 10/10/2009 |

[expand all](#)   [collapse all](#)  
 \* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

---

**Edit Reason Added** ▼ hide

| Old  | New  |
|--|--|
| <b>Item Reason Added Code:</b> NTOR                | <b>Item Reason Added Code:</b> NTOR                  |
| <b>Item Reason Added Description:</b> Not on Order | <b>* Item Reason Added Description:</b> Not on Order |
| <b>Active:</b> Yes                                 | <b>Active:</b> <input checked="" type="checkbox"/>   |

**Notes and Attachments (0)** ▶ show

**Ad Hoc Recipients** ▶ show

**Route Log** ▶ show

[submit](#)   [save](#)   [blanket approve](#)   [close](#)   [cancel](#)

The Item Reason Added document includes the **Edit Reason Added** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Reason Added tab definition

| Title                         | Description   |
|-------------------------------|---|
| Item Reason Added Code        | A unique code to identify a particular reason added.  |
| Item Reason Added Description | Required. A description of the reason added.  |
| Active                        | Indicates whether this item reason code is active or inactive. Remove the check mark to deactivate this code. |

## Negative Payment Request Approval Limit

**Maintenance** >

**Select & Acquire Admin** > **ORGANIZATION INFORMATION** >

- [Negative Payment Request Approval Limit](#) >
- Negative Payment Request Approval Limit Lookup** >
- Negative Payment Request Approval Limit**

The Negative Payment Request Approval Limit document identifies an account or organization and specifies a dollar amount limit to exclude the payment request from automated approvals. Payment requests referencing this account or organization and exceeding this dollar amount are excluded from automated approval.

## Document Layout

|  |  |                            |                                     |
|--|--|----------------------------|-------------------------------------|
| <b>Negative Payment Request Approval Limit</b> ? |  | <b>Doc Nbr:</b> 3276       | <b>Status:</b> INITIATED            |
|  |  | <b>Initiator:</b> khuntley | <b>Created:</b> 12:27 PM 10/10/2009 |

[expand all](#)   [collapse all](#)  
 \* required field

Document Overview ▼ hide

---

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

---

**Edit Negative PREQ Approval Limit** ▼ hide

**New**

\* **Chart Code:**  🔍

**Organization Code:**  🔍

**Account Number:**  🔍

\* **Negative Payment Request Approval Limit Amount:**

\* **Active Indicator:**

---

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

---


submit   save   blanket approve   close   cancel

The Negative Payment Request Approval Limit document includes the **Edit Negative PREQ Approval Limit** tab.

### Edit Auto Approve Exclude tab definition

| Title  | Description   |
|--|---|
| Chart of Accounts Code                         | Required. The Chart of Accounts code associated with the account to which the dollar limit will apply. Existing chart codes may be retrieved from the lookup 🔍. |
| Organization Code                              | The organization code associated with the account to which the dollar limit will apply. Existing organization codes may be retrieved from the lookup 🔍.         |
| Account Number                                 | The account number to which this dollar limit will apply. Existing account numbers may be retrieved from the lookup 🔍.  |
| Negative Payment Request Approval Limit Amount | Required. The dollar limit above which payment requests will be excluded from automated approval.   |
| Active Indicator                               | Required. Indicates whether this negative payment request approval limit is active or inactive. Remove the check mark to deactivate.                            |

## Organization Parameter





The Organization Parameter document defines an APO dollar amount limit for a specific organization as identified by a unique combination of chart and organization code.

## Document Layout

The Organization Parameter document includes the **Edit Organization Parameter** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Organization Parameter tab definition

| Title                  | Description   |
|------------------------|---|
| Chart Code             | The chart code of the organization for which you want to create an APO limit.                             |
| Organization Code      | The organization code that identifies the organization for which you want to create an APO limit.         |
| Organization APO Limit | The upper dollar amount that you want this organization to be authorized for on APOs.                     |
| Active Indicator       | Indicates whether this organization parameter is active or inactive. Remove the check mark to deactivate. |

## Payment Request Auto Approve Exclusions

**Maintenance** >

**Select & Acquire Admin** > **ORGANIZATION INFORMATION** >

- Payment Request Auto Approve Exclusions >

**Payment Request Auto Approve Exclusions Lookup** >

**Payment Request Auto Approve Exclusions**

Payment requests using specified accounts can be excluded from the automatic approval process which approves an eligible en route document automatically after a specified number of days. The Payment

Request Auto Approve Exclusions document identifies the accounts that should be excluded from automated approval.

## Document Layout

The Payment Request Auto Approve Exclusions document includes the **Edit Auto Approve Exclude** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Auto Approve Exclude tab definition

| Title            | Description  |
|------------------|--|
| Chart Code       | The Chart of Accounts code associated with the account to be excluded.   |
| Account Number   | The account number to be excluded from auto approval.  |
| Active Indicator | Indicates whether this payment request auto approval exclusion is active or inactive. Remove the check mark to deactivate. |

## Purchase Order Contract Language

The Purchase Order Contract Language document defines text to be included in purchase order contracts, including printed PDFs. The contract language is defined by campus, allowing variations among campus offices and inclusion of campus-specific language.

## Document Layout

|   |  |                            |                                     |
|---|--|----------------------------|-------------------------------------|
| <b>Purchase Order Contract Language</b> ? |  | <b>Doc Nbr:</b> 3280       | <b>Status:</b> INITIATED            |
|   |  | <b>Initiator:</b> khuntlev | <b>Created:</b> 12:41 PM 10/10/2009 |

[expand all](#) | [collapse all](#)  
 \* required field

Document Overview ▼ hide

**Document Overview**

\* **Description:**

**Org. Doc. #:**

**Explanation:**

Edit PO Contract Language ▼ hide

| Old  | New  |
|--|--|
| <b>Purchasing Office Campus Code:</b> BL - BLOOMINGTON   | * <b>Purchasing Office Campus Code:</b> BL - BLOOMINGTON   |
| <b>Purchase Order Contract Language Description:</b> All deliveries are to be made to the address and room number as listed above. | * <b>Purchase Order Contract Language Description:</b> All deliveries are to be made to the address and room number as listed above. |
| <b>Contract Language Create Date:</b> 05/08/2007   | <b>Contract Language Create Date:</b> 05/08/2007   |
| <b>Active Indicator:</b> Yes   | <b>Active Indicator:</b> <input checked="" type="checkbox"/>   |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show


[submit](#) [save](#) [blanket approve](#) [close](#) [cancel](#)

The Purchase Order Contract Language document includes the **Edit PO Contract Language** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit PO Contract Language tab definition

| Title  | Description  |
|--|--|
| Purchasing Office Campus Code                | Required. The campus code that uses this contract language. Existing campus codes may be retrieved from the list.                  |
| Purchase Order Contract Language Description | Required. Language description associated with this PO contract related to this campus code.                                       |
| Contract Language Create Date                | Display only. This field is filled automatically, indicating the date on which this contract language was created in the system.   |
| Active Indicator                             | Indicates whether this purchase order contract language code is active or inactive. Remove the check mark to deactivate this code. |

## Purchase Order Item Status



The Purchase Order Item Status identifies the status of individual purchase order items e.g., On order, Received, In process.

## Document Layout

|  |  |                                |                                     |
|--|--|--------------------------------|-------------------------------------|
| <b>Order Item Status</b> <span style="border: 1px solid black; padding: 0 2px;">?</span> |  | <b>Doc Nbr:</b> 3568           | <b>Status:</b> INITIATED            |
|  |  | <b>Initiator:</b> ole-khuntley | <b>Created:</b> 08:38 AM 08/20/2012 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

---

**Document Overview**

|   |  |
|---|--|
| <b>* Description:</b> <input type="text"/>                | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

---

**Edit Order Item Status** hide

| Old  | New  |
|--|--|
| <b>Order Item Status Type:</b> On order                          | <b>* Order Item Status Type:</b> <input type="text" value="On order"/> |
| <b>Description:</b> PO has been sent to vendor; awaiting receipt | <b>Description:</b> PO has been sent to vendor; awaiting receipt       |
| <b>Active Indicator:</b> Yes                                     | <b>Active Indicator:</b> <input checked="" type="checkbox"/>           |

---

Notes and Attachments (0) show

Ad Hoc Recipients show


Route Log show

The Purchase Order Item Status document includes the **Edit Order Item Status** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit PO Contract Language tab definition

| Title                  | Description   |
|------------------------|---|
| Order item Status Type | Required. A name of the order item status type.   |
| Description            | A description of the order item status type.  |
| Active Indicator       | Indicates whether this order item status type is active or inactive. Remove the check mark to deactivate this type. |

## Purchase Order Vendor Choice



The Purchase Order Vendor Choice document defines reasons that indicate why a specific vendor was chosen for a purchase.

## Document Layout

Purchase Order Vendor Choice Doc Nbr: 3288    Status: INITIATED  
Initiator: khuntley    Created: 01:03 PM 10/10/2009

[expand all](#)   [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* Description:       Explanation:

Org. Doc. #:

---

Edit PO Vendor Choice ▼ hide

| Old  | New   |
|--|---|
| Purchase Order Vendor Choice Code: CNST                | Purchase Order Vendor Choice Code: CNST   |
| Purchase Order Vendor Choice Description: Construction | * Purchase Order Vendor Choice Description: <input type="text" value="Construction"/> |
| Active Indicator: Yes                                  | Active Indicator: <input checked="" type="checkbox"/>                                 |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

The Purchase Order Vendor Choice document includes the **Edit PO Vendor Choice** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit PO Vendor Choice tab definition

| Title                                    | Description  |
|--|--|
| Purchasing Order Vendor Choice Code      | The code to identify the reason for selecting this vendor.   |
| Purchase Order Vendor Choice Description | Required. The familiar title for the purchase order vendor choice code.  |
| Active Indicator                         | Indicates whether this purchase order vendor choice code is active or inactive. Remove the check mark to deactivate this code. |

## Receiving Address

**Maintenance** >

---

**Select & Acquire Admin** > **ORGANIZATION INFORMATION** >

- Receiving Address > **Receiving Address Lookup** > **Receiving Address**

The Receiving Address document defines the possible default receiving addresses for each department.

## Document Layout

|                          |  |                            |                                     |
|--------------------------|--|----------------------------|-------------------------------------|
| <b>Receiving Address</b> |  | <b>Doc Nbr:</b> 3289       | <b>Status:</b> INITIATED            |
|                          |  | <b>Initiator:</b> khuntley | <b>Created:</b> 01:05 PM 10/10/2009 |

[expand all](#) [collapse all](#)  
\* required field

Document Overview [hide](#)

**Document Overview**

|                       |                      |                     |                      |
|-----------------------|----------------------|---------------------|----------------------|
| <b>* Description:</b> | <input type="text"/> | <b>Explanation:</b> | <input type="text"/> |
| <b>Org. Doc. #:</b>   | <input type="text"/> |                     |                      |

▼ hide

**Edit Receiving Address** [hide](#)

| Old                                     |                    | New                                     |                                     |
|---|--------------------|---|-------------------------------------|
| <b>Chart Code:</b>                      | BL                 | <b>* Chart Code:</b>                    | BL                                  |
| <b>Organization Code:</b>               |                    | <b>Organization Code:</b>               | <input type="text"/>                |
| <b>Receiving Name:</b>                  | KUALI UNIVERSITY   | <b>* Receiving Name:</b>                | KUALI UNIVERSITY                    |
| <b>Receiving Line 1 Address:</b>        | 400 E. Main Street | <b>* Receiving Line 1 Address:</b>      | 400 E. Main Street                  |
| <b>Receiving Line 2 Address:</b>        | Central Receiving  | <b>Receiving Line 2 Address:</b>        | Central Receiving                   |
| <b>Receiving City Name:</b>             | Kuali City         | <b>* Receiving City Name:</b>           | Kuali City                          |
| <b>Receiving State Code:</b>            | WYOMING            | <b>Receiving State Code:</b>            | WYOMING                             |
| <b>Receiving Postal Code:</b>           | 83444              | <b>Receiving Postal Code:</b>           | 83444                               |
| <b>Receiving Country Code:</b>          | UNITED STATES      | <b>* Receiving Country Code:</b>        | UNITED STATES                       |
| <b>Use Receiving Address Indicator:</b> | Yes                | <b>Use Receiving Address Indicator:</b> | <input checked="" type="checkbox"/> |
| <b>Default Indicator:</b>               | Yes                | <b>Default Indicator:</b>               | <input checked="" type="checkbox"/> |
| <b>Active Indicator:</b>                | Yes                | <b>Active Indicator:</b>                | <input checked="" type="checkbox"/> |

Notes and Attachments (0) [show](#)

Ad Hoc Recipients [show](#)

Route Log [show](#)

The Receiving Address document includes the **Edit Receiving Address** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Receiving Address tab definition

| Title                           | Description  |
|---------------------------------|--|
| Chart Code                      | Required. The Chart of Accounts code associated with this organization. Existing chart codes may be retrieved from the lookup .  |
| Organization Code               | Optional. The organization code associated with the receiving address. Existing organization codes may be retrieved from the lookup .  |
| Receiving Name                  | Required. The familiar title of the receiving address.   |
| Receiving Line 1 Address        | Required. The first line of the address information for this receiving address.  |
| Receiving Line 2 Address        | Optional. The second line of the address information for this receiving address.   |
| Receiving City Name             | Required. The city name associated with this receiving address.  |
| Receiving State Code            | The state code associated with this receiving address. Existing state codes may be retrieved from the list.  |
| Receiving Postal Code           | The postal code associated with this receiving address.  |
| Receiving Country Code          | Required. The country associated with this receiving address. Existing countries may be retrieved from the list.   |
| Use Receiving Address Indicator | Indicates if users are to be allowed to specify the receiving address on requisitions and POs. Clear the box if users are not to be allowed to specify the receiving address (if, for example, all goods are shipped to a central receiving area). |
| Default Indicator               | Indicates if this address is to be used as the default receiving address. Clear the check box if it is not.  |

Active Indicator

Indicates whether this receiving address is active or inactive. Remove the check mark to deactivate.

## Receiving Threshold

**Maintenance** >

**Select & Acquire Admin** > **ORGANIZATION INFORMATION** >

- Receiving Threshold > **Receiving Threshold Lookup** > **Receiving Threshold**

The Receiving Threshold document is used to define criteria that determine when an order requires line-item receiving. When an order meets certain criteria and is above a pre-defined dollar limit, the purchase order will not be paid until line item receiving has occurred.

## Document Layout

|                       |                     |                              |
|-----------------------|---------------------|------------------------------|
| Receiving Threshold ? | Doc Nbr: 3290       | Status: INITIATED            |
|                       | Initiator: khuntlev | Created: 01:13 PM 10/10/2009 |

expand all | collapse all  
\* required field

Document Overview ▼ hide

|                |  |              |  |
|----------------|--|--------------|--|
| * Description: |  | Explanation: |  |
| Org. Doc. #:   |  |              |  |

Edit Threshold ▼ hide

| Old                  |         | New                  |                                     |
|----------------------|---------|----------------------|-------------------------------------|
| Chart Code:          | EA      | * Chart Code:        | EA 🔍                                |
| Account Type Code:   |         | Account Type Code:   |                                     |
| Sub-Fund Group Code: |         | Sub-Fund Group Code: |                                     |
| Commodity Code:      |         | Commodity Code:      |                                     |
| Object Code:         |         | Object Code:         |                                     |
| Organization Code:   |         | Organization Code:   |                                     |
| Vendor #:            |         | Vendor #:            |                                     |
| Threshold Amount:    | 3000.00 | * Threshold Amount:  | 3000.00                             |
| Active Indicator:    | Yes     | Active Indicator:    | <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show






submit save blanket approve close cancel

The Receiving Threshold document includes the **Edit Threshold** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Threshold tab definition

| Title             | Description  |
|-------------------|--|
| Chart Code        | The Chart of Accounts code associated with this receiving threshold. Existing chart codes may be retrieved from the lookup 🔍.                  |
| Account Type Code | The account type code to be used on this receiving threshold. Existing account type codes may be retrieved from the list or from the lookup 🔍. |

Select & Acquire Admin  
Maintenance E-Docs

|                     |  |
|---------------------|--|
| Sub-Fund Group Code | The sub fund group code associated with this receiving threshold. Existing sub fund group codes may be retrieved from the lookup  . |
| Commodity Code      | The commodity code associated with this receiving threshold. Existing commodity codes may be retrieved from the lookup  .           |
| Object Code         | The object code associated with this receiving threshold. Existing object codes may be retrieved from the lookup  .                 |
| Organization Code   | The organization code associated with this receiving threshold. Existing organization codes may be retrieved from the lookup  .     |
| Vendor #            | The vendor number associated with this receiving threshold. Existing vendor numbers may be retrieved from the lookup  .             |
| Threshold Amount    | Required. The minimum amount that is required to be processed through the receiving process.   |
| Active Indicator    | Indicates whether this receiving threshold is active or inactive. Remove the check mark to deactivate.   |

## Recurring Payment Frequency

**Maintenance** >


**Select & Acquire Admin** > **ORGANIZATION INFORMATION** >

• **Recurring Payment Frequency** > **Recurring Payment Frequency Lookup** >

**Recurring Payment Frequency**

The Recurring Payment Frequency document defines payment frequency periods, such as 'annually,' 'monthly,' or 'quarterly.'

## Document Layout

Recurring Payment Frequency 

Doc Nbr: 3295      Status: INITIATED  
Initiator: khuntlev      Created: 01:31 PM 10/10/2009

[expand all](#)   [collapse all](#)  
\* required field

Document Overview ▼ hide

**Document Overview**

\* Description:

Org. Doc. #:

Explanation:

---

Edit Recurring Pmt Frequency ▼ hide

| Old                                      |         | New  |                                     |
|--|---------|--|-------------------------------------|
| Recurring Payment Frequency Code:        | MONT    | Recurring Payment Frequency Code:          | MONT                                |
| Recurring Payment Frequency Description: | MONTHLY | * Recurring Payment Frequency Description: | MONTHLY                             |
| Active Indicator:                        | Yes     | Active Indicator:                          | <input checked="" type="checkbox"/> |

Notes and Attachments (0) ▶ show

Ad Hoc Recipients ▶ show

Route Log ▶ show

The Recurring Payment Frequency document includes the Edit **Recurring Pmt Frequency** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.



### Edit Recurring Pmt Frequency tab definition

| Title                                   | Description   |
|---|---|
| Recurring Payment Frequency Code        | The code to identify this type of recurring payment frequency.  |
| Recurring Payment Frequency Description | Required. The familiar title of this recurring payment frequency.   |
| Active Indicator                        | Indicates whether this recurring payment frequency code is active or inactive. Remove the check mark to deactivate this code. |

## Requisition Source



This table defines different sources for requisitions that can be imported into the Quali AP/Purchasing documents.


## Document Layout

The Requisition Source document includes the **Edit Requisition Source** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Requisition Source tab definition

| Title                          | Description  |
|--------------------------------|--|
| Requisition Source Code        | The code that identifies this source of requisition information.   |
| Requisition Source Description | Required. The description of this source of requisition.   |
| Active Indicator               | Indicates whether this requisition source code is active or inactive. Remove the check mark to deactivate this code. |

## Room



The Room document defines a unique room number within a specific building on a particular campus. The room code is used to identify the room where library materials should be delivered.


## Document Layout

The Room document includes the **Edit Room** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Room tab definition

| Title                        | Description  |
|------------------------------|--|
| Campus Code                  | The campus code associated with this room.   |
| Building Code                | The building code associated with this room..  |
| Building Room Number         | The unique identifier for the room.  |
| Building Room Department     | The name of the department to which the room is assigned.                                |
| Building Room Type           | The particular type of room.   |
| Building Address Description | A functional description or street address of the building in which the room is located. |
| Active Indicator             | Indicates whether this room is active or inactive. Remove the check mark to deactivate.  |

## Disbursement Voucher Payment Reason



## Disbursement Voucher Payment Reason Lookup




## Disbursement Voucher Payment Reason

The Disbursement Voucher Payment Reason document is used to establish the valid payment reasons that may be selected on the Disbursement Voucher document. The payment reason broadly defines the purpose for a particular disbursement. These reasons can be used for the creation of business rules (restricting various attributes on the DV document by payment reason) and for reporting purposes.



## Document Layout

The Disbursement Voucher Payment Reason document includes the **Edit Payment Reason** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Payment Reason tab definition

| Title                      | Description   |
|----------------------------|---|
| Payment Reason Code        | Required. Enter a code that uniquely identifies the payment reason. This value is often referenced when establishing rules related to payment reason.   |
| Payment Reason Name        | Required. Enter a name that describes the payment reason. This name appears in the <b>Payment Reason</b> selection box on the DV document.  |
| Payment Reason Description | Required. Enter a text description describing the payment reason and its restrictions. After a payment reason is selected on the DV document you may click question mark  to view the selected payment reason's description. |
| Active Indicator           | Indicates whether this payment reason code is active or inactive. Remove the check mark to deactivate this code. Only active payment reasons appear in the <b>Payment Reasons</b> selection box on the DV document.   |

## Fiscal Year Function Control



[Fiscal Year Function Control](#) >

**Fiscal Year Function Control Lookup** >

**Fiscal Year Function Control**

The Fiscal Year Function Control document defines whether a given Function Control code is active for a specific fiscal year. These values determine whether certain actions related to budgets can be taken in the defined fiscal year.

## Document Layout

The screenshot shows a web application interface for 'Fiscal Year Function Control'. At the top, there is a header with document details: Doc Nbr: 7074, Status: INITIATED, Initiator: ole-quickstart, and Created: 12:15 PM 03/03/2014. Below this is a 'Document Overview' section with fields for Description, Organization Document Number, and Explanation. The main section is 'Edit Fiscal Year Function Control', which is split into 'Old' and 'New' tabs. Both tabs show fields for University Fiscal Year (2014), Financial System Function Control Code (BAACTV), and Financial System Function Active Indicator (Yes/checked). There are also sections for 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log', each with a 'show' button.

The Fiscal Year Function Control document includes the **Edit Fiscal Year Function Control** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Fiscal Year Function Control tab definition

| Title                                  | Description  |
|--|--|
| University Fiscal Year                 | The fiscal year for which the function control code is being defined.  |
| Financial System Function Control Code | The financial system function control code being defined for the fiscal year.  |
| Active Indicator                       | Indicates whether this fiscal year function control code is active or inactive. Remove the check mark to deactivate this code. |

## Function Control Code

**Maintenance** >

**Select & Acquire Admin** >

**FINANCIAL TRANSACTION CONTROLS** >

[Function Control Code](#) >

**Function Control Code Lookup** >

**Function Control Code**

The Function Control document defines the different types of Financial System Function Control codes that may be activated for a given fiscal year on the Fiscal Year Function Control table. Both Function Code and Fiscal Year Function Control relate to budget construction.

### Function Control Code tab definition

| Code          | Description  |
|---------------|--|
| <b>BAACTV</b> | Indicates if the budget adjustment document is active for a fiscal year                          |
| <b>BASEAD</b> | Indicates if base budget adjustments can be performed for a fiscal year                          |
| <b>BCACTV</b> | Activates budget construction for a given year   |
| <b>BCGENE</b> | Enables the KFS to accept the budget construction genesis process                                |
| <b>BCUPDT</b> | Controls the ability to make updates to budget construction data                                 |
| <b>CSFUPD</b> | Enables the updating of the calculated salary foundation (CSF)                                   |
| <b>PSSYNC</b> | Enables OLE to accept synchronization data from the PeopleSoft HR system for budget construction |

## Document Layout

The Function Control Code document includes the **Edit Function Control Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Function Control Code tab definition

| Title                                       | Description  |
|---|--|
| Financial System Function Control Code      | The code that uniquely identifies the function control value.  |
| Financial System Function Default Indicator | Selection of this box indicates that the default value is active. Removal of the check in this box deactivates the code. |
| Financial System Function Description       | The text description associated with the function control code.  |


## Offset Definition

The Offset Definition document establishes the types of offset entries that the OLE GL generates for each document type, as part of the batch process. When a generated offset is required, the document type, fiscal year, and chart code of the transaction are matched to these offset definition entries. The offsetting transaction is built using the balance type and object code in the Offset Definition table. The Offset Definition table is used by the Scrubber process.


## Document Layout

The Offset Definition document includes the **Edit Offset Definition** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Offset Definition tab definition

| Title                  | Description  |
|------------------------|--|
| University Fiscal Year | The fiscal year for this offset definition.  |
| Chart Code             | The chart code applicable to this offset definition.   |
| Document Type Code     | The document type name applicable to this offset definition.   |
| Balance Type Code      | The balance type code used in the offset entry generated by the OLE GL process.  |
| Object Code            | Required. The object code used in the offsetting entry generated by the OLE GL process. Existing object codes may be retrieved from the lookup  |

## Organization Reversion



The Organization Reversion document defines the reversion/carry forward rules for the year-end process.

The Organization Reversion document comes with a global document option where changes to a group of organizations can be applied at once. This feature of the Global Organization Reversion document is explained in the section after the Organization Reversion document section.

The Organization Reversion Maintenance and Global Organization Reversion documents may be initiated by members of the OLE-SYS Chart Manager role, whereas the Organization Reversion Category document may be initiated by the normal OLE-SYS Manager role.

# Document Layout

The screenshot shows the 'Organization Reversion' document interface. At the top, there is a header bar with the document title 'Organization Reversion', a red warning box 'Backdoor Id ole-cswinson is in use', and metadata including 'Doc Nbr: 3559', 'Status: INITIATED', 'Initiator: ole-cswinson', and 'Created: 01:21 PM 12/01/2014'. Below the header are two main tabs: 'Document Overview' and 'Edit Organization Reversion'. The 'Document Overview' tab is active, showing fields for 'Description', 'Organization Document Number', and 'Explanation'. The 'Edit Organization Reversion' tab is also visible, containing a 'New' section with various required fields: 'University Fiscal Year', 'Chart Code', 'Organization Code', 'Budget Reversion Chart', 'Budget Reversion Account', 'Cash Reversion Chart', and 'Cash Reversion Account'. There are also checkboxes for 'Carry Forward by Object Code Indicator' and 'Active Indicator'. At the bottom, there are links to 'Edit Organization Reversion Details', 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log'.


The Organization Reversion document includes the **Edit Organization Reversion** and **Edit Organization Reversion Details** tabs. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Organization Reversion Tab




The **Edit Organization Reversion** tab defines two reversion accounts: the budget reversion account and the cash reversion account. The definitions are for specific university organizations as defined within the Chart of Accounts hierarchy and for a specific fiscal year. The accounts are determined by chart code and account number.

This screenshot provides a closer view of the 'Edit Organization Reversion' tab. It highlights the 'New' section where users define reversion accounts. The fields include: 'University Fiscal Year', 'Chart Code', 'Organization Code', 'Budget Reversion Chart', 'Budget Reversion Account', 'Cash Reversion Chart', and 'Cash Reversion Account'. Each field has a search icon (magnifying glass) next to it. There are also checkboxes for 'Carry Forward by Object Code Indicator' and 'Active Indicator'.

### Edit Organization Reversion tab definition

| Title                  | Description   |
|------------------------|---|
| University Fiscal Year | The university fiscal year for the designated reversion account   |
| Chart Code             | The chart code for this reversion process.  |
| Organization Code      | The organization code for this reversion process.   |
| Budget Reversion Chart | Required. The code that identifies the Chart of Accounts that the budget reversion account belongs to. Existing charts may be retrieved from the lookup  . |

Select & Acquire Admin  
Maintenance E-Docs

|  |  |
|--|--|
|  | <p><b>Tip</b></p> <p>If accounts cannot cross Charts OLE-SYS ACCOUNTS_CAN_CROSS_CHARTS_IND parameter is set to 'N'), this value is read-only.</p>  |
| Budget Reversion Account               | <p>Required. The account code that identifies the specific account to be used for budget reversions. Existing accounts may be retrieved from the lookup </p>  |
| Cash Reversion Chart                   | <p>Required. The code that identifies the Chart of Accounts that the cash reversion account belongs to. Existing charts may be retrieved from the lookup </p> <p><b>Tip</b></p> <p>If accounts cannot cross Charts OLE-SYS ACCOUNTS_CAN_CROSS_CHARTS_IND parameter is set to 'N'), this value is read-only.</p> |
| Cash Reversion Account                 | <p>Required. The code that identifies the specific account to be used for cash reversion. Existing accounts may be retrieved from the lookup </p>   |
| Carry Forward by Object Code Indicator | <p>The box is checked when the organization reversion category-defined object code(s) are used for carry forward. Clear the check box when the unallocated object code is used for carry forward.</p>  |
| Active Indicator                       | <p>Indicates whether this org reversion process is active or inactive. Remove the check mark to deactivate.</p>  |

## Edit Organization Reversion Details Tab

The **Edit Organization Reversion Details** tab includes the object codes and carry forward/reversion rules by organization reversion category. Fields indicated as required are only required if that organization reversion category is completed.

This tab must be completed regardless of the carry forward indicator in the **Edit Organization Reversion** tab.



## Select & Acquire Admin Maintenance E-Docs

Edit Organization Reversion Details ▼ hide

|        |  |
|--------|--|
| ▼ hide | Category Name: <u>Org Wages</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>      |
| ▼ hide | Category Name: <u>Salary/Fringes</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/> |
| ▼ hide | Category Name: <u>Financial Aid</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>  |
| ▼ hide | Category Name: <u>Capital Equip.</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/> |
| ▼ hide | Category Name: <u>Reserve</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>        |
| ▼ hide | Category Name: <u>Transfer Out</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>   |
| ▼ hide | Category Name: <u>Transfer In</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>    |
| ▼ hide | Category Name: <u>Travel</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>         |
| ▼ hide | Category Name: <u>Other Expense</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>  |
| ▼ hide | Category Name: <u>Assess Expend</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>  |
| ▼ hide | Category Name: <u>Revenue</u><br>* Object Code: <input type="text"/><br>Object Code Name:<br>Org Reversion Code: <input type="text"/>        |

### Edit Organization Reversion tab definition

| Title              | Description  |
|--------------------|--|
| Category Name      | Display-only. Identifies a pre-defined organization reversion category. The categories include 'Org Wages,' 'Salary/Fringes,' 'Financial Aid,' 'Reserve,' 'Transfer Out,' 'Transfer In,' 'Travel,' 'Other Expense,' 'Assess Expend, and Revenue. |
| Object Code        | Required. The object code to be used in generated carry forward entries by object code when the <b>Carry Forward Object Code Indicator</b> is selected.<br><br>Existing object codes may be retrieved from the lookup                            |
| Object Code Name   | The descriptive name associated with the object code above.  |
| Org Reversion Code | Required. The code that identifies a particular combination of carry forward and reversion rules that may be retrieved from the list (codes are described below).  |

## Carry Forward Rules

Each organization reversion code represents a combination of reversion rules (see the table below).

### Organization Reversion Codes

| Org Code | Reversion | Rule xa | Rule xb | Rule xc | Rule xd | Rule xe | Rule xn | Rule xp |
|----------|-----------|---------|---------|---------|---------|---------|---------|---------|
| A        |           | a       |         | a       |         |         |         |         |
| C1       |           |         |         | a       |         | a       |         | a       |
| C2       |           |         |         | a       | a       |         |         | a       |
| N1       |           |         |         | a       |         | a       | a       |         |
| N2       |           |         |         | a       | a       |         | a       |         |
| R1       |           |         | a       | a       |         | a       |         |         |
| R2       |           |         | a       | a       | a       |         |         |         |

Also, see the following Carry Forward Rules table for an explanation of each rule. For example, refer to the Rule Code 'xa and xc' to understand which rules apply to the Org Reversion Code 'A'.

### Carry Forward Rules

| Rule Code | Description  |
|-----------|--|
| xa        | Carry forward the budget balance (budget - actual, whether it is positive or negative) in the same account. No budget balances (budget - actual) are reverted to the budget reversion account. |
| xb        | Revert a budget balance (budget - actual - encumbrance, whether it is positive or negative) to the budget reversion account.   |
| xc        | Revert the actual cash balance to the cash reversion account.  |
| xd        | Do not carry forward budget to cover encumbrances.   |
| xe        | Carry forward enough budget to cover encumbrances.   |
| xn        | Revert a positive budget balance (budget - actual) to the budget reversion account or carry forward a negative budget balance (budget - actual) to the same account.                           |
| xp        | Carry forward a positive budget balance (budget - actual) to the same account or revert a negative budget balance (budget - actual) to the budget reversion account.                           |

## Note

The organization reversion categories maintained in the **Edit Organization Reversion Details** tab are created and deactivated with the Organization Reversion Category Document

## Tip

**Selection\_Parameter:** Selection\_ parameters establish the organization reversion selection rules for the organization reversion step within the GL batch process. These parameters are used in the order identified by the number that comes after SELECTION\_ in the parameter name. You may make the rules operate on whatever field of the GL Balance table you want by changing the part of the parameter value that proceeds the '=' sign.


| Namespace Code | Component              | Application ID | Parameter Name | Parameter Description                         | Parameter Value                            | Parameter Constraint Code |
|----------------|------------------------|----------------|----------------|---|--|---------------------------|
| OLE-COA        | Organization Reversion | OLE            | SELECTION_1    | Fund group code(s) that should be includ...   | account.subFundGroup.fundGroupCode=GF      | A                         |
| OLE-COA        | Organization Reversion | OLE            | SELECTION_2    | Organization codes that should be exclud...   | account.organizationCode=BALS;RESV         | D                         |
| OLE-COA        | Organization Reversion | OLE            | SELECTION_3    | Object codes that should be excluded fro...   | objectCode=9890;9891;9892;9893             | D                         |
| OLE-COA        | Organization Reversion | OLE            | SELECTION_4    | Sub fund group codes that should be exclud... | account.subFundGroupCode=MRACT;MWISH;MP... | D                         |
| OLE-COA        | Organization Reversion | OLE            | SELECTION_5    | Chart of Accounts codes that should be e...   | account.chartOfAccountsCode=               | D                         |
| OLE-COA        | Organization Reversion | OLE            | SELECTION_6    | Account numbers that should be excluded ...   | account.accountNumber=                     | D                         |

## Process Overview

### Business Rules

- Only members of the OLE-SYS Chart Manager role may initiate the document.

### Routing



# Organization Reversion Category

**Maintenance** >

**Select & Acquire Admin**

> **FINANCIAL TRANSACTION CONTROLS** >

> Organization Reversion Category >

**Organization Reversion Category Lookup** >

**Organization Reversion Category**

The Organization Reversion Category document creates new organization reversion categories by assigning them a code, a name, and assigning them a place in the display sequence. Clearing the **Active Indicator** on this document causes the category to no longer appear on the **Edit Organization Details Details** tab in the Organization Reversion document. Editing an existing category code could change its name or change its position in the display sequence in the Organization Reversion document.

## Document Layout

Organization Reversion Category Doc Nbr: 3592 Status: INITIATED  
Initiator: ole-quickstart Created: 03:33 PM 12/01/2014

[expand all](#) [collapse all](#)  
\* required field

Document Overview hide

**Document Overview**

\* Description:  Explanation:

Organization Document Number:

**Edit Organization Reversion Category** hide

| Old                      | New   |
|--------------------------|---|
| Category Code: C01       | Category Code: C01                                      |
| Category Name: Org Wages | * Category Name: Org Wages                              |
| Sort Code: 01            | * Sort Code: 01   |
| Active Indicator: Yes    | * Active Indicator: <input checked="" type="checkbox"/> |

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

The Organization Reversion Category document includes the **Edit Organization Reversion Category** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Organization Reversion Category tab definition

| Title            | Description  |
|------------------|--|
| Category Code    | The code that identifies the organization reversion category.  |
| Category Name    | Required. The descriptive name associated with a particular organization reversion category code.  |
| Sort Code        | Required. The code used to display the organization reversion categories in a particular order in the <b>Edit Organization Reversion Details</b> tab of the Organization Reversion document. |
| Active Indicator | Indicates whether this organization reversion category is active or inactive. Remove the check mark to deactivate this organization reversion category.                                      |

The organization reversion categories and the rules are tied by a series of organization reversion business rules stored in the Parameter table. Each organization reversion category is defined for one or more object code attributes.

**Organization Reversion Business Rule Examples**

| Category          | Object Consolidation Codes   | Object Level Codes         | Object Type Codes | Object Sub-Type Codes |
|-------------------|------------------------------|----------------------------|-------------------|-----------------------|
| Org Wages         | CMPN                         | HRCO                       |                   |                       |
| Salary/Fringes    | CMPN                         | All levels except for HRCO |                   |                       |
| Financial Aid     | SCHL                         |                            |                   |                       |
| Capital Equipment | CPTL                         |                            |                   |                       |
| Reserve           | RSRX                         |                            |                   |                       |
| Transfer Out      |                              |                            | TE, EX, EE, EX    | TN, TF, MT            |
| Transfer In       |                              |                            | TI, IN, CH, IC    | TN, TF, MT            |
| Travel            | TRVL                         |                            |                   |                       |
| Other Expense     | GENX, IDEX                   |                            |                   |                       |
| Asset Expense     | ASEX                         |                            |                   |                       |
| Revenue           | ARSE, IDIN, OTRE, SAPR, STFE |                            |                   |                       |

**Note**

This is an example of how organization reversion could be implemented in KFS. Each institution must define its own rules.

**Organization Reversion Global**



**Note**

For general information about accessing and working with global documents, see [Global COA E-Docs](#).

The Organization Reversion Global document enables reversion records to be established for multiple organizations simultaneously. Only members of the OLE-SYS Chart Manager role can initiate the Organization Reversion Global document. It routes the same way as the Organization Reversion document.

**Note**

The Organization Reversion Global document updates only existing records, just as the Global Account document does. It cannot create new records (as Global Object or Global Sub-Object documents do).

# Select & Acquire Admin Maintenance E-Docs

Docur

|  |               |  |                              |
|--|---------------|--|------------------------------|
| Organization Reversion Global <span style="float: right; color: red; font-weight: bold;">Backdoor Id ole-cswinson is in use</span> | Doc Nbr: 3594 | Status: INITIATED  | Created: 03:50 PM 12/01/2014 |
| Initiator: ple-cswinson  |               | <a href="#">expand all</a>   <a href="#">collapse all</a><br><small>* required field</small> |                              |

**Document Overview** ▼ hide

---

**Document Overview**

|   |   |
|---|---|
| * Description: <input type="text" value=""/>                | Explanation: <input style="width: 95%;" type="text"/> |
| Organization Document Number: <input type="text" value=""/> |   |

---

**Edit Global Organization Reversion Organizations** ▼ hide

---

**New Organization** Look Up/Add Multiple Organization Reversion Lines 🔍

|  |                                    |
|--|------------------------------------|
| * Chart Code: <input type="text" value=""/> 🔍        |                                    |
| * Organization Code: <input type="text" value=""/> 🔍 | <input type="button" value="add"/> |

---

**Edit Global Organization Reversion** ▼ hide

---

**New**

|   |  |
|---|--|
| * University Fiscal Year: <input type="text" value=""/> 🔍             |  |
| Budget Reversion Chart: <input type="text" value=""/> 🔍               |  |
| Budget Reversion Account: <input type="text" value=""/> 🔍             |  |
| Cash Reversion Chart: <input type="text" value=""/> 🔍                 |  |
| Cash Reversion Account: <input type="text" value=""/> 🔍               |  |
| Carry Forward by Object Code Indicator: <input type="text" value=""/> |  |

---

**Edit Global Organization Reversion Details** ▼ hide

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Org Wages</u> |  |
| Object Code: <input type="text" value=""/> 🔍      |  |
| Object Code Name: <input type="text" value=""/>   |  |
| Org Reversion Code: <input type="text" value=""/> |  |

---

▼ hide **Organization Reversion Detail**

|  |  |
|--|--|
| Organization Reversion Category: <u>Salary/Fringes</u> |  |
| Object Code: <input type="text" value=""/> 🔍           |  |
| Object Code Name: <input type="text" value=""/>        |  |
| Org Reversion Code: <input type="text" value=""/>      |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Financial Aid</u> |  |
| Object Code: <input type="text" value=""/> 🔍          |  |
| Object Code Name: <input type="text" value=""/>       |  |
| Org Reversion Code: <input type="text" value=""/>     |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Capital Equip</u> |  |
| Object Code: <input type="text" value=""/> 🔍          |  |
| Object Code Name: <input type="text" value=""/>       |  |
| Org Reversion Code: <input type="text" value=""/>     |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Reserve</u>   |  |
| Object Code: <input type="text" value=""/> 🔍      |  |
| Object Code Name: <input type="text" value=""/>   |  |
| Org Reversion Code: <input type="text" value=""/> |  |

---

▼ hide **Organization Reversion Detail**

|  |  |
|--|--|
| Organization Reversion Category: <u>Transfer Out</u> |  |
| Object Code: <input type="text" value=""/> 🔍         |  |
| Object Code Name: <input type="text" value=""/>      |  |
| Org Reversion Code: <input type="text" value=""/>    |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Transfer In</u> |  |
| Object Code: <input type="text" value=""/> 🔍        |  |
| Object Code Name: <input type="text" value=""/>     |  |
| Org Reversion Code: <input type="text" value=""/>   |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Travel</u>    |  |
| Object Code: <input type="text" value=""/> 🔍      |  |
| Object Code Name: <input type="text" value=""/>   |  |
| Org Reversion Code: <input type="text" value=""/> |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Other Expense</u> |  |
| Object Code: <input type="text" value=""/> 🔍          |  |
| Object Code Name: <input type="text" value=""/>       |  |
| Org Reversion Code: <input type="text" value=""/>     |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Assess Expend</u> |  |
| Object Code: <input type="text" value=""/> 🔍          |  |
| Object Code Name: <input type="text" value=""/>       |  |
| Org Reversion Code: <input type="text" value=""/>     |  |

---

▼ hide **Organization Reversion Detail**

|   |  |
|---|--|
| Organization Reversion Category: <u>Revenue</u>   |  |
| Object Code: <input type="text" value=""/> 🔍      |  |
| Object Code Name: <input type="text" value=""/>   |  |
| Org Reversion Code: <input type="text" value=""/> |  |

---

Notes and Attachments (0) ▶ show



Ad Hoc Recipients ▶ show


Route Log ▶ show

The Organization Reversion Global document includes the **Edit Global Organization Reversion Organizations**, **Edit Global Organization Reversion**, and **Edit Global Organization Reversion Details** tabs. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

The Offset Definition document includes the **Edit Offset Definition** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Organization Reversion Tab

There are two ways to populate the list of organization codes that you want to change globally. One is by entering or selecting one organization code at a time from the normal **Organization Code** lookup . The other is by using the **Look Up / Add Multiple Organization Code Lines**  to return multiple values.




### Note

For more information about the two types of lookup, see [Field Lookup](#) and [Multiple Value Lookup](#) on the [Guide to OLE Basic Functionality and Key Concepts](#).

## Edit Global Organization Reversion Tab

The **Edit Global Organization Reversion** tab works in the same manner as the **Edit Organization Reversion** tab of the Organization Reversion document. This tab defines two reversion accounts: the budget reversion account and the cash reversion account. These definitions are for specific university organizations as defined within the Chart of Accounts hierarchy and for a specific fiscal year. The accounts are determined by chart code and account number.



### Note

For more information about the Edit Global Organization Reversion Tab, see [Edit Organization Reversion Tab](#).

## Edit Global Organization Reversion Details Tab

The **Edit Global Organization Reversion Details** tab works in the same manner as the **Edit Organization Reversion Details** tab of the Organization Reversion document. It contains object codes and carry forward/

reversion rules by organization reversion category. Fields indicated as required are required only if that organization reversion category is completed.

This tab must be completed regardless of the Carry Forward Indicator in the **Edit Organization Reversion** tab.



Select & Acquire Admin  
Maintenance E-Docs

**Edit Global Organization Reversion Details** hide

|  |   |
|--|---|
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Org Wages</u>      |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Salary/Fringes</u> |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Financial Aid</u>  |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Capital Equip</u>  |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Reserve</u>        |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Transfer Out</u>   |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Transfer In</u>    |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Travel</u>         |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Other Expense</u>  |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Assess Expend</u>  |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |
| <span>hide</span> <b>Organization Reversion Detail</b> | <b>Organization Reversion Category:</b> <u>Revenue</u>        |
|  | <b>Object Code:</b> <input type="text"/>                      |
|  | <b>Object Code Name:</b> <input type="text"/>                 |
|  | <b>Org Reversion Code:</b> <input type="text"/>               |

## Note

For more information about the Edit GlobalOrganization Reversion DetailsTab, see [Edit Organization Reversion DetailsTab](#).

## Process Overview

The business rules and routing of the Organization Reversion Global document are identical to those of the Organization Reversion document.

---

# Chapter 21. Pre-Disbursement Processor

Maintenance

>

[Accounting Change Code](#)  
[ACH Bank](#)  
[ACH Transaction Code](#)  
[ACH Transaction Type](#)  
[Customer Profile](#)  
[Disbursement Number Range](#)  
[Disbursement Type](#)  
[Format Checks/ACH](#)  
[Format Reset](#)  
[Format Summary](#)  
[Payee ACH Account](#)  
[Payee Type](#)  
[Payment Bank History](#)  
[Payment Change](#)  
[Payment File Batch Upload](#)  
[Payment Type](#)  
[Payment Status](#)  
[Search for Batch](#)  
[Search for Payment](#)

Pre-Disbursement Processor >

## Note

PDP functions in OLE will continue to be reviewed with Select & Acquire teams as we continue to build and modify KFS functionality.

The Pre-Disbursement Processor (or PDP) receives data from systems that need to make disbursements and outputs a data file that can be sent to a check writer or formatted and sent to a bank for Automated Clearing House (ACH) direct deposits. It can also generate ledger entries when appropriate, such as relieving liabilities when making a disbursement against an OIE Payment Request document.

Files for processing can be created from OLE e-docs (such as the Disbursement Voucher or the Payment Request) or can be manually uploaded. The systems that provide these files are referred to as PDP customers. Checks and ACH deposits can be formatted in various ways before being outputted depending on the specifications of those customers.

This section covers user-initiated activities that relate to the PDP.

Through selections in the **Pre-Disbursement Processor** submenu on the **Maintenance Menu**, users maintain a number of PDP attributes and perform other operations pertaining to the PDP.

# PDP-Generated General Ledger Entries

The PDP generates ledger entries in OLE as payments are processed or canceled. If the associated customer's **Relieved Liabilities** flag is set to **Yes**, the PDP debits a defined liability object code. If the **Relieved Liabilities** flag is set to **No**, the PDP creates a debit for the payment's expense object code. A canceled payment creates similar credit entries.

Document types assigned to these entries are as follows.

## PDP document types

| Document Type | Description                                      |
|---------------|--|
| CHKC          | Check cancel                                     |
| CHKD          | Check disbursement (payment status of extracted) |
| CHKR          | Cancel and reissue                               |
| ACHC          | ACH cancel                                       |
| ACHD          | ACH disbursement (payment status of extracted)   |
| ACHR          | ACH cancel and reissue                           |

# PDP and Flexible Bank Specification

OLE may be configured to allow bank codes to be configured on individual documents. The system also allows an institution to post offset entries to a bank-specific account and object code (defined on the Bank Maintenance document.)

When this type of configuration is used, it changes the way the PDP interacts with payments related to the documents that make disbursements (specifically, the payment request and disbursement voucher).

Customers may also choose to specify a bank code in their XML payment files.

## Flexible Bank Specification Parameters

Several different parameters control flexible bank specification functionality in OLE.

The functionality itself may be turned on or off using the FLEXIBLE\_BANK\_SPECIFICATION\_IND parameter. If this parameter is set to **Y**, the functionality is turned on. In this case, documents defined in the parameter BANK\_CODE\_DOCUMENT\_TYPES display a **Bank Code** field. A third parameter—DEFAULT\_BANK\_BY\_DOCUMENT\_TYPE—is then used to define the default Bank Code for each document type for which your institution is using this functionality.

## Setting the Bank Code for a Transaction

The Bank Code value is set at the document level and applies to all accounting lines on a document.

In the default configuration, only users who are members of the OLE-SYS Operations role may modify the Bank Code field on an OLE document.

When uploading a payment file to the PDP, Bank Code is optional. If payments do not specify a bank code, the PDP assigns the code based on the default values found on the associated Customer Profile for ACH and check disbursements. If an uploaded payment file contains bank codes, these codes must be valid or

the system will reject the file during the upload process. Corrections must be made before the file can be successfully uploaded for processing.

## **PDP Disbursements and Bank Codes**

### **Bank Codes on the Payments**

When payments are formatted, the PDP attempts to use the bank code specified on the payment unless it is deemed to be inappropriate for this specific disbursement.

An example of an inappropriate bank code might be when an ACH bank was specified on the payment but the PDP determines that the disbursement will be made via check because the payment has been flagged as an immediate print, requiring an attachment, or requiring special handling. In these cases, the PDP must generate a check. Another example is when an ACH bank was specified but there is no payee ACH Account record for the payee.

In the event that an ACH bank code is used but the PDP has no ACH information for the payee, the system uses the default CHK bank code instead. However, if the PDP contains ACH information for that payee, the system still disburses a payment with a CHK bank code.

For payments for which no bank code is supplied, the PDP will use the bank code associated with the appropriate disbursement type (ACH or check) on the Customer Profile.

Bank code is also considered when the PDP attempts to combine payments. Only payments being disbursed from the same bank are eligible to be combined.

### **Valid Banks in the Maintenance Setup**

Bank codes may be deactivated, indicating they are no longer to be used. If a specified bank code is inactive, the PDP uses a continuation bank code defined on the Bank Maintenance table. This situation might occur if the bank code specified on the payment at the time of formatting was inactive or if the bank code in the Customer Profile was inactive.

## **Canceling and Re-Issuing Payments with Flexible Bank Specification**

When this functionality is enabled, cancelling and re-issuing a payment in the PDP clears the payee bank routing number and the payee bank account number but does not clear the disbursement bank code.

If the disbursement bank code is inactive, the bank code is re-assigned during the format process using the appropriate continuation bank code. To identify situations like this, use the Payment Bank History Lookup.

If your institution is not using this functionality, then cancelling and re-issuing a payment in the PDP clears the payee bank routing number, the payee bank account number and the disbursement bank code.

## **PDP General Ledger Entries with Flexible Bank Specification**

When the PDP generates ledger entries for formatted, cancelled or cancelled and re-issued payments, it generates extra entries to redistribute the offsets to the account and object code specified on the bank code associated with this disbursement.

# PDP Batch Jobs

The PDP module is impacted by batch jobs associated with the Financial Processing and Purchasing/Accounts Payable modules. In addition, this module has several batch jobs that are unique to it. The table below lists these batch jobs in the general order that an institution may encounter them.

## Note


Several of these jobs generate .xml files containing information about payments processed via PDP. OLE does not include a check writer, so your institution needs to determine how best to utilize the .xml files provided by PDP to generate checks and/or ACH entries to be sent to your bank.

### PDP Batch Jobs

| Job Name  | Module    | Description  |
|---|-----------|--|
| Disbursement Voucher Pre-Disbursement Processor Extract Job | OLE-FP    | This job extracts approved disbursement vouchers having a payment method of Check/ACH into PDP. The disbursement vouchers appear as open payments in PDP.  |
| Purchasing Pre-Disbursement Extract Job                     | OLE-PURAP | Extracts approved payment requests and credit memos into PDP. These will appear as Open payments in PDP.   |
| Purchasing Pre-Disbursement Immediate Extract Job           | OLE-PURAP | Extracts approved payment requests marked as immediate payments. These will appear as open payments in PDP. Note that the Purchasing Pre-Disbursement Extract job extracts all payments, including immediates. Consequently, you do not need to use this job unless you want to extract <i>only</i> payments marked as immediates into PDP.  |
| PDP Load Payments Job                                       | OLE-PDP   | Loads non-DV or PURAP payments into PDP. If the Payment File Batch Upload is used to load payments, this process normally occurs automatically. The PDP Load Payments job is appropriate to run if your institution has established a central directory where PDP customers place files to be uploaded directly into PDP without using the File Batch Upload page.   |
| PDP Nightly Load Payments Job                               | OLE-PDP   | Identical to the PDP Load Payments job except that it has a dependency on both the Disbursement Voucher Pre-Disbursement Extract job and the Purchasing Pre-Disbursement Extract job. Consequently, as part of a nightly batch schedule, this job runs after these two extracts have completed. This job is run separately because your institution may want to arrange one nightly load using this job and set up several loads throughout the day using the PDP Load Payments job (which has no dependencies).       |
| PDP Daily Report Job  | OLE-PDP   | Generates a report showing a summary of the number and dollar amounts (by customer) of the payments that should be picked up the next time a format process is run. The report returns information for payments with pay dates equal to or earlier than today. This report is available in the PDP Reports directory (accessible via the Batch File lookup function on the Administration menu tab), and it can be run after payments are either uploaded via the upload page or extracted using the jobs noted above. |
| PDP Extract Checks Job                                      | OLE-PDP   | Creates an .xml file containing information for payments that have been recently formatted and have a disbursement type of 'Check. By default this job runs immediately upon completion of a Format Checks/ACH process in PDP, so you should not need to run it manually. This file is   |

|  |         |  |
|--|---------|--|
|  |         | available in the directory Staging/PDP/Payment Extract (accessible via the Batch File lookup function on the Administration menu tab).   |
| PDP Extract ACH Payments Job           | OLE-PDP | Creates an xml file containing information for payments that have been recently formatted and have a disbursement type of ACH. This job does not automatically run after the Format Checks/ACH process in PDP. This file is available in the directory Staging/PDP/Payment Extract (accessible via the Batch File lookup function on the Administration menu tab).   |
| PDP Extract Canceled Checks Job        | OLE-PDP | Creates an xml file containing information about disbursements that have been canceled in PDP. This file is available in the directory Staging/PDP/Payment Extract (accessible via the Batch File lookup function on the Administration menu tab).   |
| Process PDP Cancels and Paid Job       | OLE-PDP | Sends information back to the Purchasing/Accounts Payable module to update payment requests and credit memos with disbursement information. It also updates the Pre-Disbursement Processor Status tab on the Disbursement Voucher document.  |
| PDP Extract GL Transactions Step Job   | OLE-PDP | This job generates a file with the appropriate General Ledger entries for any payments processed through PDP. This file is called gl_gentry_pdp and is sent to the Origin Entry directory to be processed the next time the GL Nightly Out job is run.   |
| PDP Clear Pending Transactions Job     | OLE-PDP | Clears the temporary table in which GL entries are stored. It should be run after the PDP Extract GL Transactions Step Job and the GL Nightly Out job run.   |
| PDP Send ACH Advice Notifications Job  | OLE-PDP | Generates emails to ACH payees based on the values defined as part of the PDP customer associated with the ACH payments.   |
| PDP Load Federal Reserve Bank Data Job | OLE-PDP | Populates the ACH Bank table with values from a file (as defined in OLE-PDP ACH_BANK_INPUT_FILE parameter).<br><br><b>Note</b><br><br>Note that the system design assumes that your institution will <i>either</i> use this job to populate the ACH Bank table <i>or</i> update the table manually. <b>Doing both—that is, using the job and updating the bank table manually—may result in data entered manually being overwritten.</b> |

## Accounting Change Code



The **Accounting Change Code** document is used to edit the name associated with an existing accounting change code. Accounting change codes are used to identify problems that the PDP detects in the accounting entries on payment records. If the PDP cannot validate the accounting string for an uploaded payment

against the Chart of Accounts, it drops all the accounting values and replaces them with the default accounting string defined by that PDP customer.

When the system makes this change, it also generates an error email and sends it to the customer. The Accounting Change Code is specified in the e-mail to indicate the kind of problem the PDP encountered when trying to verify the payment's accounting string. The change code is also displayed in the **Account Detail** section of the Payment Detail Inquiry.

Because the PDP is hard-coded to check the validity of certain accounting fields, users cannot add new codes to this table via a maintenance document. To make the PDP detect and report different types of accounting change codes, programming changes are required. Names associated with the programmatically defined codes can be modified, however, if different values are more meaningful for your institution.

The default values are:

- ACCT = Invalid Account Number
- OBJ = Invalid Object Code
- SA = Invalid Sub Account
- SO = Invalid Sub Object Code

Only users with the OLE-SYS Operations role may create Accounting Change Code documents. These documents do not route for approval.

## Document Layout


The Accounting Change Code document includes the **Accounting Change Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Accounting Change Code tab definition

| Title                  | Description   |
|------------------------|---|
| Accounting Change Code | Display-only. Displays the unique code that identifies this particular accounting change. |
| Accounting Change Name | Required. Enter a name that accurately describes this accounting change.                  |



# ACH Bank



The **ACH Bank** document allows you to maintain a valid list of banks for ACH payees.

## Note

Many OLE institutions populate the ACH Bank table directly using the pdpLoadFederalReserveBankDataJob batch job. This document allows you to manually add or edit entries if necessary.

Only users with the OLE-SYS Manager role may create ACH Bank documents. These documents do not route for approval.

## Note

Only users with the proper roles may view bank account numbers. Users with the role OLE-PDP Manager will see unmasked bank account numbers

## Document Layout

The screenshot displays the ACH Bank document interface. At the top, a header bar shows 'ACH Bank' with a help icon, and a metadata table with the following data:

|            |                |          |                     |
|------------|----------------|----------|---------------------|
| Doc Nbr:   | 9031           | Status:  | INITIATED           |
| Initiator: | ole-quickstart | Created: | 11:35 AM 03/06/2014 |

Below the header are two tabs: 'Document Overview' and 'Edit ACH Bank'. The 'Document Overview' tab is active and contains the following fields:

- \* Description: [text input]
- Organization Document Number: [text input]
- Explanation: [text area]

The 'Edit ACH Bank' tab is active and contains a 'New' section with the following fields:



- \* Bank Routing Number: [text input]
- \* Bank Office Code: [dropdown menu]
- \* Bank Service Number: [text input]
- \* Record Type Code: [dropdown menu]
- \* Bank New Routing Number: [text input]
- \* Bank Name: [text input]
- \* Bank Street Address: [text input]
- \* Bank City Name: [text input]
- \* State Abbreviation: [text input]
- \* Bank Zip Code: [text input]
- \* Bank Phone Area Code: [text input]
- \* Bank Phone Prefix Number: [text input]
- \* Bank Phone Suffix Number: [text input]
- Bank Institution Status Code: [text input, value: 1]
- Bank Data View Code: [text input, value: 1]
- Active Indicator: [checkbox, checked]

At the bottom of the form, there are three sections with 'show' buttons:

- Notes and Attachments (0)
- Ad Hoc Recipients
- Route Log

The ACH Bank document includes the **Edit ACH Bank** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit ACH Bank tab definition

| Title                        | Description  |
|------------------------------|--|
| Bank Routing Number          | The routing number for this bank.  |
| Bank Office Code             | Required. The bank office code for this bank. Existing codes may be retrieved from <b>the list</b> .   |
| Bank Service Number          | Required. The bank service number.   |
| Record Type Code             | Required. The record type code for this bank. Existing codes may be retrieved from <b>the list</b> .   |
| Bank New Routing Number      | Required. The bank new routing number.   |
| Bank Name                    | Required. The bank name.   |
| Bank Street Address          | Required. The street mailing address for this bank.  |
| Bank City Name               | Required. The city associated with the street address for this bank.   |
| State Abbreviation           | Required. The state associated with this bank's mailing address. Existing state abbreviations may be retrieved from the lookup  . |
| Bank Zip Code                | Required. The zip code associated with this bank's mailing address. Existing postal zip codes may be retrieved from the lookup  . |
| Bank Phone Area Code         | Required. The area code for the bank's phone number.   |
| Bank Phone Prefix Number     | Required. The three-digit prefix of the bank's phone number.   |
| Bank Phone Suffix Number     | Required. The four-digit suffix of the bank's phone number.  |
| Bank Institution Status Code | The bank's institution status code.  |
| Bank Data View Code          | Optional. The bank's data view code.   |
| Active Indicator             | Indicates whether this ACH bank code is active or inactive. Remove the check mark to deactivate code.  |

## ACH Transaction Code



ACH Transaction Code documents associate a code and a text description with each of the ACH transaction types possible in the PDP. The codes are defined programmatically. By default, only two codes are defined, and they distinguish between deposits to checking accounts and deposits to savings accounts.

The two standard, programmatically defined ACH values are 22 for checking and 32 for savings. Because these values are hard-coded, users may modify only the associated descriptions. Adding or modifying the code values requires programming changes.

Only users with the OLE-SYS Operations role may create ACH Transaction Code documents. These documents do not route for approval.


## Document Layout

The ACH Transaction Code document includes the **Edit ACH Transaction Code** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit ACH Transaction Code tab definition

| Title                            | Description  |
|----------------------------------|--|
| ACH Transaction Code             | Display-only. Displays the unique code that identifies this type of ACH transaction. |
| ACH Transaction Code Description | Required. A text description for this ACH transaction code.                          |

## ACH Transaction Type



The ACH Transaction Type table defines codes that can be associated with PDP customers and with Payee ACH Account records. When the PDP attempts to determine whether a Payee has ACH information established for a given payment, it first determines the ACH transaction type for the customer who supplied the payment. Then it checks for Payee ACH records for this payee with the same ACH transaction type.

The table allows you to establish different ACH information for different types of payments. For example, a payee may want their travel-related payments deposited in one account and their purchasing payments deposited elsewhere.

Only users with the OLE-SYS Operations role may create ACH Transaction Type documents. These documents do not route for approval.


## Document Layout

The ACH Transaction Type document includes the **Edit Transaction Type** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Transaction Type tab definition

| Title                            | Description  |
|----------------------------------|--|
| ACH Transaction Type             | Required. A code (up to 4 alphanumeric characters) to uniquely identify this ACH transaction type. |
| ACH Transaction Type Description | Required. A text description for this ACH transaction type.  |

## Customer Profile



The **Customer Profile** document allows you to enter and maintain basic information about customers who are permitted to submit disbursement information to the PDP.

Each file loaded into the PDP must be associated with a valid customer in the Customer Profile table. The Customer Profile includes various information about the customer, including contact information, text that is to appear in the customer's ACH email messages to payees, and default accounting information. It also includes bank information that specifies the banks to be used for ACH and check disbursements from this customer. Lastly, it indicates the campus where this customer's payments are to be processed.

Only users with the OLE-SYS Operations role may create Customer Profile documents. These documents do not route for approval.

# Document Layout

Customer Profile ?

Doc Nbr: 9075
Status: INITIATED

Initiator: ole-quickstart
Created: 01:35 PM 03/06/2014

expand all
collapse all

Document Overview hide

|   |  |
|---|--|
| <b>Description:</b> <input type="text"/>                  | <b>Explanation:</b> <input type="text"/> |
| <b>Organization Document Number:</b> <input type="text"/> |  |

Edit Customer Profile hide

| Old   | New   |
|---|---|
| <b>Customer Profile ID:</b> 10000016                          | <b>Customer Profile ID:</b> 10000016                          |
| <b>Location:</b> BL   | <b>Location:</b> BL   |
| <b>Unit:</b> LIBM   | <b>Unit:</b> LIBM   |
| <b>Sub-Unit:</b> RAFT   | <b>Sub-Unit:</b> RAFT   |
| <b>Description:</b> Library                                   | <b>Description:</b> Library                                   |
| <b>Campus Process Location:</b> BL                            | <b>Campus Process Location:</b> BL                            |
| <b>Customer Process E-Mail Address:</b> kbatch-l@indiana.edu  | <b>Customer Process E-Mail Address:</b> kbatch-l@indiana.edu  |
| <b>File Threshold Amount:</b> 1,000,000.00                    | <b>File Threshold Amount:</b> 1,000,000.00                    |
| <b>File Threshold E-Mail Address:</b> kbatch-l@indiana.edu    | <b>File Threshold E-Mail Address:</b> kbatch-l@indiana.edu    |
| <b>Payment Threshold Amount:</b> 100,000.00                   | <b>Payment Threshold Amount:</b> 100,000.00                   |
| <b>Payment Threshold E-Mail Address:</b> kbatch-l@indiana.edu | <b>Payment Threshold E-Mail Address:</b> kbatch-l@indiana.edu |
| <b>Primary Contact Name:</b> Keisha Huntley                   | <b>Primary Contact Name:</b> Keisha Huntley                   |
| <b>Address Line 1:</b> 500 Kuali Drive                        | <b>Address Line 1:</b> 500 Kuali Drive                        |
| <b>Address Line 2:</b>  | <b>Address Line 2:</b>  |
| <b>Address Line 3:</b>  | <b>Address Line 3:</b>  |
| <b>Address Line 4:</b>  | <b>Address Line 4:</b>  |
| <b>City:</b> Bloomington                                      | <b>City:</b> Bloomington                                      |
| <b>State:</b> IN  | <b>State:</b> IN  |
| <b>Zip:</b> 47405   | <b>Zip:</b> 47405   |
| <b>Country:</b>   | <b>Country:</b>   |
| <b>Active Indicator:</b> Yes                                  | <b>Active Indicator:</b> <input checked="" type="checkbox"/>  |

Customer Check/ACH hide

| Old  | New  |
|--|--|
| <b>ACH Advice Flag:</b> Yes  | <b>ACH Advice Flag:</b> Yes  |
| <b>ACH Payment Detail Description:</b> This is the ACH Payment Detail Desc | <b>ACH Payment Detail Description:</b> This is the ACH Payment Detail Desc |
| <b>Advice Heading Text:</b> Want to get payments quicker?                  | <b>Advice Heading Text:</b> Want to get payments quicker?                  |
| <b>Advice Subject Line Text:</b> Advice Subject                            | <b>Advice Subject Line Text:</b> Advice Subject                            |
| <b>Advice Return / Cancel E-Mail Address:</b> kbatch-l@indiana.edu         | <b>Advice Return / Cancel E-Mail Address:</b> kbatch-l@indiana.edu         |
| <b>Check Header Note Line 1:</b> Direct Deposit is coming soon!            | <b>Check Header Note Line 1:</b> Direct Deposit is coming soon!            |
| <b>Check Header Note Line 2:</b>   | <b>Check Header Note Line 2:</b>   |
| <b>Check Header Note Line 3:</b>   | <b>Check Header Note Line 3:</b>   |
| <b>Check Header Note Line 4:</b>   | <b>Check Header Note Line 4:</b>   |
| <b>Additional Check Note Line 1:</b>                                       | <b>Additional Check Note Line 1:</b>                                       |
| <b>Additional Check Note Line 2:</b>                                       | <b>Additional Check Note Line 2:</b>                                       |
| <b>Additional Check Note Line 3:</b>                                       | <b>Additional Check Note Line 3:</b>                                       |
| <b>Additional Check Note Line 4:</b>                                       | <b>Additional Check Note Line 4:</b>                                       |

Customer Processing hide

| Old                                  | New                                  |
|--------------------------------------|--------------------------------------|
| <b>Default Chart:</b> BL             | <b>Default Chart:</b> BL             |
| <b>Default Account:</b> 1031400      | <b>Default Account:</b> 1031400      |
| <b>Default Sub Account:</b> -----    | <b>Default Sub Account:</b> -----    |
| <b>Default Object Code:</b> 5000     | <b>Default Object Code:</b> 5000     |
| <b>Default Sub Object Code:</b> ---  | <b>Default Sub Object Code:</b> ---  |
| <b>Employee Check Indicator:</b> No  | <b>Employee Check Indicator:</b> No  |
| <b>NRA Check Indicator:</b> No       | <b>NRA Check Indicator:</b> No       |
| <b>Ownership Codes Required:</b> No  | <b>Ownership Codes Required:</b> No  |
| <b>Payee ID Required:</b> No         | <b>Payee ID Required:</b> No         |
| <b>Accounting Edit Required:</b> Yes | <b>Accounting Edit Required:</b> Yes |
| <b>Relieve Liabilities:</b> No       | <b>Relieve Liabilities:</b> No       |
| <b>ACH Transaction Type:</b> PRAP    | <b>ACH Transaction Type:</b> PRAP    |

Edit Customer Bank hide

**New Edit Customer Bank**

**Disbursement Type Code:**

**Bank Code:**

add

hide Edit Customer Bank ( ACH )

| Old                                | New                                |
|------------------------------------|------------------------------------|
| <b>Disbursement Type Code:</b> ACH | <b>Disbursement Type Code:</b> ACH |
| <b>Bank Code:</b> 1010             | <b>Bank Code:</b> 1010             |

hide Edit Customer Bank ( Check )

| Old                                  | New                                  |
|--------------------------------------|--------------------------------------|
| <b>Disbursement Type Code:</b> Check | <b>Disbursement Type Code:</b> Check |
| <b>Bank Code:</b> TEST               | <b>Bank Code:</b> TEST               |

Notes and Attachments (0) show

Ad Hoc Recipients show

Route Log show

The Customer Profile document includes the **Edit Customer Profile**, **Customer Check/ACH**, **Customer Processing**, and **Edit Customer Bank** tabs. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.




## Edit Customer Profile Tab

This tab contains basic identifying and contact information for this PDP customer. It also indicates the campus where this customer's payments are to be processed.

| Edit Customer Profile             |                      | ▼ hide                              |                                     |
|-----------------------------------|----------------------|-------------------------------------|-------------------------------------|
| Old                               |                      | New                                 |                                     |
| Customer Profile ID:              | 10000016             | Customer Profile ID:                | 10000016                            |
| Location:                         | BL                   | Location:                           | BL                                  |
| Unit:                             | LIBM                 | Unit:                               | LIBM                                |
| Sub-Unit:                         | RAFT                 | Sub-Unit:                           | RAFT                                |
| Description:                      | Library              | * Description:                      | Library                             |
| Campus Process Location:          | BL                   | * Campus Process Location:          | BL                                  |
| Customer Process E-Mail Address:  | kbatch-l@indiana.edu | * Customer Process E-Mail Address:  | kbatch-l@indiana.edu                |
| File Threshold Amount:            | 1,000,000.00         | * File Threshold Amount:            | 1,000,000.00                        |
| File Threshold E-Mail Address:    | kbatch-l@indiana.edu | * File Threshold E-Mail Address:    | kbatch-l@indiana.edu                |
| Payment Threshold Amount:         | 100,000.00           | * Payment Threshold Amount:         | 100,000.00                          |
| Payment Threshold E-Mail Address: | kbatch-l@indiana.edu | * Payment Threshold E-Mail Address: | kbatch-l@indiana.edu                |
| Primary Contact Name:             | Keisha Huntley       | * Primary Contact Name:             | Keisha Huntley                      |
| Address Line 1:                   | 500 Kual Drive       | * Address Line 1:                   | 500 Kual Drive                      |
| Address Line 2:                   |                      | Address Line 2:                     |                                     |
| Address Line 3:                   |                      | Address Line 3:                     |                                     |
| Address Line 4:                   |                      | Address Line 4:                     |                                     |
| City:                             | Bloomington          | * City:                             | Bloomington                         |
| State:                            | IN                   | * State:                            | IN                                  |
| Zip:                              | 47405                | Zip:                                | 47405                               |
| Country:                          |                      | * Country:                          |                                     |
| Active Indicator:                 | Yes                  | Active Indicator:                   | <input checked="" type="checkbox"/> |

### Edit Customer Profile tab definition

| Title                            | Description   |
|----------------------------------|---|
| Customer Profile ID              | Display only. A system-generated unique number to identify this customer.   |
| Chart                            | Required. The chart code associated with this customer. Existing charts may be retrieved from the lookup  |
| Unit                             | Required. A unit code to identify this customer. Unit codes are free-form and up to four characters in length.  |
| Sub-Unit                         | Required. A sub-unit code to identify this customer. Like unit codes, sub-unit codes are free-form and up to four characters in length.   |
| Description                      | Required. A text description of this PDP customer.  |
| Campus Process Location          | Required. The campus code identifying the campus on which this customer's payments are normally to be formatted. Existing campus locations may be retrieved from the lookup   |
| Campus Process Email Address     | Required. The primary e-mail address for this PDP customer.   |
| File Threshold Amount            | Required. A dollar amount limit for payment file batches from this customer. Payment files over this amount will still load into the PDP but will generate a warning e-mail indicating that the threshold was exceeded. |
| File Threshold E-mail Address    | Required. The e-mail address to which warning messages should be sent when a customer's batch of payments exceeds the file threshold amount.  |
| Payment Threshold Amount         | Required. A dollar amount limit for individual payments from this customer. Payments over this amount will still load into the PDP but will generate a warning e-mail indicating the threshold was exceeded.            |
| Payment Threshold E-mail Address | Required. The e-mail address to which warning messages are to be sent when a payment exceeds the payment threshold amount.  |
| Primary Contact Name             | Required. The name of the primary contact person for this PDP customer.   |
| Address 1-4                      | The mailing address for this PDP customer. Up to four lines may be entered. Only Address Line 1 is required.  |
| City                             | Required. The city for this PDP customer's address.   |

|                  |  |
|------------------|--|
| State            | Required. The state for this PDP customer's address. Existing state abbreviation codes may be retrieved from the list or from the lookup  . |
| Zip              | The zip code for this PDP customer's address. Existing postal zip codes may be retrieved from the lookup  .                                 |
| Country          | The country for this PDP customer's. Existing countries may be retrieved from the list or from the lookup  .                                |
| Active Indicator | Indicates whether this customer profile ID is active or inactive. Remove the check mark to deactivate the ID.  |

## Customer Check/ACH Tab

PDP customers may choose to specify text that will be displayed in ACH emails to payees or as notes on checks. This section defines that text.

| Customer Check/ACH <span style="float: right;">▼ hide</span>               |  |
|--|--|
| Old  | New  |
| <b>ACH Advice Flag:</b> Yes  | <b>ACH Advice Flag:</b> Yes <input type="text"/>                           |
| <b>ACH Payment Detail Description:</b> This is the ACH Payment Detail Desc | <b>ACH Payment Detail Description:</b> This is the ACH Payment Detail Desc |
| <b>Advice Heading Text:</b> Want to get payments quicker?                  | <b>Advice Heading Text:</b> Want to get payments quicker?                  |
| <b>Advice Subject Line Text:</b> Advice Subject                            | <b>Advice Subject Line Text:</b> Advice Subject                            |
| <b>Advice Return / Cancel E-Mail Address::</b> kbatch-l@indiana.edu        | <b>Advice Return / Cancel E-Mail Address::</b> kbatch-l@indiana.edu        |
| <b>Check Header Note Line 1:</b> Direct Deposit is coming soon!            | <b>Check Header Note Line 1:</b> Direct Deposit is coming soon!            |
| <b>Check Header Note Line 2:</b>   | <b>Check Header Note Line 2:</b>   |
| <b>Check Header Note Line 3:</b>   | <b>Check Header Note Line 3:</b>   |
| <b>Check Header Note Line 4:</b>   | <b>Check Header Note Line 4:</b>   |
| <b>Additional Check Note Line 1:</b>                                       | <b>Additional Check Note Line 1:</b>                                       |
| <b>Additional Check Note Line 2:</b>                                       | <b>Additional Check Note Line 2:</b>                                       |
| <b>Additional Check Note Line 3:</b>                                       | <b>Additional Check Note Line 3:</b>                                       |
| <b>Additional Check Note Line 4:</b>                                       | <b>Additional Check Note Line 4:</b>                                       |

### Customer Check/ACH tab definition







| Title                                 | Description  |
|---------------------------------------|--|
| ACH Advice Flag                       | Indicates that an e-mail pay advice will be generated for ACH payments from this customer. Selecting "No" indicates that an e-mail advice will not be generated. |
| ACH Payment Detail Description        | Optional. The text that to be displayed as the detailed payment description for e-mail advices related to ACH deposits from this customer.                       |
| Advice Heading Text                   | Optional. The text to be displayed as the heading for e-mail advices related to ACH deposits from this customer.   |
| Advice Subject Line                   | Optional. The text to be displayed as the subject line for e-mail advices related to ACH deposits from this customer.  |
| Advice Return / Cancel E-mail Address | Optional. The e-mail address to be notified if an ACH advice e-mail is returned or encounters an error.  |
| Check Header Note Line 1-4            | Optional. The text lines to be displayed in the check header for disbursements from this PDP customer.   |
| Additional Check Note Line 1-4        | Optional. The text lines to be displayed in the <b>Notes</b> section of check disbursements from this PDP customer.  |

## Customer Processing Tab

This section defines the default accounting string for payments from a PDP customer. It also allows you to customize some PDP behaviors (such as the generation of e-mails) based on the wants of the customer.

| Customer Processing <span style="float: right;">▼ hide</span> |                               |
|---|-------------------------------|
| Old   | New                           |
| Default Chart: BL   | * Default Chart: BL           |
| Default Account: 1031400                                      | * Default Account: 1031400    |
| Default Sub Account: -----                                    | Default Sub Account: -----    |
| Default Object Code: 5000                                     | * Default Object Code: 5000   |
| Default Sub Object Code: ---                                  | Default Sub Object Code: ---  |
| Employee Check Indicator: No                                  | Employee Check Indicator: No  |
| NRA Check Indicator: No                                       | NRA Check Indicator: No       |
| Ownership Codes Required: No                                  | Ownership Codes Required: No  |
| Payee ID Required: No   | Payee ID Required: No         |
| Accounting Edit Required: Yes                                 | Accounting Edit Required: Yes |
| Relieve Liabilities: No                                       | Relieve Liabilities: No       |
| ACH Transaction Type: PRAP                                    | ACH Transaction Type: PRAP    |

**Customer Processing tab definition**

| Title                    | Description   |
|--------------------------|---|
| Default Chart            | Required. The chart code of the account that is to be substituted if this customer's file supplies an invalid accounting string. Existing chart codes may be retrieved from the lookup  .  |
| Default Account          | Required. The account number that is to be substituted if this customer's file supplies an invalid accounting string. Existing accounts may be retrieved from the lookup  .  |
| Default Sub Account      | The sub-account number that is to be substituted if this customer's file supplies an invalid accounting string. To indicate no sub account, five dashes can be entered in this field. Existing sub accounts may be retrieved from the lookup  .  |
| Default Object Code      | Required. The object code that is to be substituted if this customer's file supplies an invalid accounting string. Existing object codes may be retrieved from the lookup  .   |
| Default Sub Object Code  | The sub-object code that that is to be substituted if this customer's file supplies an invalid accounting string. To indicate no sub-object, three dashes can be entered in this field. Existing sub object codes may be retrieved from the lookup  .  |
| Employee Check Indicator | Box checked indicates that the customer is an employee.   |
| NRA Check Indicator      | Box checked indicates that the customer is a non-resident alien.  |
| Ownership Codes Required | Box checked requires files from this customer to include ownership codes for each payment.  |
| Payee ID Required        | Box checked requires that payments from this customer include a payee ID number.  |
| Accounting Edit Required | Box checked requires that the accounting string for payments from this customer is validated against the Chart of Accounts.   |
| Relieve Liabilities      | Box checked indicates that payments made by the PDP for this customer will debit a liability instead of debiting an expense object code.  |
| ACH Transaction Type     | Optional. The PDP supports ACH payees with multiple sets of banking information (for example, payees who want payments from certain customers deposited to different bank accounts). This code is used to identify the appropriate ACH record for payments from this customer.<br><br>Existing ACH transaction types may be retrieved from the lookup  . |

**Edit Customer Bank Tab**

This tab defines the banks that a PDP customer's disbursements are to be made from. Different banks can be defined for different payment types (checks vs. ACH).



**Edit Transaction Type tab definition**

| Title                  | Description  |
|------------------------|--|
| Disbursement Type Code | The disbursement type code (ACH or Check) for this bank can be selected from the drop down list or searched for from the Disbursement Type Code lookup                               |
| Bank Code              | The bank code for this disbursement type. Enter the appropriate code or search for and select a value using the Bank lookup  |
| Add                    | Click the <b>add</b> button to add a new combination of disbursement type and bank code to this customer. Note that a Customer Profile may have only one bank per disbursement type. |


**Implementation Information**

The Customer Profile is required to run the purchasingPreDisbursementExtractJob that will populate the voucher related tables in the database otherwise an exception will occur.

Additionally for the job to run, the OLE-PDP parameter FROM\_EMAIL\_ADDRESS is required to have the same value as the Customer Profile's **Customer Process E-mail Address**.

See [OLE-6428](#)

**Disbursement Number Range**



The **Disbursement Number Range** document allows you to view, modify and create valid disbursement number ranges to be assigned to disbursements associated with a given campus, bank and disbursement type.

Only users with the OLE-SYS Operations role may create Disbursement Number Range documents. These documents do not route for approval.

# Document Layout


'. At the bottom, there are sections for 'Notes and Attachments (0)', 'Ad Hoc Recipients', and 'Route Log', each with a 'show' button."/>

The Disbursement Number Range document includes the **Edit Disbursement Number Range** tab. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

## Edit Disbursement Number Range tab definition

| Title                             | Description  |
|-----------------------------------|--|
| Campus Processing Location        | The processing campus for which this disbursement range is to be used.   |
| Bank Code                         | The code that identifies the bank associated with this disbursement range.   |
| Disbursement Type Code            | The type of disbursement (ACH or check) associated with this range.  |
| Range Start Date                  | A date on which this disbursement range is to begin. This entry allows you to establish a disbursement range for use before a current range is exhausted.  |
| Beginning Disbursement Number     | Required. The first number of this disbursement range.   |
| End Disbursement Number           | Required. The final number of this disbursement range. Note that this number must be greater than the beginning disbursement number.   |
| Last Assigned Disbursement Number | Required. The last disbursement number that has been assigned within this range. If no numbers have yet been used in this range, then this will be the beginning disbursement number. Numbering begins with the next highest number. |
| Active Indicator                  | Indicates whether this disbursement number range is active or inactive. Remove the check mark to deactivate this range.  |

# Disbursement Type



The Disbursement Type identifies the codes and names used to identify disbursements as ACH or check transactions.

This table is display-only. Adding additional codes or modifying the existing codes or description values requires changing OLE code.

The Disbursement Type lookup screen allows you to display the programmatically defined types.

# Document Layout

The Disbursement Type document includes the **Edit Disbursement Type** tab.

## Search Criteria

Use the **Edit Disbursement Type** tab to specify search criteria. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Disbursement Type tab definition

| Title                  | Description   |
|------------------------|---|
| Disbursement Type Code | Display-only. Displays a unique code identifying this type of disbursement ('ACH' or 'CHCK'). |
| Disbursement Type Name | Required. Displays the name of this type of disbursement ('ACH' or 'CHECK').                  |

## Format Checks/ACH



The **Format Disbursements** screen allows you to format payments to create a check and/or ACH file. This screen includes a reference section that lists current disbursement number information for the banks available through the PDP as well as a section in which you identify the payments you want to format.

Note that only users with the OLE-PDP Processor role may use the Format Disbursements screen.

# Document Layout

**Format Disbursements**

Disbursement Ranges hide

Your Default Campus Code is BL

| Campus Processing Location | Name                              | Disbursement Type | Last Assigned Disbursement Number |
|----------------------------|-----------------------------------|-------------------|-----------------------------------|
| BL                         | TEST                              | ACH               | 1050500                           |
| BL                         | FIFTH BANK                        | ACH               | 3050500                           |
| BL                         | TEST BANK 13                      | ACH               | 7050500                           |
| BL                         | FIRST NATIONAL TEST BANK OF KUALI | ACH               | 5050500                           |
| BL                         | TEST SAVE ROUTE                   | CHCK              | 100002                            |
| BL                         | FIRST NATIONAL TEST BANK OF KUALI | CHCK              | 100099                            |
| IN                         | TEST                              | CHCK              | 2050500                           |
| IN                         | FIFTH BANK                        | CHCK              | 4050500                           |
| IN                         | FIRST NATIONAL TEST BANK OF KUALI | CHCK              | 6050500                           |

Format Options hide

Enter a Pay Date and any other selection criteria required

Pay Date: 03/06/2014 Ex. 11/26/2004

Only Disbursements Flagged as Immediate:

All Payment Types:

Only Disbursements with Attachments:

Only Disbursements with No Attachments:

Only Disbursements with Special Handling:

Only Disbursements with No Special Handling:

Customers hide

| Customers  | Disbursement Voucher        |
|--|-----------------------------|
| <input checked="" type="checkbox"/> BL-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> BL-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/> BL-LIBM-RAFT | Library                     |
| <input checked="" type="checkbox"/> EA-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> EA-KUAL-PRAP | Purchasing/Accounts Payable |
| <input type="checkbox"/> IN-KUAL-DV              | Disbursement Voucher        |
| <input type="checkbox"/> IN-KUAL-PRAP            | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/> KO-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> KO-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/> NH-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> NH-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/> SB-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> SB-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/> SE-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> SE-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/> UA-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/> UA-KUAL-PRAP | Purchasing/Accounts Payable |

## Disbursement Ranges Tab

This tab displays your default campus (based on the campus code associated with your OLE-PDP processor role). It also displays information about the banks in the PDP, the campus associated with the displayed disbursement range for each bank and the next disbursement number to be assigned to a disbursement associated with each bank.

Disbursement Ranges hide

Your Default Campus Code is BL

| Campus Processing Location | Name                              | Disbursement Type | Last Assigned Disbursement Number |
|----------------------------|-----------------------------------|-------------------|-----------------------------------|
| BL                         | TEST                              | ACH               | 1050500                           |
| BL                         | FIFTH BANK                        | ACH               | 3050500                           |
| BL                         | TEST BANK 13                      | ACH               | 7050500                           |
| BL                         | FIRST NATIONAL TEST BANK OF KUALI | ACH               | 5050500                           |
| BL                         | TEST SAVE ROUTE                   | CHCK              | 100002                            |
| BL                         | FIRST NATIONAL TEST BANK OF KUALI | CHCK              | 100099                            |
| IN                         | TEST                              | CHCK              | 2050500                           |
| IN                         | FIFTH BANK                        | CHCK              | 4050500                           |
| IN                         | FIRST NATIONAL TEST BANK OF KUALI | CHCK              | 6050500                           |

## Format Options Tab

This tab allows you to specify criteria for selecting payments to be formatted.

Format Options hide

Enter a Pay Date and any other selection criteria required

Pay Date: 03/06/2014 Ex. 11/26/2004

Only Disbursements Flagged as Immediate:

All Payment Types:

Only Disbursements with Attachments:

Only Disbursements with No Attachments:

Only Disbursements with Special Handling:

Only Disbursements with No Special Handling:

Format Options tab definition



|   |  |
|---|--|
| Title                                   | Description  |
| Pay Date                                | Enter a pay date for which you want to format checks or ACH deposits. Payments matching any other search criteria are formatted if their pay date is equal to or earlier than the pay date entered here. Today's date is automatically used as a default pay date. |
| Only Disbursements Flagged as Immediate | Check this box if you want to format only disbursements that are flagged for immediate payment.  |
| Payment Types                           | Select the radio button that indicates the type of disbursements you want to format. These values are defined in the Payment Type lookup.  |

## Customer Tab

This tab allows you to specify the PDP customers for whom you want to format disbursements. The tab displays the entire list of PDP customers. The system makes default selections by matching your default campus to the processing campus for each customer.

To process disbursements for a customer who is not normally associated with your processing organization, check the box for this customer. To avoid processing disbursements for a customer whose disbursements you normally process, un-check the box for this customer.

| Customers <span style="float: right;">▼ hide</span> |              |                             |
|---|--------------|-----------------------------|
| Customers   |              |                             |
| <input checked="" type="checkbox"/>                 | BL-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | BL-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/>                 | BL-LIBM-RAFT | Library                     |
| <input checked="" type="checkbox"/>                 | EA-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | EA-KUAL-PRAP | Purchasing/Accounts Payable |
| <input type="checkbox"/>                            | IN-KUAL-DV   | Disbursement Voucher        |
| <input type="checkbox"/>                            | IN-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/>                 | KO-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | KO-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/>                 | NW-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | NW-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/>                 | SB-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | SB-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/>                 | SE-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | SE-KUAL-PRAP | Purchasing/Accounts Payable |
| <input checked="" type="checkbox"/>                 | UA-KUAL-DV   | Disbursement Voucher        |
| <input checked="" type="checkbox"/>                 | UA-KUAL-PRAP | Purchasing/Accounts Payable |

- After entering selection criteria and selecting/deselecting customers, click  to start the formatting process. Alternately, choose  to reset the information on the page and make different selections. Select to remove all the currently selected options on the page.

When formatting begins the system displays a summary of the customers and associated payments that have been selected for formatting.

Payments Selected for Format Process ▼ hide

| Your Default Campus Code is BL |                                 |            |                 |
|--------------------------------|---------------------------------|------------|-----------------|
| Sort Group                     | Chart - Organization - Sub-Unit | Payments   | Amount          |
| Special Handling               | BL-LIBM-RAFT                    | 53         | 2,557.91        |
| Attachment                     | BL-LIBM-RAFT                    | 90         | 3,750.63        |
| Other                          | BL-LIBM-RAFT                    | 42         | 1,728.10        |
| <b>Total</b>                   |                                 | <b>185</b> | <b>8,036.64</b> |

- Click **Continue**. The system formats the selected disbursements. When the formatting is complete, the PDP takes you to the Format Summary lookup and displays the formatted payments by sort group and customer.


| Sort Group Name  | Chart | Unit | Sub-Unit | Description | Disbursement Type Name | Begin Disbursement Number | End Disbursement Number | Process Total Count | Process Total Amount | Process ID | Extracted Indicator | Formatted Indicator |
|------------------|-------|------|----------|-------------|------------------------|---------------------------|-------------------------|---------------------|----------------------|------------|---------------------|---------------------|
| Special Handling | BL    | LIBM | RAFT     | Library     | Check                  | 5050546                   | 5050572                 | 53                  | 2557.91              | 10000102   | No                  | Yes                 |
| Attachment       | BL    | LIBM | RAFT     | Library     | Check                  | 5050501                   | 5050545                 | 90                  | 3750.63              | 10000102   | No                  | Yes                 |
| Other            | BL    | LIBM | RAFT     | Library     | Check                  | 5050573                   | 5050594                 | 42                  | 1728.10              | 10000102   | No                  | Yes                 |

## Process Overview

### Business Rules for Combining Payments

- During formatting, the PDP attempts to combine multiple payments to the same payee into a single check.
- Payments are eligible to be combined if the payment is combinable and if these field values are identical for each payment:
  - Payment Type
  - Payee ID
  - Payee Name
  - Payee Address (Line 1)
- Payments marked for special handling, attachments, or immediate printing are not eligible to be combined.
- If payments are determined to be combinable based on the above criteria, the PDP combines as many payments as possible into a single check. A parameter (MAX\_NOTE\_LINES ) controls the maximum number of note lines that the PDP attempts to put on a single check. If adding a payment to a combined check would exceed the maximum number of lines, then the PDP creates a new check for this payment.
- The OLE-PURAP module includes logic to bundle together payment requests and credit memos under certain circumstances. This logic is outside of PDP and occurs within the PURAP module itself.

# Format Reset



The Disbursement Type identifies the codes and names used to identify disbursements as ACH or check transactions.

This table is display-only. Adding additional codes or modifying the existing codes or description values requires changing OLE code.

The Disbursement Type lookup screen allows you to display the programmatically defined types.

## Document Layout

## Search Criteria

### Format Reset Fields definition

| Title                   | Description   |
|-------------------------|---|
| Process Campus          | Optional. Enter the campus code of the PDP processor who formatted the payments. You can also search for and select a campus using the <b>Campus</b> lookup |
| Begin Process Date From | Optional. You may specify a date range in which the format process ran. Enter the earliest begin date you wish to search for in the 'from' field.           |
| Begin Process Date To   | Optional. You may specify a date range in which the format process ran. Enter the latest begin date you wish to search for in the 'to' field.               |
| Process ID              | Optional. Enter the process ID number you want to view. Alternately you can search for the ID using the <b>Payment Process</b> lookup                       |

## Clearing a Format Process


If a format process is unsuccessful for any reason, the payments remain in 'Format' status. You cannot process further payments for the campus until the issue is resolved.

To clear an unsuccessful format process, search for it and click the **Clear** link next to the process displayed in the results.

One item retrieved.


| Actions               | Campus Code | Begin Process Date  | Process ID      | Extracted Indicator | Formatted Indicator |
|-----------------------|-------------|---------------------|-----------------|---------------------|---------------------|
| <a href="#">Clear</a> | BL          | 09/25/2009 02:19 PM | <u>10000115</u> | No                  | No                  |

# Format Summary



The **Format Summary Lookup** screen displays formatted disbursements by process ID and allows you to view format summary details for each process ID.

## Document Layout



## Search Criteria

### Format Summary Fields

| Title                  | Description  |
|------------------------|--|
| Process ID             | Optional. Enter the process ID assigned by the PDP when these payments were formatted.   |
| Process Campus         | Optional. Enter the campus code associated with the process ID you want to view.   |
| Process Timestamp From | Optional. To search for format processes within a given date range, enter the beginning of the date range here.  |
| Process Timestamp To   | Optional. To search for format processes within a given date range, enter the end of the date range here.<br><br>Note that this field defaults to show you the last four months of format processes. |

- Enter search criteria and click **Search**. The PDP displays process IDs matching your search results.
- To view the format summary for a given Process ID, just click the ID. You'll be taken to the Format Summary page with search results already displayed for your selected process ID.

# Payee ACH Account



The Payee ACH Account document identifies and allows you to maintain payee ACH account information.



Only users with the OLE-PDP Payee ACH Accounts Administrator role may create Payee ACH Account documents. These documents do not route for approval.

### Note

In OLE's test drive and out of the box software, you will need to assign someone to the OLE-PDP Payee ACH Accounts Administrator role. As delivered, the role has no members.

## Document Layout

**Payee ACH Account** ?

|                            |                                     |
|----------------------------|-------------------------------------|
| <b>Doc Nbr:</b> 3430       | <b>Status:</b> INITIATED            |
| <b>Initiator:</b> khuntley | <b>Created:</b> 12:33 PM 10/06/2006 |

[expand all](#) | [collapse all](#)  
\* required field

Document Overview ▼ hide

**\* Description:**

**Org. Doc. #:**

**Explanation:**

Edit Payee ACH Account ▼ hide

| Old   | New  |
|---|--|
| <b>Payee Type Code:</b> Employee ID             | <b>* Payee Type Code:</b> Employee ID <span style="font-size: x-small;">▼</span>   |
| <b>Payee Number:</b> 1                          | <b>* Payee Number:</b> 1 <span style="font-size: x-small;">🔍</span>                |
| <b>Bank Routing Number:</b> 012345678           | <b>* Bank Routing Number:</b> 012345678 <span style="font-size: x-small;">🔍</span> |
| <b>Bank Name:</b> MY FRIENDLY NEIGHBORHOOD BANK | <b>Bank Name:</b> MY FRIENDLY NEIGHBORHOOD BANK                                    |
| <b>Bank Account Number:</b> 123456789           | <b>* Bank Account Number:</b> 123456789 <input type="text"/>                       |
| <b>Account Type:</b> Checking                   | <b>* Account Type:</b> Checking <span style="font-size: x-small;">▼</span>         |
| <b>Payee Name:</b> John Doe                     | <b>Payee Name:</b> John Doe  |
| <b>Email Address:</b> xy@xy.com                 | <b>* Email Address:</b> xy@xy.com <input type="text"/>                             |
| <b>ACH Transaction Type:</b> PRAP               | <b>* ACH Transaction Type:</b> PRAP <span style="font-size: x-small;">🔍</span>     |
| <b>Active Indicator:</b> Yes                    | <b>* Active Indicator:</b> <input checked="" type="checkbox"/>                     |

**Notes and Attachments (0)** [▶ show](#)

**Ad Hoc Recipients** [▶ show](#)

**Route Log** [▶ show](#)

submit
save
blanket approve
close
cancel


The document contains the **Edit Payee ACH Account** tab.

The **Edit Payee ACH Account** tab maintains a payee's bank information and indicates when this ACH record is to be used. The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

To determine when a given ACH Account record is to be used, the PDP finds ACH records that match the appropriate ID (payee user ID or vendor number) and then matches the ACH transaction type code on these ACH account records to the ACH transaction type code associated with the PDP customer from which the payment originates. If a match is found for the ACH transaction type code for the appropriate payee, the system disburses that payment as an ACH transaction using the defined bank routing and account number.

### Edit Payee ACH Account tab definition

| Title           | Description  |
|-----------------|--|
| Payee Type Code | Required. Select the type of payee (entity ID, employee ID, or vendor number) that this ACH Account record refers to. Your selection here determines the type of ID number expected in the <b>Payee Number</b> field.                |
| Payee Number    | Required. Enter the entity ID or vendor number (depending on your <b>Payee Type Code</b> selection) identifying this payee. You may also search for an ID using the <b>Payee</b> lookup <span style="font-size: x-small;">🔍</span> . |

|                      |   |
|----------------------|---|
| Bank Routing Number  | Required. Enter the routing number for the payee's bank. This routing number must exist in the Bank table. You may also search for a routing number using the <b>ACH Bank</b> lookup  .  |
| Bank Name            | Display-only. If you selected your bank routing number using the <b>ACH Bank</b> lookup, the name of the associated bank is displayed here. If you entered the bank routing number manually, this field displays the associated bank's name when the document is submitted. |
| Bank Account Number  | Required. Enter the bank account number to which ACH deposits for this record should be made.   |
| Account Type         | Required. Select to indicate if this bank account is a checking or a savings account.   |
| Payee Name           | Display-only. The name associated with the payee number selected.   |
| Email Address        | Required. Enter the e-mail address for this payee. ACH advices for this payee will be e-mailed to this address.   |
| ACH Transaction Type | Required. Select the code associated with the PDP Customer that this ACH account information should be used for.  |
| Active Indicator     | Required. Select the checkbox if this ACH Account record should be active. Clear the checkbox if it should be inactive.   |

## Payee Type



The Payee Type table defines the codes and descriptions used to identify different types of Payee IDs that the PDP will accept. Payments uploaded to the PDP must have a Payee Type defined here.

Note that this table is display-only. Adding additional codes or modifying the existing codes or description values would require changing OLE code.

Payee Type allows you to display the programmatically defined payee types.

## Document Layout

The system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Payee Type tab definition

| Title           | Description  |
|-----------------|--|
| Payee Type Code | Optional. A single letter code defining a valid type of PDP payee. |

|                        |  |
|------------------------|--|
| Payee Type Description | Required. A text description associated with this payee type. Valid values include<br><br>E = Employee ID<br>F = Federal Employer Identification Number<br>S = Social Security Number<br>T = Entity ID<br>V = Vendor Number<br>X = Other |
|------------------------|--|

## Payment Bank History



The **Payment Bank History** lookup allows you search for payments by original bank code or current bank code. This allows you to identify payments that may have had their banking information modified. Normally this would only happen if a payment had been cancelled and re-issued and some change had taken place to modify the banking information since the payment was originally disbursed.

## Document Layout

Payment Bank History ?


|                         |                      |
|-------------------------|----------------------|
| Original Bank Code:     | <input type="text"/> |
| Bank Code:              | <input type="text"/> |
| Disbursement Type Code: | <input type="text"/> |
| Disbursement Date From: | <input type="text"/> |
| Disbursement Date To:   | <input type="text"/> |
| Location:               | <input type="text"/> |
| Unit:                   | <input type="text"/> |
| Sub-Unit:               | <input type="text"/> |
| Pay Date From:          | <input type="text"/> |
| Pay Date To:            | <input type="text"/> |
| Process ID:             | <input type="text"/> |
| Payment Status Code:    | <input type="text"/> |

search clear cancel

## Search Criteria


### Payment Bank History Field definitions

| Title                  | Description  |
|------------------------|--|
| Original Bank Code     | Optional. Enter the bank code for the original disbursement. You can also search for and select a bank code using the <b>Bank</b> lookup |
| Bank Code              | Optional. Enter the bank code for the current disbursement. You can also search for and select a bank code using the <b>Bank</b> lookup  |
| Disbursement Type Code | Optional. Select the type of disbursement for the payment you want to view.  |
| Disbursement Date From | Optional. Enter the earliest disbursement date of the payments you want to view.   |

|                      |   |
|----------------------|---|
| Disbursement Date To | Optional. Enter the latest disbursement date of the payments you want to view.  |
| Chart                | Optional. Enter the chart code for the customer associated with the payment.  |
| Unit                 | Optional. Enter the unit code for the customer associated with the payment.   |
| Sub-Unit             | Optional. Enter the sub-unit code for the customer associated with the payment.   |
| Pay Date From        | Optional. Enter the earliest pay date of the payments you want to view.   |
| Pay Date To          | Optional. Enter the latest pay date of the payments you want to view.   |
| Process ID           | Optional. Enter the ID for the process in which the payments were formatted. You may also search for and return a process ID from the <b>Payment Process</b> lookup  . |
| Payment Status Code  | Optional. Select a value to limit your search to payments with a particular status code.  |

Results returned by your search are displayed in a format similar to that used by the Search for Payments lookup.

## Payment Change



The Payment Change Code table defines the codes and names used to identify different types of modifications that can be made to payments within the PDP. These codes are displayed on the **History** tab of the Payment Detail Inquiry available via the Search for Payments lookup.

Only members of the OLE-SYS Operations role may initiate Payment Change Code documents. These documents do not route for approval.

## Document Layout




The Payment Change Code document includes the **Edit Payment Change Code** tab. In this tab, the system automatically enters data into both the **Old** and **New** sections. Selected data fields are available for editing.

### Edit Payment Change Code tab definition

| Title               | Description  |
|---------------------|--|
| Payment Change Code | Display-only. Displays a code of up to three letters identifying the type of change that the PDP has made to this payment. |

|                     |  |
|---------------------|--|
| Payment Change Name | <p>Provides a text description for a given payment change code. Default values include:</p> <p>BC = Change Bank</p> <p>CB = Cancel Batch</p> <p>CD = Cancel Disbursement</p> <p>CP = Cancel Payment</p> <p>CRD = Cancel-Reissue Disbursement</p> <p>HB = Hold Batch</p> <p>HP = Hold Payment</p> <p>IMP = Change Immediate Print</p> <p>RHB = Release Hold on Batch</p> <p>RHP = Release Hold on Payment</p> |
|---------------------|--|

## Payment File Batch Upload



### Payment File Batch Upload


The **Payment File Batch Upload** screen may be used by PDP customers to manually add files to the PDP for processing. The screen allows the user to browse for a file on his or her computer and select it for uploading. After a file is uploaded, the PDP generates an e-mail to the appropriate customer contact confirming the file upload.

Only users with the OLE-PDP Customer role may upload payment files in PDP.

### Upload a File to PDP

1. Select **Payment File Batch Upload** from the **Pre-Disbursement Processor** menu group on the **Maintenance** menu.

Payment File Batch Upload



2. Click **Browse**, navigate to the file you want to upload and click **Open**.
3. Enter a file identifier that is up to 9 characters in length. This entry is a unique identifier for your file.
4. Click to upload the file to the PDP.

If the PDP detects a problem that prevents an upload of the file, the system displays an error message.

1 error(s) found on page.

## Payment File Batch Upload ?

**Errors Found In File:**  
 ■ Duplicate Batch

**Manage Batch Files** ▼ hide

---

**Add Batch Files**

|      | Browse File   | File Identifier | Actions                            |
|------|---|-----------------|------------------------------------|
| add: | <input type="text"/> <input type="button" value="Browse..."/> | Library1        | <input type="button" value="add"/> |

5. After making corrections, click the **Upload File** link to reload the file.

If the upload is successful, the page displays a message indicating that the file was successfully saved. An email is sent to the customer confirming the successful file upload.

## PDP Payment Upload File Format

The following rules apply to formatting the PDP payment upload file:

- The upload file must begin with the standard XML version line such as:

```
<?xml version="1.0" encoding="UTF-8"?>
```

- The root (first) tag for PCDO files must be the <pdp\_file> tag, and the file must contain only one <pdp\_file ></pdp\_file> tag. This tag also contains attributes that identify the schema the document adheres to, such as:

```
<pdp_file xmlns=http://www.kuali.org/ole/pdp/payment
xmlns:xsi=http://www.w3.org/2001/XMLSchema-instance
xsi:schemaLocation=http://www.kuali.org/ole/pdp/payment http://
localhost:8080/kuali-dev/static/xsd/pdp/payment.xsd
version="1.0">
```

- Following the header will be one or more groups of payments identified by the <group> tag. Each group references a single payee and must also contain a <detail> section identifying the accounting distribution for that payment in one or more <accounting> tags.
- After the final group the file must end with a <trailer> specifying the total detail count and amount in the file.


### PDP Payment Upload Format

| Name          | Type       | Max Size | Required? | Special Formatting |
|---------------|------------|----------|-----------|--------------------|
| <b>Header</b> |            |          |           |                    |
| <chart>       | Characters | 2        | Yes       |                    |
| <unit>        | Characters | 4        | Yes       |                    |
| <sub_unit>    | Characters | 4        | Yes       |                    |
| <b>Group</b>  |            |          |           |                    |
| <payee_name>  | Characters | 40       | Yes       |                    |

Pre-Disbursement Processor

|                                   |            |    |     |   |
|-----------------------------------|------------|----|-----|---|
| <payee_id id_type= "X">           | Characters | 25 | No  | Payee ID type (a single character) must be included within this tag |
| <payee_own_cd>                    | Characters | 2  | No  |   |
| <customer_institution_identifier> | Characters | 30 | No  |   |
| <address1>                        | Characters | 55 | Yes |   |
| <address2>                        | Characters | 55 | No  |   |
| <address3>                        | Characters | 55 | No  |   |
| <address4>                        | Characters | 55 | No  |   |
| <city>                            | Characters | 45 | No  |   |
| <state>                           | Characters | 30 | No  |   |
| <zip>                             | Characters | 20 | No  |   |
| <country>                         | Characters | 30 | No  |   |
| <campus_address_indicator>        | Characters | 1  | No  | "Y" or "N"  |
| <payment_date>                    | Date       | 10 | No  | MM/DD/YYYYY format  |
| <attachment_ind>                  | Characters | 1  | No  | "Y" or "N"  |
| <special_handling_ind>            | Characters | 1  | No  | "Y" or "N"  |
| <taxable_ind>                     | Characters | 1  | No  | "Y" or "N"  |
| <nra_ind>                         | Characters | 1  | No  | "Y" or "N"  |
| <combine_group_ind>               | Characters | 1  | No  | "Y" or "N"  |
| <bank_code>                       | Characters | 4  | No  |   |
| Detail                            |            |    |     |   |
| <source_doc_nbr>                  | Characters | 14 | Yes |   |
| <invoice_nbr>                     | Characters | 14 | No  |   |
| <po_nbr>                          | Characters | 9  | No  |   |
| <req_nbr>                         | Characters | 8  | No  |   |
| <org_doc_nbr>                     | Characters | 10 | No  |   |
| <invoice_date>                    | Date       | 10 | No  | MM/DD/YYYY format   |
| <orig_invoice_amt>                | Decimal    |    | No  | Money format (2 decimal places)                                     |
| <net_payment_amt>                 | Decimal    |    | No  | Money format (2 decimal places)                                     |
| <invoice_tot_discount_amt>        | Decimal    |    | No  | Money format (2 decimal places)                                     |
| <invoice_tot_ship_amt>            | Decimal    |    | No  | Money format (2 decimal places)                                     |
| <invoice_tot_other_debits>        | Decimal    |    | No  | Money format (2 decimal places)                                     |
| <invoice_tot_other_credits>       | Decimal    |    | No  | Money format (2 decimal places)                                     |
| <fs_origin_cd>                    | Characters | 2  | No  |   |
| <fdco_typ_cd>                     | Characters | 4  | No  |   |
| <payment_text>                    | Characters | 90 | No  | Can contain multiples   |
| Trailer                           |            |    |     |   |
| <detail_count>                    | Integer    |    | Yes |   |
| <detail_tot_amt>                  | Decimal    |    | Yes | Money format (2 decimal places)                                     |

# Payment Type



The Payment Type table defines the codes and descriptions used when selecting which payments to format on the Format Checks/ACH screen. Using the values defined in this table, users can choose to format all available payments or only payments that match specific criteria (such as payments marked as immediate or only payments with attachments.)

Note that users may modify only the descriptions for these values, not the codes themselves. Codes for payment types are programmatically defined in OLE code. Adding additional codes or modifying the existing code values requires programming code changes.

Only users in the OLE-SYS Operations role can create Payment Type documents. These documents do not route for approval.

## Document Layout


The Payment Type document includes the **Edit Payment Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Payment Type tab definition

| Title                    | Description   |
|--------------------------|---|
| Payment Type Code        | Display-only. Displays a code identifying the type of payments to be selected for formatting.   |
| Payment Type Description | Required. Provide a text description for a given payment type code. Default values include:<br><br>all = All payment types<br><br>immediate = Only disbursements flagged as Immediate<br><br>pymtAttachment = Only disbursements with attachments<br><br>pymtAttachmentFalse = Only disbursements with no attachments<br><br>pymtSpecialHandling = Only disbursements with special handling<br><br>pymtSpecialHandlingFalse = Only disbursements with no special handling |



# Payment Status



The Payment Status table defines the states that may be used to describe a payment in the PDP. Each status is represented by a code and a descriptive name.

Note that users may modify only the descriptions for these values; they cannot modify the codes themselves. Adding additional statuses or modifying the existing code values requires programming code changes.

Only users with the OLE-SYS Operations role may create Payment Status documents. These documents do not route for approval.

## Document Layout


The Payment Status document includes the **Edit Payment Type** tab. The system automatically enters data into both the **Old** and **New** sections in this tab. Selected data fields are available for editing.

### Edit Payment Status tab definition

| Title               | Description  |
|---------------------|--|
| Payee Status Code   | Display-only. Displays a unique four-character code that uniquely identifies this payment status.  |
| Payment Status Name | Required. Enter a text description for this payment status. Default values are:<br>CDIS = Cancel disbursement<br>CPAY = Cancel payment<br>EXTR = Extracted<br>FORM = Selected for format<br>HELD = Held<br>HTXA = All held for tax<br>HTXB = Held for tax (NRA - Empl)<br>HTXE = Held for tax (employee) |

HTXN = Held for tax (NRA)  
 OPEN = Open payment PACH = Pending/ACH  
 PCHK = Pending/Check

## Search for Batch (Batch Lookup)



The **Search for Batch** screen allows you to find batches of payments submitted to the PDP and allows you to view the individual payments associated with these batches.

The Search for Batch screen is restricted to users with the OLE-PDP Customer Contact, OLE-PDP Manager or OLE-PDP Processor role.

## Document Layout

## Search Criteria

### Batch Lookup Fields

| Title                   | Description   |
|-------------------------|---|
| Location                | Optional. Enter the location of the PDP customer associated with the batch you want.  |
| Unit                    | Optional. Enter the unit code of the PDP customer associated with the batch you want.   |
| Sub-Unit                | Optional. Enter the sub-unit code of the PDP customer associated with the batch you want.   |
| File Creation Date From | Optional. Enter the earliest date that files in the batch were created.<br><br>If searching by date, you must enter at least one of the following: Chart, Unit or Sub-Unit. |
| File Creation Date To   | Optional. Enter the latest date that files in the batch were created.<br><br>If searching by date, you must enter at least one of the following: Chart, Unit or Sub-Unit.   |
| Batch ID                | Optional. Enter the unique ID number identifying the batch you want.  |
| Total Payment Count     | Optional. Enter the number of payments included in the batch you want.  |

Total Payment Amount

Optional. Enter the total dollar amount of payments in the batch you want.

## Process Overview

### Viewing Batch Details

After a successful search retrieves a batch, you can view detailed information about payments within the batch by clicking its Batch ID.

| <u>Batch ID</u>          | <u>Chart</u> | <u>Unit</u> | <u>Sub-Unit</u> | <u>File Creation Date</u> | <u>Total Payment Count</u> | <u>Total Payment Amount</u> |
|--------------------------|--------------|-------------|-----------------|---------------------------|----------------------------|-----------------------------|
| <a href="#">10000108</a> | BL           | LIBM        | RAFT            | 08/24/2009                | 185                        | 8036.64                     |

The system displays the Search for Payment lookup, where a list of payments with this Batch ID is displayed. To access details about a specific payment, click on the appropriate document's source number.

| <u>Source Document Number</u> | <u>Purchase Order Number</u> | <u>Invoice Number</u> | <u>Payee Name</u> | <u>Pay Date</u> | <u>Disbursement Date</u> |
|-------------------------------|------------------------------|-----------------------|-------------------|-----------------|--------------------------|
| <a href="#">y39azu5d</a>      | AP3                          | XzbWccBCxCC           | CALENDAR ,EVENT   | 10/07/2004      | 02/17/2009               |
| <a href="#">FT38It</a>        | lmovvbw                      | XUXXORE807            | CALENDAR ,EVENT   | 10/07/2004      | 02/17/2009               |
| <a href="#">T3Xw3</a>         | d                            | bz                    | CBA               | 10/07/2004      | 02/17/2009               |

show inquiry for Payment Detail Payment Detail ID=10001887

### Taking Actions on a Batch

Authorized users may take actions on a batch by using the links available in the **Actions** column on the Search for Batch lookup results.

#### Placing a Batch on Hold

##### Note

Batches may be placed on hold only if none of the associated payments have been disbursed.

Placing a batch on hold prevents all payments that are part of this batch from being selected for formatting. This is a reversible action.

Users with the OLE-PDP Manager role may place a batch on hold or remove a hold from a batch.

1. Search for the batch and click the **Hold** link.

| Actions     | Batch ID | Chart | Unit | Sub-Unit |
|-------------|----------|-------|------|----------|
| Cancel Hold | 10000116 | BL    | LIBM | RAFT     |

2. Enter a note indicating why this batch is being placed on hold.

You are about to Hold the following Batch 10000116. Are you sure you wish to hold this batch?

\* Please enter the reason below:

yes no

3. Click Yes

## Removing a Batch from Hold

If a batch is currently on hold, follow the steps noted above to remove the hold, but click the **remove hold** link.

## Canceling a Batch

All the payments in a batch may be canceled if no payments in that batch have been formatted yet. Canceling a batch prevents it from being included in formatting.

### Note

Canceling a batch cannot be undone.

Users with the OLE-PDP Manager role may cancel a batch.

1. Search for the batch and click the **Cancel** link.

| Actions     | Batch ID | Chart | Unit | Sub-Unit |
|-------------|----------|-------|------|----------|
| Cancel Hold | 10000116 | BL    | LIBM | RAFT     |

2. Enter a note indicating why this batch is being canceled.

You are about to Cancel the following Batch 10000116. Once a batch has been cancelled none of the payments in it can be re-opened for payment. Are you sure you wish to cancel this batch?

\* Please enter the reason below:

3. Click Yes

## Search for Payment



The Search for Payment lookup allows you to find individual payments in the PDP by searching on a variety of search criteria. Search results display identifying information including the disbursement date, type, status and number. You may select individual payments from the search results to view additional detail information.

The Search for Payment screen is restricted to users with the OLE-PDP Customer Contact, OLE-PDP Manager or OLE-PDP Processor roles.

## Document Layout

## Search Criteria

### Search for Payment Fields definition

| Title      | Description  |
|------------|--|
| Payee Name | Optional. Enter the name of the payee associated with this disbursement. |

## Pre-Disbursement Processor

|                        |  |
|------------------------|--|
| Payee ID Type          | Optional. Specify the type of payee ID that is entered in the Payee ID field below. Examples include 'Employee ID,' 'Social Security Number' and 'Vendor Number.'  |
| Payee ID               | Optional. Enter the ID number associated with this payee.  |
| Disbursement Type Code | Optional. Specify the type of disbursement you want to search for. Options include 'Check' and 'ACH.'  |
| Disbursement Number    | Optional. Enter the PDP-assigned disbursement number for the payment.  |
| Net Payment Amount     | Optional. Enter the dollar amount of the total payment.  |
| Disbursement Date From | Optional. Enter the earliest disbursement date for the payment.  |
| Pay Date From          | Optional. Enter the earliest pay date for the payment.   |
| Immediate Print        | Optional. Select 'yes' to include payments flagged for immediate payment or 'no' to exclude the flagged payments. Choose 'Both' if you want your search to return results regardless of whether or not they're marked for immediate printing.  |
| Special Handling       | Optional. Select 'yes' to include payments flagged for special handling or 'no' to exclude these payments. Choose 'Both' if you want your search results to include payments regardless of whether or not they're marked for special handling.   |
| Attachment             | Optional. Select 'yes' to include payments flagged as having attachments or 'no' to exclude those payments. Choose 'Both' if you want your search results to include payments regardless of whether they're marked as attachments.   |
| Payment Status Code    | <p>Optional. Select a payment status from the list to restrict your results to payments currently in that status. Status options include:</p> <p>CDIS--Cancel Disbursement: The Payment has been canceled after formatting.</p> <p>CPAY--Cancel Payment: The payment has been canceled before formatting.</p> <p>EXTR--Extracted: Checks go immediately to this status when formatted. ACH Payments go to this status after they are processed out of 'Pending ACH' status.</p> <p>FORM--Selected for Format: Normally this is a transitional status. If a format process fails, payments selected by that process will be assigned this status for easy identification.</p> <p>HELD--Held: The payment has manually been placed on hold and will undergo no further status changes until the hold is removed.</p> <p>HTXA--All Held for Tax: This status is only used for Payment Searches. Selecting this status will return results with any Held for Tax status listed below.</p> <p>HTXB--Held for Tax (NRA - Empl): The payment is currently held for further review because the payee is identified as both an Employee and a Non-Resident Alien.</p> <p>HTXE--Held for Tax (Employee): The payment is currently held for further review because the payee is identified as an Employee.</p> <p>HTXN--Held for Tax (NRA): The payment is currently held for further review because the payee is identified as a Non-Resident Alien.</p> <p>OPEN--Open Payment: The payment has been uploaded to the PDP but has not yet been formatted.</p> <p>PACH--Pending/ACH: ACH payments go to this status when formatted. They move to Extracted status after the pdpExtractAchPaymentsJob is run.</p> <p>PCHK--Pending/Check: Check payments go to this status after being formatted. They move to Extracted status after the pdpExtractChecksJob batch job is run. Note that in the base configuration this job runs immediately upon execution of a format process.</p> |
| Source Document Type   | Optional. Enables you to search by a code that uniquely identifies a type of financial document in the OLE system. This field may be supplied in the customer's file or may be fed into the PDP directly by documents such as the Disbursement Voucher or Payment Request.   |
| Source Document Number | Optional. An identifying number from the source system for this payment. For payment requests this number is the payment request number; for   |

|                                 |  |
|---------------------------------|--|
|                                 | disbursement vouchers it is the OLE document number. Other source systems provide source document numbers specific to that system.   |
| Chart                           | Optional. Enter the chart code of the PDP customer associated with the payment. Note that this field will also accept Campus Code values. Campus code values should be used for customers associated with disbursement voucher and PURAP payments. |
| Unit                            | Optional. Enter the unit code assigned to the PDP customer associated with the payment.  |
| Sub-Unit                        | Optional. Enter the sub-unit of the PDP customer associated with the payment.  |
| Purchase Order Number           | Optional. Enter a Purchase Order Number to find payments related to that OLE document.   |
| Invoice Number                  | Optional. Enter a vendor invoice number to find payments related to that invoice.  |
| Requisition Number              | Optional. Enter a requisition number to find payments related to that OLE document.  |
| Disbursement Date To            | Optional. Enter the latest disbursement date for the payment.  |
| Pay Date To                     | Optional. Enter the latest pay date for the payment.   |
| Customer Number For Institution | A unique ID number that identifies your institution for this payee.  |
| Process ID                      | Optional. Allows you to restrict your search to a particular batch of checks or ACH payments that have been formatted in the PDP. All payments formatted at the same time share the same Process ID.   |
| Payment Detail ID               | Optional. Allows you to search by the unique ID number that identifies this payment within a batch in the PDP.   |
| Batch ID                        | Optional. Enables you to search by the batch ID assigned when this payment was uploaded as part of a PDP batch by the customer.  |
| Payment Group ID                | Optional. Enables you to search by a unique ID assigned when this payment was uploaded. All payments included in the same group in the customer's file will be assigned the same payment group ID.   |

## Viewing Payment Details (Payment Details Inquiry)

After a successful search retrieves a payment, you can view additional detailed information about it by clicking the payment's source document number.

| Actions                                     | Customer     | Source Document Number | Purchase Order Number | Invoice Number | Payee Name                | Pay Date   | Disbursement Date | Payment Status       | Disbursement Type Name | Disbursement Number | Net Payment Amount |
|---|--------------|------------------------|-----------------------|----------------|---------------------------|------------|-------------------|----------------------|------------------------|---------------------|--------------------|
| Cancel<br>Disbursement<br>Reissue<br>Cancel | BL-KUAL-PRAP | 3530                   | 1069                  | iu-sk-4074-1   | BASIC VENDOR ESTATE/TRUST | 09/22/2009 | 09/22/2009        | Extracted (Reissued) | Check                  | 100098              | 100.00             |
| Cancel<br>Disbursement<br>Reissue<br>Cancel | BL-KUAL-PRAP | 3531                   |                       |                | BASIC VENDOR ESTATE/TRUST | 09/22/2009 | 09/22/2009        | Extracted (Reissued) | Check                  | 100098              | 100.00             |
| Cancel<br>Disbursement<br>Reissue<br>Cancel | BL-KUAL-PRAP | 3532                   | 1069                  | iu-sk-4074-3   | BASIC VENDOR ESTATE/TRUST | 09/22/2009 | 09/22/2009        | Extracted (Reissued) | Check                  | 100098              | 100.00             |

Clicking the source document number opens the **Payment Detail Inquiry** screen for the payment. This screen includes several tabs that display information related to this payment. The tabs include **Summary**, **Batch**, **Payment**, **Payee**, **Account Detail**, **BankInfo**, **History** and **Notes**.

Each Tab is explained below. All fields are display-only.

### Summary Tab

The **Summary** tab contains basic payment information that identifies the payee and information associated with the payment in the source system.

| Summary <span style="float: right;">▼ hide</span> |                           |
|---|---------------------------|
| <b>Number of Payments in this Payment Group:</b>  | 1                         |
| <b>Number of Payments in this Disbursement:</b>   | 3                         |
| <b>Payee Name:</b>                                | BASIC VENDOR ESTATE/TRUST |
| <b>Payee ID Type:</b>                             | Vendor Number             |
| <b>Payee ID:</b>                                  | 1010-0                    |
| <b>Source Document Number:</b>                    | 3530                      |
| <b>Purchase Order Number:</b>                     | 1069                      |
| <b>Invoice Number:</b>                            | iu-sk-4074-1              |
| <b>Requisition Number:</b>                        | 1065                      |
| <b>Customer Number for Institution:</b>           |                           |
| <b>Document Type:</b>                             | PREQ                      |
| <b>Payment Group Id:</b>                          | 10001070                  |
| <b>Customer:</b>                                  | BL-KUAL-PRAP              |
| <b>Disbursement Type Name:</b>                    | Check                     |
| <b>Disbursement Number:</b>                       | 100098                    |
| <b>Invoice Date:</b>                              | 09/22/2009                |
| <b>Pay Date:</b>                                  | 09/22/2009                |
| <b>Disbursement Date:</b>                         | 09/22/2009                |
| <b>Payment Status:</b>                            | Extracted (Reissued)      |
| <b>Net Payment Amount:</b>                        | 100.00                    |
| <b>Origination Code:</b>                          | 01                        |

**Summary Tab definition**

| Title                                    | Description  |
|--|--|
| Number of Payments in the Payment Group  | Display-only. Displays the number of payments grouped together into a single payment to this payee. Customers may choose to group more than one payment together in the files they submit to the PDP. To access a separate Payment search that includes only payments in this same group, click the number displayed here.                 |
| Number of Payments in this Disbursements | Display-only. Displays the number of payments to this payee that were included in the disbursement. This number displays only if payment has been disbursed. The PDP tries to combine payments to the same payee when disbursements are made.  |
| Payee Name                               | Display-only. Displays the name of the payee.  |
| Payee ID Type                            | Display-only. Identifies the type of payee ID number, such as 'Employee ID,' 'Social Security Number' or 'Vendor Number.'  |
| Payee ID                                 | Display-only. Displays the unique ID number for this payee.  |
| Source Document Number                   | Display-only. Displays the document number that uniquely identifies this payment in the source system that provided the information to the PDP.  |
| Purchase Order Number                    | Display-only. If this payment is associated with an OLE purchase order, displays the purchase order number.  |
| Invoice Number                           | Display-only. If this payment is associated with an OLE Payment Request document, displays the invoice number. Customers using another purchasing system may also choose to include an invoice number in the payment information they upload to the PDP.   |
| Requisition Number                       | Display-only. If this payment is associated with an OLE purchase order, displays the associated requisition number.  |
| Customer Number for Institution          | Display-only. Displays a unique number that identifies your institution for this payee.  |
| Financial System Document Type Code      | Display-only. Displays a code that uniquely identifies the source document as a particular type of financial document in OLE.  |
| Payment Group ID                         | Display-only. A unique system-generated number assigned to a payment group.  |
| Customer                                 | Display-only. Identifies the customer ('Chart'-'Unit'-'Sub-Unit') that sent this information to the PDP for disbursement.  |
| Disbursement Type Name                   | Display-only. Shows the type of disbursement, if a disbursement has been made for this payment. Options include 'Check' and 'ACH.' Note that this field is blank until the payment has been formatted.   |
| Disbursement Number                      | Display-only. Identifies the unique check or ACH number assigned to a payment disbursed in the PDP. Note that this field is blank until the payment has been formatted.  |
| Invoice Date                             | Display-only. If the payment was generated in response to a payee invoice (via an OLE Payment Request document), indicates the date of the invoice. Customers who use another purchasing system or who want to include invoice information from another external system may also choose to include an invoice date in their payment files. |
| Pay Date                                 | Display-only. Indicates the earliest date on which the payment is to be made.  |



|                     |  |
|---------------------|--|
| Disbursement Date   | Display-only. If a disbursement has been made, displays the date of the disbursement.  |
| Payment Status Name | Display-only. Displays the current status of the payment in the PDP. Examples include 'Open Payment,' 'Held,' 'Pending/ACH,' and 'Extracted.'  |
| Net Payment Amount  | Display-only. Displays the net dollar amount of this payment   |
| Origination Code    | Display-only. Specifies the origination code of the system from which this payment originates. Payments originating from OLE documents will have the OLE origination code. Payments originating in other systems may include an origination code if the customer includes one in their file. |

## Batch Tab

The **Batch** tab contains information identifying the PDP batch that this payment is a part of and specifying when actions were taken on that batch and who took those actions.

| Batch <span style="float: right;">▼ hide</span> |   |
|---|---|
| <b>Batch ID:</b> 10000108                       | <b>Physical Campus Process Location:</b> BL   |
| <b>Payment Detail ID:</b> 10001767              | <b>Process ID:</b> 10000099                   |
| <b>Pyment File Name:</b> extr_fr_purap          | <b>Processor Name:</b> khuntley               |
| <b>File Creation Date:</b> 09/22/2009 03:00 PM  | <b>Process Timestamp:</b> 09/22/2009 03:21 PM |
| <b>File Processed Time:</b> 09/22/2009 03:00 PM | <b>Submitter Principal Name:</b> kfs          |

### Batch Tab definition

| Title                            | Description  |
|----------------------------------|--|
| Batch ID                         | Display-only. Displays the unique number associated with the batch of payments of which this payment was a part. All payments uploaded at one time for a particular customer are assigned the same unique Batch ID.                            |
| Payment Detail ID                | Display-only. Displays a unique system-generated ID number that identifies this payment in the PDP.  |
| Payment File Name                | Display-only. The full name of the file uploaded to the PDP that included this payment.  |
| File Creation Date               | Display-only. Displays the date and time at which the file that included this payment was created.   |
| File Processed Time              | Display-only. Displays the date and time the file was uploaded to the PDP.   |
| Physical Campus Process Location | Display-only. If this payment has been formatted, specifies the physical campus associated with the user that formatted it.  |
| Process ID                       | Display-only. Displays an ID number assigned when the check or ACH payment was formatted in the PDP. All payments formatted at the same time share the same unique process ID. If the payment has not yet been formatted, this field is blank. |
| Processor Name                   | Display-only. Displays the principal name of the person who formatted this payment in the PDP. If the payment has not yet been formatted, this field is blank.   |
| Process Timestamp                | Display-only. Displays the date and time the payment was formatted in the PDP. If the payment has not yet been formatted, this field is blank.   |
| Submitter Principal Name         | Display-only. Displays the principal name of the person who uploaded this payment to the PDP.  |

## Payment Tab

The **Payment tab** contains information identifying special attributes of the payment that might affect the way in which it is handled (such as indicating it needs immediate processing or special handling or needs to be sent out with attachments). This tab also includes invoice amount details.

| Payment                                   |        | ▼ hide                           |                     |
|---|--------|----------------------------------|---------------------|
| <b>Original Invoice Amount:</b>           | 100.00 | <b>Immediate Print:</b>          | No                  |
| <b>Net Payment Amount:</b>                | 100.00 | <b>Special Handling:</b>         | No                  |
| <b>Invoice Total Discount Amount:</b>     | 0.00   | <b>Attachment:</b>               | No                  |
| <b>Invoice Total Shipping Amount:</b>     | 0.00   | <b>Payment Last Update:</b>      | 09/22/2009 11:00 PM |
| <b>Invoice Total Other Debit Amount:</b>  | 0.00   | <b>Combinable Payment Group:</b> | Yes                 |
| <b>Invoice Total Other Credit Amount:</b> | 0.00   |                                  |                     |

**Payment Tab definition**

| Title                             | Description   |
|-----------------------------------|---|
| Original Invoice Amount           | Display-only. Displays the original amount of an invoice processed on an OLE Payment Request document.  |
| Net Payment Amount                | Display-only. Displays the net dollar amount of the payment.  |
| Invoice Total Discount Amount     | Display-only. Displays the dollar amount of any discount applied to an invoice before payment.  |
| Invoice Total Shipping Amount     | Display-only. Displays the dollar amount of any shipping charges associated with this invoice.  |
| Invoice Total Other Debit Amount  | Display-only. Displays the total dollar amount of any other debits associated with this invoice.  |
| Invoice Total Other Credit Amount | Display-only. Displays the total dollar amount of any credits applied to this invoice.  |
| Immediate Print                   | Display-only. Indicates whether the payment has been flagged for immediate printing.  |
| Special Handling                  | Display-only. Indicates whether the payment has been flagged for special handling.  |
| Attachment                        | Display-only. Indicates whether attachments are to be sent to the payee with the payment.   |
| Payment Last Update               | Display-only. Displays the date and time at which this payment was last updated in the PDP.   |
| Combinable Payment Group          | Display-only. Indicates whether this payment is eligible to be combined with other payments to the same payee. This value is definable at the payment level in PDP payment files. |

**Payee Tab**

The **Payee** tab contains details about the payee for this payment, including tax and address information.

| Payee                                |    | ▼ hide                 |  |
|--------------------------------------|----|------------------------|--|
| <b>Alternate Payee ID Type Code:</b> |    | <b>Street:</b>         | 7317 SHADOW WOOD DR<br>410 SOUTH 22ND ST<br>4121 S CR 50 E |
| <b>Alternate Payee ID:</b>           |    | <b>City:</b>           | NOBLESVILLE  |
| <b>Payee Ownership Code:</b>         | CF | <b>State:</b>          | IN   |
| <b>Is Payee an Employee?:</b>        | No | <b>Country:</b>        | US   |
| <b>Taxable Payment:</b>              | No | <b>Zip Code:</b>       | 460608331  |
| <b>ACH Advice E-mail Address:</b>    |    | <b>Campus Address:</b> | No   |

**Payee Tab definition**


| Title                        | Description  |
|------------------------------|--|
| Alternate Payee ID Type Code | Display-only. If an alternate payee ID exists for this employee, this field displays the ID type. No current OLE functionality completes this field. |
| Alternate Payee ID           | Display-only. Displays an alternate ID number for this payee, if one exists. No current OLE functionality completes this field.                      |

|                          |   |
|--------------------------|---|
| Payee Ownership Code     | Display-only. Displays the ownership type associated with this payee for reporting purposes. Ownership types are defined by PDP customers sending payment information and may vary from customer to customer. |
| Is Payee an Employee?    | Display-only. Indicates whether the payee is identified as an employee of your institution. The default value is 'No' but no current OLE functionality completes this field.                                  |
| Taxable Payment          | Display-only. Indicates whether this payment is designated as taxable. Default value is 'No'.   |
| ACH Advice Email Address | Display-only. If ACH information exists for this payee, displays the e-mail address to which a payment advice can be sent.  |
| Street                   | Display-only. Displays the street for the mailing address of the payee.   |
| City                     | Display-only. Displays the city for the mailing address of the payee.   |
| State                    | Display-only. Displays the state for the mailing address of the payee.  |
| Country                  | Display-only. Displays the country for the mailing address of the payee.  |
| Zip Code                 | Display-only. Displays the zip code for the mailing address of the payee.   |
| Campus Address           | Display-only. Indicates whether or not the payee's mailing address is a campus address. Defaults to 'No,' but no current OLE functionality completes this field.  |

## Account Details Tab

The **Account Details** tab displays all accounting information associated with this payment. Multiple sets of accounting information can be sent for a single payment and each will display here.

If a customer's profile indicates that accounting edits are required, the PDP verifies the payment accounting string against the Chart of Accounts. If any invalid values are found, the entire accounting string is removed and replaced with the Customer's default accounting information. When a change like this is made, this **Payment Account History** section shows a change code identifying the type of change, the original values supplied and what they were changed to.



### Account Details Tab definition

| Title                     | Description  |
|---------------------------|--|
| Accounting Change Code    | Display-only. Identifies the field that caused the accounting error (e.g., 'ACCT' if the account number was found to be invalid).                      |
| Accounting Attribute Name | Display-only. Displays the attribute name of the accounting field that was changed by the PDP.   |
| Original Value            | Display-only. Displays the invalid value that was originally supplied to the PDP.  |
| New Value                 | Display-only. Displays the value used to replace the invalid value. This value is taken from the default accounting information for this PDP customer. |

|             |  |
|-------------|--|
| Change Date | Display-only. Displays the date on which the PDP made this change. |
|-------------|--|

## Bank Info Tab

The **Bank Info tab** page displays the bank code of the bank from which this payment was disbursed. If a payment is made via ACH direct deposit, the tab also displays the routing number and account number to which the deposit was made. If a payment has not yet been formatted, these fields are blank.

Note that only users with the proper roles can view bank account numbers. Users with the role OLE-SYS Manager can view partially masked bank account numbers while members of the role OLE-SYS Operations will see full bank account numbers.

The screenshot shows a 'Bank Info' tab with a 'hide' button. Below the tab title are three rows of information:

- Disbursement Bank Code:** FIRST NATIONAL TEST BANK OF KUALI
- Payee Bank Routing Number:** (empty)
- Payee Bank Account Number:** (empty)

### Bank Info Tab definition

| Title                     | Description   |
|---------------------------|---|
| Disbursement Bank Code    | Display-only. Displays the bank code identifying the bank from which the payment was disbursed. |
| Payee Bank Routing Number | Display-only. Displays the routing number associated with the payee's ACH bank.                 |
| Payee Bank Account Number | Display-only. Displays the account number to which ACH direct deposit was made for this payee.  |

## History Tab

The **History tab** displays an audit trail of actions associated with this payment in the PDP. Each action (hold, cancel, etc.) taken on the payment is displayed in its own section on this tab.

The screenshot shows a 'History' tab with a 'hide' button. Below the tab title is a list of actions:

- Change Time:** 09/25/2009 04:02 PM
- Payment Change:** Hold Payment
- Change User Principal Name:** khuntley
- Original Disbursement Type:** (empty)
- Original Disbursement Number:** (empty)
- Original Disbursement Date:** (empty)
- Original Payment Status:** Open Payment
- Original Bank:** (empty)
- Original ACH Bank Routing Number:** \*\*\*\*\*
- Cancel Extract Status:** (empty)
- Cancel Extract Date:** (empty)
- Change Note Text:** test


### History Tab definition

| Title          | Description  |
|----------------|--|
| Change Time    | Display-only. Displays the date and time on which this action took place.  |
| Payment Change | Display-only. Identifies the change that occurred by displaying the appropriate payment change name. Examples include 'Cancel Payment,' 'Hold Payment, and 'Release Hold Payment.' |

|                                  |  |
|----------------------------------|--|
| Change User Principal Name       | Display-only. Displays the principal name of the person who took this action   |
| Original Disbursement Type       | Display-only. If the payment was already disbursed when the change occurred, indicates whether it was a check or ACH disbursement.   |
| Original Disbursement Number     | Display-only. Indicates the original disbursement number for payments that have been canceled or canceled and reissued.              |
| Original Disbursement Date       | Display-only. If the payment was already disbursed when the change occurred, specifies the date on which that disbursement was made. |
| Original Payment Status          | Display-only. Displays the payment status prior to this action being taken.  |
| Original Bank                    | Display-only. If the disbursement for this payment has been made, displays the bank from which the funds were disbursed.             |
| Original ACH Bank Routing Number | Display-only. If an ACH disbursement has been made related to this payment, displays the bank routing number for the ACH payment.    |
| Cancel Extract Status            | Display-only. Updates to 'Yes' when the job that puts canceled payments in the check file (processPdpCancelsAndPaidJob) completes.   |
| Cancel Extract Date              | Display-only. For canceled payments, displays the date the PDP extracted this cancellation into the check or ACH file.               |
| Change Note Text                 | Display-only. Displays the textual note provided by the user who took this action.   |

## Notes Tab

The **Notes** tab displays all notes associated with this payment.



### History Tab definition

| Title         | Description  |
|---------------|--|
| Payment Notes | Display-only. Displays the text of the note a user added when making a change. |

## Taking Action on Payments

Authorized users can take action on a payment using links available in the **Actions** column on the Search for Payment lookup results.

### Placing a Payment On Hold

Placing a payment on hold prevents it from being selected for formatting. This is a reversible action.

#### Note

For more information, see [Removing a Payment from Hold](#).

Users with the OLE-PDP Manager role may place a payment on hold and remove a hold from a payment.

#### Note

Payments can be placed on hold only if they have not been disbursed.

1. Search for the payment and click the **Hold** link.

| Actions                         | Customer     | Source Document Number | Purchase Order Number | Invoice Number |
|---------------------------------|--------------|------------------------|-----------------------|----------------|
| Cancel Hold Set<br>As Immediate | BL-LIBM-RAFT | y39azu5d               | AP3                   | XzbWccBCxCC    |

2. Enter a note indicating why this payment is being placed on hold.

You are about to Hold the following Payment 10002072. Are you sure you wish to hold this payment?.

\* Please enter the reason below:

yes no

3. Click Yes.

## Removing a Payment from Hold

If a payment is currently on hold, follow the steps provided above to remove the hold, but click the **remove hold** link.

## Canceling a Payment

### Note

Canceling a payment cannot be undone.

Payments or disbursements may be canceled. Canceling a payment prevents it from being included in formatting. Canceling a disbursement generates a cancel check or ACH record and generates appropriate General Ledger entries.

Users with the OLE-PDP Manager role may cancel a payment

1. Search for the payment and click the **Cancel** link.

| Actions                         | Customer     | Source Document Number | Purchase Order Number | Invoice Number |
|---------------------------------|--------------|------------------------|-----------------------|----------------|
| Cancel Hold Set<br>As Immediate | BL-LIBM-RAFT | y39azu5d               | AP3                   | XzbWccBCxCC    |

2. Enter a note indicating why this payment is being canceled.

You are about to Cancel the following Payment 10002072. Once a payment has been cancelled it can not be re-opened for payment. Are you sure you wish to cancel this payment?

\* Please enter the reason below:

3. Click **Yes**.

Canceling a disbursement follows the same procedure described above for canceling a payment, except you choose the **Cancel Disbursement** link.

| Actions   | Customer     | Source Document Number | Purchase Order Number | Invoice Number |
|---|--------------|------------------------|-----------------------|----------------|
| <a href="#">Cancel Disbursement</a> <a href="#">Reissue</a> | BL-LIBM-RAFT | y39azu5d               | AP3                   | XzbWccBCxCC    |

## Canceling and Reissuing a Payment

After a payment has been disbursed, it may be necessary to cancel the previous disbursement and reissue it as a new disbursement.

Follow the steps noted above to cancel a payment that has already been disbursed and send it back to 'Open' status so that it may again be eligible for formatting.

Users with the OLE-PDP Manager role may cancel a payment

1. Search for the payment and click the **Reissue Cancel** link.

| Actions   | Customer     | Source Document Number | Purchase Order Number | Invoice Number |
|---|--------------|------------------------|-----------------------|----------------|
| <a href="#">Cancel Disbursement</a> <a href="#">Reissue</a> | BL-LIBM-RAFT | y39azu5d               | AP3                   | XzbWccBCxCC    |

2. Enter a note indicating why this payment is being canceled and reissued.

You are about to Cancel and Reissue the Disbursement 10001769. Are you sure you wish to cancel and reissue this disbursement?

\* Please enter the reason below:

3. Click **Yes**.

## Setting a Payment for Immediate Print

Payments that have not yet been formatted may be marked for immediate printing. 'Immediate print' payments ignore the Pay Date value and are eligible for disbursement the next time payments for this customer are selected for formatting. Immediate print payments, which may be selected for formatting separately, always appear at the beginning of the check file the PDP creates. This is a reversible action.

### Note

For more information about reversing this action, see [Removing Immediate Print](#).

Users with the OLE-PDP Processor role may mark payments for immediate printing.

1. Search for the payment and click the **Set as Immediate** link.

| <b>Actions</b>   | <b>Customer</b> | <b>Source Document Number</b> | <b>Purchase Order Number</b> | <b>Invoice Number</b> |
|--|-----------------|-------------------------------|------------------------------|-----------------------|
| <a href="#">Cancel</a> <a href="#">Hold</a> <a href="#">Set As Immediate</a> | BL-LIBM-RAFT    | y39azu5d                      | AP3                          | XzbWccBCxCC           |

2. Enter a note indicating why this payment is being flagged for immediate printing.

You are about to Change the Print Immediate Flag on the following Payment 10001767. Are you sure you wish to set this payment as immediate?

\* Please enter the reason below:

3. Click **Yes**.

## Removing Immediate Print

If a payment is currently marked as an Immediate Print, follow the steps noted above to remove the Immediate setting, but click the **Remove Immediate** link.

Users with the OLE-PDP Processor role may remove the Immediate Prints setting from a payment.



# Chapter 22. Appendix

## Terms and Definitions

| Term               | Definition   |
|--------------------|--|
| Account            | Identifies a pool of funds assigned to a specific university organizational entity for a specific purpose. Global document functionality is available for this document.   |
| Agent              | Any individual or organization entity that is represented in Kuali OLE. An agent could be an institution, a staff member, a library consortia, a publisher, a provider, or an individual working for a publisher / vendor. Synonyms: Vendor, Licensor, Publisher, Organization, Provider; Licensor or Licensee   |
| Agreement          | An agreement or understanding between the library / institution and a publisher / provider / donor regarding access to content. May include descriptive metadata, such as start date, end date, and contract number, as well as information about rights, restrictions, and business terms. An agreement will often represent either a negotiated license or a SERU agreement, although it could conceivably also represent other types of agreements, such as restrictions surrounding use of digital materials deposited in an institutional repository, use of donations made to a special collections unit, or use of gifts to the institution. Stored as DocStore .XML ONIX-PL. (Previous hand off for architecture. Future functional specification hand off for "Record License" with ONIX-PL license editor) Synonyms: Agreement Entity, License |
| Agreement Document | A file associated with an Agreement in OLE. Many types of files are utilized in the negotiation process / provide further details about an Agreement, including a variety of word processing files, spreadsheet files, and PDFs. Think: attachments, reference, title lists, SERU, checklists-primarily .doc, .xls, .pdf, but not limited by type. Synonyms: Agreement documents, attachments, linked files  |
| Allocations        | This is the primary area in which the ILS accounting is more granular and specific than at the parent organization level. A university will commonly budget operating funds for library acquisitions in one lump sum. The library then commonly subdivides that money into smaller chunks, according to the perceived needs of its users. The most common ways to subdivide the collection budget are: by school or administrative unit -- \$x for the School of Medicine, for instance, \$X for the School of Arts and Sciences, \$X for the Business School, etc.; by subject -- with the library deciding how many subject funds to subdivide the money into; by material type -- dividing the budget among monographs, print serials, e-serials, other e-resources, rare material, etc.; or by combinations of these categories.                     |
| Batch Job          | Batch jobs, or batch processing, are what update General Ledger balances, other KFS/OLE tables, and files/jobs for exports. Batch jobs need to be run on some schedule to keep OLE in sync with external systems, such as University Financial.  |
| Claim              | The action (or a record thereof) of notifying a vendor that an ordered item has not been received for whatever reason. A claim can be made for a PO line item OR for a single issue of a serial title. Claims can be prompted by: non-receipt, receipt of the wrong version of an item, receipt of a damaged copy, etc.  |
| Chart              | The Chart document is used to define the valid charts that make up the high-level structure of the KFS Chart of Accounts. It also indicates who has management responsibilities for each chart and which object codes are used for system-generated accounting lines for the chart.  |
| Checklist Template | A specific file (or files) that represents a university, library, or other institution's contractual requirements; licenses negotiated by the institution usually must meet (or attempt to meet) these specific requirements. Form of Agreement Document.  |
| Commitments        | This is a running total of costs expected in the future, from purchase orders that have been placed, but not yet paid for. Commitments are an inexact science, and their importance varies according to the types of purchases the library makes. Many libraries only use them for some types of orders (like firm orders, or print monographs), but don't use them at all for other types (like serial standing orders).  |

## Appendix

|                         |  |
|-------------------------|--|
| DocStore                | <p>OLE architecture for structured and unstructured metadata (e.g., bib, item, holding, authority, licenses) that works in conjunction with linked transactional data in OLE RDBMS/relational tables (e.g., purchasing, circulation, users, financial, borrowers).</p> <p>Also referred to as the Document Store.</p>  |
| EDI                     | Electronic Data Interchange; structured transmission of data between organizations by electronic means. Usually a sequence of formatted messages between two parties. EDI formatted data can be transmitted using any methodology agreed to by the sender and recipient: FTP, HTTP, VAN, etc.  |
| e-Doc                   | "electronic document", an online business transaction initiated in a Web-based form and routed electronically through a prescribed sequence of approvers. When the e-Doc has been through its entire approval process, it is maintained in a database for future reference. The OLE adaptation of Kual Financial System (KFS) for Select and Acquire uses e-Docs.  |
| EDIFACT                 | Electronic Data Interchange for Administration, Commerce and Transport, an EDI standard adopted by the United Nations.   |
| EDIFACT Invoice Message | A file containing EDIFACT data for one or more vendor invoices.  |
| Import                  | The act of importing and processing information from an external vendor; performing match-n-merge overlay; and creating appropriate documents inside OLE.  |
| License                 | Generic term that reflects the final outcome or document- when a License is secured, the library may grant access to electronic resources for staff and patrons. The final License (future stories/specs) will likely be a signed and co-signed contractual Agreement between the Library and Agent, saved to DocStore, with its key terms reflected in the License/ONIX-PL editor.  |
| Line Item               | an entity to be ordered, usually identified by title on a purchase order; any purchase order can have more than one line item, e.g., 10 books on a purchase order = 10 line items, one for each. Intended for ease of purchasing multiple items from one vendor.   |
| Negotiated License      | One specific type of Agreement, which usually covers negotiated access to a purchased resource or collection of resources. The ONIX-PL standard was developed specifically to describe / transport both the text and interpretation of a negotiated license.   |
| Object Code             | Object codes represent all income, expense, asset, liability and fund balance classifications that are assigned to transactions and help identify the nature of the transaction Object Level. The Object Level document is used to maintain an attribute of the object code that is used to group similar object codes into categories for reporting Object Consolidation The Object Consolidation document defines a general category of object codes for reporting. One object consolidation includes the object codes belonging to one or more object levels. |
| ONIX-PL                 | ONIX for Publications Licenses (ONIX-PL) is intended to support the licensing of electronic resources – such as online journals and eBooks – to academic and corporate libraries. ONIX-PL enables libraries to: (1) express licenses in a machine-readable format; (2) load them into electronic resource management systems; (3) link them to digital resources; and (4) communicate key usage terms to users. Publishers can also benefit from the ability to maintain their licenses in a standard machine-readable form.                                     |
| Payment Method          | The form of the desired or completed payment. Could be check (paper or ACH system), credit card/procard, wire transfer, cash, internal transfer/payment, foreign draft. Libraries will not process actual payments, but submit batch files to University for payment, and receive back confirming information.   |
| Payment Request/Invoice | Vendor Invoices are processed thru an OLE Payment Request, and represent money owed/due to a Vendor for products or services.  |
| Purchase Order          | A document describing an entity to be bought or licensed along with vendor, fund, order type and other related data; OLE uses an adaptation of the Kual Financial System's purchase order.   |
| Requisition             | A pre-order document for a title being considered for acquisition as submitted by a library user or library staff using various input methods (e.g., submitting a Web form, manual keying, etc.) Default workflow is for a requisition to be approved by a selector and, upon supply of information such as vendor, fund, etc., be transformed into a purchase order. Selectors may also decide against acquisition and cancel the requisition with notice to the original requestor.  |

|        |   |
|--------|---|
| SERU   | A statement (Shared Electronic Resource Understanding) that describes common understandings around e-resource subscriptions. This statement of common understandings can be used by libraries and publishers in place of a formal negotiated license. |
| Vendor | An organization or individual supplying materials for purchase, exchange or at no cost; KFS term is "supplier"  |

For additional OLE terms and definitions, see the [OLE glossary](#) wiki page.

## Select And Acquire Roles

Below are some of the roles that will be authorized to use Purchasing and Accounts Payable Documents and related maintenance documents. Please see individual e-docs for specific requirements in each workflow.

### Note

Sample users are provided for ease of testing and can be replaced with local library users.

| Role               | User ID                              | Permission Description   |
|--------------------|--------------------------------------|--|
| OLE_Load           | ole-jpaul                            | Staff upload interface and Load Reports search   |
| Accounting-AQ1     | ole-brunelle                         | This Role is for View only document (Not for edit)   |
| Accounting-AQ2     | ole-cphovis                          | This Role is for low-level staff with specific needs only. This role is able to create and edit selected functions: payment requests, credit memos, disbursement vouchers, invoices)   |
| Accounting-AQ3     | ole-cstan; ole durbin                | This Role is for staff performing function. This role is able to create and edit all functions (payment requests, purchase orders, credit memos, disbursement vouchers, invoices).   |
| Accounting-AQ4     | ole-earley; ole-ejacob               | This Role is for when you want to restrict deletion to high-level staff. This role is able to create edit or delete all functions (payment requests, purchase orders, credit memos, disbursement vouchers, invoices, COA maintenance). |
| Acquisitions-AQ1   | ole-brunelle                         | This Role is for View only document (Not for edit)   |
| Acquisitions-AQ2   | ole-cphovis; ole-ejacob              | This Role is for low-level staff with specific needs only. This role is able to create and edit selected functions (receiving, purchase orders, requisitions, payment requests).   |
| Acquisitions-AQ3   | ole-cstan; ole-durbin                | This Role is for staff performing function. This role is able to create and edit all functions (receiving, purchase orders, requisitions, payment requests, vendors).  |
| Acquisitions-AQ4   | ole-cstan; ole-earley                | This Role is for when you want to restrict deletion to high-level staff. This role is able to create edit or delete all functions (receiving, purchase orders, requisitions, payment requests, vendors, PURAP maintenance).            |
| Acquisitions-AQ5   | ole-ejacob; ole-fermat; ole-flaherty | This role can perform functions and assign appropriate security level to others (receiving, purchase orders, requisitions, payment requests, vendors, PURAP maintenance).  |
| Collection Manager | admin                                | This Role can close/cancel E-Resource Record if it is currently assigned to this group and Can approve/route to Acquisitions for purchase.   |
| Financial-AQ1      | ole-brunelle                         | This Role is for View only document (Not for edit)   |
| Financial-AQ2      | ole-cphovis                          | This Role is for low-level staff with specific needs only. This role is able to create and edit selected functions (purchase orders, payment requests).  |
| Financial-AQ3      | ole-durbin; ole-fermat               | This Role is for staff performing function. This role is able to create and edit all functions (purchase orders, payment requests, invoices).  |

## Appendix

|                                 |  |  |
|---------------------------------|--|--|
| Financial-AQ4                   | ole-earley; ole-ejacob                     | This Role is for when you want to restrict deletion to high-level staff. This role is able to create edit or delete all functions (budget documents, transfer funds, deposit documents, COA maintenance, purchase orders, payment requests, edit sufficient fund checks and restrictions). |
| Financial-AQ5                   | ole-cstan; ole-flaherty                    | This role can perform functions and assign appropriate security level to others (budget documents, transfer funds, deposit documents, COA maintenance, , purchase orders, payment requests, edit sufficient fund checks and restrictions).   |
| Receiving-AQ1                   | ole-brunelle                               | This Role is for View only document (Not for edit)   |
| Receiving-AQ2                   | ole-cphovis; ole-ejacob                    | This Role is for low-level staff with specific needs only. This role is able to create and edit selected functions (receiving).  |
| Receiving-AQ3                   | ole-durbin                                 | This Role is for staff performing function. This role is able to create and edit all functions (receiving, payment requests, purchase orders, invoices).   |
| Receiving-AQ4                   | ole-cstan; ole-earley                      | This Role is for when you want to restrict deletion to high-level staff. This role is able to create edit or delete all functions (receiving, payment request, purchase orders, invoices, receiving maintenance).  |
| OLE_Acquisitions-select         | admin; admin1                              | This Role performs can create edit view but not delete E-Resource Records.   |
| OLE_Cataloger                   | admin1                                     | This role can only view E-Resource Record.   |
| OLE_E-resource                  | admin                                      | This role can create edit delete E-Resource Record start any sub-workflow link to GOKb particular focus is on Activation and using the Access Dashboard.   |
| OLE_E-ResourceManager           |  | This role manages site-wide configurations like values for the E-Resource status and time periods for alerts.  |
| OLE_Head                        | admin                                      | This Role performs can create edit view but not delete E-Resource Records.   |
| [OLE-SELECT] Operator           | dev2                                       | Operator for Serial Receiving  |
| OLE_Selectors                   | ole-cstan                                  | Create requisitions No acquisitions authority-REQ would route to Acquisitions staff to complete. Use Order Holding Queue on own requisitions   |
| OLE_Selectors_serial            | ole-lreeder                                | (above, for continuing orders)   |
| OLE_Super-Selectors             | ole-mandrew                                | Same as Selectors, plus Assign any requisitions in OHQ   |
| OLE-VND Reviewer                | ole-eurainer<br>ole-jtlieb<br>ole-cofye    | This role receives workflow action requests for the Vendor document.   |
| OLE_Acquisitions                | ole-fermat                                 | All of above, plus processing Purchase Orders, Purchase Order Amendments, APO-automatic Purchase Orders, Vendor.   |
| OLE_Acquisitions_serial         | ole-smills                                 | (above, for continuing orders)   |
| OLE_ACQ-Mgr                     | ole-hachris,<br>ole-kgeorge                | All of above, plus approval actions for above users.   |
| OLE_ACQ_mgr_serial              | ole-bperser                                | (above, for continuing orders)   |
| BL (organization) Chart Manager | ole-cswinson                               | Derived role- approves Chart changes, or Organization changes on an Account, or Campus code changes  |
| OLE-SYS- Org Reviewer           | ole-cknotts (ACK)<br>ole-smorell (APPROVE) | Changes to Accounts under BL organization, or changes that affect BL organization require these approvals.   |

Appendix

|                          |  |   |
|--------------------------|--|---|
| Budget Reviewer          | ole-butt                                   | Default user/role charged with reviewing Purchase Order documents that exceed an account's sufficient funds balance (OLE is modifying code pending KFS 5 debugging of SFC).   |
| Fiscal Officer           | ole-rorenfro                               | Only Fiscal Officer has to approve account changes (based on name on account)   |
| Account Supervisor       | ole-jaraujo                                |   |
| Account Manager          | ole-rorenfro                               |   |
| Sub-Fund Reviewer        | ole-wakins                                 | If sub-fund is present on Account, this is approver for changes.  |
| Sub-Account Reviewer     | ole-wjwitte (ACK)<br>ole-gpbilly (APPROVE) | If sub-account changes made   |
| Account Reviewer         | N/A  | N/A unless editing IU- University Level Chart. "BL" chart in sample data does not require, or defaults to Fiscal Officer.   |
| Super user               | ole-quickstart                             |   |
| OLE_Licenses             | fred                                       | Standard user of License Request. Compiles initial documentation, notes.<br><br>All edits to "owned/initiated" License Request documents. View, edit, create License Requests, upload Agreement docs  |
| OLE_LicenseManager       | frank                                      | Owner of License Request and licensing workflows, becomes central point of contact for negotiations.<br><br>View, Edit, Create License Requests, upload, download Agreement Docs  |
| OLE_LicenseReviewer      | edna                                       | Must acknowledge or approve completion of Review of Agreement, Agreement Documents, or License Request.<br><br>View, edit License Request; download & upload agreement docs.  |
| OLE_Signatory            | eric                                       | Must download, sign, and upload signed copy of Agreement Documents to License Request from Licensor.<br><br>View, Edit License Request, download/upload Agreement Documents.  |
| OLE_Licensing_Approver   | supervisr                                  | Must Approve overall License Request, in order for library to enter into binding agreement with Licensor.<br><br>Approve/Disapprove License Request. Permission to execute Action buttons. Cannot change or upload Agreement documents, or edit License Request metadata. |
| OLE_LicenseViewer        | kuluser (or any)                           | Users authorized to view Agreements, License Requests.  |
| OLE_LicenseConfiguration | admin                                      | System user who can setup licensing module, code lists, statuses, workflows, checklists.<br><br>View, Edit, Create, delete Checklist, and manage any maintenance docs.  |
| OLE_LicenseAssignee      | OLE_LicenseManager                         | System grouping of authorized licensing roles that can be selected as "Owners" on License Request.<br><br>Role/Group used to combine OLE Licenses and OLE License manager into single group for use in "Owner" options for License Request.                               |
| <any user-Action List>   | <any Kuali user>                           | Agreements and Licenses will be highly controlled. Unlike other Searches or Document View-only documents in OLE, only users in above listed licensing roles can view any ERMS docs.   |

# Maintenance Documents Permissions and Routing

| Purchasing/Accounts Payable Maintenance Document Name | Edit/save/submit or Blanket approve permissions: *blanket approve available if no approver listed in next column | Routes for Approval to (if approval required): |
|---|--|--|
| Billing Address                                       | OLE-Acquisitions   |  |
| Carrier   | OLE-Acquisitions   |  |
| Category  | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Exception Type  | OLE-Receive  | OLE-Receive-Mgr                                |
| Format Type   | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Funding Source  | OLE-PAYMENT  |  |
| Invoice SubType                                       | OLE-PAYMENT  |  |
| Invoice Type  | OLE-PAYMENT  |  |
| Item Price Source                                     | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Material Type   | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Note Types  | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Order Type  | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Payment Method  | OLE-PAYMENT  |  |
| Purchase Order Item Status                            | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Receiving Address                                     | OLE-Acquisitions, OLE-Selectors, OLE-Super Selectors, OLE-ACQ-Mgr  |  |
| Receiving line item Note Type                         | OLE-Receive-Mgr  |  |
| Receiving Threshold                                   | OLE-PAYMENT, OLE-ACQ-Mgr, OLE-Receive-Mgr  |  |
| Request Source Type                                   | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| <b>Requestor</b>                                      |  |  |
| Requestor   | OLE-Acquisitions, OLE-Selectors, OLE-Super Selectors, OLE-ACQ-Mgr  |  |
| <b>Vendor Maintenance Document Name</b>               |  |  |
| Commodity Code  | OLE-Acquisitions   | OLE-PAYMENT                                    |
| Contact Type  | OLE User   | OLE-ACQ-Mgr                                    |
| Contract Manager                                      | OLE-Acquisitions   | ole-quickstart                                 |
| Cost Source   | OLE-Acquisitions   | OLE-ACQ-Mgr                                    |
| Ownership Type  | OLE-PAYMENT  |  |
| Ownership Type Category                               | OLE-PAYMENT  |  |
| Payment Terms Type                                    | OLE-PAYMENT  |  |
| Phone Type  | OLE-Acquisitions   |  |
| Shipping Payment Terms                                | OLE-PAYMENT  |  |
| Shipping Special Conditions                           | OLE-Acquisitions   |  |
| Shipping Title  | OLE-Acquisitions   |  |
| Vendor Search Alias Type                              | OLE-Acquisitions   |  |

| Role Name                  | Users                                   |
|----------------------------|---|
| <i>OLE_Selectors</i>       | ole-cstan, ole-quickstart               |
| <i>OLE_Super-Selectors</i> | ole-mandrew, ole-quickstart             |
| <i>OLE_Acquisitions</i>    | ole-fermat, ole-quickstart              |
| <i>OLE_ACQ-Mgr</i>         | ole-hachris, ole- khuntley, ole-kgeorge |
| <i>OLE_Receive_Mgr</i>     | ole-msmith, ole-jfunk, ole-quickstart   |
| <i>OLE_Payment</i>         | ole-abeal, ole-quickstart               |

# Sample Codes

## Sample Chart/Account Codes

| Type            | Chart | Account # | Name               |
|-----------------|-------|-----------|--------------------|
| university acct | BL    | 1047410   | Library Monographs |
| university acct | BL    | 1047415   | Library Serials    |
| Fund code       | BL    | 2947486   | CHEMISTRY          |
| Fund code       | BL    | 2947482   | EDUCATION          |
| Fund code       | BL    | 2947430   | GEOLOGY            |
| Fund code       | BL    | 2947485   | BIOLOGY            |
| Fund code       | BL    | 2947483   | MEDICAL SCIENCES   |
| Fund code       | BL    | 2947498   | COMM & CULTURE     |
| Fund code       | BL    | 2947499   | CENTRAL EURASIAN   |
| Fund code       | BL    | 2947487   | COMPARATIVE LIT    |
| Fund code       | BL    | 2947489   | FRENCH & ITALIAN   |
| Fund code       | BL    | 2947488   | FOLKLORE           |
| Fund code       | BL    | 2947491   | HISTORY            |
| Fund code       | BL    | 2947492   | HIST & PHIL OF SCI |
| Fund code       | BL    | 2947493   | LATIN AMERICAN     |
| Fund code       | BL    | 2947494   | LINGUISTICS        |
| Fund code       | BL    | 2947495   | RELIGIOUS STUDIES  |
| Fund code       | BL    | 2947496   | SOCIOLOGY          |
| Fund code       | BL    | 2947490   | SPEECH AND HEARING |
| Fund code       | BL    | 2947497   | SPANISH/PORTUGESE  |
| Fund code       | BL    | 2947500   | SCHOOL of MEDICINE |

| Object Code | Chart Name | Object Short Name | Object Name         |
|-------------|------------|-------------------|---------------------|
| 7110        | IU         | MONO              | MONOGRAPHS          |
| 7120        | IU         | SERIAL ACQ        | SERIAL ACQUISITIONS |
| 7100        | BL         | LIB ACQUIS        | LIBRARY BOOKS       |
| 7110        | BL         | MONO              | MONOGRAPHS          |
| 7112        | BL         | Mono Firm         | Monograph Firm      |
| 7115        | BL         | Mono Appr         | Monograph Approval  |
| 7120        | BL         | SERIALS           | SERIALS             |
| 7122        | BL         | Serials Firm      | Serials Firm        |
| 7125        | BL         | Serials Appr      | Serials Approval    |

## Chart Codes with related Accounts/Object codes: BUDGETS

| Chart Code | Account | Acct Name | Fiscal Year | Object | Object Name        | CB Budget Amount |
|------------|---------|-----------|-------------|--------|--------------------|------------------|
| BL         | 2947486 | CHEMISTRY | 2014        | 7112   | Monograph Firm     | 20,000           |
| BL         | 2947486 | CHEMISTRY | 2014        | 7115   | Monograph Approval | 20,000           |
| BL         | 2947486 | CHEMISTRY | 2014        | 7122   | Serials Firm       | 20,000           |
| BL         | 2947486 | CHEMISTRY | 2014        | 7125   | Serials Approval   | 20,000           |
| BL         | 2947482 | EDUCATION | 2014        | 7112   | Monograph Firm     | 20,000           |

Appendix

|    |         |                  |      |      |                    |        |
|----|---------|------------------|------|------|--------------------|--------|
| BL | 2947482 | EDUCATION        | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947482 | EDUCATION        | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947482 | EDUCATION        | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947430 | GEOLOGY          | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947430 | GEOLOGY          | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947430 | GEOLOGY          | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947430 | GEOLOGY          | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947485 | BIOLOGY          | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947485 | BIOLOGY          | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947485 | BIOLOGY          | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947485 | BIOLOGY          | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947483 | MEDICAL SCIENCES | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947483 | MEDICAL SCIENCES | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947483 | MEDICAL SCIENCES | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947483 | MEDICAL SCIENCES | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947498 | COMM & CULTURE   | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947498 | COMM & CULTURE   | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947498 | COMM & CULTURE   | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947498 | COMM & CULTURE   | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947499 | CENTRAL EURASIAN | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947499 | CENTRAL EURASIAN | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947499 | CENTRAL EURASIAN | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947499 | CENTRAL EURASIAN | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947487 | COMPARATIVE LIT  | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947487 | COMPARATIVE LIT  | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947487 | COMPARATIVE LIT  | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947487 | COMPARATIVE LIT  | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947489 | FRENCH & ITALIAN | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947489 | FRENCH & ITALIAN | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947489 | FRENCH & ITALIAN | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947489 | FRENCH & ITALIAN | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947488 | FOLKLORE         | 2014 | 7112 | Monograph Firm     | 20,000 |



Appendix

|    |         |                    |      |      |                    |        |
|----|---------|--------------------|------|------|--------------------|--------|
| BL | 2947488 | FOLKLORE           | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947488 | FOLKLORE           | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947488 | FOLKLORE           | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947491 | HISTORY            | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947491 | HISTORY            | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947491 | HISTORY            | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947491 | HISTORY            | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947492 | HIST & PHIL OF SCI | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947492 | HIST & PHIL OF SCI | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947492 | HIST & PHIL OF SCI | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947492 | HIST & PHIL OF SCI | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947493 | LATIN AMERICAN     | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947493 | LATIN AMERICAN     | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947493 | LATIN AMERICAN     | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947493 | LATIN AMERICAN     | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947494 | LINGUISTICS        | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947494 | LINGUISTICS        | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947494 | LINGUISTICS        | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947494 | LINGUISTICS        | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947495 | RELIGIOUS STUDIES  | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947495 | RELIGIOUS STUDIES  | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947495 | RELIGIOUS STUDIES  | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947495 | RELIGIOUS STUDIES  | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947496 | SOCIOLOGY          | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947496 | SOCIOLOGY          | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947496 | SOCIOLOGY          | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947496 | SOCIOLOGY          | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947490 | SPEECH AND HEARING | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947490 | SPEECH AND HEARING | 2014 | 7115 | Monograph Approval | 20,000 |
| BL | 2947490 | SPEECH AND HEARING | 2014 | 7122 | Serials Firm       | 20,000 |
| BL | 2947490 | SPEECH AND HEARING | 2014 | 7125 | Serials Approval   | 20,000 |
| BL | 2947497 | SPANISH/ PORTUGESE | 2014 | 7112 | Monograph Firm     | 20,000 |
| BL | 2947497 | SPANISH/ PORTUGESE | 2014 | 7115 | Monograph Approval | 20,000 |

Appendix

|    |         |                                    |      |      |                  |        |
|----|---------|------------------------------------|------|------|------------------|--------|
| BL | 2947497 | SPANISH/<br>PORTUGUESE             | 2014 | 7122 | Serials Firm     | 20,000 |
| BL | 2947497 | SPANISH/<br>PORTUGUESE             | 2014 | 7125 | Serials Approval | 20,000 |
| BL | 2947500 | LIBRARY<br>ACQUISITIONS<br>GENERAL | 2014 | 7119 | Mono Services    | 45,000 |
| BL | 2947500 | LIBRARY<br>ACQUISITIONS<br>GENERAL | 2014 | 7129 | Serial Services  | 45,000 |
| BL | 1047410 | Library<br>Acquisitions            | 2014 | 7100 | LIB ACQUIS       | 0      |

## Sample Library (OLE) Organizations

| CHART CODE                        | ORG CODE | ORG NAME                         |
|-----------------------------------|----------|----------------------------------|
| <b>HIGHER LEVEL ORGANIZATIONS</b> |          |                                  |
| BL                                | LIBR     | LIBRARY                          |
| BL                                | LACQ     | LIBRARY ACQUISITIONS             |
| <b>OLE Level Organizations</b>    |          |                                  |
| BL                                | BI       | BIOLOGY - LIFESCI                |
| BL                                | CHEM     | CHEMISTRY - CHEM                 |
| BL                                | CMLT     | COMPARATIVE LITERATURE - WELLS   |
| BL                                | FOLK     | FOLKLORE/ETHNOMUSICOLOGY - WELLS |
| BL                                | FRIT     | FRENCH & ITALIAN - WELLS         |
| BL                                | GEOL     | GEOLOGICAL SCIENCES - GEOLOGY    |
| BL                                | SPHS     | SPEECH & HEARING - WELLS         |
| BL                                | HIST     | HISTORY - WELLS                  |
| BL                                | HPSC     | HIST & PHIL OF SCIENCE - WELLS   |
| BL                                | LNAM     | LATIN AMERICAN - WELLS           |
| BL                                | LING     | LINGUISTICS - WELLS              |
| BL                                | REL      | RELIGIOUS STUDIES - WELLS        |
| BL                                | SOC      | SOCIOLOGY - WELLS                |
| BL                                | SPAN     | SPANISH & PORTUGUESE - WELLS     |
| BL                                | CMCL     | COMMUNICATION & CULTURE - WELLS  |
| BL                                | CEUS     | CENTRAL EURASIAN STUDIES - WELLS |
| BL                                | EDL      | EDUCATION - EDUC                 |
| BL                                | MEDS     | MEDICAL SCIENCES - LIFESCI       |

## Document Statuses

## Purchase Order Statuses

| Code | Status            |
|------|-------------------|
| AMND | Pending Amendment |
| CANC | Canceled          |
| CGIN | Change in Process |
| CLOS | Closed            |
| CLPE | Pending Close     |

## Appendix

|      |                                    |
|------|------------------------------------|
| CNCG | Canceled Change                    |
| CXER | Error occurred sending cxml        |
| CXPE | Pending cxml                       |
| DACG | Disapproved Change                 |
| DBUD | Disapproved Budget                 |
| DCG  | Disapproved C & G                  |
| DCOM | Disapproved Commodity Code         |
| DPUR | Disapproved Purchasing             |
| DTAX | Disapproved Tax                    |
| FXER | Error occurred sending fax         |
| FXPE | Pending Fax                        |
| INPR | In Process                         |
| OPEN | Open                               |
| PHOL | Payment Hold                       |
| PHPE | Pending Payment Hold               |
| PRPE | Pending Print                      |
| QUOT | Out for Quote                      |
| RHPE | Pending Remove Hold                |
| ROPE | Pending Reopen                     |
| RTPE | Pending Retransmit                 |
| RTVN | Retired Version                    |
| VOID | Void                               |
| VOPE | Pending Void                       |
| WBUD | Awaiting Budget Approval           |
| WCG  | Awaiting C & G Approval            |
| WCOM | Awaiting Commodity Code Approval   |
| WDPT | Waiting for Department             |
| WNUI | Awaiting New Unordered Item Review |
| WPUR | Awaiting Purchasing Approval       |
| WTAX | Awaiting Tax Approval              |
| WVEN | Waiting for Vendor                 |

## Payment Request Statuses

| Code: | Status:                               |
|-------|---------------------------------------|
| ACHA  | Awaiting Chart Approval               |
| AFOA  | Awaiting Fiscal Officer Approval      |
| APAD  | Awaiting AP Review                    |
| ARVR  | Awaiting Receiving                    |
| ASAA  | Awaiting Sub-Account Manager Approval |
| ATAx  | Awaiting Tax Approval                 |
| AUTO  | Auto-Approved                         |
| CANC  | Canceled                              |
| CIPR  | Canceled - In Process                 |
| DPTA  | Department-Approved                   |
| INIT  | Initiated                             |
| INPR  | In Process                            |
| PEIN  | Pending Route Electronic Invoice      |

## Linked Resources

- [OLE Basic Functionality and Key Concepts](#).: E-Docs, action buttons- basic overview of elements
- [OLE Documentation Portal](#)
- [OLE Published User Documentation](#) on the wiki
- [OLE Roadmap](#)
- [KFS Online Users Guide](#)
- [KFS Chart of Accounts](#)