
Context
krms_cntxt_vld_func_t
CNTXT_VLD_FUNC_ID VARCHAR(40)
CNTXT_ID VARCHAR(40)
FUNC_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
krms_cntxt_vld_actn_typ_t
CNTXT_VLD_ACTN_ID VARCHAR(40)
CNTXT_ID VARCHAR(40)
ACTN_TYP_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
krms_cntxt_vld_term_spec_t
CNTXT_TERM_SPEC_PREREQ_ID VARCHAR(40)
CNTXT_ID VARCHAR(40)
TERM_SPEC_ID VARCHAR(40)
PREREQ VARCHAR(1)
Indexes
krms_cntxt_attr_t
CNTXT_ATTR_ID VARCHAR(40)
CNTXT_ID VARCHAR(40)
ATTR_VAL VARCHAR(400)
ATTR_DEFN_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
krms_cntxt_t
CNTXT_ID VARCHAR(40)
NMSPC_CD VARCHAR(40)
NM VARCHAR(100)
TYP_ID VARCHAR(40)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
DESC_TXT VARCHAR(255)
Indexes
krms_cntxt_vld_agenda_typ_t
CNTXT_VLD_AGENDA_ID VARCHAR(40)
CNTXT_ID VARCHAR(40)
AGENDA_TYP_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
krms_cntxt_vld_rule_typ_t
CNTXT_VLD_RULE_ID VARCHAR(40)
CNTXT_ID VARCHAR(40)
RULE_TYP_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
The krms_cntxt_vld_*_t tables have implicit relationships (that are not shown) with other tables in the schema. Columns herein named *_typ_id refer to krms_typ_t. Other relationships can be inferred more easily based on column names.
Function
krms_func_parm_t
FUNC_PARM_ID VARCHAR(40)
NM VARCHAR(100)
DESC_TXT VARCHAR(255)
TYP VARCHAR(255)
FUNC_ID VARCHAR(40)
SEQ_NO DECIMAL(5,0)
Indexes
krms_func_t
FUNC_ID VARCHAR(40)
NMSPC_CD VARCHAR(40)
NM VARCHAR(100)
DESC_TXT VARCHAR(255)
RTRN_TYP VARCHAR(255)
TYP_ID VARCHAR(40)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
Indexes
krms_func_ctgry_t
FUNC_ID VARCHAR(40)
CTGRY_ID VARCHAR(40)
Indexes
krms_ctgry_t
CTGRY_ID VARCHAR(40)
NM VARCHAR(255)
NMSPC_CD VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
Term
krms_term_rslvr_attr_t
TERM_RSLVR_ATTR_ID VARCHAR(40)
TERM_RSLVR_ID VARCHAR(40)
ATTR_DEFN_ID VARCHAR(40)
ATTR_VAL VARCHAR(400)
VER_NBR DECIMAL(8,0)
Indexes
krms_term_rslvr_t
TERM_RSLVR_ID VARCHAR(40)
NMSPC_CD VARCHAR(40)
NM VARCHAR(100)
TYP_ID VARCHAR(40)
OUTPUT_TERM_SPEC_ID VARCHAR(40)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
Indexes
krms_term_rslvr_input_spec_t
TERM_SPEC_ID VARCHAR(40)
TERM_RSLVR_ID VARCHAR(40)
Indexes
krms_term_parm_t
TERM_PARM_ID VARCHAR(40)
TERM_ID VARCHAR(40)
NM VARCHAR(255)
VAL VARCHAR(255)
VER_NBR DECIMAL(8,0)
Indexes
krms_term_rslvr_parm_spec_t
TERM_RSLVR_PARM_SPEC_ID VARCHAR(40)
TERM_RSLVR_ID VARCHAR(40)
NM VARCHAR(45)
VER_NBR DECIMAL(8,0)
Indexes
krms_term_spec_t
TERM_SPEC_ID VARCHAR(40)
NM VARCHAR(255)
TYP VARCHAR(255)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
DESC_TXT VARCHAR(255)
NMSPC_CD VARCHAR(40)
Indexes
krms_term_t
TERM_ID VARCHAR(40)
TERM_SPEC_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
DESC_TXT VARCHAR(255)
Indexes
krms_term_spec_ctgry_t
TERM_SPEC_ID VARCHAR(40)
CTGRY_ID VARCHAR(40)
Indexes
KRMS Type
krms_typ_t
TYP_ID VARCHAR(40)
NM VARCHAR(100)
NMSPC_CD VARCHAR(40)
SRVC_NM VARCHAR(200)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
Indexes
krms_typ_attr_t
TYP_ATTR_ID VARCHAR(40)
SEQ_NO DECIMAL(5,0)
TYP_ID VARCHAR(40)
ATTR_DEFN_ID VARCHAR(255)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
Indexes
krms_attr_defn_t
ATTR_DEFN_ID VARCHAR(255)
NM VARCHAR(100)
NMSPC_CD VARCHAR(40)
LBL VARCHAR(40)
ACTV VARCHAR(1)
CMPNT_NM VARCHAR(100)
VER_NBR DECIMAL(8,0)
DESC_TXT VARCHAR(255)
Indexes
Many other tables in the KRMS schema relate to krms_typ_t and krms_attr_defn_t. For simplicity these relationships have been split in the diagram, meaning the ends still are shown but they are not visibly joined.
Agenda
krms_agenda_attr_t
AGENDA_ATTR_ID VARCHAR(40)
AGENDA_ID VARCHAR(40)
ATTR_VAL VARCHAR(400)
ATTR_DEFN_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
Indexes
krms_agenda_t
AGENDA_ID VARCHAR(40)
NM VARCHAR(100)
CNTXT_ID VARCHAR(40)
INIT_AGENDA_ITM_ID VARCHAR(40)
TYP_ID VARCHAR(40)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
Indexes
krms_agenda_itm_t
AGENDA_ITM_ID VARCHAR(40)
RULE_ID VARCHAR(40)
SUB_AGENDA_ID VARCHAR(40)
AGENDA_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
WHEN_TRUE VARCHAR(40)
WHEN_FALSE VARCHAR(40)
ALWAYS VARCHAR(40)
Indexes
Rule
krms_rule_attr_t
RULE_ATTR_ID VARCHAR(40)
RULE_ID VARCHAR(40)
ATTR_DEFN_ID VARCHAR(40)
ATTR_VAL VARCHAR(400)
VER_NBR DECIMAL(8,0)
Indexes
krms_cmpnd_prop_props_t
CMPND_PROP_ID VARCHAR(40)
PROP_ID VARCHAR(40)
Indexes
krms_rule_t
RULE_ID VARCHAR(40)
NMSPC_CD VARCHAR(40)
NM VARCHAR(100)
TYP_ID VARCHAR(40)
PROP_ID VARCHAR(40)
ACTV VARCHAR(1)
VER_NBR DECIMAL(8,0)
DESC_TXT VARCHAR(4000)
Indexes
krms_prop_t
PROP_ID VARCHAR(40)
DESC_TXT VARCHAR(100)
TYP_ID VARCHAR(40)
DSCRM_TYP_CD VARCHAR(10)
CMPND_OP_CD VARCHAR(40)
RULE_ID VARCHAR(40)
VER_NBR DECIMAL(8,0)
CMPND_SEQ_NO DECIMAL(5,0)
Indexes
krms_prop_parm_t
PROP_PARM_ID VARCHAR(40)
PROP_ID VARCHAR(40)
PARM_VAL VARCHAR(255)
PARM_TYP_CD VARCHAR(1)
SEQ_NO DECIMAL(5,0)
VER_NBR DECIMAL(8,0)
Indexes
krms_actn_t
ACTN_ID VARCHAR(40)
NM VARCHAR(40)
DESC_TXT VARCHAR(4000)
TYP_ID VARCHAR(40)
RULE_ID VARCHAR(40)
SEQ_NO DECIMAL(5,0)
VER_NBR DECIMAL(8,0)
NMSPC_CD VARCHAR(40)
Indexes
krms_actn_attr_t
ACTN_ATTR_DATA_ID VARCHAR(40)
ACTN_ID VARCHAR(40)
ATTR_DEFN_ID VARCHAR(40)
ATTR_VAL VARCHAR(400)
VER_NBR DECIMAL(8,0)
Indexes